


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

MICROFILMED

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Nancy M. Jydetun
(Applicant)

61070300 610101


STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT II
P H O T O G R A P H S



Lawn and Garden from
Chamberlain Residence

MICROFILMED

FEB 08 1991




NAME: JYDSTRUP
PD: T57N, R1W, SEC.10; NENW
PU:
SOURCE: SUNNYSIDE SLOUGH

PERMIT NUMBER: 96-08233
GL: MAP: # 31
AC/IRR: 2 QUAD: C-7
TRIB. TO: PEND OREILLE LAKE

MICROFILMED

FEB 08 1991

Sentado Oct. 10. 36. L. H. 1871



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08233

Priority: June 10, 1983

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.04 CFS
6.0 AF

This is to certify, that NANCY M. JYDSTRUP
8595 SUNNYSIDE RD.

SANDPOINT, ID 83864 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated June 10, 1983; and
has submitted Proof of Beneficial Use on June 8, 1988. An examination indicates
that the works have a diversion capacity of .040 cfs of water from:

SUNNYSIDE SLOUGH tributary to PEND OREILLE LAKE

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.04 CFS	6.0 AF

LOCATION OF POINT(S) OF DIVERSION: NENW , Sec. 10, Township 57N, Range 01W
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
57N	01W	10	NENW	2		2

Total number of acres irrigated: 2

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.

MICROFILMED

FEB 08 1991

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08233

This license is issued pursuant to the provisions of Section 42-219, Idaho Code,
Witness the seal and signature of the Director, affixed at Boise, this 24TH
day of JANUARY, 1991.

Acting for


R. Keith Higginson, Director

MICROFILMED

FEB 08 1991

RECEIVED
JUN 10 1983
Department of Water Resources
Northern District OfficeSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant NANCY M. JYDSTRUP Phone 208-263-6079
Post office address RT1 Box 507 SANDPOINT, IDAHO 83864
2. Source of water supply SUNNYSIDE SLOUGH which is a tributary of LAKE PENDOREILLE
3. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 10 Township 57N
Range 1W B.M. Bonner County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.20 for irrigation purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.20 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. pump & pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
57N	1W	10		10		5	15												30

Total number of acres to be irrigated 30

c. Describe any other water rights used for the same purposes as described above. NONE

9. a. Who owns the property at the point of diversion App


b. Who owns the land to be irrigated or place of use App

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

4-15-76

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 1 inch equals 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

Nancy M. J. J. J.
(Applicant)

Proposed Priority 6/10/1983

MICROFILMED

Received by ZB Date 6/10/83 Time 12:30
Preliminary check by ZB Fee \$ 30.00
Receipted by pm Date 6/10/83 (27196)
Publication prepared by pm Date 6/16/83
Published in Handpoint Daily Bee
Publication dates 6/22-6/29/83
Publication approved pm Date 7/26/83
Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for (approval) denial by pm RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-8233, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 1988.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:
Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 17th day of August, 1983.

A. Glen Saxon
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Pete Thompson being first duly sworn on oath deposes and says that he is publisher of the Sandpoint Daily Bee, and News Bulletin, newspapers printed and published at Sandpoint, in Bonner County, Idaho; that the said newspapers have been continuously and uninterruptedly published in said Bonner County during a period of 12 months prior to the first publication of the hereto attached notice of publication in the case of _____

Legal notice

as it was published in the regular and entire issue of the said paper for a period of 2 consecutive weeks, commencing on 22 day of 6, 1983 and ending on the 29 day of 6, 19 83 and that said notice was published in said newspaper.

Pete Thompson

Subscribed and sworn to before me this 6 day of 7, 1983.

Adrian M. Thompson

Notary Public for Idaho,

Residing at Sandpoint, Idaho

RECEIVED

JUL 14 1983

Department of Water Resources
Northern District Office

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT The following application(s) have been filed to appropriate the public waters of the State of Idaho.

96-8229

SMITH, SCOTT
P.O. BOX 357, CLARK FORK, ID 83811
Source: DRY CREEK trib. to CLARK FORK RIVER
Date Filed: 06/08/1983
Diversion Pt: SENE Sec 05 T 54N R 03E
Use: IRRIGATION (0.10 CFS)
STOCKWATER (0.02 CFS)
DOMESTIC (0.04 CFS)
In: SENE Sec 05 T 54N R 03E FOR 5 ACRES

96-8230

ATTEBERRY, RONALD H. & MARY KAY
HCR 66 BOX 340, SAGLE, ID 83860
Source: GROUNDWATER
Date Filed: 06/08/1983
Diversion Pt: SWSW Sec 34 T 57N R 01W
Use: DOMESTIC (0.06 CFS)
In: SWSW Sec 34 T 57N R 01W

96-8231

LUJAN, JOSEPH R.
P.O. BOX 881, SANDPOINT, ID 83864
Source: UNNAMED STREAM trib. to SAGLE CREEK
Date Filed: 05/27/1983
Diversion Pt: NENE Sec 13 T 56N R 02W
Use: IRRIGATION (0.16 CFS)
In: NENE Sec 13 T 56N R 02W FOR 8 ACRES

96-8232

WILSON, SAMUEL
RT. 2 BOX 237, SANDPOINT, ID 83864
Source: UNNAMED STREAM trib. to SMITH CREEK
Date Filed: 06/10/1983
Diversion Pt: NESW Sec 27 T 57N R 03W
Use: IRRIGATION (0.02 CFS)
In: SESW Sec 27 T 57N R 03W FOR 1 ACRES

96-8233

JYDSTRUP, NANCY M.
RT. 1, BOX 507, SANDPOINT, ID 83864
Source: SUNNYSIDE SLOUGH trib. to PEND OREILLE LAKE
Date Filed: 06/10/1983
Diversion Pt: NENW Sec 10 T 57N R 01W
Use: IRRIGATION (0.20 CFS)
In: NWNE SENE NENW Sec 10 T 57N R 01W FOR 30 ACRES

96-8234

HOFFMAN, CHARLES H.
HCR 66, BOX 730, SAGLE, ID 83860
Source: PEND OREILLE LAKE trib. to PEND OREILLE RIVER
Date Filed: 06/09/1983
Diversion Pt: LOT 04 Sec 22 T 56N R 01W
Use: IRRIGATION (0.02 CFS)
In: LOT 04 Sec 22 T 56N R 01W FOR 1 ACRES

96-8235

KESSINGER, THOMAS & LORRAINE
6855 W. GARFIELD BAY RD. SAGLE, ID 83860
Source: PEND OREILLE LAKE trib. to PEND OREILLE RIVER
Date Filed: 06/10/1983
Diversion Pt: LOT 02 Sec 21 T 56N R 01W
Use: DOMESTIC (0.04 CFS)
FIRE PROTECTION (0.20 CFS)
In: LOT 02 Sec 21 T 56N R 01W

96-8236

MILLS, CHARLTON
PENK, DALE
DUBUAR, JAMES
COSBY, CRAIG
517 N. 4TH AVE., SANDPOINT, ID 83864
Source: GROUNDWATER
Date Filed: 06/13/1983
Diversion Pt: NESE Sec 20 T 57N R 03W
Use: DOMESTIC (0.08 CFS)
In: NESE Sec 20 T 57N R 03W

96-8237

EVANS, JOE H.
RT. 2 BOX 266, SANDPOINT, ID 83864
Source: JOHNSON CREEK trib. to PEND OREILLE RIVER
Date Filed: 06/13/1983
Diversion Pt: SENE Sec 08 T 56N R 03W
Use: IRRIGATION (0.20 CFS)
In: SWNE Sec 08 T 56N R 03W FOR 10 ACRES

96-8238

LEONARD, LEONARD M.
RT. 2 BOX 264A, SANDPOINT, ID 83864
Source: JOHNSON CREEK trib. to PEND OREILLE RIVER
Date Filed: 06/13/1983
Diversion Pt: NESE Sec 08 T 56N R 03W
Use: IRRIGATION (0.06 CFS)
In: NESE Sec 08 T 56N R 03W FOR 2 ACRES

96-8239

LEONARD, LEONARD M.
RT. 2 BOX 264A, SANDPOINT, ID 83864
Source: GROUNDWATER
Date Filed: 06/13/1983
Diversion Pt: SWNW Sec 33 T 57N R 03W
Use: DOMESTIC (0.04 CFS)
In: SWNW Sec 33 T 57N R 03W

96-8240

FORD, JOHN
WIER, MARIANNA
E. 6420 SELTICE WAY, POST FALLS, ID 83854
Source: PEND OREILLE RIVER trib. to COLUMBIA RIVER
Date Filed: 06/13/1983
Diversion Pt: NWSE Sec 31 T 56N R 03W
Use: IRRIGATION (0.40 CFS)
In: NWSE SWSE Sec 31 T 56N R 03W FOR 20 ACRES

96-8242

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
RT. 3 BOX 344, SANDPOINT, ID 83864
Source: GROUNDWATER
Date Filed: 06/13/1983
Diversion Pt: LOT 02 Sec 16 T 56N R 03W
Use: DOMESTIC (0.02 CFS)

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4055 Gov't. Way, Coeur d'Alene, Id. 83814 on or before July 11, 1983.
KEN DUNN, Dir.
Published 6/22 & 6/29/83

February 5, 1991

NANCY M. JYDSTRUP
8595 SUNNYSIDE RD.
SANDPOINT, ID 83864

RE: WATER RIGHT NO. 96-08233

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

MICROFILMED

FEB 18 1991

January 7, 1991

NANCY M. JYDSTRUP
8595 SUNNYSIDE RD.
SANDPOINT, ID 83864

RE: WATER RIGHT NO. 96-08233

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

MICROFILMED

FEB 08 1991

~~LICENSE REVIEW CHECKLIST~~

Permit No. 96-8233

Name/Address change? ok ✓

Priority date Advance? yes no ✓
Memo to advance
Order to reinstate needed? yes no ✓

Total cfs Limited by fee ✓
Limited by capacity ✓

Total volume Limited by flow
Chart checked for AF rate/ac ✓ 3.0

Capacity Actual measurement checked NONE
Theoretical checked ✓
If greater than permit, check for other rts

Source Changed? yes no ✓
If so, is memo needed to clarify?

P/D Verify with map ✓ permit ✓
More than one per $\frac{1}{4}$? Remember remark
Check p/d overlap N/A

Uses Check irrigation period of use w/ chart ✓

P/U Verify with map ✓ permit ✓
> 5 acres irrigated, run overlap N/A

Remarks More than one p/d in $\frac{1}{4}$
Description of non-irrig uses
Special overlap condition

Conditions -
Measuring device
W.Master control
Overlap R29
Water quality
Other

Dates/Misc. -
Water Dist
App Rec'd ✓
Proof Rec'd ✓

CHECK FOR ADJ. CLAIM Needed according to proof filed
Filed - needs amended
Add'l fee required
Not filed -
Not needed ✓

Comments/Changes to Examiner's Recommendations:

License 10-day ✓ 30-day

Back of field report signed? ✓
Reviewer Sturtis Date 12/26/90 Review time 6 min.

Microfilm
FEB 08 1991

SENIOR AGENT REVIEW

**Check List
for
Beneficial Use Field Report**

RECEIVED
JUN 27 1990

Department of Water Resources

Permit 96-08233

A. GENERAL INFORMATION

- ✓ 1. Name and address are most current available. (Check BU statement)
✓ 2. Exam Date
✓ 3. Source (Check Permit)

B. OVERLAP REVIEW

- ✓ 1. & 2. (Rule 5,1,4)

C. SYSTEM DESCRIPTION

- ✓ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
✓ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
Photo of pd and/or pu or explanation
✓ 3. Word Picture (Rule 5,1,3 / 5,1,4)
✓ 4. Diversion (Rule 5,1,3)
✓ 5. Compare with USGS Map, Land Survey Maps, Aerial Photos and Permit.
✓ 6. Irrigation (Rule 5,1,8) method of determination

Department of Water Resources

✓ **D. FLOW MEASUREMENTS** Check math (Rule 5,1,13 / 5,1,14)

✓ **E. FLOW CALCULATIONS** Check math (Rule 5,1,13 / 5,1,14)

✓ **F. OPTIONAL**

✓ **G. VOLUME CALCULATIONS**

- Three significant figures and no more than 1/10's (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

✓ **H. REMARKS AND OVERLAP ANALYSES**

- ✓ All actual uses listed (Rule 5,1,2):
✓ All unused, permitted uses listed (Rule 5,1,2):
✓ Overlaps (Rule 5,1,4):
✓ Return flows (Rule 5,1,5):
✓ Conditions (Rule 5,1,6).

✓ **I. RECOMMENDATIONS**

- ✓ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
✓ 2. Compare permit to exam for amendments (Rule 5,1,16)

✓ **J. AUTHENTICATION**

Name, Signature, Certification Date, Exam Date.

✓ **WELL INSPECTION REPORT**

Check with permit and well log for discrepancies

Signature

Date

12/8/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT II
P H O T O G R A P H S



*Lawn and garden from
Chamberlain residence*

REPRODUCED

FEB 08 1951

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUL 27 1990

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Nancy Chamberlain Permit No. 96-08233
Current Address: 8595 Sunnyside Rd Sandpoint Id 83864 Phone No. 208-263-6079
2. Accompanied by: Mr. Chamberlain EXAM. DATE: 8/21/89
Address: 8595 Sunnyside Rd. Phone No. 208-263-6079
Relationship to Permit Holder: Husband
3. Source: Sunnyside Slough tributary to Lake Pend Oreille

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE
☐ Copies Attached
2. Other water rights with same point of diversion: NONE
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

FEB 08 1991

Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

2" hose from Sunnyside Slough to pump house. In the pump house there is a Sears 2 hp pump. There is a 1 1/2" buried hose to two risers, one near the pump house the other near the garden.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	SEARS	2	C56M25110	SEARS	1 1/2

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
					NE 1/4 10	57N 1W		BONNER	MAP

6. **Place(s) of Use:**

Indicate Method of Determination _____

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
57N	1W	10					2												2

Do not use this space

MICROFILMED

FEB 18 1991

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{6}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{97}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{6}$

2. Volume Calculations for Other Uses:

$\frac{8.8 \times 20\% \times 24 \text{ hr}}{2.3 (30) \times 20} = .04 \text{ cfs}$

MICROFILMED

FEB 08 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

irrigating only two acres of lawn
and garden, more.

NAME change from Nancy E. Lydstrup
to Nancy Chamberlain

Facilities for life protection

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
irrigation	3-15	11-15	.04	6
~~fire protection~~	~~3-15~~	~~11-15~~		
Totals:			.04	6

2. Recommended Amendments

- ☐ Change P.D. as reflected above
- ☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
- ☐ Add P.U. as reflected above

- ☒ None
- ☐ Other


J. AUTHENTICATION

Field Examiner's Name Charlotte Ammon

Signature Charlotte Ammon

Certification Date 2/17/89

Field Report Preparation Date 8/21/89




K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

SC
12/26/90

MICROFILMED

FEB 08 1991




NAME: JYDSTRUP
PD: T57N, R1W, SEC.10; NENW
PU:
SOURCE: SUNNYSIDE SLOUGH

PERMIT NUMBER: 96-08233
GL: MAP: 31
AC/IRR: 2 QUAD: C-7
TRIB. TO: PEND OREILLE LAKE

MICROFILMED

FEB 08 1991

757NR 100 A



MICROFILMED

FEB 08 1951



State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

December 9, 1988

Ms. Nancy Jydstrup
8595 Sunnyside Rd.
Sandpoint, Id. 83864

Re: 96-8233

Dear Ms. Jydstrup:

Dear Permitholder:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you prior to the time the examination is made so that you may demonstrate the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

TDK/pms

RECORDED & INDEXED

JAN 11 1989

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 96-8233

Date: 11/9/88

General Considerations:

☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change _____ If yes, prepare a data entry
☒ Proof received timely _____
_____ Reinstated

Source of Water:

☒ Surface water
_____ Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

☒ Is a measuring device or access port required?
☒ Has one been installed?
☒ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A Priority Calculation:
Date proof received _____

Date proof due _____

No. of days late _____

Priority date _____

NEW PRIORITY DATE _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

JAN - 8 1988

no @ encl
Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by JS
Sent to region _____

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 96-8233 -

Name(s) of Permit Holder: NANCY M. JYDSTRUP -

Post Office Address: 8595 SUNNYSIDE Rd. -

SANDPOINT, ID 83864 Telephone No. (208) 263-6079

Source of Water: BACKWATER Bend Oreille LAKE - Sunnyside Slough

Extent of Use:

Domestic 0 (number of households) Stockwater _____ (number and type of stock)

Irrigation APPROX 2 (acres) Other/Remark SUMMER USE ONLY

LAWN & GARDEN.

Total rate and/or volume for which proof is submitted 0.04 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: _____

Measuring Device: Required? Yes X No
Installed? Yes X No

Fee enclosed \$ NONE -
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes X No
Installed? Yes X No

Person to contact to accompany the Department representative during the field examination:

SAME

(Name)

(Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

6/3/88

Date

Nancy M. Jydstруп Chamberlain
Signature of Permit Holder (and title, if appropriate)

JAN 11 1989

8595 Sunnyside Rd
Sandpoint, Id 83864



State of Idaho
Dept of Water Resources
1301 N. Orchard Street
Statehouse Mail
Boise, Idaho 83720

INTER-DEPARTMENT MEMO — 1

FROM

Mlen

DATE

11-3-88

TO

file 96-8233

SUBJECT

- I disavowed the proof w/ the permit holder today. Only 2 acres has been developed. The permit holder will resubmit the proof for 0.04 cbs / no fee req'd.

MICROFILMED

JAN 11 1989

Mlen

SIGNATURE

October 28, 1988

Nancy M. Jydstrup
8595 Sunnyside Rd.
Sandpoint, ID 83864

Dear Mr. Jydstrup:

Re: Permit No. 96-8233

Returned is the proof of beneficial use form submitted to this office on June 8, 1988. I apologize for taking a long time to review this file. I only recently caught up with a backlog.

Before the department can accept it, several items need to be addressed. First, the permit was issued for the diversion of water for 30 acres of irrigation with a diversion rate of 0.20 cfs or 90 gpm. The proof indicates that the water is being used for one domestic use and lawn and garden use for about two acres of irrigation for a total volume use of 2 acre-feet of water. The department cannot accept the proof with the volume rate when a flow rate is authorized by the permit.

Please correct the proof of beneficial use form by indicating the maximum rate of diversion your system will produce. Then consult the enclosed instruction sheet/fee schedule and determine if a fee requirement is needed based on your diversion rate. (Note that 0.02 cfs is equal to 9 gpm). Return the proof of beneficial use form and fee within thirty days.

If you have any questions, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosures

MICROFILMED

JAN 11 1989

138922
CERTIFIED MAIL
May 31, 1988

JYDSTRUP, NANCY M.
RT. 1 BOX 507
SANDPOINT, ID 83864

PROOF DUE NOTICE

RE: Permit No. 96-8233

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

MICROFILMED

JAN 11 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

JYDSTRUP, NANCY M.
RT. 1 BOX 507
SANDPOINT, ID 83864

AUGUST 30, 1983

RE: PERMIT NO. 96-8233

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

RECEIVED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: LB

APPLICATION NUMBER: 96-8233

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☒ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: pa Date: 6-20-83

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 7/1/83 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 7/14/83 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
Date of priority recommended: 6/10/83
✓ Special conditions of approval or cover letter. _____

By: RLH Date: 7/29/83

STATE OFFICE REVIEW:

- SLW/L17
☐ See attached sheet for more information.
By: [Signature] Date: 8/9/83

RECEIVED
AUG 5 1983
Department of Water Resources

MICROFILMED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

96-8233-

JYDSTRUP, NANCY M.

RT. 1 BOX 507, SANDPOINT, ID 83864

Source: SUNNYSIDE SLOUGH trib. to PEND OREILLE LAKE

Date Filed: 06/10/1983

Diversion Pt: NENW Sec 10 T 57N R 01W

Use: IRRIGATION (0.20 CFS)

In: NWNE SENE NENW Sec 10 T 57N R 01W FOR 30 ACRES

RECORDED



STATE OF IDAHO

DEPARTMENT OF LANDS

STATEHOUSE, BOISE, IDAHO 83720

GORDON C. TROMBLEY
DIRECTOR

STATE BOARD OF LAND COMMISSIONERS

JOHN V. EVANS
GOVERNOR AND PRESIDENT
PETE T. CENARRUSA
SECRETARY OF STATE
JIM JONES
ATTORNEY GENERAL
JOE R. WILLIAMS
STATE AUDITOR
JERRY L. EVANS
SUP'T OF PUBLIC INSTRUCTION

June 23, 1983

Department of Water Resources
Northern Region
4055 Government Way
Coeur d'Alene, ID 83814

Gentlemen:

Thank your for the copies of the diversion application for our review.
The following applicants have been notified that they will have to
make application for a temporary permit and an encroachment permit
from the Department of Lands:

97-7243	John Young
96-8177	Byers/Ryan Partnership
96-8234	Charles Hoffman
96-8235	Thomas Kessinger
96-8240	John Ford
95-8308	William Huber
95-8340	William McCloskey
95-8345	Robert Olson

96-8233 . Nancy Jydstrup will not affect state land or a
navigable stream.

Very truly yours,

Marvin G. Vandenberg
MARVIN G. VANDENBERG, Chief
Bureau of Navigable Waters

MGV:bv

RECEIVED

JUN 21 1983

Department of Water Resources
Northern Region

EQUAL OPPORTUNITY EMPLOYER



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor

A. Kenneth Dunn
~~Ex Stephen K. Dunn~~
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

Dept. of Lands
Statehouse
Boise, Idaho 83720

Re: 96-8233

Gentlemen:

Enclosed is a recent filing with this Department that may be of interest to you.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Supervisor

RGH/pms

Enc. - Appln.