


95-8096



(HAYDEN LAKE)

SCALE 1:24,000

40' 525000m E.

INTERIOR-GEOLOGICAL SURVEY WASHINGTON D.C. 1962 R 3 W R 2 S



CONTOUR INTERVAL 20 FEET
SPACINGS REPRESENT 10 FOOT CONTOURS
DATUM IS MEAN SEA LEVEL

ROAD CLASSIFICATION
Heavy-duty ——— Light-duty ———
Medium-duty - - - - - Unimproved dirt ———
U.S. Route □ State Route ○



QUADRANGLE LOCATION

U.S. GEOLOGICAL SURVEY, DENVER 25, COLORADO OR WASHINGTON 25, D.C.
PHOTOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ATHOL,
NW 1/4 ATHOL IS
N4752 5-W1

1967

MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

(Late Proof)

License of Water Right No. 96-8179 Priority May 29, 1981 Amount 0.06 cfs

THIS IS TO CERTIFY, that James O. or Elvina A. Doyle
of Athol, Idaho, has complied with the terms and conditions of Permit
No. 96-8179 issued pursuant to Application for Permit dated May 15, 1981,
and has submitted proof to the Department of Water Resources on November 8, 1982,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.06 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Domestic</u> <u>(2 Units)</u>	from <u>January 1</u> to <u>December 31</u>	at <u>0.06</u> cfs and	<u>2.4</u> acre feet
	from _____ to _____	at _____ cfs and	
	from _____ to _____	at _____ cfs and	

(both dates inclusive)

Subject, however, to the condition that no more than 0.06 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
2.4 acre feet per year, said waters to be diverted within the NW 1/4 NE 1/4 Section 35,
Twp 53N, Rge 3W in the County of Kootenai

Description and location of place of use:

Twp.	Range	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
53N	3W	35		X															

Total number of acres irrigated _____

MICROFILMED

CONDITIONS OF APPROVAL

a. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

b. The right to the use of the water hereby confirmed is restricted and appurtenant to lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

c. Any water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water other than hydropower, within the State of Idaho initiated later in time than the priority of this license.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 18TH day of April, 19 86.

Acting for the

Director

Norman C. Young

WJ

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

96-8179
IN THE MATTER OF PERMIT NO. ~~95-8096~~ IN THE)
NAME OF JAMES O. OR ELVINA A. DOYLE) ORDER OF REINSTATEMENT
_____)

WHEREAS, the Department has issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use be submitted on or before August 1, 1982; and,

WHEREAS, the Department has notified the permit holders by certified mail that proof was due and instructed the permit holders as to the steps to be taken to make said proof; and,

WHEREAS, the Department has notified the permit holders that the permit has lapsed for failure of the permit holders to submit proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holders have provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on November 8, 1982;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 95-8096 be REINSTATED and the priority advanced to May 29, 1981.

Dated this 3rd day of December, 1982.

L. Glen Saxton

L. GLEN SAXTON

Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant JAMES O. ORELVINA A. DOYLE Phone 1-205-683-2545
Post office address Rt. #1 Box 93A ATHOL, IDAHO 83801
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 35 Township 53N
Range 3W B.M. Kootenai County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.06 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.06 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. pump and pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6 inches; proposed depth of well is 175 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 35 Township 53N
Range 3W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 2.

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated

c. Describe any other water rights used for the same purposes as described above. None


9. a. Who owns the property at the point of diversion BPP

b. Who owns the land to be irrigated or place of use app and E.R. Soper

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing the applicant has agreed to supply Mr. Soper with domestic water

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

James C. Doyle
(Applicant)

Proposed Priority 5/15/81

Received by AB Date 5/15/81 Time 10:00

Preliminary check by JR Fee \$ 30.00

Receipted by ZB Date 5/15/81 (18138)

Publication prepared by pm Date 5/21/81

Published in Coeur d'Alene Press

Publication dates 5/28-6/4/81

Publication approved pm Date 6/12/81

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by RA RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8096, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 82.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: _____

Witness my hand this 16th day of July, 19 81.

Norman C. Young
Administrator, Resources Admin. Div.

RECEIVED
JUL 16 1981

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

95-8096

DOYLE, JAMES O. &/or ELVINA A.

RT. 1 BOX 83A, ATHOL, ID 83801

Source: GROUNDWATER

Date Filed: 05/15/1981

Amount: 0.06 CFS

Diversion Point: NWNE Sec 35 T

53N R 03W, KOOTENAI CO.

Use: DOMESTIC (0.06 CFS) from

01/01 to 12/31

Place of Use: NWNE Sec 35 T 53N

R 03W

Diversion Means: PUMP AND PIPELINE.

95-8097

SANDBERG, BETTY R.

W. 935 GLASS ST., SPOKANE,

WA 99205

Source: HAYDEN LAKE tribu-

tary to SINKS

Date Filed: 05/15/1981

Amount: 0.04 CFS

Diversion Point: NESW Sec 19 T

51N R 03W, KOOTENAI Co.

Use: DOMESTIC (0.04 CFS) from

01/01 to 12/31

Place of Use: NESW Sec 19 T 51N

R 03W

Diversion Means: PUMP AND

PIPELINE.

95-8098

CLAUSON, LYLE V. &/or DEANNE

RT. 3 BOX 125, RATHDRUM, ID

83858

Source: GROUNDWATER

Date Filed: 05/14/1981

Amount: 0.02 CFS

Diversion Point: NENE Sec 08 T

51N R 05W, KOOTENAI Co.

Use: DOMESTIC (0.02 CFS) from

01/01 to 12/31

Place of Use: NENE SENE Sec

09 T 51N R 05W

Diversion Means: 2 WELLS.

95-8099

WHEELER, CAROL B.

770 W. HAYDEN AVE.,

HAYDEN LAKE, ID 83835

Source: GROUNDWATER

Date Filed: 05/19/1981

Amount: 0.14 CFS

Diversion Point: NWNE Sec 17 T

50N R 04W SWSE Sec 08 T 50N

R 04W, KOOTENAI Co.

Use: IRRIGATION (0.08 CFS)

from 03/15 to 11/15; DOMESTIC

(0.08 CFS) from 01/01 to 12/31

Place of Use: SWSE Sec 08 T 50N

R 04W NWNE Sec 17 T 50N R 04W

FOR 3 ACRES

Diversion Means: WELL, PUMP

AND PIPELINE.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id, 83814 on or before JUNE 15, 1981.

A. KENNETH DUNN

Director

Legal 170

May 28, June 4, 1981

STATE OF IDAHO,

County of Kootenai,

} ss.

Cheryl Hellingworth being first duly sworn upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The *Notice of Application*

of which the annexed is a printed copy, was published in the regular *Thursday* issue of said newspaper for *2* consecutive *weeks*, commencing on the *28* day of *May*, 19*81*, and ending on the *4* day of *June*, 19*81*, and such publication was made as often during said period as said *daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this *28* day of *May*, 19*81*.

Robert M. Markley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

LEADER



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

April 18, 1986

RE: Permit No. 96-8179

James O. or Elvina A. Doyle
Rt. 1, Box 93A
Athol, ID 83801

Dear Mr. and Mrs. Doyle:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

Enclosure

MICROFILMED

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

NEW NO. 96-8179

~~95-8096~~
Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:			
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

EXAMINATION

Date 3-22-83 Accompanied by _____ Total Q measured est. 0.06
If source is surface water, estimate total flow of source _____
Methods of measurement Est. Meets Permit requirements? yes

Measurement calculations:

2 Homes 0.06 cfs 2.4 AFA ✓

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
								<u>S46</u>

System Description 6" x 175' well, submersible pump & pipeline.

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE

Irrigation requirement = _____ AFA/Acre

Q (cfs)

V (afa)

FROM

TO

Domestic ✓

0.06 ✓

2.4 ✓

1-1 ✓ 12-31 ✓

Total

0.06 ✓

2.4 ✓

Remarks

In Basin 96

need new number

MICROFILMED

MICROFILMED															

SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: NW NE, S. 35, T53N, R3W

Place(s) of Use ✓

TWP.	RGE.	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
53N	3W	35		X															

- Recommended Amendments:


☐ Change P.D. as reflected above
☐ Add P.D. as reflected above
☒ None

☐ Change P.U. as reflected above
☐ Add P.U. as reflected above
☐ Other

Examiner's Signature: [Signature]
Checked by: Bob Haynes
Approved by: R. Walker

Date: 3-23-83
Date: 4/12/83
Date: 3-27-86

95-8096



(HAYDEN LAKE)

SCALE 1:24,000

40° 52' 50" N 114° 05' 00" W

INTERIOR - GEOLOGICAL SURVEY, WASHINGTON, D.C. 20541 R 3 W R 2 S



CONTOUR INTERVAL 20 FEET
ELEVATION REPRESENTED TO FOUR DECIMAL PLACES
BASED ON U.S. MEAN SEA LEVEL

ROAD CLASSIFICATION
Heavy-duty ——— Light-duty ———
Medium-duty - - - - - Unimproved ———
U.S. Road ——— State Road ———



QUADRANT LOCATION

ALL SURVEY, DENVER 25, COLORADO OR WASHINGTON 25, D.C.
TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ATHOL.
NW 4 ATHOL 15
N4752.5 - W1

1963

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
R. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

January 21, 1983

Mr. James Doyle
Rt. 1 Box 93A
Athol, Id. 83801

RE: 95-8096

Dear Mr. Doyle:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination, however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Very truly yours,

TOM D. KING
Senior Water Resource Agent

TDK/pms

cc: IDMR - State Office

MICROFILMED

CALCULATION OF NEW PRIORITY DATE

FROM: Rita Fleck

TO: File # 95-8096

DATE: Nov. 24, 1982

Date Proof Received

312

Nov. 8

Proof Due

298

Oct. 25

Number of Days Proof Late

14

Priority Date

135

May 15, 1981

Number of Days Proof Late

14

New Priority Date

149

= May 29, 1981

Remarks

Pursuant to correspondence, the priority was advanced from the time proof was requested to be returned, Oct 25 to the time it actually arrived, Nov. 8.

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 958596

Name(s) of Permit Holder: JAMES O. OR ELVINA A. DOYLE ^{COMPLETE}

Post Office Address: RT #1 BOX 93A
ATHOL, IDAHO 83801 Tel. No. 208-683-2545

Source of Water:

Extent of Use:

☒ Domestic	<u>TWO</u>	(number of households)
☐ Stockwater		(number and type of stock)
☐ Irrigation		(acres)
☐ Other		

Measuring Device:	Required?	☐ Yes ☒ No	Installed?	☐ Yes ☐ No
Access Port:	Required?	☐ Yes ☒ No	Installed?	☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

11-5-82
Date

James O. Doyle
Elvina A. Doyle
Signature of Permit Holder

JAMES D. DOYLE

R#1 BOX 93A

ATHOL, IDAHO 83801

PLACE
13 CENT
STAMP
HERE



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

NOV 11 1982

NOV 11 1982
IDAHO DEPARTMENT OF WATER RESOURCES



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

October 5, 1982

James O. or Elvina A. Doyle
Rt. 1 Box 93A
Athol, ID 83801

Dear Mr. and Mrs. Doyle:

Re: Permit No. 95-8096

This office received the Statement of Beneficial Use postcard which you submitted on June 10, 1982.

As is, unfortunately, it is not acceptable since the Idaho Code states that proper proof is made by providing the information requested on the postcard.

Please complete and return the blank postcard with the information requested and return it to this office on or before October 25, 1982 to keep your permit in good standing.

If you have any questions or need assistance, please feel free to contact me at 334-4290.

Sincerely,

RITA I. FLECK
Sr. Secretary


Enclosure DEAR MS. FLECK,

WE HAVE BEEN ON AN EXTENDED TRIP SINCE
SEPT. 1, & ARRIVED HOME NOV. 4. FOUND YOUR LETTER &
AM RETURNING REQUESTED CARD.
HOPE THIS CAUSES NO PROBLEMS AS PER SOME BEING HATE
IF SO, PLEASE INFORM ME.

THANK YOU
Jim Doyle

*Advance from
Priority
10-25-82 to J.D.S.*

DOYLE
Rt 1 BOX 93A
ATHOL, IDAHO
83801



IDAHO DEPT. OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO
83720

ATTN.
RITA I. FLECK

October 5, 1982

James O. or Elvina A. Doyle
Rt. 1 Box 93A
Athol, ID 83801

Dear Mr. and Mrs. Doyle:

Re: Permit No. 95-8096

This office received the Statement of Beneficial Use postcard which you submitted on June 10, 1982.

As is, unfortunately, it is not acceptable since the Idaho Code states that proper proof is made by providing the information requested on the postcard.

Please complete and return the blank postcard with the information requested and return it to this office on or before October 25, 1982 to keep your permit in good standing.


If you have any questions or need assistance, please feel free to contact me at 334-4290.

Sincerely,

RITA I. FLECK
Sr. Secretary

Enclosure

JAMES O. DOYLE
RT. 1 BOX 93A
ATHOL, IDA.
83801



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 95-8096.

Name(s) of Permit Holder: _____

Post Office Address: _____

Tel. No. _____

Source of Water: _____

Extent of Use:

☐ Domestic

(number of households)

☐ Stockwater

(number and type of stock)

☐ Irrigation

(acres)

☐ Other

Measuring Device:

Required?

☐ Yes

☒ No

Installed?

☐ Yes

☐ No

Access Port:

Required?

☐ Yes

☒ No

Installed?

☐ Yes

☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

6-6-82

Date

James O. Doyle

Signature of Permit Holder

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

DOYLE, JAMES O. & ELVINA A.
RT. 1 BOX 93A
ATHOL, ID 83801

138126

MAY 31, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 95-8096 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE AUGUST 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

RECEIVED
MAY 31 1982

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

DOYLE, JAMES D. & ELVINA A.
RT. 1 BOX 93A
ATHOL, ID 83801

JULY 29, 1981

RE: PERMIT NO. 95-8096

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

11/1/81

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JR

APPLICATION NUMBER: 95-8096

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____

- ☒ Yes ☐ No* In form for advertising.
☐ Yes ☒ No Final date for protests: 6/15/81 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 6/8/81 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 5/15/81 Date of priority recommended.
☒ Special conditions of approval or cover letter. _____

By: _____ Date: _____

STATE OFFICE REVIEW:

- W/Record
☐ See attached sheet for more information.
By: Polyn Date: 7/1/81

DOYLE, JAMES O. &/or ELVINA A.

RT. 1 BOX 93A, ATHOL, ID 83801

Source: GROUNDWATER

Date Filed: 05/15/1981

Amount: 0.06 CFS

Diversion Point: NWNE Sec 35 T 53N R 03W, KOOTENAI Co.

Use: DOMESTIC (0.06 CFS) from 01/01 to 12/31

Place of Use: NWNE Sec 35 T 53N R 03W

Diversion Means: PUMP AND PIPELINE.

RECEIVED
JUN 1 1981