


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

SEC 2 - TWP-56N - R1E - B.M.



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT

YES NO

PERMIT NO. 96-8150

(☒) () B/U Acknowledgement Letter Sent ZA 6/8/88 (INITIAL & DATE)

() (☒) Aerial Photo Date Requested _____ by _____

(☒) () Quad Sheet

(☒) () GL Plat

() (☒) Copies of overlapping License Field Report Claim

() () Photo PD/PU

() () Correspondence (Date) _____

() () Other (List) _____

RECEIVED
JUN 26 1989

Department of Water Resources

EXAM COMPLETED BY _____ DATE _____

SR AGENT REVIEW _____ sk DATE 6/88

REGIONAL MANAGER REVIEW _____ RGH DATE 6/88

ENTERED ON COMPUTER BY _____ pm DATE 6/16/89

PRELIMINARY OVERLAP REVIEW BY ZA pm DATE 6/7/88

(☒) NO OVERLAP FOUND



DU
PD



line
runs out
into lake
150' ft with
submersible pump

MICROFILMED

MAR 26 1990



T56N
RIE, A

PAND DOREILLE
PLACER
U.S. SUR. MTS 99
97.50 ac.

WARREN IS.

Lot 1

ELLINGPORT

3	2	1
32.00	40.00	
LISPORT		
	5	
	1	
	6	
	38.60	
	7	

MAR 26 1905

OPTA
INIAN

4	3	2
23.96	25.00	22.15
6	7	8
35.00	39.96	4.00

PEARL IS.

Apr. 10.

1.25

50.72
66.75

Sec. 12.
66.50

31.10

3

27.20

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08150

Priority: February 25, 1983

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.04 CFS
1.2 AF

This is to certify, that RICHARD A. LERSCH
MARGARET ANNE LERSCH

1000 RED FIR RD.
HOPE, ID 83836

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated February 25, 1983; and
has submitted Proof of Beneficial Use on April 13, 1988. An examination indicates
that the works have a diversion capacity of .040 cfs of water from:

PEND OREILLE LAKE tributary to PEND OREILLE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: LOT 3(NWSE), Sec. 2, Township 56N, Range 01E
BONNER County

PLACE OF USE: DOMESTIC

TWN RGE SEC

56N 01E 2 LOT 3(NWSE)

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

MICROFILMED

MAR 26 1988

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08150

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 10TH
day of JANUARY, 1990.

Acting for

Norman C Young
R. Keith Higginson, Director

MICROFILMED

MAR 26 1990

State of Idaho
Department of Water Resources

RECEIVED

NOV 22 1989

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 96-08150

Department of Water Resources

Date of Priority: February 25, 1983

Maximum Diversion Rate:
Maximum Diversion Volume

0.04 CFS
1.2 AF

Comes now

RICHARD A. LERSCH
MARGARET ANNE LERSCH

1000 RED FIR RD.
HOPE, ID 83836

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 96-08150, and requests that the permit be changed as follows:

Source: PEND OREILLE LAKE

tributary to PEND OREILLE RIVER

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

ANNUAL VOLUME

DOMESTIC

01/01 to 12/31

0.04 CFS

1.2 AF

LOCATION OF POINT(S) OF DIVERSION: LOT 3(NWSE), Sec. 2, Township 56N, Range 01E
BONNER County

PLACE OF USE: DOMESTIC

TWN RGE SEC

56N 01E 2 LOT 3(NWSE)

MICROFILMED

MAR 26 1990

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Hope, Idaho, this 15th day of November, 1989.

Margaret Anne Lersch
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 96-08150

FOR DEPARTMENT USE ONLY

Preliminary check by kw Fee = \$20.00 ✓ Received by DL Date 11-24-89 C012985

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 96-08150 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

Witness my hand this 10TH day of JANUARY, 1990.

Acting for

R. Keith Higginson, Director

MICROFILMED

MAR 26 1990

Jm

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Richard A. & Margaret Anne Lersch Phone (208) 264-5218
Post office address Star Route Box 445, Hope, Idaho 83836
2. Source of water supply Pend Orielle Lake which is a tributary of Pend Orielle River
3. Location of point of diversion is ~~1/4~~ of 6L4 1/4 of Section 2 Township 56 N
Range 1 E B.M. Bonner County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.06 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.06 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Submersible Pump in Lake

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: ~~1/4~~ of 6L4 1/4 of Section 2 Township 56 N
Range 1 E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water TWO.

(5) If water is to be used for other purposes describe: DOMESTIC includes up to 1/2 ACRE OF IRRIGATION FOR EACH HOME B and C

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated

c. Describe any other water rights used for the same purposes as described above. *None*

9. a. Who owns the property at the point of diversion Richard A. & Margaret Anne Lersch

b. Who owns the land to be irrigated or place of use same


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing


10. Remarks

MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

SEC 2 - TWP-56N - R1E - B.M.





Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

RECEIVED

Margaret Ann Lersch
(Applicant)
Richard A. Lersch
February 23, 1983

Proposed Priority 2/25/1983

Received by JB Date 2/25/83 Time 8:30 AM

Preliminary check by JB Fee \$ 30.00

Received by JB Date 2/25/83 (24931)

Publication prepared by JB Date 3/3/83

Published in Support Doc

Publication dates 3/9+16/83

Publication approved JB Date 4/18/83

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by JB JB

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-8150, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 88.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 6th day of May, 1983.

J. Glen Saxton
Chief, Operations Bureau

MICROFILMED

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Pete Thompson being first duly sworn on oath deposes and says that he is publisher of the Sandpoint Daily Bee, and News Bulletin, newspapers printed and published at Sandpoint, in Bonner County, Idaho; that the said newspapers have been continuously and uninterruptedly published in said Bonner County during a period of 12 months prior to the first publication of the hereto attached notice of publication in the case of _____

Legal notice
as it was published in the regular and entire issue of the said paper for a period of 2 consecutive weeks, commencing on 9 day of 3, 1983 and ending on the 16 day of 3, 1983 and that said notice was published in said newspaper.

Subscribed and sworn to before me this 5 day of 4, 1983.

Adell M Thompson

Notary Public for Idaho,

Residing at Sandpoint, Idaho

NOTICE OF
APPLICATION FOR
WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

96-8150

LESCHE, RICHARD A.
&/or MARGARET ANNE
STAR RT. BOX 445, HOPE,
ID 83836

Source: PEND OREILLE
LAKE trib. to PEND
OREILLE RIVER

Date Filed: 02/25/1983

Diversion Pt: LOT 04 Sec 02
T 56N R 01E

Use: DOMESTIC (0.06 CFS)

In: LOT 4 Sec 02 T 56N R 01E

96-8151

HERMAN, LESLIE G.
2601 N. BARKER RD., OTIS
ORCHARDS, WA 99027

Source: GROUNDWATER

Date Filed: 02/28/1983

Diversion Pt: LOT 03 Sec 26
T 55N R 01W

Use: IRRIGATION (0.16
CFS)

DOMESTIC (0.12 CFS)

In: LOT 03 Sec 26 T 55N R
01W FOR 2 ACRES

98-7464

MAC ALVEY, SYLVIA
RT. 3 BOX 463, SAND-
POINT, ID 83864

Source: UNNAMED
STREAM trib. to PEND
OREILLE LAKE

Date Filed: 02/25/1983

Diversion Pt: NESW Sec 29
T 58N R 01W

Use: STOCKWATER (0.02
CFS)

In: NESW Sec 29 T 58N R
01W

98-7465

MAC ALVEY, SYLVIA
RT. 3 BOX 463, SAND-
POINT, ID 83864

Source: GROUNDWATER

Date Filed: 02/25/1983

Diversion Pt: NESW Sec 29
T 58N R 01W

Use: IRRIGATION (0.10
CFS)

In: NESW Sec 29 T 58N R
01W FOR 5 ACRES

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4055 Gov't. Way, Coeur d'Alene, Id. 83814 on or before MARCH 28, 1983.

KEN DUNN, Dir.

Published 3/9 & 3/16/83

MICROFILMED

RECEIVED

APR 22 1983

Department of Water Resources
Northern District Office

January 11, 1990

RICHARD A. LERSCH
MARGARET ANNE LERSCH
1000 RED FIR RD.
HOPE, ID 83836

RE: PERMIT NO. 96-08150

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAR 26 1990

MEMORANDUM

TO: FILE

FROM: ROXANNE MCCARTHY

RE: CHANGES TO FIELD EXAM RECOMMENDATIONS

DATE: 18-DEC-1989

=====

The field examiner recommends 0.02 cfs and 0.6 afa for this single-family domestic right. The license should be issued for 0.04 cfs and 1.2 afa to be consistent with current policies.

MICROFILMED

MAR 26 1990

November 8, 1989

RICHARD A. LERSCH
MARGARET ANNE LERSCH
1000 RED FIR RD.
HOPE, ID 83836

RE: PERMIT NO. 96-08150

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAR 26 1990

POINT OF DIVERSION OVERLAP REVIEW

WR-NUMBER	TWP	RNG	SC	TRACT 1\4 1\4 1\4	LT	#SOURCE	#NAME
9608150	56N	01E	2		4	PEND OREILLE LAKE	LEERSCH, RICHARD A.
NO MATCHES FOR THIS POD							

MICROFILMED

MAR 26 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT

YES NO

PERMIT NO. 96-8150

(☒) () B/U Acknowledgement Letter Sent LA 6/8/88 (INITIAL & DATE)

() (☒) Aerial Photo Date Requested _____ by _____

(☒) () Quad Sheet


(☒) () GL Plat

() (☒) Copies of overlapping License Field Report Claim

() () Photo PD/PU

() () Correspondence (Date) _____

() () Other (List) _____



Department of Water Resources

EXAM COMPLETED BY _____ DATE _____

SR AGENT REVIEW _____ sl DATE 8/8

REGIONAL MANAGER REVIEW _____ RGH DATE 6/89

ENTERED ON COMPUTER BY _____ pm DATE 6/16/89

PRELIMINARY OVERLAP REVIEW BY LA DATE 6/7/88

(☒) NO OVERLAP FOUND

DV
PD

line
runs out
into lake
150' ft with
submersible pump

MICROFILMED

MAR 26 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: Richard A. and Margaret A. Lersch Permit No. 96-8150
Current Address: 1000 Red Fir Rd., Hope, ID Phone No. (208) 264-5218
83836
2. Accompanied by: Richard Lersch EXAM. DATE: 7/14/88
Address: SAME Phone No. SAME
Relationship to Permit Holder: SAME
3. Source: Pend Orielle Lake tributary to ~~S~~ Pend Orielle River

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

MAR 26 1990

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

RECEIVED

JUN 26 1989

Department of Water Resources

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A line running into Lake Bend One/11c with a submersible pump. Strait line to house where it is used for back up Domestic and Domestic Irrigation.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Submersible				

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:** JK

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	3		ND	SE	2	56N	1E	Bonner	MAP

6. **Place(s) of Use:**

Indicate Method of Determination

MAP

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
56N	1E	2														Lox #3 1/2"			1/2

MICROFILMED

MAR 26 1990

Do not use this space

Do not use this space

07/18/80

D. FLOW MEASUREMENTS


NONE

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:



E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

Backup Domestic and domestic irrigation

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

. Gafa and .02 cfs

MICROFILMED

MAR 26 1990

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Back domestic and domestic watering

They are in G13 need to make that change

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1/1	12/31	.02 cfs	.6 afa
Totals:			.02 cfs	.6 afa

2. Recommended Amendments

☒ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☒ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Louis Sukoraty

Signature


Louis Sukoraty

Certification Date

5/13/86

Field Report Preparation Date

7/14/88





K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

reviewed: Ryanne McElarthy 7/24/89


MICROFILMED

MAR 26 1990



PACKSADDLE MTN. QUADRANGLE
IDAHO
15 MINUTE SERIES (TOPOGRAPHIC)

2780 I
(MT. PEND OREILLE)



RICHARD/MARGARET LERSCH
PD: GLOT 4, S. 2, T 56N, R 1E
PU: SAME

96-8150
MAP# 31
QUAD: 10

DOMESTIC - 1 HOME
IRRIGATION - 2

MicroFILMED

MAR 26 1990

T 56N
R 1E, A

PAND HORELLS
PLACER
U.S. SUR. 18789
97.55 00.

WARREN IS.

Lot 1

ELLIMADOT T

4	3	2
2500	2000	2000
LISPORT		
	6	
	3800	
	7	

MAR 26 1878

NOTTA
INIAN

4	3	2
2595	2500	2215
6	7	
3500	3900	

WEST

PEARL IS.

Apr. 10.

1.25

Sec. 11
6475

2	7
3110	3500
3	
2200	

Sec. 12.
62550

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>RICHARD LERSH</u> Address <u>STAR RT BOX 445 HOPE, ID</u> Owner's Permit No. _____	7. WATER LEVEL Static water level <u>80</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ °F. Quality _____																																																																																																				
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____	8. WELL TEST DATA ☐ Pump ☐ Bailor ☒ Air ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr> <td><u>1.5</u></td> <td><u>3.50</u></td> <td><u>142</u></td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>1.5</u>	<u>3.50</u>	<u>142</u>																																																																																														
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																			
<u>1.5</u>	<u>3.50</u>	<u>142</u>																																																																																																			
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Hole Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr> <td><u>6</u></td> <td><u>0</u></td> <td><u>6</u></td> <td><u>BROKEN ROCK</u></td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td><u>6</u></td> <td><u>10</u></td> <td><u>QUARTZITE GRAY</u></td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td><u>20</u></td> <td><u>29</u></td> <td><u>"</u></td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td><u>79</u></td> <td><u>142</u></td> <td><u>"</u></td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td><u>142</u></td> <td><u>167</u></td> <td><u>"</u></td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td><u>167</u></td> <td><u>184</u></td> <td><u>"</u></td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td><u>184</u></td> <td><u>217</u></td> <td><u>"</u></td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td><u>217</u></td> <td><u>224</u></td> <td><u>"</u></td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td><u>224</u></td> <td><u>237</u></td> <td><u>"</u></td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td><u>237</u></td> <td><u>257</u></td> <td><u>"</u></td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td><u>257</u></td> <td><u>261</u></td> <td><u>"</u></td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td><u>261</u></td> <td><u>269</u></td> <td><u>"</u></td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td><u>269</u></td> <td><u>334</u></td> <td><u>"</u></td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td><u>334</u></td> <td><u>346</u></td> <td><u>"</u></td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td><u>346</u></td> <td><u>350</u></td> <td><u>"</u></td> <td> </td> <td> </td> </tr> </tbody> </table>	Hole Diam.	Depth		Material	Water		From	To	Yes	No	<u>6</u>	<u>0</u>	<u>6</u>	<u>BROKEN ROCK</u>				<u>6</u>	<u>10</u>	<u>QUARTZITE GRAY</u>				<u>20</u>	<u>29</u>	<u>"</u>				<u>79</u>	<u>142</u>	<u>"</u>				<u>142</u>	<u>167</u>	<u>"</u>				<u>167</u>	<u>184</u>	<u>"</u>				<u>184</u>	<u>217</u>	<u>"</u>				<u>217</u>	<u>224</u>	<u>"</u>				<u>224</u>	<u>237</u>	<u>"</u>				<u>237</u>	<u>257</u>	<u>"</u>				<u>257</u>	<u>261</u>	<u>"</u>				<u>261</u>	<u>269</u>	<u>"</u>				<u>269</u>	<u>334</u>	<u>"</u>				<u>334</u>	<u>346</u>	<u>"</u>				<u>346</u>	<u>350</u>	<u>"</u>		
Hole Diam.	Depth		Material	Water																																																																																																	
	From	To		Yes	No																																																																																																
<u>6</u>	<u>0</u>	<u>6</u>	<u>BROKEN ROCK</u>																																																																																																		
	<u>6</u>	<u>10</u>	<u>QUARTZITE GRAY</u>																																																																																																		
	<u>20</u>	<u>29</u>	<u>"</u>																																																																																																		
	<u>79</u>	<u>142</u>	<u>"</u>																																																																																																		
	<u>142</u>	<u>167</u>	<u>"</u>																																																																																																		
	<u>167</u>	<u>184</u>	<u>"</u>																																																																																																		
	<u>184</u>	<u>217</u>	<u>"</u>																																																																																																		
	<u>217</u>	<u>224</u>	<u>"</u>																																																																																																		
	<u>224</u>	<u>237</u>	<u>"</u>																																																																																																		
	<u>237</u>	<u>257</u>	<u>"</u>																																																																																																		
	<u>257</u>	<u>261</u>	<u>"</u>																																																																																																		
	<u>261</u>	<u>269</u>	<u>"</u>																																																																																																		
	<u>269</u>	<u>334</u>	<u>"</u>																																																																																																		
	<u>334</u>	<u>346</u>	<u>"</u>																																																																																																		
	<u>346</u>	<u>350</u>	<u>"</u>																																																																																																		
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	10. Work started <u>5-18-79</u> finished <u>5-21-79</u>																																																																																																				
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>18.5</u> Material used in seal: ☐ Cement grout ☐ Puddling clay ☒ Well cuttings Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port _____	Thickness	Diameter	From	To	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>BRANDX WATER WELLS</u> Firm No. <u>289</u> Address <u>Ruby Id#</u> Date <u>5-21-79</u> Signed by (Firm Official) <u>Landon Cordo</u> and (Operator) <u>Landon Cordo</u>																																																																				
Thickness	Diameter	From	To																																																																																																		
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																		
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																		
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																		
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																		
Number	From	To																																																																																																			
_____ perforations	_____ feet	_____ feet																																																																																																			
_____ perforations	_____ feet	_____ feet																																																																																																			
_____ perforations	_____ feet	_____ feet																																																																																																			
6. LOCATION OF WELL Sketch map location must agree with written location. Subdivision Name _____ Lot No. _____ Block No. _____ County <u>BONNERS</u> <u>LOT 10 IN GWT LOTS 324</u> _____ % _____ % Sec. <u>2</u> T. <u>56</u> N. <u>8</u> R. <u>1</u> E. <u>48</u>	12. NOTES																																																																																																				

DECLASSIFIED

MAR 26 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

June 8, 1988

Richard A. Lersch
1000 Red Fir Rd
Hope, Id 83836

RE: 96-8150

Dear Sir:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

TDK/pms

MICROFILMED

JUL 27 1988

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 96-8150

Date: 5-10-1988

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
Y Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

Y Surface water
_____ Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
_____ Has one been installed?
_____ Waiver or modification of measuring device requested

Remarks: *Proof acceptable*

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	+ _____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

APR 13 1988

no \$ encl. *JP*
Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by *JP*
Reviewed by *JP*
Sent to region *JP*

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 96-8150

Name(s) of Permit Holder: Lersch Richard A + Margaret Anne ✓

Post Office Address: 1000 Red Fir Rd Hope ID 83836 ✓

Telephone No. (208) 264-5218

Source of Water: Private well + Lake Pend Oreille ✓

Extent of Use:

Domestic 1 ✓ (number of households) Stockwater _____ (number and type of stock)

Irrigation 2 (acres) Other/Remark garden + orchard

systems completed + in use for 28 yrs (Lake) 16 yrs well

Total rate and/or volume for which proof is submitted 0.04 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: Lake system 1965
Private well c 1972

Measuring Device: Required? Yes No
Installed? Yes No

Fee enclosed \$ _____
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes No
Installed? Yes No

*no fee required as
systems completed
years ago + domestic
use only -*

Person to contact to accompany the Department representative during the field examination:

Margaret Ann Lersch 208-264-5218
(Name) (Telephone Number)

1000 Red Fir Rd. Hope, Id. 83836
(Address)


The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

FILED
JUL 27 1988

April 8, 1988
Date

Margaret Ann Lersch, Owner
Signature of Permit Holder (and title, if appropriate)

Lersch
1000 Red Fir Rd
Hope, Id. 83836



10 CENTS ADDITIONAL CHARGE
DUE ON NON STANDARD
SIZE MAIL

Attn: Rita Fleck

Dept of Water Resources
1301 W. Orchard St
Boise, Idaho

83706-223
(2237)

CLAIM CHECK
NO.

066905

☐ HOLD

DATE

1ST NOTICE

2ND NOTICE

RETURN

JUL 27 1988

FILED

Detached from
PS Form 3849-A
Oct. 1980

PS

138388
CERTIFIED MAIL
February 28, 1988

LEERSCH, RICHARD A. & MARGARET ANNE
STAR RT. BOX 445
HOPE, ID 83836

PROOF DUE NOTICE

RE: Permit No. 96-8150

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before May 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

MICROFILMED

JUL 27 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

LEERSCH, RICHARD A. & MARGARET ANNE
STAR RT. BOX 445
HOPE, ID 83836

MAY 25, 1983

RE: PERMIT NO. 96-8150

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: [Signature]

APPLICATION NUMBER: 96-8150

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department.
☒ Idaho Department of Lands. [Signature] 3/23/83
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
☒ Yes ☐ No Final date for protests: 3/28/83 ✓
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 4/12/83 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 2/25/83 Date of priority recommended.
☒ Special conditions of approval or cover letter. _____

By: [Signature] Date: 4/20/83

STATE OFFICE REVIEW:

3/27/83 26

☐ See attached sheet for more information.
By: [Signature] Date: 5/5/83

RECEIVED
MAY 04 1983

MICROFILMED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

MICROFILMED

96-8150-

LERSCH, RICHARD A. &/or MARGARET ANNE

STAR RT. BOX 445, HOPE, ID 83836

Source: PEND OREILLE LAKE trib. to PEND OREILLE RIVER

Date Filed: 02/25/1983

Diversion Pt: LOT 04 Sec 02 T 56N R 01E

Use: DOMESTIC (0.05 CFS)

In: LOT 04 Sec 02 T 56N R 01E

MICROFILMED



STATE OF IDAHO

DEPARTMENT OF LANDS

STATEHOUSE, BOISE, IDAHO 83720

GORDON C. TROMBLEY

DIRECTOR

RECEIVED

MAR 31 1983

Department of Water Resources
Northern District Office

March 30, 1983

STATE BOARD OF LAND COMMISSIONERS

JOHN V. EVANS
GOVERNOR AND PRESIDENT
PETE T. CENARRUSA
SECRETARY OF STATE
JIM JONES
ATTORNEY GENERAL
JOE R. WILLIAMS
STATE AUDITOR
JERRY L. EVANS
SUPT OF PUBLIC INSTRUCTION

Department of Water Resources
Northern Region
4055 Government Way
Coeur d'Alene, ID 83814

RE: 96-8150
Lersch, R.


Gentlemen:

Thank you for the opportunity to review the above numbered application.

The applicant will be required to make application for a temporary permit and an encroachment permit in addition to your permit.

The applicant has been notified.

Very truly yours,


WILLIAM A. SCRIBNER, Chief
Bureau of Navigable Waters

WAS:bv

cc: Marv

MICROFILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor

A. Kenneth Dunn
~~EX Stephen A. Dunn~~
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

March 23, 1983

Mr. William Scribner
Dept. of Lands
Statehouse
Boise, Idaho 83720

Re: 96-8150

Dear Bill:

Enclosed is a recent filing with this Department that may be of
interest to you.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Supervisor

RGH/pms

Enc. - Appln.

MICROFILMED