






MICROFILMED

JUN 12 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08137

Priority: February 4, 1983

Maximum Diversion Rate: 0.05 CFS
Maximum Diversion Volume: 10.8 AF

This is to certify, that ERNEST J WYBORN
6273 HWY #2

SANDPOINT ID 838640000 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 4, 1983; and has submitted Proof of Beneficial Use on January 28, 1988. An examination indicates that the works have a diversion capacity of .050 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION STORAGE	03/15 to 11/15	0.04 CFS	6.0 AF
DOMESTIC	01/01 to 12/31	0.05 CFS	4.8 AF
	Totals	0.05 CFS	10.8 AF

LOCATION OF POINT(S) OF DIVERSION:

NESE , Sec. 26, Township 57N, Range 03W
BONNER County

PLACE OF USE: DOMESTIC, same as use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.
6. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
7. Domestic use is for 8 homes.

MICROFILMED

JUN 12 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08137

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 13TH
day of MARCH, 1992.

Acting for


R. Keith Higginson, Director

RECORDED

JUN 1 2 1992

WATER RIGHT NO. 96-08137

Priority: February 4, 1983

Maximum Diversion Rate: 0.05 CFS
Maximum Diversion Volume: 10.8 AF

This is to certify, that ERNEST J WYBORN
6273 HWY #2

SANDPOINT ID 838640000 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 4, 1983; and has submitted Proof of Beneficial Use on January 28, 1988. An examination indicates that the works have a diversion capacity of .050 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION STORAGE	03/15 to 11/15	0.04 CFS	6.0 AF
DOMESTIC	01/01 to 12/31	0.05 CFS	4.8 AF
	Totals	0.05 CFS	10.8 AF

LOCATION OF POINT(S) OF DIVERSION:

NESE , Sec. 26, Township 57N, Range 03W
BONNER County

PLACE OF USE: DOMESTIC, same as use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.
6. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
7. Domestic use is for 8 homes.

MICROFILMED

JUN 12 1992

WATER RIGHT NO. 96-08137

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this _____
day of _____, 19____.

R. Keith Higginson, Director

MICROFILMED
JUN 12 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT **APPROVED**

To appropriate the public waters of the State of Idaho

1. Name of applicant ERNEST S. WYBORN Phone 263-1762
Post office address R 2 Box 229A SANDPOINT ID. 83864
2. Source of water supply (WELL) Groundwater which is a tributary of _____
3. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 26 Township 57N
Range 3W B.M. Bonner County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.14 ~~(cfs or acre-feet per annum)~~ DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
~~(cfs or acre-feet per annum)~~

Amount .04 for IRRIGATION purposes from 3-15 to 11-15 (both dates inclusive) ^{-2-9-83 JK}
~~(cfs or acre-feet per annum)~~

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
~~(cfs or acre-feet per annum)~~

5. Total quantity to be appropriated:

a. 0.14 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well & pump
to storage tank 600 gal

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 8 inches; proposed depth of well is 140' feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 26 Township 57N
Range 3W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 8.

(5) If water is to be used for other purposes describe: IRRIGATE 1/4 ACRE GARDEN
FOR EACH HOME - JK-2-9-83

RECEIVED
MARCH 10 1983

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
57N	3W	26													2				2

Total number of acres to be irrigated 2

c. Describe any other water rights used for the same purposes as described above. _____

None

9. a. Who owns the property at the point of diversion CAROLE WYBORNY

b. Who owns the land to be irrigated or place of use CAROLE WYBORNY

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing Ernest is FATHER OF CAROLE

10. Remarks Well was drilled & used since 1978

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

7157N R24
From Item 3 & Bal. 2-7-83

7- P.D.
P/4

5226

757N	R2a
------	-----

From Items 3 & 8. a. JR 2-7-83

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Emanuel J. Weforny
(Applicant)

(Applicant)

RECEIVED

Proposed Priority 2/4/1983

Received by RWA Date 2/4/83 Time 11:50 AM

Preliminary check by JK Fee \$ 30.00

Receipted by me Date 2/7/83 (24863)

Publication prepared by me Date 2/10/83

Published in Idaho Bee

Publication dates 2/16-23/83

Publication approved me Date 3/14/83

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by RWA RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-8137, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 88.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 23rd day of March, 1983.

L. Glen Saxton
Chief, Operations Bureau

APPROVED

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Pete Thompson being first duly sworn on oath deposes and says that he is publisher of the Sandpoint Daily Bee, and News Bulletin, newspapers printed and published at Sandpoint, in Bonner County, Idaho; that the said newspapers have been continuously and uninterruptedly published in said Bonner County during a period of 12 months prior to the first publication of the hereto attached notice of publication in the case of _____

legal notice.

as it was published in the regular and entire issue of the said paper for a period of 2 consecutive weeks, commencing on 16 day of 2, 1983 and ending on the 23 day of 2, 19 83 and that said notice was published in said newspaper.

Pete Thompson

Subscribed and sworn to before me this 23 day of Feb, 1983.

Oliver M Thompson

Notary Public for Idaho,

Residing at Sandpoint, Idaho

NOTICE OF
APPLICATION FOR
WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

96-8137

WYBORN, ERNEST J.
RT. 2 BOX 229A, SAND-
POINT, ID 83864

Source: GROUNDWATER

Date Filed: 01/31/1983

Diversion Pt: NESE Sec 26 T
57N R 03W

Use: IRRIGATION (0.04
CFS)

DOMESTIC (0.14 CFS)

In: NESE Sec 26 T 57N R
03W FOR 2 ACRES

The permit(s) will be sub-
ject to all prior water rights.
Protests must be filed with
the Director, Dept. of Water
Resources, 4055 Gov't. Way,
Coeur d'Alene, ID. 83814 on
or before MARCH 7, 1983.

KENNETH DUNN
Director

Published Feb. 16, 23, 1983
Dept. of Water Resources

RECEIVED
MAR 8 1983

Department of Water Resources
Northern District Office

ERNEST J WYBORN
6273 HWY #2
SANDPOINT ID 838640000

March 16, 1992

RE: WATER RIGHT NO. 96-08137

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:clh

Enclosure

RECEIVED
JUN 12 1992

ERNEST J WYBORN
6273 HWY #2
SANDPOINT ID 838640000

February 12, 1992

RE: WATER RIGHT NO. 96-08137

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:blm

Enclosure

MICROFILMED

JUN 12 1992

LICENSE REVIEW CHECKLIST

Permit No. 96-8137

Name/Address change? ok ☒

Priority date Advance? yes no ☒

Memo to advance
Order to reinstate needed? yes no ☒

Total cfs Limited by fee OK

Limited by capacity ☒

Total volume Limited by flow

Chart checked for AF rate/ac 13.0

Capacity Actual measurement checked

Theoretical checked 118.8 x .7 / 90 + 2.3 x 25 = .05 cfs

If greater than permit, check for other rts

Source Changed? yes no ☒

If so, is memo needed to clarify?

P/D Verify with map ☒ permit ☒

More than one per 1/4 Remember remark

Check p/d overlap N/A

Uses Check irrigation period of use w/ chart N/A

P/U Verify with map ☒ permit ☒

> 5 acres irrigated, run overlap N/A

Remarks More than one p/d in 1/4 ☒

Description of non-irrig uses ☒

Special overlap condition

Conditions -

Measuring device

W.Master control

Overlap

Water quality

Other 004

Dates/Misc. -

Water Dist

App Rec'd ☒

Proof Rec'd ☒

CHECK FOR ADJ. CLAIM Needed according to proof filed

Filed - needs amended

Add'l fee required

Not filed -

Not needed

Comments/Changes to Examiner's Recommendations:

Examiner's theoretical assumed 0.75 cfs - capacity based on
the theoretical above .05 cfs

License 10-day 30-day

Back of field report signed?
Reviewer [Signature] Date 10/28/91 Review time 5 min.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 28 1991

Department of Water Resources
Permit No. 76-8137

A. GENERAL INFORMATION

1. Owner: ERNEST WYBORN

Phone No. 263-1762

Current Address: 6273 HWY #2 SANDPOINT, ID 83864

2. Accompanied by: SAME

EXAM. DATE: 9/6/90

Address: SAME

Phone No. _____

Relationship to Permit Holder: _____

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: None

☐ Copies Attached


2. Other water rights with same point of diversion: None

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

JUN 12 1992

Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well with 2" buried line to 1200 gallon buried reservoir. Then water is gravity fed to 4 duplexes (8 residences) through a 2 inch main line. Each duplex irrigates 1/2 acre lawn with 1/2" hoses and lawn sprinklers.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible		1hp			

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	SE	26	57N	3W	Benner	Map

6. **Place(s) of Use:**

Indicate Method of Determination Map

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
57N	3W	26													D ₂				2

Do not use this space

MICROFILMED

JUN 12 1992

Do not use this space

D. FLOW MEASUREMENTS

None

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$\frac{(1)(8.8)(70\%)}{(2.31)(90)} = \frac{5.28}{207.3} = 0.0254 \text{ cfs} = 0.07 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

90

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \cancel{0.04} 2 \times 3.0 = 6.0 \text{ AF}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.07 \times 245 \times 1.9835 = 34.0 \text{ AF}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 6.0 \text{ AF}$$

2. Volume Calculations for Other Uses:

$$8 \text{ homes} \times 0.6 \text{ AF} = 4.8 \text{ AF}$$

MICROFILMED

JUN 12 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1-1	12-31	0.07 cfs	4.8 AF
Irrigation	3-15	11-15	0.07 cfs	6.0 AF
Totals:			0.07 cfs	10.8 AF

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name

Theresa J. Bright

Signature


Theresa J. Bright

Certification Date

4/16/90

Field Report Preparation Date


9/7/90



- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

JUN 12 1992





RECEIVED

JUN 12 1992

State of Idaho
Department Of Water Resources
WELL INSPECTION FORM

If well is associated with water right, provide WR Permit No. 96-08137
Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description of Well Location:

Twp. 57 N, Rge. 3W Sec. 26, NE $\frac{1}{4}$ SE $\frac{1}{4}$ Gov. Lot _____

2. Owner: Ernest Wyborney

Address: 6273 HWY # 2

City Sandpoint, State ID 83864

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐

4. Access Port: Y ☒ N ☐

Pressure Gauge: Y ☐ N ☒

Flowing: Y ☐ N ☒

Static Water Level: 90

Casing Diameter: 6"

Temperature: cold

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Y ☐ N ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: Well log Attached

RECEIVED

JUN 2 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 96-8137 :-

Name(s) of Permit Holder(s): ERNEST J. SWYBORN

Post Office Address: 6273 HWY 2 SANDPOINT ID 83864

Tel. No. 208 263 1762

☒ I hereby certify that construction of diversion works for the above referenced permit began on 1-1-1979 (date). I understand that I must

continue to develop the water system with due diligence to maintain a valid permit. ALL WORK IS FINISHED


☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

1/4/84
Date

Ernest J. Wyborn
Signature of Permit Holder

EW Sperry
6273 Hwy 2
Sandpoint Id 83864



UNRECEIVED
JUN 1 1992



RECEIVED
JAN 11 1992

Department of Water Resources
IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 765-4639

MARCH 16, 1988

ERNEST WYBORN
6273 HIGHWAY #12
SANDPOINT, ID 83864

RE: Permit No. 96-8137

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone or in person.

Sincerely,

/S/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MICROFILMED
JUN 12 1988

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 96-8137

Date: 2-9-88

General Considerations:

y Name same as permit
y Signature the same as permit holder
y Address change ☒ If yes, prepare a data entry
y Proof received timely
_____ Reinstated

Source of Water:

1 Surface water
y Groundwater
1. well log in file
N/A 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

y Rate of diversion appropriate for uses
y Is rate or volume and fee appropriate?
y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks:

*Research for a copy of well log - No log found
Proof acceptable*

N/A Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	+ _____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

JAN 28 1988

STATE OF IDAHO

Department of Water Resources

Department of Water Resources
Northern District Office

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

RECEIVED

FEB - 1 1988

For Office Use Only
Fee Received \$20.00
Date 1/28/88
Receipt # 41908
Receipt by [Signature]
Reviewed by [Signature]
Sent to region [Signature]

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 96-8137

Name(s) of Permit Holder: Ernest J. Wyborny

Post Office Address: 6273 Highway #2

Sandpoint, Id. 83864

Telephone No. 263-1762

Source of Water: Groundwater

Extent of Use:

Domestic 8 (number of households)

Stockwater (number and type of stock)

Irrigation 2 (acres)

Other/Remark

Total rate and/or volume for which proof is submitted 0.14 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: 1981

Measuring Device: Required? Yes No
Installed? Yes No

Fee enclosed \$50.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes No
Installed? Yes No

Person to contact to accompany the Department representative during the field examination:

Ernest J. Wyborny or

263-1762

Craig Wyborny

263-0802

(Name)

(Telephone Number)

6279 Highway #2 Sandpoint, Id. 83864

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

1/28/88

Date

Signature of Permit Holder (and title, if appropriate)

MAR 07 1988

138221
CERTIFIED MAIL
December 31, 1987

WYBORNY, ERNEST J.
RT. 2 BOX 229A
SANDPOINT, ID 83864

PROOF DUE NOTICE

RE: Permit No. 96-8137

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before March 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

MICROFILMED

MAR 07 1988

S T E D F I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

WYBORN, ERNEST J.
RT. 2 BOX 229A
SANDPOINT, ID 83864

MARCH 29, 1983

RE: PERMIT NO. 96-8137

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: sl

APPLICATION NUMBER: 96-8137

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____

- ☒ Yes ☐ No* In form for advertising.
Final date for protests: 3/7/83
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 3/8/83
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☐ No Measuring device required.
☐ Yes ☐ No Access port required.
☐ Yes ☐ No Will water be delivered by watermaster? If yes, what district?
2/4/83 Date of priority recommended. Priority reduced because
Special conditions of approval or cover letter. required information not supplied

By: SLW Date: 3/15/83

OFFICE REVIEW:

SLW/LH7 104 26

- ☐ See attached sheet for more information.

By: SLW Date: 3/22/83

RECEIVED

MAR 22 1983

Department of Water Resources

96-8137

WYBORN, ERNEST J.

RT. 2 BOX 229A, SANDPOINT, ID 83864

Source: GROUNDWATER

Date Filed: 01/31/1983

Diversion Pt: NESE Sec 26 T 57N R 03W

Use: IRRIGATION	(0.04 CFS)
DOMESTIC	(0.14 CFS)

In: NESE Sec 26 T 57N R 03W FOR 2 ACRES

MICROFILMED



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

John V. Evans
Governor

A. Kenneth Dunn
~~C. Stephen Allen~~
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

February 1, 1983

Mr. Ernest J. Wyborny
Rt. 2 Box 229A
Sandpoint, Id. 83864

Dear Mr. Wyborny:

I am returning your Check No. 92-58 in the amount of \$30.00 and your Application for Permit to allow you to complete Item Nos. 3, 4, 5a, 6a, 7, 8a1, 8c, 9a, 9b, 9c and 11.

I have enclosed a set of instructions to aid you in this matter.

If you have any questions, please do not hesitate to contact me at this office.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

Enc. - Check
Application
Instructions

MICROFILMED