

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

1 North Orchard Street
Boise, Idaho 83706-2237



REASON CHECKED
Forward Expired ☐
Insufficient Address ☐
Unclaimed ☐ Refused ☒
Attempted-Not Known ☐
No Such Street Number ☐
No Such Box Number ☐
No Mail Receptacle ☐
S.B.

to new address
Updated
Outdated
BLM
June 4 1990
Boomer Hall
P.O. Box 3025
Sandpoint, ID 83864

RECEIVED
JUN 4 1990
Department of Water Resources

BOISE
MAY 22 '90

U.S. POSTAGE

JAN 18 1991

GAR0257 838642009 IN 05/31/90
RETURN TO SENDER
NO FORWARD ORDER ON FILE
UNABLE TO FORWARD
RETURN TO SENDER



MicroFILM

JAN 18 195





MICROFILMED

JAN 18 1991

MICROFILMED
JAN 18 1991



and published by the Geological Survey
US&GS, USFS, and USBPR

aerial photographs by multiplex methods,
surveys 1951. Aerial photographs taken 1946
and Oreille Lake from USC&GS chart No. 6170
in 1927 North American datum

(PACKSADDLE MTN.)
2780 III

SCALE 1:62500



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08127

Priority: December 9, 1982

Maximum Diversion Rate: 0.05 CFS
Maximum Diversion Volume:¹ 100.0 AF

This is to certify, that RUBEN J. GARCIA
HARRIET GARCIA

P.O. BOX 1257

SANDPOINT, ID 83864

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated December 9, 1982; and has submitted Proof of Beneficial Use on December 9, 1982. An examination indicates that the works have a diversion capacity of .050 cfs of water from:

SPRING tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.03 CFS	3.0 AF
IRRIGATION STORAGE	01/01 to 12/31		5.0 AF
IRRIGATION FROM STORAGE	03/15 to 11/15		5.0 AF
DOMESTIC	01/01 to 12/31	0.05 CFS	1.2 AF
RECREATION STORAGE	01/01 to 12/31		100.0 AF
Totals		0.05 CFS	100.0 AF

LOCATION OF POINT(S) OF DIVERSION: NESESW , Sec. 22, Township 58N, Range 01W
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
58N	01W	22	SESW	1		1

Total number of acres irrigated: 1

PLACE OF USE: IRRIGATION FROM STORAGE, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.

MICROFILMED

JAN 18 1991

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 96-08127

CONDITIONS/REMARKS:

2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.0 afa per acre for the lands above.
6. Domestic use is for 2 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 26th
day of December, 1990.

Acting for

R. Keith Higginson, Director

MICROFILMED

JAN 18 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT **APPROVED**

To appropriate the public waters of the State of Idaho

1. Name of applicant Ruben L. or Harriet Garcia Phone 263-6996

Post office address PO Box 1257, Sandpoint, Id 83864

2. Source of water supply Spring which is a tributary of Sinks

3. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 22 Township 58N

Range 1W B.M. Bonner County, additional points of diversion if any: _____

4. Water will be used for the following purposes: See Item #10 (Remarks)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.09 cubic feet per second and/or b. 100.0 acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Spring Fed Pond (27' x
8 surface acres), pump, pipeline
(40 AF of water artificially stored)

b. Height of storage dam 5.0 feet, active reservoir capacity 100.0 acre-feet; total reservoir
capacity 100.0 acre-feet, materials used in storage dam: Earth

Period of year when water will be diverted to storage 1-1 to 12-31 inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 22 Township 58N
Range 1W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water 2.

(5) If water is to be used for other purposes describe: Recreation includes
aesthetics, Fish propagation, Wild life enhancement etc.

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
58N	14W	22											1						1

Total number of acres to be irrigated 1

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks From item #4

<u>Amount</u>	<u>Purpose</u>	<u>inclusive dates of use</u>	
<u>100.0AF</u>	<u>Storage for Recreation</u>	<u>1-1</u>	<u>12-31</u>
<u>5.0AF</u>	<u>" " Irrigation</u>	<u>1-1</u>	<u>12-31</u>
<u>2.4AF</u>	<u>" " Domestic</u>	<u>1-1</u>	<u>12-31</u>
<u>5.0AF</u>	<u>Irrigation from Storage</u>	<u>3-15</u>	<u>11-15</u>
<u>2.4AF</u>	<u>Domestic " "</u>	<u>1-1</u>	<u>12-31</u>
<u>0.03cfs</u>	<u>Irrigation</u>	<u>3-15</u>	<u>11-15</u>
<u>0.06cfs</u>	<u>Domestic</u>	<u>1-1</u>	<u>12-31</u>

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Sec 22
T58N R1W

x 4 P.D.
P/U

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

+ Ruben J. Garcia
(Applicant)

Proposed Priority 12/9/1982

Received by JK Date 12-9-82 Time 10:30 AM

Preliminary check by RWA Fee \$ 45⁰⁰

Receipted by JK Date (25151) 12-9-82

Publication prepared by JK Date 12/16/82

Published in Sandpoint Bee

Publication dates 12/23 & 30/82

Publication approved JK Date 1/14/83

Protests filed by: NONE

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by RWA JK

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-8127, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 84.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: The storage of water is contingent upon certification by the Department of Water Resources, of the applicant's dam under the dam safety provisions of the Idaho Code, authorizing storage.

Witness my hand this 1st day of February, 1983.

L. Glen Saxton
Chief, Operations Bureau

12-9-82

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Pete Thompson being first duly sworn on oath deposes and says that he is publisher of the Sandpoint Daily Bee, and News Bulletin, newspapers printed and published at Sandpoint, in Bonner County, Idaho; that the said newspapers have been continuously and uninterruptedly published in said Bonner County during a period of 12 months prior to the first publication of the hereto attached notice of publication in the case of _____

Legal notice
as it was published in the regular and entire issue of the said paper for a period of 2 consecutive weeks, commencing on 22 day of 12, 1982 and ending on the 29 day of 12, 1982 and that said notice was published in said newspaper.

Subscribed and sworn to before me this 7 day of Jan, 1983.

Adel M Thompson

Notary Public for Idaho,

Residing at Sandpoint, Idaho

NOTICE OF
APPLICATION FOR
WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

96-8122

CITY OF HOPE
CITY HALL, HOPE, ID
83836

Source: SPRINGS tributary to SINKS

Date Filed: 12/6/1982

Amount: 0.25 CFS

Diversion Point: NWSW SWSW Sec 26 T 57N R 01E, BONNER Co.

Use: POWER (0.25 CFS) from 01/01 to 12/31

DOMESTIC (0.17 CFS) from 01/01 to 12/31

Diversion Means: SPRINGS AND PIPE.

Place of Use: Located within the city limits of Hope.

96-8125

CHEDESTER, SHIRLEY
LEWIS

HCR 66 BOX 322, SANDPOINT, ID 83864

Source: SPRING tributary to PEND ORIELLE LAKE

Date Filed: 12/09/1982

Amount: 0.06 CFS

Diversion Point: SWNE Sec 04 T 56N R 01W, BONNER Co.

Use: STOCKWATER (0.02 CFS) from 01/01 to 12/31

DOMESTIC (0.04 CFS) from 01/01 to 12/31

Place of Use: SWNE Sec 04 T 56N R 01W

Diversion Means: DEVELOPED SPRING, PUMP AND PIPE.

96-8127

GARCIA, RUBEN J. &/or
HARRIET

P.O. BOX 1257, SANDPOINT, ID 83864

Source: SPRING tributary to SINKS

Date Filed: 12/09/1982

Amount: 0.09 CFS 100.0 AC-FT

Diversion Point: SESW Sec 22 T 58N R 01W, BONNER Co.

Use: IRRIGATION (0.03 CFS) from 03/15 to 11/15

IRRIGATION STORAGE (5.0 AC-FT) from 01/01 to 12/31

IRRIGATION FROM STORAGE (5.0 AC-FT) from 03/15 to 11/15

DOMESTIC (0.06 CFS) from 01/01 to 12/31

DOMESTIC STORAGE (2.4 AC-FT) from 01/01 to 12/31

DOMESTIC FROM STORAGE (2.4 AC-FT) from 01/01 to 12/31

RECREATION STORAGE (100.0 AC-FT) from 01/01 to 12/31

Place of Use: SESW Sec 22 T 58N R 01W FOR 1 ACRES

Diversion Means: POND PUMP & PIPE.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4055 Gov't. Way, Coeur d'Alene, Id. 83814 on or before JANUARY 10, 1982.

KENNETH DUNN

Director

Published December 22, 29, 1982

Department of Water Resources

RECEIVED
JAN 18 1983

Department of Water Resources
District Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

1 North Orchard Street
Boise, Idaho 83706-2237

*Seems not addressed
to me (MJB)*

*Updated
Buckhorn*

REASON CHECKED
FORWARD STOPPED
Insufficient postage
Unpaid postage
Address change known
No Such Stop Number
No Such Box Number
No Mail Receptacle
S.B.

RECEIVED
JUN 4 1990


*Bonner Mall
P.O. Box 3025*

Shoshone, ID

RECEIVED
JUN 4 1990
Department of Water Resources

POSTAGE
MAY 22 '90

JAN 18 1991



December 26, 1990

RUBEN J. GARCIA
HARRIET GARCIA
P.O. BOX 1257
SANDPOINT, ID 83864

RE: WATER RIGHT NO. 96-08127

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

MICROFILMED

JAN 18 1991

October 17
~~May 21, 1990~~

RUBEN J. GARCIA
HARRIET GARCIA
P.O. BOX 1257
SANDPOINT, ID 83864

RE: PERMIT NO. 96-08127

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

JAN 18 1991

MEMORANDUM

TO:FILE 968127

FROM:ROXANNE MCCARTHY

RE: NATURE OF USE

DATE: 19-MAR-1990

=====

The following changes were recommended by the field examiner:

	Permit	Found
STORAGE FOR RECREATION	-/100.0AF	-/100.0AF
STORAGE FOR IRRIGATION	-/ 5.0	-/ 5.0
STORAGE FOR DOMESTIC	-/ 2.4	-/ 2.4
IRRIGATION FROM STORAGE	-/ 5.0	-/ 3.0
DOMESTIC FROM STORAGE	-/ 2.4	-/ 1.2
IRRIGATION	0.03CFS/ 3.0	0.03CFS/ 3.0
DOMESTIC	0.06 / 2.4	0.05 / 1.2

The storage facility is quite large, clearly double the permitted amount. It seems reasonable to allow 100 af for recreation under this right. Irrigation from storage can equal the stored amount: 5.0 af. Storage for domestic use seems unlikely considering the amount of water present and a recommendation to drop this use is made.

MICROFILMED

JAN 18 1991

RECEIVED
JUN 5 1935

Department of Water Resources

Permit No. 96-8127

Phone No. 263-6996

1. Owner: Ruben GARCIA Permit No. 70-0127
Phone No. 263-6996
Current Address: POB 1257, SANDPOINT, ID 83864
2. Accompanied by: R. GARCIA EXAM. DATE: 96-8127
Address: _____ Phone No. _____
Relationship to Permit Holder: SAME
3. Source: SPRING (RUNOFF) tributary to SINKS

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
PEABODY	BARNES	1/2	574	~~3/4~~	3/4

***Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.**

- 5. System Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)**

SPRING FED 27' X 83 SURFACE ACRE POND, DUMP & PIPELINE

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

7. Measurements ☐ Additional data/computation sheets attached

EST 8 SURFACE ALRE POND X 27' DEEP

ONE HOME

1 ACRE GRASS - 3/4" HOSES

8. Point(s) of Diversion: Indicate Method of Determination *NAP*

Indicate Method of Determination

MAF

[illegible]


- | | | |
|----|------------------|---|
| 9. | Place(s) of Use: | Irrigation - give acres served by system at time of exam.
Indicate Method of Determination |
|----|------------------|---|

Place(s) of Use:

**Irrigation - give acres served by system at time of exam.
Indicate Method of Determination**

[illegible]

10. Other water rights on these lands _____
11. Other water right diverted from same p.d. _____
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached
- ☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks _____

15. Recommended Amendments
- ☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None
- ☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

16. Examiner's/Consultant's Signature SKK Date 5/13/85

Consultant's License Number _____

IDWR Director's Authorization to Conduct

Beneficial Use Examination _____

Date

MICROFILMED

JAN 18 1991

CONSULTANT SEAL

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED

JUN 5 1985

96-8127
Permit No.

Department of Water Resources

1. Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

2 Homes $0.06 \approx 0.05$ cfs
1 ACRE $0.03 \approx 0.03$ cfs
 $0.09 \approx 0.05$ cfs

$$\frac{8.8(1.5)80\%}{2.33(20)+20} = 0.05 \text{ cfs}$$

b) Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 3.0$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 14.58$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 3.0$$

c) Volume Calculations for Other Uses:

$$2 \text{ HOMES } (.6 \text{ AF}) = 1.2 \text{ AF}$$

$$2.8 \text{ ACRES } (27') = 216 \text{ AF APPLIED FOR } 100 \text{ AF}$$

2. Overlap Review

a) Other water rights with same place of use: none

b) Other water rights with same point of diversion: none

c) Analysis:

MICROFILMED

JAN 18 1991

RECOMMENDED AMOUNTS

3.	Permit No.	Priority	Amount	App. Date	Date Proof Submitted	System Capacity
	96-8107		0.05			

4. Permit Holder: Ruben Garcia

Address: POB 1257, SANDPOINT Id. 83864

5. Source: SPRING (Runoff) tributary to Sinks

6. Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
	From To	Q (cfs)	V (afa)
storage for RECREATION	1-1 12-31		100.0
" " IRR	1-1 12-31		5.0
" " DOMESTIC	1-1 12-31		2.4
IRR FROM STORAGE	3-15 11-15		~~3.0~~ 3.0
DOM " "	1-1 12-31		~~1.2~~ 1.2
IRR	3-15 11-15	0.03	3.0
Dom (2)	1-1 12-31	0.05	1.2
Allowable Maximums:		0.05	100.00

7. Point(s) of Diversion:

No.	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County
			SE	SW	22	58N	1W	Bonner

8. Place(s) of Use

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
58N	1W	22												X					1
Total Acres <u>1</u>																			

9. Recommended Conditions/Remarks: _____

10. Recommended Amendments

- ☐ Change P.D. as reflected above
 ☐ Add P.D. as reflected above
 ☒ None

☐ Change P.U. as reflected above
 ☐ Add P.U. as reflected above
 ☐ Other _____

11. Examiner's Signature [Signature]

Checked in Regional Office by Bob Dapner

Approved in State Office by _____

Date 5/22/85

Date 5/22/85


Date _____


MICROFILMED
JAN 18 1991



WILSON FILE


JAN 18 1951





MICROFILMED

JAN 18 1991



MICROFILMED
JAN 18 1991

and published by the Geological Survey
US&GS, USFS, and USBPR
aerial photographs by multiplex methods,
surveys 1951. Aerial photographs taken 1942
and Oreille Lake from US&GS chart No. 170
in 1927 North American datum

(PACKSADDLE MTN.)
2780 III
SCALE 1:62500



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN W. EVANS
Governor
R. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

MARCH 10, 1993

RUBEN GARCIA
BOX 1257
SANDPOINT ID 83864

RE: Permit No. 96-9127

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 667-6484 or in person at our office.

Sincerely,

TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MICROFILMED

JAN 18 1993

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 96-8127

Name(s) of Permit Holder: Ruben Garcia

Post Office Address: PO Box 1252, Sandpoint, Id

Tel. No. _____

Source of Water: Spring

Extent of Use:

☒ Domestic

2

(number of households)

☒ Stockwater

(number and type of stock)

☒ Irrigation

1

(acres)

☐ Other _____

Measuring Device: Required?

☐ Yes

☒ No

Installed?

☐ Yes

☐ No

Access Port:

Required?

☐ Yes

☒ No

Installed?

☐ Yes

☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

9-82
Date

Ruben Garcia
Signature of Permit Holder

Received with App
for Permit on 12-9-82

RC 1-31-83



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

PLACE
TEN CENT
STAMP
HERE

February 23, 1983

RE: Permit No. 96-8127

Roben J. &/or Harriet Garcia
P.O. Box 1257
Sandpoint, ID 83864

Dear Mr. and Mrs. Garcia:

Enclosed is a copy of your approved application for permit. Weddirect your attention to the conditions of approval on the fourth page.

If the diversion dam is ten feet or more in height, or has an impounding capacity of 50 acre-feet or more, certain dam safety requirements must be met. Please contact the regional office nearest you for details.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

DRT:kw
Enclosure

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: RYA

APPLICATION NUMBER: 44-3127

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.

Field check by: _____

Date: _____

Comments: _____

- ☒ Fee.
☒ Yes ☒ No
☒ Yes ☒ No
☒ Yes ☒ No
☒ Yes ☒ No*

Field check required.

Critical groundwater area.

Request dam safety information. Sent by: _____

Date: _____

In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No
☐ Yes ☐ No
☒ Yes ☐ No*

Platted by: _____ Map No. _____

Other rights on same place of use. _____

In form for advertising.

Final date for protests: 1/10/83

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 1/9/83
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.

- ☐ Yes ☒ No
☐ Yes ☒ No
☐ Yes ☒ No

Measuring device required.

Access port required.

Will water be delivered by watermaster? If yes, what district? _____

Date of priority recommended. 12/9/82

Special conditions of approval or cover letter. _____

RECEIVED
JAN 25 1983

Department of Water Resources

By: RYA

Date: 1/20/83

STATE OFFICE REVIEW:

310/83 100/83

13 0/83

☐ See attached sheet for more information.

By: _____

Date: 1-31-83

Key person: Dr. Cathy H. H. H.

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

GARCIA, RUBEN J. &/or HARRIET

P.O. BOX 1257, SANDPOINT, ID 83864

Source: SPRING tributary to SINKS

Date Filed: 12/09/1982

Amount: 0.09 CFS 100.0 AC-FT

Diversion Point: SESW Sec 22 T 58N R 01W, BONNER Co.

Use: IRRIGATION	(0.03 CFS)	from 03/15 to 11/15
IRRIGATION STORAGE	(5.0 AC-FT)	from 01/01 to 12/31
IRRIGATION FROM STORAGE	(5.0 AC-FT)	from 03/15 to 11/15
DOMESTIC	(0.06 CFS)	from 01/01 to 12/31
DOMESTIC STORAGE	(2.4 AC-FT)	from 01/01 to 12/31
DOMESTIC FROM STORAGE	(2.4 AC-FT)	from 01/01 to 12/31
RECREATION STORAGE	(100.0 AC-FT)	from 01/01 to 12/31

Place of Use: SESW Sec 22 T 58N R 01W FOR 1 ACRES

Diversion Means: POND, PUMP & PIPE.