

Do not use this space

Sagla

BM 2160

Gravel Pit

Algonquin

BM 2179

WELL Home

Henth Lake

Gravel Pit

Algonquin Lake

KANKASU NATIONAL FOREST

Algonquin

29

28

27

22

21

20

16

15

2200

2220

2240

2260

2280

2300

2320

2340

2360

2380

2400

2420

2440

2460

2480

2500

2520

2540

2560

2580

2600

2620

2640

2660

2680

2700

2720

2740

2760

2780

2800

2820

2840

2860

2880

2900

2920

2940

2960

2980

3000

3020

3040

3060

3080

3100

3120

3140

3160

3180

3200

3220

3240

3260

3280

3300

3320

3340

3360

3380

3400

3420

3440

3460

3480

3500

3520

3540

3560

3580

3600

3620

3640

3660

3680

3700

3720

3740

3760

3780

3800

3820

3840

3860

3880

3900

3920

3940

3960

3980

4000

4020

4040

4060

4080

4100

4120

4140

4160

4180

4200

4220

4240

4260

4280

4300

4320

4340

4360

4380

4400

4420

4440

4460

4480

4500

4520

4540

4560

4580

4600

4620

4640

4660

4680

4700

4720

4740

4760

4780

4800

4820

4840

4860

4880

4900

4920

4940

4960

4980

5000

5020

5040

5060

5080

5100

5120

5140

5160

5180

5200

5220

5240

5260

5280

5300

5320

5340

5360

5380

5400

5420

5440

5460

5480

5500

5520

5540

5560

5580

5600

5620

5640

5660

5680

5700

5720

5740

5760

5780

5800

5820

5840

5860

5880

5900

5920

5940

5960

5980

6000

6020

6040

6060

6080

6100

6120

6140

6160

6180

6200

6220

6240

6260

6280

6300

6320

6340

6360

6380

6400

6420

6440

6460

6480

6500

6520

6540

6560

6580

6600

6620

6640

6660

6680

6700

6720

6740

6760

6780

6800

6820

6840

6860

6880

6900

6920

6940

6960

6980

7000

7020

7040

7060

7080

7100

7120

7140

7160

7180

7200

7220

7240

7260

7280

7300

7320

7340

7360

7380

7400

7420

7440

7460

7480

7500

7520

7540

7560

7580

7600

7620

7640

7660

7680

7700

7720

7740

7760

7780

7800

7820

7840

7860

7880

7900

7920

7940

7960

7980

8000

8020

8040

8060

8080

8100

8120

8140

8160

8180

8200

8220

8240

8260

8280

8300

8320

8340

8360

8380

8400

8420

8440

8460

8480

8500

8520

8540

8560

8580

8600

8620

8640

8660

8680

8700

8720

8740

8760

8780

8800

8820

8840

8860

8880

8900

8920

8940

8960

8980

9000

9020

9040

9060

9080


9100

9120

9140

SCALE 7/2

NOV 24 1989



PERMIT HOLDER ROBERT BROWNING PERMIT # 96-8118

P D TWP 56N RGE 2W SEC 21 NENE

P/U TWP RGE SEC SAME

UNRECORDED

NOV 24 1989

SOURCE GROUNDWATER TRIBUTARY TO
MAP PLOT 30 IRR. ACRES 1 USGS QUAD D-6 SCALE 7 1/2

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08118

Priority: November 5, 1982

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.04 CFS
9.6 AF

This is to certify, that ROBERT BROWNING
ELEANOR BROWNING

5451 ALGOMA RD.
SAGLE, ID 83860

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 5, 1982; and has submitted Proof of Beneficial Use on December 16, 1987. An examination indicates that the works have a diversion capacity of .040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.04 CFS	9.0 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF
	Totals	0.04 CFS	9.6 AF

LOCATION OF POINT(S) OF DIVERSION:

NENE , Sec. 21, Township 56N, Range 02W
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
56N	02W	21	NENE	3		3

Total number of acres irrigated: 3

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.

MICROFILMED

NOV 24 1989

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08118

CONDITIONS/REMARKS:

6. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 16TH
day of NOVEMBER, 1989.

Norman C. Young
R. Keith Higginson, Director

MICROFILMED

NOV 24 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT **APPROVED**

To appropriate the public waters of the State of Idaho

1. Name of applicant Robert or Eleanor Browning Phone 263-1972

Post office address Rt 2 Box 338B Sagle, Id

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 21 Township 56N

Range 2W B.M. Bonner County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.04 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.06 for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.10 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well, pump and pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 21 Township 56N
Range 2W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 1.

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 3

c. Describe any other water rights used for the same purposes as described above. *None*

9. a. Who owns the property at the point of diversion *App*

b. Who owns the land to be irrigated or place of use *Ann*

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

A grid of graph paper with handwritten text. The text is as follows:

- RAW
- 21
- T56N
- x
Pd
4710

Eleanor A. Browning
(Applicant)

Proposed Priority 11/5/1982

Received by LB Date 11/5/82 Time 1:24

Preliminary check by TK Fee \$ 3000

Receipted by LB Date 11/5/82 (25078)

Publication prepared by mm Date 11/10/82

Published in Sandpoint Daily Bee

Publication dates 11/17-24/82

Publication approved mm Date 12/10/82

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by RLA RL

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-8118, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 88.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 20th day of January, 1983.

L. Glen Saxton
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Pete Thompson being first duly sworn on oath deposes and says that he is publisher of the Sandpoint Daily Bee, and News Bulletin, newspapers printed and published at Sandpoint, in Bonner County, Idaho; that the said newspapers have been continuously and uninterruptedly published in said Bonner County during a period of 12 months prior to the first publication of the hereto attached notice of publication in the case of _____

Legal notice
as it was published in the regular and entire issue of the said paper for a period of 2 consecutive weeks, commencing on 17 day of 11, 1982 and ending on the 24 day of 11, 1982 and that said notice was published in said newspaper.

Pete Thompson

Subscribed and sworn to before me this 1 day of 12, 1982.

Adell M Thompson

Notary Public for Idaho,

Residing at Sandpoint, Idaho

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

96-8117

MC GOLDRICK, MILAINE J.

1613 CREST HILL DR.,
SPOKANE, WA 99203

Source: GROUNDWATER

Date Filed: 10/12/1982

Amount: 0.16 CFS

Diversion Point: LOT 04 Sec
26 T 57N R 03W, BONNER,
Co.

Use: IRRIGATION (0.06
CFS) from 04/01 to 09/01

STOCKWATER (0.02 CFS)
from 01/01 to 12/31

DOMESTIC (0.08 CFS) from
01/01 to 12/31

Place of Use: LOT 04 Sec 36
T 57N R 03W FOR 3 ACRES

Diversion Means: WELL,
PUMP AND PIPE.

96-8118

BROWNING, ROBERT &/or
ELEANOR

RT. 2 BOX 338B, SAGLE, ID
83860

Source: GROUNDWATER

Date Filed: 11/05/1982

Amount: 0.10 CFS

Diversion Point: NENE Sec
21 T 56N R 02W, BONNER
Co.

Use: IRRIGATION (0.06
CFS) from 03/15 to 11/15

DOMESTIC (0.04 CFS) from
01/01 to 12/31

Place of Use: NENE Sec 21
T 56N R 02W FOR 3 ACRES

Diversion Means: WELL,
PUMP AND PIPE.

PUMP AND PIPE.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4055 Gov't. Way, Coeur d'Alene, Id. 83814 on or before DECEMBER 6, 1982.

KEN DUNN, Dir.

Published 11/17 & 11/24/82.

Dept. of Water Resources

RECEIVED
DEC 10 1982

Department of Water Resources
Coeur d'Alene, Idaho

November 16, 1989

ROBERT BROWNING
ELEANOR BROWNING
5451 ALGOMA RD.
SAGLE, ID 83860

RE: PERMIT NO. 96-08118

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

NOV 24 1989

October 26, 1989

ROBERT BROWNING
ELEANOR BROWNING
5451 ALGOMA RD.
SAGLE, ID 83860

RE: PERMIT NO. 96-08118

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

NOV 24 1989

POINT OF DIVERSION OVERLAP REVIEW

WR-NUMBER	TWP	RNG	SC	TRACT	LT	#SOURCE	#NAME
				1\4 1\4 1\4			
9608118	56N	02W	21	NE NE		GROUNDWATER	BROWNING, ROBERT
				NO MATCHES FOR THIS POD			

MICROFILMED

NOV 24 1999

State of Idaho
Department of Water Resources
WELL INSPECTION FORM

This form should be completed by the examiner when conducting a field examination to determine the extent of beneficial use of water from a well or whenever a well is inspected for other reasons. The form should be forwarded to Groundwater Protection Section in the State Office upon completion.

1. Legal Description of well location. Twp. 56N, Rge. 2W,
Sec. 21, Qtr./Qtr. NENE or Lot _____
2. Owner ROBERT BROWNING
Address HERT 1 BX 338 B, City SAGLE, State ID
3. Approx. date of well construction UNK
Well Driller UNK
4. Casing: Diameter 6" Condition FAIR
5. Casing length above land surface 12"
6. Well depth (ft) 40'-50' Flowing NO Temp. -
Access port NO
7. Condition of piping and valving GOOD
8. Evidence of well seal NO EVIDENCE
9. Shut in pressure or static water level UNK
10. Evidence of leakage around the casing NO
11. Does well need repair NO
12. Comments NO WELL LOG

MICROFILMED

NOV 24 1989

(OVER)

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.

MICROFILMED

NOV 24 1989

Inspected by

King

Date

6/15/88

SCALE 7 1/2

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT

RECEIVED
JUN 26 1989

Department of Water Resources

Yes No

PERMIT 96-8118

- (☒) () B/U Acknowledgement Letter Sent from 8/2/88 (INITIAL & DATE)
() (☒) Aerial Photo Date Requested _____ by _____
(☒) () Quad Sheet
() (☒) GL Plat
() (☒) Copies of overlapping License Field Report Claim
() () Photo PD/PU
() () Correspondence (Date) _____
() () Other (List) _____

EXAM COMPLETED BY John Duhon DATE 6/6/88
SR AGENT REVIEW JK DATE 6/88
REGIONAL MANAGER REVIEW PSA DATE 6/89
ENTERED ON COMPUTER BY B DATE 6/16/89
PRELIMINARY OVERLAP REVIEW BY JKing DATE 2-88
(☒) NO OVERLAP FOUND

NO WELL LOG FOUND


FILM DID NOT DEVELOPE LD

MICROFILMED

NOV 24 1989

96-8118

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: _____

Place(s) of Use

TWP.	RGE.	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Recommended Amendments:

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ Other

Examiner's Signature James L. King Date 7/20/83
 Checked by _____ Date _____
 Approved by _____ Date _____

RECORDED

NOV 24 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 96-8118

1. Owner: Robert/Eleanore Browning Phone No. 263-1972

Phone No. 263-1972

Current Address: 5451 Algoma Rd Eagle, Id 83860

2. Accompanied by: Robert Browning EXAM. DATE: 6/3/88

EXAM. DATE: 6/3/88

Address: Same Phone No. Same

Phone No. same

Relationship to Permit Holder: Self Same

3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

☐ Alternative diagram attached



Scale: 1" = NTS

$\Delta = \text{RISER (frost free) with Hose and sprinkler system take off.}$

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

☐ **Photo of Diversion and System Attached**
(required for all but single household domestic groundwater, and stockwater.)

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well with one horse submersible pump in field to north of house supplying 1" ~~submersible~~ buried pvc pipe leading to frost free risers which ~~are~~ are situated in a half circle around the house. One riser in field ~~with~~ with pump, 3 risers to ~~the~~ ^{East} of house and 2 risers to the South. ~~From~~ The three risers in front (east) of House supply 4 underground 1/2" pvc lines ~~and~~ which supply pop up sprinklers. Risers are also equipped with hose connections

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
submersible		1			

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
				NENE	21	SGN	2W	BONNER	MAP

6. **Place(s) of Use:**

Indicate Method of Determination MAP

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
SGN	2W	21	D																
			3																3

MICROFILMED

NOV 24 1989

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS


NONE

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:



E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

$$Q = \frac{8.8(HP) \epsilon}{2.3(P) + H} \quad HP = 1 \quad P = 50 \quad H = 45 \quad \epsilon = .7 \quad Q = .04 cfs$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\overset{3}{\text{Acres Irrigated}}) \times (\overset{3}{\text{Irrigation Requirement}}) = 9 af$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 19.4 af$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 9 af$

2. Volume Calculations for Other Uses:

1 HOME DOMESTIC = .6 af

MICROFILMED

NOV 24 1989

H. REMARKS AND OVERLAP REVIEW ANALYSIS

NONE

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3/15	11/15	.04	9 af
Domestic	1/1	12/31	.04	6 af
Totals:			.04	9.6 af


2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

- ☒ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name Louis Sukoraty
Signature LOUIS Sukoraty
Certification Date 5/15/88
Field Report Preparation Date 6/6/88



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

JOM 7/21/89

MICROFILMED

NOV 24 1989

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 765-4639

FEBRUARY 3, 1988

ROBERT BROWNING
5451 ALGOMA RD.
SAGLE, ID 83860

RE: Permit No. 96-8118

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone or in person.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

RECEIVED
MAR 07 1988

File 96-8118

Cannot find log in this
name.

Well was drilled prior
to 1980. Owners may
be able to help.

gbeal

Microfilm

MAR 07 1988

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 96-8118

Date: 1-14-1988

General Considerations:

y Name same as permit
y Signature the same as permit holder
y Address change _____ If yes, prepare a data entry
y Proof received timely
N Reinstated

Source of Water:

— Surface water
y Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

y Rate of diversion appropriate for uses
y Is rate or volume and fee appropriate?
y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

NA Is a measuring device or access port required?
NA Has one been installed?
NA Waiver or modification of measuring device requested

Remarks:

- Need a copy of well log
Proof - OK

NA Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	+
No. of days late	_____	=
Priority date	_____	+
NEW PRIORITY DATE	_____	=

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED
DEC 18 1987

For Office Use Only
Fee Received 00
Date 12-16-87
Receipt #
Receipt by JK
Reviewed by JK
Sent to region 1

STATE OF IDAHO
Department of Water Resources
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 96-8118

Name(s) of Permit Holder: ROBERT BROWNING ✓

Post Office Address: 5451 ALGONA RD. SAGLE, ID. 83860 ✓

Telephone No. 263-1972

Source of Water: GW ✓

Extent of Use:

Domestic 1 ✓ (number of households) Stockwater _____ (number and type of stock)

Irrigation 1 ✓ (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 0.04 cfs _____ acrs-feet

Show the date water was first diverted and beneficially used under this permit: prior to 1980*

Measuring Device: Required? Yes ☒ No
Installed? Yes ☒ No

Fee enclosed \$ N/A
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes ☒ No
Installed? Yes ☒ No

*Per conversation with
Robert Browning 1-14-88*

Person to contact to accompany the Department representative during the field examination:

(Name)

(Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MAR 07 1988

12-16-87
Date

Robert L. Browning ✓
Signature of Permit Holder (and title, if appropriate)

138023
CERTIFIED MAIL
October 31, 1987

BROWNING, ROBERT & ELEANOR
RT. 2 BOX 338B
SAGLE, ID 83860

PROOF DUE NOTICE

RE: Permit No. 96-8118

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

MAILED

MAR 07 1988

September 14, 1983

Robert or Eleanor Browning
Rt. 2 Box 338B
Sagle, ID 83860

Dear Mr. and Mrs. Browning:

The department acknowledges receipt of the letter requesting the withdrawal of the Statement of Beneficial Use postcard. Enclosed is that postcard. I have revised the department's records to show that the Statement of Beneficial Use postcard is due on January 1, 1988.

The 1982 Idaho Legislature added a requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date a permit is issued. In this case, the permit was issued on January 20, 1983. Please complete and return the postcard by January 20, 1984 to fulfill this requirement. If you have been prevented from commencing works, note the reason on the blue postcard and return it.

If you have any questions, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Sr. Secretary

cc: Northern Region

Enclosures

RECEIVED

MAR 07 1988

R. L. B.

RECEIVED

August 26, 1983

AUG 29 1983

Department of Water Resources

Idaho Dept. of Water Resources
Statehouse, Boise, Id., 83720

Dear Sirs:

In conformity with advice from Tom D. King, Senior Water Resource Agent out of your Coeur d'Alene office I hereby request your Department nullify my statement of beneficial use.

Mr. King has advised that my letter requesting nullification will have no detrimental effect on my Permit No. 96-8118, but that I will have to complete the project and re-submit my beneficial use statement prior to January 1, 1988.

Thank you,


Robert L. Browning
Rt. 2, Box 338-B
Sagle, Idaho, 83860

MICROFILMED

MAR 07 1988

Robert L. Browning
Lt 2 Box 338-B
Sagle, Idaho 83860

Idaho Dept. of Water Resources
Statehouse, Boise, Idaho
83720



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

MARCH 18, 1983

ROBERT & ELEANOR BROWNING
ROUTE 2 BOX 338B
SAGLE ID 83860

RE: Permit No. 96-8118

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 667-6484 or in person at our office.

Sincerely,

TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

RECEIVED

MAR 07 1988

*blu postcard
withdrawn
see letter
dated 8/20/1983
PD*

S T E D F I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

BROWNING, ROBERT & ELEANOR
RT. 2 BOX 338B
SAGLE, ID 83860

FEBRUARY 01, 1983

RE: PERMIT NO. 96-8118

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

ENCLOSURE

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: SA

APPLICATION NUMBER: 96-8118

CHECK

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.

Field check by: _____

Date: _____

Comments: _____

☒ Yes ☒ No

Field check required.

☐ Yes ☒ No

Critical groundwater area.

☐ Yes ☒ No

Request dam safety information. Sent by: _____ Date: _____

☒ Yes ☒ No*

In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

☐ Yes ☐ No

Platted by: _____ Map No. _____

☐ Yes ☐ No

Other rights on same place of use. _____

☒ Yes ☐ No*

In form for advertising.

Final date for protests: 12/6/82 ✓

☐ Yes ☒ No

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

☒ Affidavit of publication received. Date: 12/10/82 ✓

☒ Application published correctly. If not, record action taken: _____

☒ Fee amount, receipt date & number, recorded on application.

☒ Publication dates and paper, recorded on application.

☒ Protests, dates, withdrawal, etc., recorded on application.

☒ Recommendation & initial, recorded on application.

☐ Yes ☒ No

Measuring device required.

☐ Yes ☒ No

Access port required.

☐ Yes ☒ No

Will water be delivered by watermaster? If yes, what district? _____

11/5/82

Date of priority recommended.

Special conditions of approval or cover letter. _____

By: RYA Date: 12/15/82

STATE OFFICE REVIEW:

5/2/83 26

☐ See attached sheet for more information.

By: [Signature] Date: 1-20-83

RECEIVED
JAN 18 1983

POINT OF DIVERSION AND STREAM INDEX INFORMATION

1981 01 15 10:00 AM
 1981 01 15 10:00 AM
 1981 01 15 10:00 AM

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

1981 01 15 10:00 AM

1981 01 15 10:00 AM

1981 01 15 10:00 AM

96-8118

BROWNING, ROBERT &/or ELEANOR

RT. 2 BOX 3388, SAGLE, ID 83860

Source: GROUNDWATER

Date Filed: 11/05/1982

Amount: 0.10 CFS

Diversion Point: NENE Sec 21 T 56N R 02W, BONNER Co.

Use: IRRIGATION (0.06 CFS) from 03/15 to 11/15
DOMESTIC (0.04 CFS) from 01/01 to 12/31

Place of Use: NENE Sec 21 T 56N R 02W FOR 3 ACRES

Diversion Means: WELL, PUMP AND PIPE.

UNRECORDED

WATER RIGHT
DATA ENTRY LOG

[illegible]