

MICROFILMED



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: ✓ SESW, SEL 6, TSSN, R2W

Place(s) of Use ✓

TWP.	RGE.	SEC.	NE%				NW%				SW%				SE%				TOTALS
			NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	
55N	2W	6												3					3

Recommended Amendments:

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

Examiner's Signature

Checked by

Approved by


Date

Date



Date

[Handwritten signatures: R. Walker, Bob Haynes]

[Handwritten dates: 7/25/84, 8/8/84, 3-26-86]



Mapped, edited, and published by the Geological Survey
 Control by USGS and USC&GS
 Topography by photogrammetric methods from aerial
 photographs taken 1966. Field checked 1968
 Selected hydrographic data compiled from USC&GS
 Chart 6170 (1967)
 This information is not intended for navigational purposes
 Polyconic projection. 1927 North American datum
 10,000-foot grid based on Idaho coordinate system,
 west zone
 1000-meter Universal Transverse Mercator grid ticks,
 zone 11, shown in blue
 Fine red dashed lines indicate selected fence lines



THIS MAP COMPLIES
 FOR SALE BY U.S. GEOLOGICAL SURVEY
 A FOLDER DESCRIBING TOPOGRAPHY

MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 96-8097 Priority August 26, 1982 Amount 0.04 cfs

THIS IS TO CERTIFY, that Wilson L. &/or Elizabeth Crawford
of Cocolalla, Idaho, has complied with the terms and conditions of Permit
No. 96-8097 issued pursuant to Application for Permit dated August 26, 1982,
and has submitted proof to the Department of Water Resources on July 8, 1983,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.06 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>March 15</u> to <u>November 15</u>	at <u>0.04</u> cfs and	<u>9.0</u> acre feet
_____	from _____ to _____	at _____ cfs and	_____
_____	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 0.04 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
9.0 acre feet per year, said waters to be diverted within the SE $\frac{1}{4}$ SW $\frac{1}{4}$ Section 6,
Twp 55N, Rge 2W in the County of Bonner

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
55N	2W	6											3						3

Total number of acres irrigated 3

MICROFILMED

CONDITIONS OF APPROVAL

a. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

b. The right to the use of the water hereby confirmed is restricted and appurtenant to lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

c. Any water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water other than hydropower, within the State of Idaho initiated later in time than the priority of this license.

The maximum combined rate of diversion under this Right and Right 96-7532 shall not exceed 0.06 cfs.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 25TH day of April, 19 86.

Acting for the Director

Roman C Young

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Wilson L f/or Elizabeth Crawford 263-6202
Post office address HCR 68 Box 396 Cocolalla ID 83813
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 6 Township 55N
Range 2W B.M. Bonner County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .09 cfs for Irrigation purposes from 4-1 to 11-1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .09 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well & Pump

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 2 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____

Range ~~2W~~ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
55N	2W	6											3						3

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. _____

9. a. Who owns the property at the point of diversion App 1

b. Who owns the land to be irrigated or place of use App 1

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks Well is the same as 96-7532

100-100000

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

T55N R2W

PP
P/U

Scale: 1 inch equals 1 mile.

BEFORE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

WILSON L. GANFORD
(Applicant)

Proposed Priority 8/26/1982

Received by Mr Date 8/26/82 Time noon
Preliminary check by JK Fee \$ 30.00
Receipted by Mr Date 8/27/82 (24336)
Publication prepared by Mr Date 9/2/82
Published in Firepoint Bee
Publication dates 9/8 & 15/82
Publication approved Mr Date 10/19/82
Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by [Signature]

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-8097, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 19 84.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 17th day of November, 1982.

[Signature]
Chief, Operations Bureau

MICROFILMED

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Pete Thompson being first duly sworn on oath deposes and says that he is publisher of the Sandpoint Daily Bee, and News Bulletin, newspapers printed and published at Sandpoint, in Bonner County, Idaho; that the said newspapers have been continuously and uninterruptedly published in said Bonner County during a period of 12 months prior to the first publication of the hereto attached notice of publication in the case of _____

legal notice

as it was published in the regular and entire issue of the said paper for a period of 2 consecutive weeks, commencing on 8 day of 9, 1982 and ending on the 15 day of 9, 1982 and that said notice was published in said newspaper.

Pete Thompson

Subscribed and sworn to before me this 6 day of Oct, 1982.

Paul M Thompson

Notary Public for Idaho,

Residing at Sandpoint, Idaho

**NOTICE OF
APPLICATION FOR
WATER RIGHTS**

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

96-8097

CRAWFORD, WILSON L.
&/or ELIZABETH
HCR 68 BOX 396,
COCOLALLA, ID. 83813

Source: GROUNDWATER

Date Filed: 08/26/1982

Amount: 0.09 CFS

Diversion Point: SESW Sec 06 T 55N R 02W, BONNER Co.

Use: IRRIGATION (0.09 CFS) from 04/01 to 11/01

Place of Use: SESW Sec 06 T 55N R 02W FOR 3 ACRES

Diversion Means: WELL AND PUMP.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id. 83814 on or before SEPTEMBER 27, 1982.

A. KENNETH DUNN
Director

Published Sept. 8, 15, 1982
Dept. of Water Resources

RECEIVED
OCT 15 1982

Department of Water Resources
Northern District Office

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 96-8097

Name(s) of Permit Holder(s): Wilson, Frank or Elizabeth

Post Office Address: HCR 68 BX 86

Cocatalla, Idaho 83813 Tel. No. 263-6202


- ☒ I hereby certify that construction of diversion works for the above referenced permit ~~began~~ on completed 11-17-82 (date) I understand that I must continue to develop the water system with due diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diversion works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

6-30-83
Date

Wilson, Frank or Elizabeth
Signature of Permit Holder

Wilson L. Crawford
HCR 68 BX 396
Cocatalla, Idaho
83813



DEC 22 1988

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

April 28, 1986

RE: Permit No. 96-8097

Wilson L. &/or Elizabeth Crawford
HCR 68, Box 396
Cocolalla, ID 83813

Dear Mr. and Mrs. Crawford:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

Enclosure

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

April 10, 1986

RE: Permit No. 96-8097


Wilson & Elizabeth Crawford
HCR 68, Box 396
Cocolalla, ID 83813

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

If you do not concur with the information shown on the draft license, please advise the Department within ten (10) days. If you have any questions, please let us know; otherwise, the license will be issued as identified on the draft copy.

Sincerely,



JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

UNRECORDED

State of Idaho
DEPARTMENT OF WATER RESOURCES
WATER RIGHT BENEFICIAL USE FIELD REPORT

96-8697
Permit No.

AUG 18 1984

CONTACT WITH PERMIT HOLDER

☐ Appointment letter mailed:

☐ Telephone call made
(List Telephone No. used)

☐ Appointment scheduled for:
(Date, time, location)

DATE

INITIALS

Department of Water Resources

REMARKS

EXAMINATION

Date 7/18/84 Accompanied by W. Crawford Total Q measured theoretical = 0.06

Source GU Tributary to ✓ Supp. annubar measurement sheet used? no

If source is surface water, estimate total flow of source

Methods of measurement Pressure Meets permit requirements? yes

Measurement calculations: 4 RB25PS 1/4" @ 20psi = 245 = 19.4
8.8(.5) 80%
2.33(20) + 3 - 100
448.8
4.64(4) = 0.04 cfs
Static Water Level 4' 8.8(.5) 80% = 0.06
2.33(20) + 10 Capacity
V = 0.04(1.9835) = 16.98 AF
V = 3 x 3.0 = 9.0

WELL/DIV. NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEVICE	REMARKS
	1/2	SEARS	AT9					No well log

System Description 6" x 6.8' Well, submersible pump & 3/4" pipeline to sprinkler system.

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE IRRIGATION ✓

Irrigation requirement = 3.0 ✓ AFA/Acre 245 days

Q (cfs) 0.04 ✓ V (afa) 9.0 ✓


FROM 4-15 TO 11-15 per w.u. handbook

Total 0.04 ✓ 9.0 ✓

Remarks Not to exceed 0.06 cfs when combined with 96-7532
Same well as 96-7532

MAINTAINED

ENCLOSURE



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: ✓ SESW, SEL 6, TSSN, R2W

Place(s) of Use ✓


TWP.	RGE.	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
55N	2W	6												3					3

Recommended Amendments:

- ☐ Change P.D. as reflected above
 ☐ Add P.D. as reflected above
- ☐ Change P.U. as reflected above
 ☐ Add P.U. as reflected above
- ☒ None
 ☐ Other

Examiner's Signature [Signature]
 Checked by [Signature]
 Approved by R. Walker

Date 7/25/84
 Date 8/8/84
 Date 3-26-86



Mapped, edited, and published by the Geological Survey

Control by USGS and USC&GS

Topography by photogrammetric methods from aerial photographs taken 1966. Field checked 1968

Selected hydrographic data compiled from USC&GS Chart 6170 (1967)

This information is not intended for navigational purposes

Polyconic projection. 1927 North American datum
10,000-foot grid based on Idaho coordinate system,
west zone

1000-meter Universal Transverse Mercator grid ticks,
zone 11, shown in blue

Fine red dashed lines indicate selected fence lines

UTM GRID AND 1968 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET

THIS MAP COMPLETES
FOR SALE BY U.S. GEOLOGICAL SURVEY
A FOLDER DESCRIBING TOPOGRAPHY

UNFILMED

(CAREYWOOD)
2600 ft SW

MICROFILMED

cc: IDWR - State Office

TOM D. KING
Senior Water Resource Agent
/5/

Sincerely,

If you have any questions regarding the field examination, please contact this office by phone at 667-6484 or in person at our office.

A field examiner will contact you to arrange to examine your system.

Before a license can be issued, a field examination must be made by a representative of this department.

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Dear Permit Holder:

RE: Permit No. 96-8097

WILSON AND ELIZABETH CRAWFORD
HCR 68 BOX 396
COCOLALLA ID 83813

SEPTEMBER 6, 1983

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

JOHN A. EVANS
Governor
R. KENNETH DUNN
Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director July 22, 1983

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

RECEIVED
JUL 25 1983
Department of Water Resources

Mr. Wilson L. Crawford
HCR 68 Box 396
Cocolalla, Id. 83813

Re: 96-8097

Dear Mr. Crawford:

Since the beneficial use on your irrigation Permit No. 96-8097 is not due until December 1, 1984, and since you are not as yet irrigating a full three acres, I will conduct another examination after you submit the beneficial use postcard.

Yours truly,

TOM D. KING
Senior Water Resource Agent

TDK/pms

RECEIVED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 96-8097.

Name(s) of Permit Holder: Wilson L. or Elizabeth Crawford

Post Office Address: HCR 68 Box 596

Cocatalla ID 83813 Tel. No. 263-6202

Source of Water: Groundwater

Extent of Use:

☐ Domestic	_____	(number of households)
☐ Stockwater	_____	(number and type of stock)
☒ Irrigation	<u>3</u>	(acres)
☐ Other	_____	


Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

7-8-83
Date

X Wilson L. Crawford
Signature of Permit Holder



MICROFILMED



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

SEP 9 1983
JUL 9 1983
JUL 9 1983

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

CRAWFORD, WILSON L. & ELIZABETH
HCR 68 BOX 396
COCOLALLA, ID 83813

NOVEMBER 23, 1982

RE: PERMIT NO. 96-8097

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JK

APPLICATION NUMBER: 96-8097

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.

Field check by: _____

Date: _____

Comments: _____

- ☒ Fee.
☒ Yes ☒ No
☒ Yes ☒ No
☒ Yes ☒ No
☒ Yes ☒ No*

Field check required.

Critical groundwater area.

Request dam safety information. Sent by: _____ Date: _____

In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____

- ☒ Yes ☐ No* In form for advertising.
Final date for protests: 9/27/82 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 10/15/82 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
✓ 8/26/82 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: [Signature] Date: 10/19/82

STATE OFFICE REVIEW:

[Signature]
5/17 26

- ☐ See attached sheet for more information.

By: [Signature] Date: 11/10/82

RECEIVED
OCT 25 1982

POINT OF DIVERSION AND STREAM INDEX INFORMATION

RECEIVED, 91 11/19/81 11:00 AM

NOV 22 1981

RECEIVED

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

IDAHO STREAM CODE INDEX

96-8097

CRAWFORD, WILSON L. &/or ELIZABETH

HCR 68 BOX 396, COCOLALLA, ID 83813

Source: GROUNDWATER

Date Filed: 08/26/1982

Amount: 0.09 CFS

Diversion Point: SESW Sec 06 T 55N R 02W, BONNER Co.

Use: IRRIGATION (0.09 CFS) from 04/01 to 11/01

Place of Use: SESW Sec 06 T 55N R 02W FOR 3 ACRES

Diversion Means: WELL AND PUMP.

MICROFILMED