

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

95-8191

MAC PHEE, CRAIG &/or JOHN A.

S. 3845 BOOTHE PARK RD., COEUR D'ALENE, ID 83814

Source: COEUR D'ALENE LAKE tributary to SPOKANE RIVER

Priority Date: 01/01/1930

Amount: 0.08 CFS

Diversion Point: SENW Sec 33 T 50N R 03W, KOOTENAI Co.

Use: DOMESTIC (0.08 CFS) from 01/01 to 12/31

Place of Use: SENW Sec 33 T 50N R 03W

95-8192

WATSON, SHIRLEY K.

P.O. BOX 197, RATHDRUM, ID 83858

Source: RATHDRUM CREEK tributary to SINKS

Date Filed: 06/16/1982

Amount: 0.14 CFS

Diversion Point: SWSW Sec 17 T 52N R 04W, KOOTENAI Co.

Use: IRRIGATION (0.10 CFS) from 03/15 to 11/15; DOMESTIC (0.04 CFS) from 01/01 to 12/31

Place of Use: SWSW Sec 17 T 52N R 04W FOR 5 ACRES

Diversion Means: PUMP & PIPE.

95-8193

SUTTON, DOUGLAS L.

W. 7450 STACH RD., COEUR D'ALENE, ID 83814

Source: GROUNDWATER

Date Filed: 06/11/1982

Amount: 0.04 CFS

Diversion Point: NENW Sec 30 T 50N R 04W, KOOTENAI Co.

Use: DOMESTIC (0.04 CFS) from 01/01 to 12/31

Place of Use: NENW Sec 30 T 50N R 03W

Diversion Means: WELL & PUMP.

95-8194

CAPTAIN KIDD ASSN.

STAR RT. KIDD ISLAND BAY, COEUR D'ALENE, ID 83814

Source: COEUR D'ALENE LAKE tributary to SPOKANE RIVER

Date Filed: 06/10/1982

Amount: 0.12 CFS

Diversion Point: NESW Sec 35 T 50N R 04W, KOOTENAI Co.

Use: IRRIGATION (0.02 CFS) from 03/15 to 11/15; FIRE PROTECTION (0.12 CFS) from 01/01 to 12/31

Place of Use: NESW Sec 35 T 50N R 04W FOR 1 ACRES

Diversion Means: PUMP & PIPE.

95-8195

RICHARD, ROY D.

RT. 1 BOX 58A, WORLEY, ID 83878

Source: SPRING tributary to COEUR D'ALENE LAKE

Date Filed: 06/10/1982

Amount: 0.04 CFS

Diversion Point: SESW Sec 24 T 47N R 04W, KOOTENAI Co.

Use: DOMESTIC (0.04 CFS) from 01/01 to 12/31

Place of Use: SESW SWSW Sec 24 T 47N R 04W

Diversion Means: PUMP & PIPE.

96-8067

HORNER, STANLEY

SCNELLE, G. F.

FILLEN, ELMER &/or WILLIE

CLOSSON, EVELYN

BISHOP, ROBERT

FOUNTAIN, DALE

P.O. BOX 124, BAYVIEW, ID 83803

Source: GROUNDWATER

Date Filed: 06/16/1982

Amount: 0.11 CFS

Diversion Point: NENE Sec 03 T 53N R 02W, KOOTENAI Co.

Use: DOMESTIC (0.11 CFS) from 01/01 to 12/31

Place of Use: NENE Sec 03 T 53N R 02W

Diversion Means: WELL, PUMP & PIPE.

If issued, the permit(s) will be subject to all prior water rights.

Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id 83814 on or before JULY 12, 1982.

A. KENNETH DUNN

Director

Legal 606

June 24, July 1, 1982

STATE OF IDAHO,

County of Kootenai,

} ss.

Allen Hancock being first duly sworn upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Application of which the annexed is a printed copy, was published in the regular Press issue of said newspaper for 2 consecutive times, commencing on the 24 day of June, 1982, and ending on the 1 day of July, 1982, and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.


Subscribed and sworn to before me this 19 day of July, 1982.

RECEIVED
JUL 6 1982

Roberta Stanley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

LEADER

Department of Water Resources
Northern District Office



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 96-8067 Priority June 16, 1982 Amount 0.11 cfs
THIS IS TO CERTIFY, that G.F. Schnelle &/or Elmer &/or Willie Fillen, &/or Evelyn
Closson, &/or Stanley Horner &/or Robert Bishop &/or Dale Fountain
of Bayview, Idaho, has complied with the terms and conditions of Permit
No. 96-8067 issued pursuant to Application for Permit dated June 16, 1982,
and has submitted proof to the Department of Water Resources on August 20, 1982,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.11 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Domestic</u> <u>(5 Units)</u>	from <u>January 1</u> to <u>December 31</u> at <u>0.11</u> cfs and <u>6.0</u> acre feet		
	from _____ to _____ at _____ cfs and _____		
	from _____ to _____ at _____ cfs and _____		
	(both dates inclusive)		

Subject, however, to the condition that no more than 0.11 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
6.0 acre feet per year, said waters to be diverted within the NE $\frac{1}{4}$ NE $\frac{1}{4}$ Section 3,
Twp 53N, Rge 2W in the County of Kootenai

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
53N	2W	3	X																

Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 15TH day of
DECEMBER, 19 83.

Acting for the

Director

Norman C. Young

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant G.F. Schnelle for Elmer Willis Filler, for Evelyn L. O'Connell for Stanley Horner for Robert Bishop for Dale Fontaine Phone _____

Post office address Box 124, Bayview, Id.

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 3 Township 53N

Range 2W B.M. Keeleai County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.11 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.11 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well, pump & pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 3 Township 53N
Range 2W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 5.

(5) If water is to be used for other purposes describe: _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Sec 3
T53N, R2W
+ P.D.
P4

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x Carelyn A. Closson

x Stanley L. Horner x

x Dale W. Fountain

x Robert B. Bishop

x G. F. Schueler

x _____ x

Received by pm Date 6/16/82 Time 11:27 AM
Preliminary check by LB Fee \$ 30.00
Receipted by pm Date 6/16/82 (21371)
Publication prepared by pm Date 6/17/82
Published in Coeur d'Alene Press
Publication dates 6/24-7/1/82
Publication approved pm Date 7/6/82
Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by RC RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-8067, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 83.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: _____

Witness my hand this 22nd day of July, 19 82.

L. Glen Saylor
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

95-8191

MAC PHEE, CRAIG &/or JOHN A.

S. 3845 BOOTHE PARK RD., COEUR D'ALENE, ID 83814

Source: COEUR D'ALENE LAKE tributary to SPOKANE RIVER

Priority Date: 01/01/1930

Amount: 0.08 CFS

Diversion Point: SENW Sec 33 T 50N R 03W, KOOTENAI Co.

Use: DOMESTIC (0.08 CFS) from 01/01 to 12/31

Place of Use: SENW Sec 33 T 50N R 03W

95-8192

WATSON, SHIRLEY K.

P.O. BOX 197, RATHDRUM, ID 83858

Source: RATHDRUM CREEK tributary to SINKS

Date Filed: 06/16/1982

Amount: 0.14 CFS

Diversion Point: SWSW Sec 17 T 52N R 04W, KOOTENAI Co.

Use: IRRIGATION (0.10 CFS) from 03/15 to 11/15; DOMESTIC (0.04 CFS) from 01/01 to 12/31

Place of Use: SWSW Sec 17 T 52N R 04W FOR 5 ACRES

Diversion Means: PUMP & PIPE.

95-8193

SUTTON, DOUGLAS L.

W. 7450 STACH RD., COEUR D'ALENE, ID 83814

Source: GROUNDWATER

Date Filed: 06/11/1982

Amount: 0.04 CFS

Diversion Point: NENW Sec 30 T 50N R 04W, KOOTENAI Co.

Use: DOMESTIC (0.04 CFS) from 01/01 to 12/31

Place of Use: NENW Sec 30 T 50N R 03W

Diversion Means: WELL & PUMP.

95-8194

CAPTAIN KIDD ASSN.

STAR RT. KIDD ISLAND BAY, COEUR D'ALENE, ID 83814

Source: COEUR D'ALENE LAKE tributary to SPOKANE RIVER

Date Filed: 06/10/1982

Amount: 0.12 CFS

Diversion Point: NESW Sec 35 T 50N R 04W, KOOTENAI Co.

Use: IRRIGATION (0.02 CFS) from 03/15 to 11/15; FIRE PROTECTION (0.12 CFS) from 01/01 to 12/31

Place of Use: NESW Sec 35 T 50N R 04W FOR 1 ACRES

Diversion Means: PUMP & PIPE.

95-8195

RICHARD, ROY D.

RT. 1 BOX 58A, WORLEY, ID 83876

Source: SPRING tributary to COEUR D'ALENE LAKE

Date Filed: 06/10/1982

Amount: 0.04 CFS

Diversion Point: SESW Sec 24 T 47N R 04W, KOOTENAI Co.

Use: DOMESTIC (0.04 CFS) from 01/01 to 12/31

Place of Use: SESW SWSW Sec 24 T 47N R 04W

Diversion Means: PUMP & PIPE.

95-8067

HORNER, STANLEY

SCNELLE, G. F.

FILLEN, ELMER &/or WILLIE

CLOSSON, EVELYN

BISHOP, ROBERT

FOUNTAIN, DALE

P.O. BOX 124, BAYVIEW, ID 83803

Source: GROUNDWATER

Date Filed: 06/16/1982

Amount: 0.11 CFS

Diversion Point: NENE Sec 03 T 53N R 02W, KOOTENAI Co.

Use: DOMESTIC (0.11 CFS) from 01/01 to 12/31

Place of Use: NENE Sec 03 T 53N R 02W

Diversion Means: WELL, PUMP & PIPE.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id 83814 on or before JULY 12, 1982.

A. KENNETH DUNN
Director

Legal 606

June 24, July 1, 1982

STATE OF IDAHO,
County of Kootenai,

} ss.

Aleene H. H. H. being first duly sworn upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Application

of which the annexed is a printed copy, was published in the regular issue of said newspaper for 2 consecutive issues, commencing on the 24 day of June, 1982, and ending on the 1 day of July, 1982, and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 11 day of July, 1982.

Robert D. Dandy
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

LEADER

Department of Water Resources
Northern District Office

December 16, 1983

RE: Permit No. 96-8067

G. F. Schnelle &/or
Elmer &/or Willie Fillen, &/or
Evelyn Closson &/or Stanley Horner &/or
Robert Bishop &/or Dale Fountain
Box 124
Bayview, ID 83803

Dear Permit Holders:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

MICROFILMED

State of Idaho
DEPARTMENT OF WATER RESOURCES
WATER RIGHT BENEFICIAL USE FIELD REPORT

RECEIVED
96-8067
Permit No.
OCT 7 1983

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:	3-22-83	JK	Found homes - no one home
☐ Telephone call made (List Telephone No. used)	3-24-83	JK	No Well log - Found well 683-2437 - Horner - No Ans. 683-2422 - Schelle - No Ans.
☐ Appointment scheduled for: (Date, time, location)	3-28-83	JK	Call both - No Ans - Attached letter mailed
	5-3-83	JK	Mr Horner called spoke with pms
	5-26-83	JK	683-2437 - No Ans.

EXAMINATION

Date 3-22-83 Accompanied by ~ Total Q measured ~
Source Groundwater Tributary to ~ Supp. annubar measurement sheet used? ~
If source is surface water, estimate total flow of source ~
Methods of measurement Calc. Meets permit requirements? yes

Measurement calculations: $\frac{8.8(1)80\%}{2.33(45)+50} = 0.45 \text{ cfs capacity}$ $1.2(5) = 6.0 \text{ AF}$
5 homes
 $V = 1.2 \times 5 = 6.0 \text{ AF}$

WELL/DIV. NO. *	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEVICE	REMARKS
	1	Deming	UTL					

System Description 6"x50 well with Deming 1H.P. Pump & pipe line to place of use

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE	Irrigation requirement =	AFA/Acre
Domestic	Q (cfs) 0.11 OK	V (afa) 60.4 yr
5x.04=0.2		FROM 1-1 TO 12-31
allow 0.11 as		
per permit		
Total	0.11 OK	60.4 yr

Remarks

(Include distance from pump to measuring device, if applicable.)

Place(s) of Use *✓ same as permit*

[illegible]

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Date 6-3-83
Date 9/29/83
Date _____

March 28, 1983

Mr. Stanley Horner
Box 124
Bayview, Id. 83803

Re: 96-8067

Dear Mr. Horner:

I have been attempting to contact you, but have had no success.

Please contact me at 667-6484 to discuss the licensing of your
above-referenced permit.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Northern Region

TD

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

March 1, 1983

G.F. Schelle et al
Box 124
Barview, ID 83803

RE: 96-8067

Gentlemen:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination, however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Very truly yours,

TOM D. KING
Senior Water Resource Agent

TDK/fms

cc: IDWR - State Office

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has consented development to the extent shown below of Permit No. 96-8067

Schnell/Fillen/Closson/Horner/Bishop/

Name(s) of Permit Holder: Fountain

Post Office Address: Box 124

Bayview, Id. 83803

Tel. No. 683-2437

Source of Water: Groundwater

Extent of Use: ☒ Domestic 5 (number of households)
☐ Stockwater (number and type of stock)
☐ Irrigation (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No
Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

8/20/82

Date

Stanley F. Bishop
Signature of Permit Holder

PLACE
TEN CENT
STAMP
HERE

RECEIVED

AUG 20 1982

RECEIVED
AUG 20 1982
DEPT. OF WATER RESOURCES

Department of Water Resources

Northern District Office



AUG 27 1982

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

HORNER, STANLEY
P.O. BOX 124
BAYVIEW, ID 83803

AUGUST 03, 1982

RE: PERMIT NO. 96-8067

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

ENCLOSURE

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: LD

APPLICATION NUMBER: 96-8867

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.

Field check by: _____

Date: _____

Comments: _____

- ☒ Fee.
☒ Yes ☒ No
☒ Yes ☒ No
☒ Yes ☒ No
☒ Yes ☒ No*

Field check required.

Critical groundwater area.

Request dam safety information. Sent by: _____ Date: _____

In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No
☐ Yes ☐ No

Platted by: _____ Map No. _____

Other rights on same place of use. _____

- ☒ Yes ☐ No*

In form for advertising.

Final date for protests: 7/12/82 ✓

- ☐ Yes ☐ No

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 7/16/82 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.

- ☐ Yes ☒ No

Measuring device required.

- ☐ Yes ☒ No

Access port required.

- ☐ Yes ☒ No

Will water be delivered by watermaster? If yes, what district? _____

- ☒ Yes ☒ No

Date of priority recommended. 6/16/82

Special conditions of approval or cover letter. _____

By: [Signature] Date: _____

STATE OFFICE REVIEW:

- ☐ See attached sheet for more information.

By: [Signature] Date: 7/20/82

RECEIVED

JUL 19 1982

Department of Water Resources

RECEIVED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

96-8067

HORNER, STANLEY
SCHNELLE, G. F.
FILLEN, ELMER &/or WILLIE
CLOSSON, EVELYN
BISHOP, ROBERT
FOUNTAIN, DALE

P.O. BOX 124, BAYVIEW, ID 83803

Source: GROUNDWATER

Date Filed: 06/16/1982

Amount: 0.11 CFS

Diversion Point: NENE Sec 03 T 53N R 02W, KOOTENAI Co.

Use: DOMESTIC (0.11 CFS) from 01/01 to 12/31

Place of Use: NENE Sec 03 T 53N R 02W

Diversion Means: WELL, PUMP & PIPE.

RECEIVED
JUN 17 1982
FBI - BOISE