

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

95-8184
PFLUGRAD, MYRON
P. O. BOX 432, ENDICOTT, WA
99125

Source: HAYDEN LAKE tributary to SINKS
Dte Filed: 05/14/1982
Amount: 0.04 CFS
Diversion Point: LOT 06 Sec 10 T 51N R 03W, KOOTENAI Co.
Use: DOMESTIC (0.04 CFS) from 01/01 to 12/31
Place of Use: LOT 06 Sec 10 T 51N R 03W
Diversion Means: PUMP AND PIPE.

95-8185
HOHMAN PARTNERSHIP
311 MONTGOMERY ST., POST
FALLS, ID 83854
Source: GORUNDWATER
Date Filed: 05/18/1982
Amount: 0.14 CFS
Diversion Point: NWSW Sec 09 T 50N R 05W, KOOTENAI Co.
Use: STOCKWATER (0.02 CFS) from 01/01 to 12/31; DOMESTIC (0.12 CFS) from 01/01 to 12/31
Place of Use: NWSW Sec 09 T 50N R 05W
Diversion Means: WELL AND PUMP

95-8186
MC CARTHY, JAMES R. &/or
MARGUERITE
RT. 1 BOX 199B, BURTON, WA
98103
Source: SPRING tributary to COEUR D ALENE LAKE
Date Filed: 05/17/1982
Amount: 0.08 CFS
Diversion Point: LOT 01 Sec 23 T 49N R 04W, KOOTENAI Co.
Use: DOMESTIC (0.08 CFS) from 01/01 to 12/31
Place of Use: LOT 01 Sec 23 T 49N R 04W
Diversion Means: COLLECTION BOX.

96-8060
ENTENMAN, MARK
E. 2600 FRENCH GULCH RD.,
COEUR D ALENE, ID 83814
Source: SPRING tributary to SAGE CREEK
Date Filed: 05/18/1982
Amount: 0.20 CFS
Diversion Point: SESE Sec 31 T 53N R 02W, Kootenai Co.
Use: IRRIGATION (0.03 CFS) from 03/15 to 11/15; STOCKWATER (0.02 CFS) from 01/01 to 12/31; POWER (0.20 CFS) from 01/01 to 12/31; DOMESTIC (0.04 CFS) from 01/01 to 12/31
Place of Use: SESE Sec 31 T 53N R 02W FOR 1 ACRES
Diversion Means: COLLECTION BOX, PIPE AND GENERATOR.

96-8061
HACKNEY WATER & SEWER DIST.
P. O. BOX 492, ATHOL, ID 83801
Source: GROUNDWATER
Date Filed: 05/18/1982
Amount: 1.00 CFS;
Diversion Point: NWNW Sec 11 T 53N R 03W, KOOTENAI Co.
Use: IRRIGATION (1.00 CFS) from 03/15 to 11/15; COMMERCIAL (0.20 CFS) from 01/01 to 12/31; DOMESTIC (1.00 CFS) from 01/01 to 12/31; FIRE PROTECTION (1.00 CFS) from 01/01 to 12/31
Place of Use: NENW NWNW SWNW SENW Sec 11 T 53N R 03W FOR 60 ACRES
Diversion Means: WELL AND PUMP

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id, 83814 on or before JUNE 14, 1982.

A. KENNETH DUNN
Director

Legal 496
May 27, June 3, 1982

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.

Alex Hancock being first duly sworn upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Application of Water Rights

of which the annexed is a printed copy, was published in the regular Thursday issue of said newspaper for 2 consecutive times commencing on the 27 day of May, 1982 and ending on the 3 day of June, 1982 and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Alex Hancock
Subscribed and sworn to before me this 3 day of June, 1982

JUN 7 1982

Department of Water Resources
Northern District Office

Robert D. Stanley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUL 30 1992

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 96-08061

1. Owner: Hackney W&S Dist. Phone No. _____

Current Address: Box 356 ATHOL, ID. 83801

2. Accompanied by: _____ EXAM. DATE: 10/3/91

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: None

☐ Copies Attached


2. Other water rights with same point of diversion: None

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).


☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more)

MICROFILMED

SEP 22 1992





Max. irrigation possible
 COLTS HYDROLOGIC HANDBOOK
 Pasture grass (Native Flora)
 Irrigate 24 hrs/day (storage recovery)
 Actual IRR - 12-14 hrs/day Ea. 21 days
 $(1.43)/(1.8) = 2.6 \text{ gpm/Acre}$

THIS DRAWING IS TO BE USED ONLY FOR REFERENCE
 THE COUNTY IS NOT RESPONSIBLE
 FOR ANY INACCURACIES HEREIN CONTAINED

30 gpm Capacity
 $\frac{30 \text{ gpm Capacity}}{2.6 \text{ gpm/acre}} = 11.5 \text{ AL}$

CODE AREA CROSS-REFERENCE
 COUNTY CODE A-36, STATE CODE 100
 COUNTY CODE B-36, STATE CODE 100

TOWNSHIP	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	

KOOTENAI COUNTY
 IDAHO

MICROFILMED
 SEP 22 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 96-8061
Name(s) of Permit Holder(s): HACKNEY WATER & SEWER DIST
Post Office Address: Box 356 ATHOL ID 83801
Tel. No. _____

☒ I hereby certify that construction of diversion works for the above referenced permit began on 5-18-1985 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

12/16/85
Date

Sandra L. Dorman
Signature of Permit Holder
Sec.

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08061

Priority: June 4, 1982

Maximum Diversion Rate: 0.07 CFS
Maximum Diversion Volume: 52.2 AF

This is to certify, that HACKNEY WATER & SEWER DISTRICT
PO BOX 356

ATHOL ID 838010000 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated May 18, 1982; and
has submitted Proof of Beneficial Use on July 18, 1990. An examination indicates
that the works have a diversion capacity of .070 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.07 CFS	33.0 AF
COMMERCIAL	01/01 to 12/31	0.01 CFS	0.6 AF
DOMESTIC	01/01 to 12/31	0.07 CFS	18.6 AF
FIRE PROTECTION	01/01 to 12/31	0.07 CFS	
	Totals	0.07 CFS	52.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNW , Sec. 11, Township 53N, Range 03W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
53N	03W	11	NWNW	11		11

Total number of acres irrigated: 11

PLACE OF USE: COMMERCIAL, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

PLACE OF USE: FIRE PROTECTION, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.

MICROFILMED

SEP 22 1992

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 96-08061

CONDITIONS/REMARKS:

4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.
6. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.
7. Domestic use is for 31 homes.
8. Commercial use is for a restroom at an airport.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 10th day of SEPTEMBER, 1992.

Acting for R. Keith Higginson, Director

MICROFILMED

SEP 22 1992

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 96-8061 IN THE)
NAME OF HACKNEY WATER AND SEWER DISTRICT) ORDER OF REINSTATEMENT
_____)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before July 1, 1990; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,

WHEREAS, the Department notified the permit holder that the permit lapsed for failure of the permit holder to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on July 18, 1990;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 96-8061 be REINSTATED and the priority advanced to June 4, 1982.

Dated this 29th day of October, 1990.


L. GLEN SAXTON, Chief
Water Allocation Bureau

MICROFILMED

NOV 26 1990

RECEIVED

MAY 18 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESFor Office Use Only
\$15 FEE Receipted by ccw
Date 5-20-87
Receipt # 42437

REQUEST FOR EXTENSION OF TIME

Department of Water Resources

To provide additional time in which to submit proof
of beneficial use for a water right permit

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 916-8061Name(s) of Permit Holder: Hackney Water & Sewer Dist.Post Office Address: Box 356Arthol. Ida Telephone No. 683-3148
83801Date Proof is Due: 7-1-87

Describe what work has been completed toward the development of this water right: _____
(This must be filled out! If no work has been completed, show "none".)

See attached letterCosting \$ 18,700.00

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

See attached letter

Permit holder(s) request an extension to July 1, 1992.
(1 yr. minimum)

Sandra L. Norman
(Signature)* Secretary

FEE: \$15.00

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to July 1, 1990.

MICROFILMED

JUL 10 1987

Signed this 15th day of June, 19 87.

L. Glen Saxton
Chief, Operations Bureau

RECEIVED
MAY 18 1987

76-206-1

Department of Water Resources

RECEIVED

JUN 22 1987

May 11, 1987

Department of Water Resources
Northern District Office

Dear Sirs:

Hackney water and sewer district requests an extension of time to complete their development. In June of 1985 we had to replace the well pump. Since we only have access to single phase electricity, we had installed another 5 h.p. Webtrol pump which is rated at 32 gal. per min. At a later date we had an hour meter installed. Now we have record of exactly how many hours the well pump operates. We have also installed a main line water meter. We also know how many gallons of water are pumped from the reservoir to the entire system. In calculating the amount of water used and the hours the well pump has operated we know the pump is continuing at 32 gal. per min. Hereby we ask that you delete your request for a flow meter.

At present we have 23 actual water users, but several pieces of property have sold and have the possibility of a couple more users in the very near future.

We are starting the project of a larger reservoir. Hope to have this completed and in operation by the end of July. This will not change the maximum that the well pump can produce.

This is basically what we have been doing, why we request the deletion of the flow meter and reason for an extension of time.

Sincerely,

Sandra L. Neiman
Hackney Water & Sewer Dist.
Sandra L. Neiman
Secretary

Manufacturing • Distribution Services



208-765-3117

3705 Industrial Ave.

Coeur d'Alene, Idaho 83814

Sandra L. Neiman

RECEIVED
SEP 22 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant HACKNEY WATER & SEWER DIST Phone _____
Post office address Box 492 ATHOL, ID 83801
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 11 Township 53N
Range 3W B.M. KOOTENAI County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

- Amount .30 RC 7/20/82 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount 1.00 for FIRE PROTECTION purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount .20 for COMMERICAL purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount 1.00 for IRRIGATION purposes from MAR 15 to NOV 15 (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

- a. 1.00 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. WELL & PUMP

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

- c. Proposed well diameter is 8 inches; proposed depth of well is 440 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

- (1) Give the place of use of water: NW $\frac{1}{4}$ of Section 11 Township 53N
Range 3W B.M.

- (2) Amount of power to be generated: _____ horsepower under _____ feet of head.

- (3) List number of each kind of livestock to be watered _____

- (4) Name of municipality to be served _____, or number of families to be supplied with domestic water 40.

- (5) If water is to be used for other purposes describe: COMMERICAL USE - 6 SHOPS
FIRE PROTECTION - FOR HOMES & SHOPS

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
53N	30	11					15	15	15	15									60

Total number of acres to be irrigated 60

c. Describe any other water rights used for the same purposes as described above. NONE

9. a. Who owns the property at the point of diversion APPLICANT

b. Who owns the land to be irrigated or place of use WATER USERS

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

RECEIVED
FEB 10 1964
FBI - DENVER

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ronald Fleming
Director (Applicant) ✓

Proposed Priority 5/18/1982

Received by KK Date 5/18/82 Time 3:45 P

Preliminary check by RYA Fee \$ 45.00

Receipted by KK Date 5/18/82 # 21319

Publication prepared by ms Date 5/19/82

Published in Coeur d'Alene Press

Publication dates 5/27-6/3/82

Publication approved ms Date 6/7/82

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by RYA

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-8061, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 87.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

The issuance of this permit in no way grants any right-of-way or easement across the land of another.

An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

The maximum rate of diversion for domestic purposes shall not exceed 0.30 cfs.

Witness my hand this 22nd day of July, 1982.

J. Glen Saxton
Chief, Operations Bureau

NOTICE OF APPLICATION
FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

95-8184
PFLUGRAD, MYRON
P. O. BOX 432, ENDICOTT, WA
99125

Source: HAYDEN LAKE tributary to SINKS
Date Filed: 05/14/1982
Amount: 0.04 CFS
Diversion Point: LOT 06 Sec 10 T 51N R 03W, KOOTENAI Co.
Use: DOMESTIC (0.04 CFS) from 01/01 to 12/31
Place of Use: LOT 06 Sec 10 T 51N R 03W
Diversion Means: PUMP AND PIPE.

95-8185
HOHMAN PARTNERSHIP
311 MONTGOMERY ST., POST
FALLS, ID 83854
Source: GROUNDWATER
Date Filed: 05/18/1982
Amount: 0.14 CFS
Diversion Point: NWSW Sec 09 T 50N R 05W, KOOTENAI Co.
Use: STOCKWATER (0.02 CFS) from 01/01 to 12/31; DOMESTIC (0.12 CFS) from 01/01 to 12/31
Place of Use: NWSW Sec 09 T 50N R 05W
Diversion Means: WELL AND PUMP

95-8186
MC CARTHY, JAMES R. &/or
MARGUERITE
RT. 1 BOX 199B, BURTON, WA
98103
Source: SPRING tributary to COEUR D'ALENE LAKE
Date Filed: 05/17/1982
Amount: 0.08 CFS
Diversion Point: LOT 01 Sec 23 T 49N R 04W, KOOTENAI Co.
Use: DOMESTIC (0.08 CFS) from 01/01 to 12/31
Place of Use: LOT 01 Sec 23 T 49N R 04W
Diversion Means: COLLECTION BOX.

95-8060
ENTENMAN, MARK
E. 2600 FRENCH GULCH RD.,
COEUR D'ALENE, ID 83814
Source: SPRING tributary to SAGE CREEK
Date Filed: 05/18/1982
Amount: 0.20 CFS
Diversion Point: SESE Sec 31 T 53N R 02W, Kootenai Co.
Use: IRRIGATION (0.03 CFS) from 03/15 to 11/15; STOCKWATER (0.03 CFS) from 01/01 to 12/31; POWER (0.20 CFS) from 01/01 to 12/31; DOMESTIC (0.04 CFS) from 01/01 to 12/31
Place of Use: SESE Sec 31 T 53N R 02W FOR 1 ACRES
Diversion Means: COLLECTION BOX, PIPE AND GENERATOR.

95-8061
HACKNEY WATER & SEWER
DIST.
P. O. BOX 492, ATHOL, ID 83801
Source: GROUNDWATER
Date Filed: 05/18/1982
Amount: 1.00 CFS;
Diversion Point: NWNW Sec 11 T 53N R 03W, KOOTENAI Co.
Use: IRRIGATION (1.00 CFS) from 03/15 to 11/15; COMMERCIAL (0.20 CFS) from 01/01 to 12/31; DOMESTIC (1.00 CFS) from 01/01 to 12/31; FIRE PROTECTION (1.00 CFS) from 01/01 to 12/31
Place of Use: NENW NWNW SWNW SENW Sec 11 T 53N R 03W FOR 60 ACRES
Diversion Means: WELL AND PUMP

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id, 83814 on or before JUNE 14, 1982.

A. KENNETH DUNN
Director

Legal 496
May 27, June 3, 1982

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.

Allen Hancock being first duly sworn upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Application of Water Rights

of which the annexed is a printed copy, was published in the regular Thursday issue of said newspaper for 2 consecutive times, commencing on the 27 day of May, 1982 and ending on the 3 day of June, 1982, and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Allen Hancock
Subscribed and sworn to before me this 3 day of June, 1982

RECEIVED
JUN 3 1982
Department of Water Resources
Bozeman District Office

Roberta Zander
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

HACKNEY WATER & SEWER DISTRICT
PO BOX 356
ATHOL ID 838010000

September 15, 1992

RE: WATER RIGHT NO. 96-08061

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

SEP 22 1992

August 18, 1992

HACKNEY WATER & SEWER DISTRICT
PO BOX 356
ATHOL ID 838010000

RE: WATER RIGHT NO. 96-08061

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
SEP 22 1992

LICENSE REVIEW CHECKLIST

Permit # 96-08061

Date 8-13-92
CS

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance?
	☐	☒	Memo to Advance
	☐	☒	Order to Reinstate Needed? <u>DONE</u>
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended?
	☐	☒	Disagree with Actual Measurement?
	☐	☐	<u>30gpm = .066 ≈ .07 cfs (IRR + DOM) .01 cfs (COMM)</u>
	☐	☐	Disagree with Theoretical? <u>5 x 8.8 x .7 = .062</u>
	☒	☐	Limited by Capacity? <u>.07 cfs</u> <u>400' + (2.31 x 40)</u> measured
TOTAL VOLUME			Rate/ac <u>3.0</u> AFA Irr. Season <u>0</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>Same Per Permit</u> Season Recommended
	☐	☒	Disagree with Examiner's Calculations?
	☐	☒	<u>11 x 3.0 = 33 afa (IRR) 31 x .6 = 18.6 (DOM) .6 (COMM)</u>
			Limited by Flow? <u>.07 x 245 x 1.4835 = 34.733</u> <u>.07 x 365 x 1.4835 = 50.7 > 18.6</u>
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source
	☐	☒	Notice of Intent to Void.
P/D			Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
P/U			Verify with Map
	☐	☒	Amendment Needed? <u>Drop all except NW NW</u>
	☐	☒	Is Overlap Analysis a Consideration?
USES	☐	☒	Change(s) in Nature of Use?
	☐	☒	Amendment Needed?
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4?
	☒	☐	Non-Irr. Uses <u>DOM/31 Homes COMM/Airpark</u>
	☐	☒	Special Overlap Condition
	☐	☒	Other
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	<u>R29</u>	☐	Overlap
	☐	☒	Water Quality
			DATES/MISC
		☒	Water Dist.
		☒	App Rec'd
		☒	Exam Made

COMMENTS/MEMOS NEEDED: Reduced Rate
No WL in same 1/4 1/4 / All WL in S 1/2 1/4
Estimating PSI + Dynamic level supports measurement
Access port not necessary / Meter installed for measurement per E.E.

License 10-Day ☒ 15-Day ☐ Special Correspondence ☐

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUL 30 1992

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 96-08061

1. Owner: Hackney W&S Dist.

Phone No. _____

Current Address: Box 356 ATHOL, ID. 83801

2. Accompanied by: _____

EXAM. DATE: 10/3/91

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: None

☐ Copies Attached


2. Other water rights with same point of diversion: None

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more)

MICROFILMED

SEP 22 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUL 30 1992

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 96-08061

1. Owner: Hackney W & P Ditch

Current Address: Box 35

2. Accompanied by: _____

Address: _____

Relationship to Permit Holder: _____

3. Source: Groundwater


B. OVERLAP REVIEW

1. Other water rights with same plac

2. Other water rights with same pair

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indi
size/ditch size/pipe i.d. as applica



SEP 22 1992

Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more)

SEP 22 1992

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A SIX INCH WELL WITH 2" LINE TO 30 K GAL. CONCRETE RES.
THREE TWO, 5 HP PUMPS TO 3 BLADDER TYPE PRESSURE
TANKS, THEN BURIED MAIN TO THE PROJECT.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	FRANKLIN	5	NONE		

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	NW	11	53N	3W	BANNER HOOKER MAP	

6. **Place(s) of Use:**

Indicate Method of Determination MAP / CALC

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
53N	3W	11						11											
								D											
								C											

MICROFILMED

SEP 22 1992

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
	~~2"~~	ROCKWELL		3910 2355	2"	

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$\frac{30 \text{ gpm}}{447.8} = 0.06 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

$$\frac{8.8(5) 70\%}{480} = 0.08$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{11}{.66} \times \frac{3}{245} = 33$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \frac{.66}{245} \times 29.2 \times 1.9835 = 29.2$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 29.2$$

$$\text{TOTAL } .06(365) 1.9835 = 43.4$$

2. Volume Calculations for Other Uses:

COMMERCIAL AIRPARK (RESTROOM) .6 AF

$$\text{Domestic } 31(1.2) = 40.3 \text{ @ } .6 = 18.6 \text{ AF}$$

RECEIVED
SEP 22 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

THERE ARE 41 LOTS, 31 ARE CURRENTLY USING WATER
According to calculation further development will
require upgrade of water system.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRR	3/15	11/15	0.06	~~18.6~~ 29.2
Dam (31)	1-1	12-31	0.06	18.6
Commercial	1-1	12-31	0.01	0.6
Totals:			0.06	43.4

2. Recommended Amendments


- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

☒ None

☐ Other


J. AUTHENTICATION

Field Examiner's Name Tam D. King
Signature Tam D. King
Certification Date 16-3-91
Field Report Preparation Date 16-3-91




- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED
SEP 22 1992



96-8061
T. 53 N. R. 3 W. Sec. 11

RECORDED
SEP 22 1932
(BAYVIEW)
2679 1 NE



ENTER OF SEC 10 E HWY 54
60° 18' 45" E 2661.79'

Max. irrigation possible
Colts HYDROLOGIC HANDBOOK
Pasture grass (Native Flora)
Irrigate 24 hrs / day (storage recovery)
ACTUAL I.R.R. - 12-14 hrs / day Ea. 21 days
 $(1.43)(1.8) = 2.6 \text{ gpm/ACRE}$

THE DRAWING IS TO BE USED ONLY FOR APPROXIMATE
PURPOSES AND THE DRAWER IS NOT RESPONSIBLE
FOR ANY MISTAKES WHEN COPIED.



$$\frac{30 \text{ gpm CAPACITY}}{2.6 \text{ gpm/acre}} = 11.5 \text{ AC}$$

CODE AREA CROSS-REFERENCE
COUNTY CODE A-36 STATE CODE 10
COUNTY CODE B-36 STATE CODE 10

TOWNSHIP			
1	2	3	4
5	6	7	8
9	10	11	12
13	14	15	16
17	18	19	20
21	22	23	24
25	26	27	28
29	30	31	32
33	34	35	36

KOOTENAI COUNTY
IDAHO

RECORDED
SEP 22 1992

State of Idaho
Department Of Water Resources
WELL INSPECTION FORM

If well is associated with water right, provide WR Permit No. 76-08061

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description of Well Location:

Twp. _____ N, Rge. _____ Sec. _____, _____ $\frac{1}{4}$ _____ $\frac{1}{4}$ Gov. Lot _____

2. Owner: _____

Address: _____,

City _____, State _____

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐

4. Access Port: Y ☐ N ☒
Pressure Gauge: Y ☐ N ☒
Flowing: Y ☐ N ☒

Static Water Level: _____
Casing Diameter: 6"
Temperature:

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Y ☐ N ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks : _____

RECORDED

SEP 22 1992

CONVERSATION MEMORANDUM

Telephone _____ In Person ☒

Employee TDK Permit # 96-08061
 Telephone Number 683-3126 Contact Name DAVID L. BULSING
MEMBER OF BOARD
 Appointment Date _____ Time _____ Place _____

Are all permitted uses developed? ✓ FLIGHT SCHOOL / GARAGE -

Are there existing water rights used for the same purpose? NO

How many points of diversion are used? 1

If multiple uses are listed, are all uses supplied by one system? Yes No

Size of motor used for each pd? ? < 5 HP.

Estimated flow at each point of diversion? 30 GPM 24 HRS / DAY

Acres irrigated by each ^{Home} PD? 1/2 ACRE LAWN AV (12000 GAL / MO)
NO LIME

Estimate of depth to water? —

Size, Number, Length and type of laterals used? (vinyl hose, aluminum pipe etc.)

Size, Length and type of Mainline 1"

Pressure at Well head? — Pressure at Sprinkler? —

Type of Sprinkler? — Gage of Orifice —

Have Conditions of approval been Complied with? Yes ☒ No ☐

Directions for finding site/appointed meeting place. _____

SEP 22 1992

Remarks 25 FULL TIME USERS 5 SNOW BROS / METER
2 WELL HEAD 30,000 GAL RES.


P.O. Box 352
Affton, Mo. 63061
663-3482

Hackney Water & Sewer District
Oct 15, 1991

Current list of users of the Water System.
(Names are being supplied, but not addresses,
as several users request their addresses not
be given out. If addresses are required,
please send a request for the needed verification.)

Karl Atkinson ✓
Mel Bates ✓
Cannarozzo & Long
Wes Connaughty ✓
Jerry Cooper
Floyd Duncan ✓
Roger Dunham ✓
Vern Ellis ✓
Raymond Jague ✓
Ron Fleming ✓
Robert Garrett
Howard Hackney ✓
Robert Hagenbaugh ✓
Charles Knight ✓
Jack Kraft ✓
Kloria Landry ✓
Julie Lee
Jerry Long ✓
Cheryl Matthews ✓
M. Mitchell
Allen Pearson ✓

Randall Porter ✓
Kay Ramm
Don Seweno ✓
Robert Smith
M. A. Steele ✓
Richard Thompson ✓
Donald Ulman ✓
Frank Wall ✓
Mike Watson
Daniel Zaccanti ✓



Respectfully Yours,
Mary Zaccanti
Sec. Treas.

November 2, 1990

HACKNEY WATER & SEWER DIST.
P.O. BOX 356
ATHOL, ID 838010000

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 96-08061

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

Enclosure

MICROFILMED

NOV 28 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 96-8061

Date: 10-19-90

General Considerations:

y Name same as permit
y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
y Proof received timely
_____ Reinstated

Source of Water:

5 Surface water
5 Groundwater
_____ 1. well log in file
N ~~2.~~ drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

y Rate of diversion appropriate for uses
y Is rate or volume and fee appropriate?
5 Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

y Is a measuring device or access port required?
y Has one been installed?
W/H Waiver or modification of measuring device requested

Remarks:

Proof acceptable
Reinstate

App

Priority Calculation:

Date proof received

Date proof due

No. of days late

Priority date

NEW PRIORITY DATE

July 18 _____
July 1 _____
= 17
May 18, '82 + 138
June 4, '82 = 155

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

B

Form 217
03/86

RECEIVED

JUN 18 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

P R O O F O F B E N E F I C I A L U S E

For Office Use Only

Fee \$ 50.00

Date 7/18/90

Receipt # 0017720

Received by C. Wong

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit Number 96-08061 Telephone No: 683-3126

Name(s) of Permit Holder(s): Hackney Water and Sewer Dist.

Post Office Address: Box 356
Athol, Id. 83801

Source of water: Groundwater

Well driller: Charles Shields

Date drilled: late 1960's

Extent of use: Domestic * 30 *(No. of homes)
 Irrigation * 60 *(No. of acres)
 Stock *(No. and type of stock)
 Other/Remarks

Total Rate and/or volume for which proof is submitted 0.07 cfs/ acre-feet

Date water was first diverted and beneficially used under this permit: late 1960's

One of the following may be a condition of approval of your permit:

Measuring Device: Required ? *Yes
 Installed ? *Yes

Measurement Port: Required ? NO
 Installed ? NO

Fee Enclosed: \$50.00 (See License Examination Fee Sched.)

Person to contact to accompany the Department representative during the field examination:

Name David L. Buising Telephone Number Same

Address Same

MICROFILMED

NOV 28 1990

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

7-14-90 David L. Buising, Hackney Water Dist.
Date Signature (and title if on behalf of a company or organization)

July 12, 1990

RECEIVED
JUL 18 1990

Rita Fleck
Secretary/Records Manager
Dept. of Water Resources

RE: PERMIT NO. 96-08061

Department of Water Resources

Dear Ms Fleck:

Received your PROOF DUE NOTICE and was unable to answer the questions fully so went to the Coeur d'Alene office for help. Met Tom King there and he did a great job of answering my questions about your questions and of preparing the PROOF OF BENEFICIAL USE form which is enclosed along with a check for the \$50.00 fee for inspection. The District doesn't have any records of when the well was drilled, who drilled it, or when water was first diverted as it was drilled as a private well for Clifford Hackney now deceased. I therefore went around the area and talked to the long-time residents to see if anyone knew who had drilled the well and when. It appears that the well was drilled in the late 60's by a local licensed well driller named Charles Shields. He is now deceased also so I was unable to confirm that information. After Cliff Hackneys death the Hackney Water and Sewer District was formed by the property owners that were being served by the existing system. This was done utilizing the existing system and for the purpose of protecting and controlling their water supply. A permit was applied for at that time and improvements to the system are continuing to be made. The system is not complete but the well is being utilized and if I understand Mr. King correctly that is all that's necessary to complete the permit process. Eventually the District will have to drill a second well to meet demand as more of the residents in the District build homes and connect up. For the time being the District has met the additional demand by building a large in-ground reservoir. The existing well was started out as an 8" well but problems occurred at approximately 350' at which point it was reduced to 6" and continued on down to a depth of 456'. The well pump is a single phase 220v 5HP pump. Output is 30 GPM.

Sincerely,

David L. Buisning
David L. Buisning

MICROFILMED

NOV 28 1990

David L. Buising
Hackney Water & Sewer District
P. O. Box 356
Athol, Idaho 83801-0356

RETURN RECEIPT
REQUESTED

MICROFILMED
NOV 28 1980

P 465 399 693

MAIL

Ms. Rita Fleck
Idaho State Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, Idaho 83720



13872-7
April 30, 1990

HACKNEY WATER & SEWER DIST.
P.O. BOX 356
ATHOL, ID 838010000

PROOF DUE NOTICE

RE: PERMIT NO. 96-08061

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1990.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

NOV 28 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 96-8061
Name(s) of Permit Holder(s): HACKNEY WATER/SEWER DIST
Post Office Address: Box 356 ATHOL ID 83801

☒ I hereby certify that construction of diversion works for the above referenced permit began on 5-18-1985 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

12/16/85
Date

[Signature]
Signature of Permit Holder

Sec.

RECEIVED

NOV 28 1990

RECEIVED

DEC 16 1985



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE

Department of Water Resources
BOISE, IDAHO 83720

PLACE
STAMP
HERE

RECEIVED

DEC 10 1985

Department of Water Resources
Northern District Office

June 17, 1987

Hackney Water and Sewer Dist.
Box 356
Athol, ID 83801

Gentlemen:

Re: Permit No. 96-8061

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to July 1, 1990.

In your letter requesting an extension of time, you request removal of the requirement of a flow meter. The department will not remove this requirement, however, the condition allows you to install either a flow meter or an access port. Enclosed is a copy of the specifications for the access port.

If you have any questions concerning this matter, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

MICROFILMED

JUL 10 1987

STAFF REVIEW SHEET - EXTENSION OF TIME

Permit No. 76-8061

Reviewed by [Signature]

Date 6-11-1987

BASIC INFORMATION

- y Date stamp received
y Extension received timely
 (not prior to 6 month before proof due date or after reinstatement period)
y Fee received and receipted
y Name and signature same as permit
y Address change (indicate on coding sheet)

BASIS FOR EXTENSION REQUEST

- y Has adequate work been completed to demonstrate due diligence?
y Has the cost incurred been adequate to demonstrate an intent to complete the project?
N/A Has the permit been involved in litigation?
 a. Swan Falls _____ Dismissed from Swan Falls _____
 Other _____ Identify _____
 b. Is supporting documentation needed to complete the file? _____
 Requested _____
 c. Calculate the period of delay

Date litigation completed _____

Date litigation began _____

Total period of delay = _____

Present proof due date + _____

NEW PROOF DUE DATE = _____

- N/A Is delay by a government agency?
 Is supporting documentation needed to complete the file? _____
 Requested? _____

ACTION TAKEN - Recommend approval based on due diligence until 7-1-1990.

Special conditions or remarks:

_____ Reinstatement	Date extension received _____ = _____
	Proof due date _____ = _____
	No. of days late _____ = _____
	Priority date _____ = _____
	ADJUSTED PRIORITY DATE _____ = _____

MICROFILMED

JUL 10 1987

_____ Prepare coding sheet
 _____ Change rolodex card



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

EXTENSION OF TIME

May 20, 1987

Hackney Water & Sewer District
P.O. Box 356
Athol, ID 83801

PERMIT NO. 96-8061

We are in receipt of the \$15 extension fee for Extension(s) of Time to provide additional time in which to submit proof of beneficial use on a water right permit.

Your request for extension(s) of time is being reviewed by staff. You will be informed of our decision when review has been completed.

Enclosed is our receipt No. 42437

Roberta Garrett
Records Supervisor

Enclosure

MICROFILMED

JUL 10 1987

RECEIVED

MAY 18 1987

Department of Water Resources

May 11, 1987

Dear Sirs:

Hackney water and sewer district requests an extension of time to complete their development. In June of 1985 we had to replace the well pump. Since we only have access to single phase electricity, we had installed another 5 h.p. Webtrol pump which is rated at 32 gal. per min. At a later date we had an hour meter installed. Now we have record of exactly how many hours the well pump operates. We have also installed a main line water meter. We also know how many gallons of water are pumped from the reservoir to the entire system. In calculating the amount of water used and the hours the well pump has operated we know the pump is continuing at 32 gal. per min. Hereby we ask that you delete your request for a flow meter.

At present we have 23 actual water users, but several pieces of property have sold and have the possibility of a couple more users in the very near future.

We are starting the project of a larger reservoir. Hope to have this completed and in operation by the end of July. This will not change the maximum that the well pump can produce.

This is basically what we have been doing, why we request the deletion of the flow meter and reason for an extension of time.

Sincerely,

Sandra L. Neiman
Hackney Water & Sewer Dist.
Sandra L. Neiman
Secretary

MICROFILMED

JUL 10 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
APRIL 30, 1987

138492

HACKNEY WATER & SEWER DIST.
P.O. BOX 492
ATHOL, ID 83801

PROOF DUE NOTICE

RE: PERMIT NO. 96-8061

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF THE ABOVE REFERENCED WATER PERMIT WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JULY 1, 1987. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST.) ENCLOSED IS A FORM WHICH WHEN ACCOMPANIED BY THE LICENSE EXAMINATION FEE OR A COMPLETED FIELD EXAMINATION REPORT PREPARED BY A CERTIFIED WATER RIGHT EXAMINER MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER AN ACCEPTABLE PROOF OF BENEFICIAL USE SUBMITTAL OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

JUL 10 1987

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

AUGUST 03, 1982

DEAR PERMIT HOLDER:

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR AN ACCESS PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE ACCESS PORT.

SINCERELY,

ENCLOSURE

INTER-DEPARTMENT MEMO — 1

DATE

7/19

TO
FROM
TO

Robyn
Jim

SUBJECT

96-8061

Robyn

allowed

0.30 cts for domestic

I sent this app back to region
(see memo 6/22). It looks as
though they advised the permit holder
the wrong amount being reduced
(.30 VRS .03). What do we do now?

SIGNATURE

RECEIVED

JUL 9 1982

INTER-DEPARTMENT MEMO — 1

Department of Water Resources

DATE

6/22

RECEIVED


JUN 25 1982

Department of Water Resources
Northern District Office

SUBJECT

96-8061

As per Admin Memo dated 6-4-80
(Definition of Domestic) 40 units
would be .30 cfs. Please correct,
advise Permitholder & return.


SIGNATURE



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor

A. Kenneth Dunn
~~Executive Director~~
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

July 6, 1982

Hackney Water & Sewer District
Box 492
Athol, Id. 83801

Re: 96-8061

Gentlemen:

This is to notify you that the Department of Water Resources will reduce the amount of water for domestic use which you applied for under the above-referenced application from 1.0 CFS to 0.3 CFS because the amount originally applied for is considered excessive.

This is the only use to be reduced in quantity. The other uses applied for will remain the same. Your water right, as reflected by this change, is as follows:

USE	AMOUNT	ACTION
Domestic	0.03 CFS	CHANGED
Fire Protection	1.00 CFS	NO CHANGE
Commercial	0.20 CFS	NO CHANGE
Irrigation	<u>1.00</u> CFS	NO CHANGE
TOTAL	1.00 CFS	NO CHANGE

If you have any questions, please contact this office.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Supervisor

pms

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: RYH

APPLICATION NUMBER: 96-8061

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT:

SEND COPIES TO:

- ☒ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____

Date: 6/21/82

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____

- ☒ Yes ☐ No* In form for advertising.
☐ Yes ☒ No Final date for protests: 6/14/82
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 6/7/82
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☒ Yes ☐ No Measuring device required.
☒ Yes ☐ No Access port required.
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district? _____
5/18/82 Date of priority recommended.
☒ Special conditions of approval or cover letter. _____

No other water rights in discussion
Under this permit, no domestic
use shall not exceed 30 cfs.

By: RYH

Date: 6/14/82

STATE OFFICE REVIEW:

Department of Water Resources

SLW/L12, L03 76 of 01C

- ☐ See attached sheet for more information.

By: [Signature]

Date: 7/20/82

RECEIVED
JUN 16 1982

Department of Water Resources

Return to
region
6/21/82

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

96-8061-

HACKNEY WATER & SEWER DIST.

P.O. BOX 492, ATHOL, ID 83801

Source: GROUNDWATER

Date Filed: 05/18/1982

Amount: 1.00 CFS

Diversion Point: NNNW Sec 11 T 53N R 03W. KOOTENAI Co.

Use: IRRIGATION	(1.00 CFS)	from 03/15 to 11/15
COMMERCIAL	(0.20 CFS)	from 01/01 to 12/31
DOMESTIC	(1.00 CFS)	from 01/01 to 12/31
FIRE PROTECTION	(1.00 CFS)	from 01/01 to 12/31

Place of Use: NNNW NNNW SWNW SENW Sec 11 T 53N R 03W FOR 60 ACRES

Diversion Means: WELL AND PUMP.



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

John V. Evans
Governor

A. Kenneth Dunn
~~C. Stephen Alred~~
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

May 21, 1982

Mr. Dave Johann
Divn. of Environment
2110 Ironwood Parkway
Coeur d'Alene, Id. 83814

Dear Dave:

Re: 96-8061

Enclosed is a copy of a recent filing with this Department that
may be of interest to you.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Supervisor

pms

Enc. - Application

RECEIVED
MAY 24 1982
MONTANA