

NOTICE OF APPLICATION
FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

95-8157

WATSON, ROCKY
STAR ROUTE, COEUR D
ALENE, ID 83814
Source: ROCKFORD CREEK
tributary to COEUR D ALENE
LAKE

Date Filed: 03/02/1982
Amount: 5.00 CFS

Diversion Point: NWSW Sec 07 T
48N R 04W, KOOTENAI Co.
Use: IRRIGATION (0.10 CFS)
from 03/15 to 11/15; POWER (6.00
CFS) from 01/01 to 12/31
Place of Use: NWSW Sec 07 T 48N
R 04W FOR 5 ACRES.
Diversion Means: DAM & GEN-
ERATOR.

95-8158

WASHINGTON STATE UNIVER-
SITY
PULLMAN, WA 99164
Source: COEUR D ALENE
LAKE tributary to SPOKANE
RIVER

Date Filed: 02/10/1982

Amount: 0.20 CFS

Diversion Point: LOT 05 Sec 04 T
47N R 04W, KOOTENAI Co.
Use: IRRIGATION (0.09 CFS)
from 05/01 to 09/30; FIRE PRO-
TECTION (0.20 CFS) from 01/01
to 12/31
Place of Use: LOT 05 Sec 04 T 47N
R 04 W FOR 3 ACRES
Diversion Means: PUMP &
PIPELINE.

95-8159

HEBENER, GARY L.
P. O. BOX 1886, COEUR D
ALENE, ID 83814
Source: GROUNDWATER
Date Filed: 02/26/1982
Amount: 0.67 CFS

Diversion Point: NWNW Sec 29 T
50N R 04W, KOOTENAI Co.
Use: IRRIGATION (0.10 CFS)
from 03/15 to 10/15; STOCK-
WATER (0.01 CFS) from 01/01 to
12/31; DOMESTIC (0.67 CFS)
from 01/01 to 12/31
Place of Use: SWSW SESW Sec
20 T 50N R 04W NENW NWNW
Sec 29 T 50N R 04W FOR 12
ACRES
Diversion Means: WELL &
PUMP.

95-8160

STANBURY, PATRICK H. &/or
ILENE
S. 700 MADISON ROAD, POST
FALLS, ID 83854

Source: GROUNDWATER

Date Filed: 02/25/1982

Amount: 0.10 CFS

Diversion Point: LOT 03 Sec 08 T
50N R 05W, KOOTENAI Co.
Use: STOCKWATER (0.02 CFS)
from 01/01 to 12/31; DOMESTIC
(0.08 CFS) from 01/01 to 12/31
Place of Use: SENW LOT 03 Sec
08 T 50N R 05W
Diversion means: WELL &
PUMP.

95-8161

HERBENER, GARY L.
STAR ROUTE, COEUR D
ALENE, ID 83814
Source: COEUR D ALENE
LAKE tributary to SPOKANE
RIVER

Date Filed: 02/28/1982

Amount: 0.80 CFS

Diversion Point: SENE Sec 09 T
49N R 04W, KOOTENAI Co.
Use: IRRIGATION (0.80 CFS)
from 04/01 to 11/15; STOCK-
WATER (0.01 CFS) from 01/01 to
12/31; DOMESTIC (0.04 CFS)
from 01/01 to 12/31
Place of Use: NWNW SWNE Sec
09 T 49N R 04W FOR 40 ACRES
Diversion Means: PUMP &
PIPELINE.

95-8162

CAIRES, STEPHEN J.
1355 MEADOW BROOK ACRES
RD., COEUR D ALENE, ID 83814
Source: SPRING tributary to
SINKS

Date Filed: 03/04/1982

Amount: 0.20 CFS

Diversion Point: SWSW Sec 21 T
50N R 04W, KOOTENAI Co.
Use: IRRIGATION (0.18 CFS)
from 03/15 to 11/15; STOCK WA-
TER (0.02 CFS) from 01/01 to
12/31; DOMESTIC (0.04 CFS)

from 01/01 to 12/31
Place of Use: SWSW Sec 21 T 50N
R 04W FOR 9 ACRES
Diversion Means: DEVELOPED
SPRING WITH PUMP & PUMP-
LINE.

96-8038

THORNTON, DON N.
25682 E. LINCOLN, ORANGE
GROVE, CA.

Source: GROUNDWATER

Date filed: 03/03/1982

Amount: 0.08 CFS

Diversion Point: SWNE Sec 10 T
53N R 03W, KOOTENAI Co.
Use: DOMESTIC (0.08 CFS) from
01/01 to 12/31
Place of Use: SWNE SENE Sec
10 T 53N R 03W
Diversion Means: WELL &
PUMP.

96-8039

BANGERTER, ROBERT A.
1207 VALEWOOD CT.,
SPOKANE, WA 99218

Source: SPIRIT LAKE tributary
to SINKS

Date Filed: 02/28/1982

Amount: 0.02 CFS

Diversion Point: LOT 01 Sec 24 T
53N R 05W, KOOTENAI Co.
Use: DOMESTIC (0.20 CFS) from
04/01 to 10/15
Place of Use: LOT 01 Sec 24 T 53N
R 05W
Diversion Means: PUMP &
PIPELINE.

96-8040

SILVER WATER SYSTEM
BOX 25, BAYVIEW, ID 83903
Source: GROUNDWATER

Date Filed: 03/03/1982

Amount: 0.20 CFS

Diversion Point: NESW Sec 34 T
54N R 02W, KOOTENAI Co.
Use: IRRIGATION (0.10 CFS)
from 03/15 to 11/15; DOMESTIC
(0.20 CFS) from 01/01 to 12/31;
Place of Use: NESW NWSW Sec
34 T 54N R 02W FOR 5 ACRES
Diversion Means: WELL &
PUMP.

If issued, the permit(s) will be
subject to all prior water rights.
Protests against the granting of
any permit must be filed with the
director of the Idaho Department
of Water Resources, 4055 Gov't
Way, Coeur d'Alene, Id, 83814 on
or before MARCH 29, 1982.

A. KENNETH DUNN
Director

Legal 239

March 11, 18, 1982

ON

being first duly sworn

inafter mentioned was a citizen of the United
over the age of twenty-one years and not a

inafter mentioned was the printer (principal
newspaper printed and published daily except
county, Idaho, and having a general circulation

was published in the regular

consecutive

day of March, 1982, and

of March, 1982, and such

aid period as said daily

continuously and uninterruptedly published in

of more than seventy-eight consecutive weeks

ion of said notice

Sanctuary

e this 18 day of March

Robert M. Mandy

Notary Public for the State of Idaho,

residing at Coeur d'Alene, Idaho.

MICROFILMED

OK
3/22/82

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 96-8040 Priority March 3, 1982 Amount 0.20 cfs

THIS IS TO CERTIFY, that Silver Water System
of Bayview, Idaho, has complied with the terms and conditions of Permit
No. 96-8040 issued pursuant to Application for Permit dated March 3, 1982,
and has submitted proof to the Department of Water Resources on May 7, 1982,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.20 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>March 15</u> to <u>November 15</u>	at <u>0.04</u> cfs and	<u>6.0</u> acre feet
Domestic (19 units)	from <u>January 1</u> to <u>December 31</u>	at <u>0.20</u> cfs and	<u>22.8</u> acre feet
	from _____ to _____	at _____ cfs and	
(both dates inclusive)			

Subject, however, to the condition that no more than 0.20 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
28.8 acre feet per year, said waters to be diverted within the NE $\frac{1}{4}$ SW $\frac{1}{4}$, Section 34, Twp.
54N, Rge. 2W in the County of Kootenai

Description and location of place of use:


Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
54N	2W	34									X	2							2

Total number of acres irrigated 2

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 31 day of
August, 19 82.


Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant SILVER WATER SYSTEM Phone 683-2624
Post office address Box 25, Bayview, ID 83803
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 34 Township 54N
Range 2W B.M. KOOTENAI County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.20 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.10 for IRRIGATION purposes from MAR 15 to NOV 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.20 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL & PUMP

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 8 inches; proposed depth of well is 110 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial

use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation: NW SW
(1) Give the place of use of water: NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 34 Township 54N

Range 2W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 21.

(5) If water is to be used for other purposes describe: _____

APPROVED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 5

c. Describe any other water rights used for the same purposes as described above. NONE

9. a. Who owns the property at the point of diversion APPLICANT

b. Who owns the land to be irrigated or place of use *MEMBERS OF THE ASSOCIATION*

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

P.D
+
P.A.

34

T-54N

R-2W

Jean C Lawson
(Applicant)
JEAN C. LAWSON SEC.-TREAS.

Proposed Priority 3/3/1982

Received by ZB Date 3/3/82 Time 10:15

Preliminary check by JK Fee \$ 30⁰⁰

Receipted by ZB Date 3/3/82 (21162)

Publication prepared by KK Date 3/4/82

Published in CD'A Press

Publication dates 3/11 - 3/18/82

Publication approved mm Date 3/22/82

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by Ray JK

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-8040, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 83.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 13th day of April, 1982.

L. Glen Saxton
Chief, Operations Bureau

ON

being first duly sworn

inafter mentioned was a citizen of the United over the age of twenty-one years and not a

inafter mentioned was the printer (principal newspaper printed and published daily except untly, Idaho, and having a general circulation

was published in the regular

consecutive

day of 12/22/52 and

of 1/22/53, 1952, and such

aid period as said

continuously and uninterruptedly published in of more than seventy-eight consecutive weeks

ion of said notice

e this 18 day of March

Notary Public for the State of Idaho, residing at Coeur d'Alene, Idaho.

Diversion Point: NWNW Sec 29 T 50N R 04W, KOOTENAI Co.
Use: IRRIGATION (0.10 CFS) from 03/15 to 10/15; STOCKWATER (0.01 CFS) from 01/01 to 12/31; DOMESTIC (0.07 CFS) from 01/01 to 12/31
Place of Use: SWSW SESW Sec 20 T 50N R 04W NENW NWNW Sec 29 T 50N R 04W FOR 12 ACRES
Diversion Means: WELL & PUMP.

95-8160
STANBURY, PATRICK H. &/or ILENE
S: 700 MADISON ROAD, POST FALLS, ID 83854
Source: GROUNDWATER
Date Filed: 02/25/1982
Amount: 0.10 CFS
Diversion Point: LOT 03 Sec 08 T 50N R 05W, KOOTENAI Co.
Use: STOCKWATER (0.02 CFS) from 01/01 to 12/31; DOMESTIC (0.08 CFS) from 01/01 to 12/31
Place of Use: SENW LOT 03 Sec 08 T 50N R 05W
Diversion means: WELL & PUMP.

95-8161
HERBENER, GARY L.
STAR ROUTE, COEUR D ALENE, ID 83814
Source: COEUR D ALENE LAKE tributary to SPOKANE RIVER
Date Filed: 02/26/1982
Amount: 0.80 CFS
Diversion Point: SENE Sec 09 T 49N R 04W, KOOTENAI Co.
Use: IRRIGATION (0.80 CFS) from 04/01 to 11/15; STOCKWATER (0.01 CFS) from 01/01 to 12/31; DOMESTIC (0.04 CFS) from 01/01 to 12/31
Place of Use: NWNW SWNE Sec 09 T 49N R 04W FOR 40 ACRES
Diversion Means: PUMP & PIPELINE.

95-8162
CAIRES, STEPHEN J.
1355 MEADOW BROOK ACRES RD., COEUR D ALENE, ID 83814
Source: SPRING tributary to SINKS
Date Filed: 03/04/1982
Amount: 0.20 CFS
Diversion Point: SWSW Sec 21 T 50N R 04W, KOOTENAI Co.
Use: IRRIGATION (0.18 CFS) from 03/15 to 11/15; STOCKWATER (0.02 CFS) from 01/01 to 12/31; DOMESTIC (0.04 CFS)

from 01/01 to 12/31
Place of Use: SWSW Sec 21 T 50N R 04W FOR 9 ACRES
Diversion Means: DEVELOPED SPRING WITH PUMP & PUMP-LINE.

95-8038
THORNTON, DON N.
25682 E. LINCOLN, ORANGE GROVE, CA.
Source: GROUNDWATER
Date Filed: 03/03/1982
Amount: 0.08 CFS
Diversion Point: SWNE Sec 10 T 53N R 03W, KOOTENAI Co.
Use: DOMESTIC (0.08 CFS) from 01/01 to 12/31
Place of Use: SWNE SENE Sec 10 T 53N R 03W
Diversion Means: WELL & PUMP.

95-8039
BANGERTER, ROBERT A.
1207 VALEWOOD CT., SPOKANE, WA 99218
Source: SPIRIT LAKE tributary to SINKS
Date Filed: 02/26/1982
Amount: 0.02 CFS
Diversion Point: LOT 01 Sec 24 T 53N R 05W, KOOTENAI Co.
Use: DOMESTIC (0.20 CFS) from 04/01 to 10/15
Place of Use: LOT 01 Sec 24 T 53N R 05W
Diversion Means: PUMP & PIPELINE.

95-8040
SILVER WATER SYSTEM
BOX 25, BAYVIEW, ID 83803
Source: GROUNDWATER
Date Filed: 03/03/1982
Amount: 0.20 CFS
Diversion Point: NESW Sec 34 T 54N R 02W, KOOTENAI Co.
Use: IRRIGATION (0.10 CFS) from 03/15 to 11/15; DOMESTIC (0.20 CFS) from 01/01 to 12/31; Place of Use: NESW NWSW Sec 34 T 54N R 02W FOR 5 ACRES
Diversion Means: WELL & PUMP.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id, 83814 on or before MARCH 29, 1982.

A. KENNETH DUNN
Director
Legal 239
March 11, 18, 1982

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

95-8157
WATSON, ROCKY
STAR ROUTE, COEUR D ALENE, ID 83814
Source: ROCKFORD CREEK tributary to COEUR D ALENE LAKE
Date Filed: 03/02/1982
Amount: 8.00 CFS
Diversion Point: NWSW Sec 07 T 48N R 04W, KOOTENAI Co.
Use: IRRIGATION (0.10 CFS) from 03/15 to 11/15; POWER (8.00 CFS) from 01/01 to 12/31
Place of Use: NWSW Sec 07 T 48N R 04W FOR 5 ACRES.
Diversion Means: DAM & GENERATOR.

95-8158
WASHINGTON STATE UNIVERSITY
PULLMAN, WA 99164
Source: COEUR D ALENE LAKE tributary to SPOKANE RIVER
Date Filed: 02/10/1982
Amount: 0.20 CFS
Diversion Point: LOT 05 Sec 04 T 47N R 04W, KOOTENAI Co.
Use: IRRIGATION (0.09 CFS) from 05/01 to 09/30; FIRE PROTECTION (0.20 CFS) from 01/01 to 12/31
Place of Use: LOT 05 Sec 04 T 47N R 04 W FOR 3 ACRES
Diversion Means: PUMP & PIPELINE.

95-8159
HEBENER, GARY L.
P. O. BOX 1888, COEUR D ALENE, ID 83814
Source: GROUNDWATER
Date Filed: 02/26/1982
Amount: 0.67 CFS

MICROFILMED

3/22/82

September 22, 1982

RE: Permit No. 96-8040

Silver Water System
Box 25
Bayview, ID 83803

Gentlemen:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

A handwritten signature in cursive script that reads "Jim Johnson".

JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

August 17, 1982

RE: Permit No. 96-8040

Silver Water System
Box 25
Bayview, ID 83803

Gentlemen:

A representative of this Department has made an examination of the works covered by your Permit No. 96-8040, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 0.20 cfs Source: groundwater

The maximum quantity diverted shall not exceed 28.8 acre feet
per year.

Point(s) of diversion: NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 34, Twp. 54N, Rge. 2W, Kootenai County

Beneficial use: Domestic use for 19 units and irrigation of 2 acres within
the NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 34, Twp. 54N, Rge. 2W

Priority date established: March 3, 1982

Conditions (if any):

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

96-8040

Permit No.

CONTACT WITH PERMIT HOLDER

DATE

INITIALS

REMARKS

☐ Appointment letter mailed:

☐ Telephone call made:

(List Telephone No. used)

☐ Appointment scheduled for:

(Date, time, location)

EXAMINATION

Date 5/14/82 Accompanied by William Johnson Total Q measured 0.20

If source is surface water, estimate total flow of source

Methods of measurement Estimate / calc.

Meets Permit requirements? Yes

Measurement calculations: $0.20 \text{ cfs} / 19 \text{ homes} = 0.01 \text{ cfs/home}$ $V_{\text{dom}} = (19)(12 \text{ AFA}) = 22.8 \text{ AFA}$
 Irrigation: Average lawn = $50' \times 75' = 3750 \text{ ft}^2$ $(0.2 \text{ cfs})(3600)(24)(365) / 43,560 = 14.5 \text{ AFA}$
 $\text{Area}_{\text{Total}} = (3750)(19) = 71,250 \text{ ft}^2 = 1.6 \text{ ac} \approx 2 \text{ acres}$ $\therefore 22.8 \text{ AFA}$ is acceptable
 $V_{\text{irr}} = (3.0 \text{ AFA})(2 \text{ ac}) = 6.0 \text{ AFA}$

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	10			Jaccuzzi	4/K			Submersible

System Description 8" casing @ 25' perforated pipe @ 500 gal tank
well is 110' deep with the pump set @ 100' 2" main lines
with 3/4" & 1" individual lines, 40-60 lb pressure

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

Irrigation requirement =

AFA/Acre

USE

Q (cfs)

V (afa)

FROM

TO

Domestic

0.20 ✓

22.8 ✓

1/1

12/31

Irrigation

0.04 ✓

6.0 ✓

3/15

11/15

Total

0.20 ✓

28.8 ✓

Remarks 19 homes on system

* 0.20 cfs for 19 units is acceptable per Admin Memo
dated 6/4/1980

8-30-82

R2W

T54N

P/O (2)

Pd

P/O (17)

34

34

34

34

(Include distance from pump to measuring device, if applicable.)

Place(s) of Use

[illegible]

☐ Change P.D. as reflected above

☐ Change P.U. as reflected above

☐ Add P.D. as reflected above

☐ Add P.U. as reflected above

☒ None
☐ Other

Checked by

Approved by

Date 5/14/82

Date 5/14/82

Date 7/19/82

Two Acres taken
from map above

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 96-8040.

Name(s) of Permit Holder: Silver Water System

Post Office Address: Box 25

Bay View ID 83803 Tel. No. 683-2624

Source of Water: Groundwater

Extent of Use:

☒ Domestic	<u>21</u>	(number of households)
☐ Stockwater		(number and type of stock)
☒ Irrigation	<u>10</u>	(acres)
☐ Other		

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

May 7, 1982
Date

William R. Rawson
Signature of Permit Holder

PLACE
TEN CENT
STAMP
HERE

RECEIVED

MAY 7 1982



RECEIVED

MAY 12 1982

Department of Water Resources

Department of Water Resources
Northern District Office

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

SILVER WATER SYSTEM
BOX 25
BAYVIEW, ID 83803

APRIL 28, 1982

RE: PERMIT NO. 96-8040

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

WATER RIGHT NUMBER 96-8040

OWNER LAST NAME - SILVER WATER SYSTEM ✓

FIRST NAME -

ORIG OWNER -

ADDRESS LINE 1 - BOX 25 ✓

ADDRESS LINE 2 -

ADDRESS LINE 3 -

CITY - BAYVIEW ✓

STATE - ID ✓ ZIP CODE - 83803 ✓

SOURCE - GROUNDWATER ✓

TRIBUTARY OF -

STAGE - APPLICATION ✓

STATUS -

PRIORITY - 03-03-1982 ✓

COUNTY - KOOTENAI ✓

TOTAL DIV. RATE -

.2000 -CFS ✓

TOTAL DIV. VOLUME -

.00 AFA TRF/AMEND -

WATER DIST. -

DLE/CAREY ACT -

RIGHT BASIS -

DIVERSION POINT - NESW 34 54N 02W LOT ✓

REDIV -

0.0 0.0 0.0

0.0 0.0 0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

FROM - 03-15 TO - 11-15 USE - IRRIGATION ✓

USE DIV. RATE -

.1000 CFS

USE DIV. VOLUME -

.00 AFA

FROM - 01-01 TO - 12-31 USE - DOMESTIC ✓

USE DIV. RATE -

.2000 CFS

USE DIV. VOLUME -

.00 AFA

USE - IRRIGATION ✓

PLACE OF USE - TWN 54N RNG 02W SEC 34 TRACT NESW LOT

AC 03 TRACT NWSW LOT

AC 02 ✓

DECREE NAME -

DATE -

TOTAL ACRES

5 ✓

REMARKS -

NON IRRIG USE - D/21 HOMES. ✓

OTHER RIGHTS FOR SAME USE -

PROOF DUE -

PERMIT/DENIED -

PROTESTED -

HEARING -

OLD NO. -

PROOF MADE - FLD EXAM - COND. OF APPROVAL -

DIVERSION MEANS - WELL & PUMP. ✓

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JK

APPLICATION NUMBER: 96-8046

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: 3/9/82

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____

- ☒ Yes ☐ No* In form for advertising.
Final date for protests: 3/29/82 ✓
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 3/22/82 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
3/3/82 Date of priority recommended.
✓ Special conditions of approval or cover letter. _____

By: [Signature] Date: 4/1/82

STATE OFFICE REVIEW:

32100000 04 26

- ☐ See attached sheet for more information.

By: [Signature] Date: 4-9-82

RECEIVED

APR 05 1982

Department of Water Resources

MICROFILMED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

MICROFILMED

96-8040

SILVER WATER SYSTEM

BOX 25. BAYVIEW. ID 83803

Source: GROUNDWATER

Date Filed: 03/03/1982

Amount: 0.20 CFS.

Diversion Point: NESM Sec 34 T 54N R 02M. KOOTENAI Co.

Use: IRRIGATION (0.10 CFS) from 03/15 to 11/15
DOMESTIC (0.20 CFS) from 01/01 to 12/31

Place of Use: NESM NWSM Sec 34 T 54N R 02M FOR 5 ACRES

Diversion Means: WELL & PUMP.

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

March 9, 1982

Panhandle Health Dist.
2195 Ironwood Dr.
Coeur d'Alene, Id. 83814

RE: 96-8040

Gentlemen:

Enclosed is information which may be of interest to your Agency relating to an application recently filed with the Department of Water Resources.

Very truly yours,

Robert G. Haynes, P.E.
Regional Supervisor

RGH/pms

Enclosure

MICROFILMED