

Affidavit of Publication

STATE OF IDAHO
County of Bonner,

ss.

Pete Thompson

Publisher

being duly sworn, says that he is the
of the PRIEST RIVER TIMES, a weekly newspaper printed and
published at Priest River, Bonner County, Idaho, and has been
continuously and uninterruptedly published in said County during
a period of 78 consecutive weeks prior to the first publication of
the annexed notice for publication, is a newspaper of general cir-
culation made up of at least eight pages of at least seven columns
each, printed from typematter or stereotyped forms of at least
nineteen and three-fourths inches depth, has at least 1250 bona fide
subscribers living within said Bonner County, and is published at
regular weekly intervals. That the annexed is a true copy of the
notice for publication in the case of

Water Right Application No. 96-7943

as it was published in the regular and entire issue of said paper
for a period of two consecutive weeks, commencing on
the 12th day of March, 1981,
and

ending on the 19th day of March, 1981,
and that said notice was published in said newspaper proper, and
not in supplement form.

Pete Thompson

Subscribed and sworn to before me this

20 day of March, 1981

Odele M Thompson

Notary Public for Idaho,

Residing at Priest River, Idaho

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that
the following application(s)
have been submitted for per-
mit to appropriate the public
waters of the State of Idaho:
Application No. 96-7943
MASON, RAY

2923 N. 6TH ST., COEUR D
ALENE, ID 83814
Source: GROUNDWATER
Date Filed: 02/27/81
Amount: 2.00 CFS
Diversion Point: SENE Sec 1
T 54N R 06W BONNER Co.
Use: IRRIGATION (2.00
CFS) from 04/01 to 10/31
DOMESTIC (0.60 CFS) from
01/01 to 12/31
FIRE PROTECTION (2.00
CFS) from 01/01 to 12/31
Place of Use: NWNW Sec 06
T 54N R 05W SWSW Sec 31 T
55N R 05W LOT 01 (NENE)
Sec 01 T 54N R 06W SENE
Sec 01 T 54N R 06W FOR 100
ACRES
Diversion Means: WELL
AND PUMP.

If issued, the permit(s)
will be subject to all prior
water rights. Protests
against the grantings of any
permit must be filed with the
Director of the Idaho
Department of Water
Resources, 4055 Gov't Way,
Coeur d'Alene, Id. 83814 on
or before MARCH 30, 1981.

C. STEPHEN ALLRED
Director

Published in Priest River
Times, 3/12, 19, 1981
Department of Water Resources

RECEIVED
MAR 24 1981

Department of Water Resources
Northern District Office

MICROFILMED

Meridian

[illegible]

T 542 3

Sec. 2.

Sec. 3.


Sec. 11.

Sec. 10.

APPROVED

DEC 16 1992

Meanders of		Courses	Ch. & Lk. s	Post.
Post.				



STATE OF
MISSISSIPPI

R-5W.

DD #11

Quartz Storage Tank = 540 gallon

approx 1000 gallon

Remained and spring fed

17

54
N.

22 00

6

96-2264

Subdivision

1

AREA

17

ACRES

Area

Q

Distance

.02 ch -

Trap

124 ch

.36 ch or 18 miles

UNRECORDED

DEC 16 1992



RANCH

36 31
1 6

DEC 16 1992



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PERMIT # 96-07943

PHOTOGRAPHS

PHOTO OF HOME DID NOT DEVELOPE

" " PD " " "
" " TRUCK & TANK DID NOT DEVELOPE
" " CARETAKER OFFICE DID NOT DEVELOPE



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-07943

Priority: February 27, 1981

Maximum Diversion Rate: 0.20 CFS
Maximum Diversion Volume: 108.1 AF

This is to certify, that RAY MASON
PO BOX 840

HAYDEN LAKE ID 838350840 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 27, 1981; and has submitted Proof of Beneficial Use on March 26, 1991. An examination indicates that the works have a diversion capacity of .200 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.02 CFS	1.3 AF
COMMERCIAL	01/01 to 12/31	0.17 CFS	105.0 AF
DOMESTIC	01/01 to 12/31	0.06 CFS	1.8 AF
	Totals	0.20 CFS	108.1 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 1(NENE), Sec. 1, Township 54N, Range 06W
BONNER County

PLACE OF USE: STOCKWATER
TWN RGE SEC

55N 05W 31 SWSW

PLACE OF USE: COMMERCIAL
TWN RGE SEC

54N 06W 1 Lot 1(NENE)

PLACE OF USE: DOMESTIC
TWN RGE SEC

54N 06W 1 Lot 1(NENE)
55N 05W 31 SWSW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.

RECORDED

DEC 16 1992

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 96-07943

CONDITIONS/REMARKS:

2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Stockwater use is for 100 range cattle.
6. Domestic use is for 1 home and office.
7. Commercial use is for equipment maintenance and dust abatement.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 27th day of NOVEMBER, 1992.

Acting for 
R. Keith Higginson, Director

DEC 16 1992

APPROVED

State of Idaho
Department of Water Resources

RECEIVED

OCT 30 1992

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 96-07943

Department of Water Resources

Date of Priority: February 27, 1981

Maximum Diversion Rate: 0.20 CFS
Maximum Diversion Volume: 108.1 AF

Comes now RAY MASON
PO BOX 840
HAYDEN LAKE ID 83835

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 96-07943, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.02 CFS	1.3 AF
COMMERCIAL	01/01 to 12/31	0.17 CFS	105.0 AF
DOMESTIC	01/01 to 12/31	0.06 CFS	1.8 AF
	Totals	0.20 CFS	108.1 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 1(NENE), Sec. 1, Township 54N, Range 06W
BONNER County

PLACE OF USE: STOCKWATER
TWN RGE SEC

55N 05W 31 SWSW

PLACE OF USE: COMMERCIAL
TWN RGE SEC

54N 06W 1 Lot 1(NENE)

PLACE OF USE: DOMESTIC
TWN RGE SEC

54N 06W 1 Lot 1(NENE)
55N 05W 31 SWSW

RECEIVED
DEC 16 1992

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 96-07943

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Hayden Lake Idaho, this 27 day of October, 1992.

Ray Mason
(Signature)

DEC 16 1992

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 96-07943

FOR DEPARTMENT USE ONLY

Preliminary check by ca Fee = \$20.00 Received by [Signature] #025892 Date 11-2-92

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 96-07943 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Stockwater use is for 100 range cattle.
6. Domestic use is for 1 home and office.
7. Commercial use is for equipment maintenance and dust abatement.

Witness my hand this 27 day of NOVEMBER, 1992.

[Signature]
Acting for R. Keith Higginson, Director

DEC 16 1992

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 96-7943 IN THE)
NAME OF RAY MASON)
_____)

ORDER

WHEREAS, on April 9, 1981, the Department of Water Resources issued Permit No. 96-7943 with a condition of approval which states:


An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department;

and,

WHEREAS, the Department of Water Resources has determined that the installation of the access port is not required at this time;

NOW, THEREFORE, IT IS ORDERED that this condition of approval on Permit No. 96-7943 be REMOVED.

Dated this 18th day of April, 1991.


L. GLEN SAXTON
Chief, Water Allocation Bureau

RECORDED

APR 23 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

For Office Use Only

\$15 FEE Received *49*

Date *2-14-86*

Receipt # *37470*

REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit proof
of beneficial use on a water right permit

Ray Mason (Name) of 772 N Oak #2, Colville (Address)

State of Washington, deposes and says:

RECEIVED
FEB 10 1986

That he is the holder, or the duly authorized agent of the holder*, of Permit to Appropriate the Public Water of the
State of Idaho No. 96-7943

Department of Water Resources

That under the terms and conditions of said permit, work thereunder was required to be completed on or before
April 1, 1986.

That he has heretofore performed the following work described under said permit: The well was drilled
(This must be filled out! If no work has been completed put none.)
& water reached at 180 feet - fire protection has
been provided, plus domestic water was provided for
(2) two residences - we had to have a pipe run under
highway for irrigation & domestic use. Costing \$ 5,594.00

Commenced work

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit:

The irrigation part was not completed, as when we had the
pipe run under the highway it was to be 6" pipe to
provide both domestic & irrigation to property - the cost we had to do this
work proved to be inefficient & we were only able to get a 2" pipe

under highway so we must try again

Wherefore, he asks that the Department of Water Resources extend the time for the completion of obligations

under said permit to 4-1, 1991
(1 yr. minimum,
5 yrs. maximum)

Raymond Mason
(Signature)*

*IF OTHER THAN HOLDER, Power of Attorney must be supplied.

FEE: \$15.00

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED and the time within
which to submit proof of beneficial use is extended to April 1, 1991.

Signed this 6th day of March, 1986.

J. Glen Saxton
Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

664-8967

1. Name of applicant Ray Mason Phone 664-3105 X 266

Post office address 2923 N. 6th Coeur d'Alene, Id. 83814

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 1 Township 54N

Range 6W B.M. Bonner County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 2.0 for Fire Prot. purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.6 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 2.0 for Irrigation purposes from 4/1 to 10/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 2.0 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____

Well and pump.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 10 inches; proposed depth of well is 200 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: E $\frac{1}{2}$ $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 1 Township 54N

Range 6W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 1 plus plant facilities.

(5) If water is to be used for other purposes describe: _____

Fire Protection at Bark Processing Plant.

APPROVED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
54N	5W	6						40											40
55N	5W	31											40						40
54N	6W	1	GL 1 20																20

Total number of acres to be irrigated 100

c. Describe any other water rights used for the same purposes as described above.

None


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Raymond Mason
(Applicant)

MICROFILMED

Proposed Priority

2/27/81

MICROFILMED

Received by me Date 2/27/81 Time 1:30pm

Preliminary check by LB Fee \$ 30.00

Received by me Date 2/27/81 (18003)

Publication prepared by me Date 3/5/81

Published in Westminster

Publication dates 3/12 & 19/81

Publication approved me Date 3/26/81

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by Rey RH

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-7943, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 86.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 9th day of April, 1981.

A. Glen Saxton
Chief, Operations Bureau

Affidavit of Publication

STATE OF IDAHO
County of Bonner,

ss.

Pete Thompson

Publisher

being duly sworn, says that he is the
of the PRIEST RIVER TIMES, a weekly newspaper printed and
published at Priest River, Bonner County, Idaho, and has been
continuously and uninterruptedly published in said County during
a period of 78 consecutive weeks prior to the first publication of
the annexed notice for publication, is a newspaper of general cir-
culation made up of at least eight pages of at least seven columns
each, printed from typematter or stereotyped forms of at least
nineteen and three-fourths inches depth, has at least 1250 bona fide
subscribers living within said Bonner County, and is published at
regular weekly intervals. That the annexed is a true copy of the
notice for publication in the case of

Water Right Application No. 96-7943

as it was published in the regular and entire issue of said paper
for a period of two consecutive weeks, commencing on
the 12th day of March, 1981,
and

ending on the 19th day of March, 1981,
and that said notice was published in said newspaper proper, and
not in supplement form.

Pete Thompson

Subscribed and sworn to before me this

20 day of March, 1981

Odee M. Thompson

Notary Public for Idaho,

Residing at Priest River, Idaho

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that
the following application(s)
have been submitted for per-
mit to appropriate the public
waters of the State of Idaho:
Application No. 96-7943
BONNER, RAY

2923 N. 6TH ST. COEUR D
ALENE, ID 83814

Source: GROUNDWATER

Date Filed: 02/27/81

Amount: 2.00 CFS

Diversion Point: SENE Sec 1
T 54N R 06W BONNER Co.

Use: IRRIGATION (2.00
CFS) from 04/01 to 10/31

DOMESTIC (0.60 CFS) from
01/01 to 12/31

FIRE PROTECTION (2.00
CFS) from 01/01 to 12/31

Place of Use: NWNW Sec 06
T 54N R 05W SWSW Sec 31 T

55N R 05W LOT 01 (NENE)
Sec 01 T 54N R 06W SENE

Sec 01 T 54N R 06W FOR 100
ACRES

Diversion Means: WELL
AND PUMP

If issued, the permit(s)
will be subject to all prior
water rights. Protests
against the grantings of any
permit must be filed with the
Director of the Idaho
Department of Water
Resources, 4055 Gov't Way,
Coeur d'Alene, Id. 83814 on
or before MARCH 30, 1981.

C. STEPHEN ALLRED
Director

Published in Priest River
Times, 3/12, 19, 1981

Department of Water Resources

Department
North

RECEIVED
MAR 24 1981

Department of Water Resources
Northern District Office

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 7, 1992

RAY MASON
PO BOX 840
HAYDEN LAKE ID 83835-0840

RE: WATER RIGHT NO. 96-07943

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

DEC 10 1992

LICENSE REVIEW CHECKLIST


Permit # 96-07943

Date 10-01-92
CS

NAME	<u>Yes</u>	<u>No</u>	Address Change?
PRIORITY DATE	<u>Yes</u>	<u>No</u>	Advance? _____
	<u>Yes</u>	<u>No</u>	Memo to Advance _____
	<u>Yes</u>	<u>No</u>	Order to Reinstate Needed? _____
TOTAL CFS	<u>Yes</u>	<u>No</u>	Incorrect Fee for rate recommended? _____
	<u>NA</u>	<u>Yes</u>	Disagree with Actual Measurement? _____
	<u>Yes</u>	<u>No</u>	<u>COMM/.17cfs DOM/.06cfs STOCK/.02cfs</u>
	<u>Yes</u>	<u>No</u>	Disagree with Theoretical? <u>10x8.8x.7 = .20/</u>
	<u>Yes</u>	<u>No</u>	Limited by Capacity? <u>.20cfs 156' (2.31x65)</u>
TOTAL VOLUME			Rate/ac _____ AFA Irr. Season _____
			Standard Irr. Season _____
			Season Recommended _____
	<u>Yes</u>	<u>No</u>	Disagree with Examiner's Calculations? _____
	<u>Yes</u>	<u>No</u>	<u>10.5afa (COMM) 1.8afa (DOM) 1.3afa (STOCK)</u>
	<u>Yes</u>	<u>No</u>	Limited by Flow? <u>.20x 365x1.9835 = 144.8</u>
SOURCE	<u>Yes</u>	<u>No</u>	Changes? Clarification of <u>Originally</u>
	<u>Yes</u>	<u>No</u>	<u>Intended</u> source _____
	<u>Yes</u>	<u>No</u>	Notice of Intent to Void. _____
P/D	<u>Yes</u>	<u>No</u>	Verify with Map _____
	<u>Yes</u>	<u>No</u>	Amendment Needed? <u>Change SENE to NENE, SI</u>
	<u>Yes</u>	<u>No</u>	Is Overlap Analysis a Consideration? _____
P/U	<u>Yes</u>	<u>No</u>	Verify with Map _____
	<u>Yes</u>	<u>No</u>	Amendment Needed? _____
	<u>Yes</u>	<u>No</u>	Is Overlap Analysis a Consideration? _____
USES	<u>Yes</u>	<u>No</u>	Change(s) in Nature of Use? <u>Drop FireP + IRR</u>
	<u>Yes</u>	<u>No</u>	<u>Add COMM + STOCK</u>
	<u>Yes</u>	<u>No</u>	Amendment Needed? _____
REMARKS	<u>Yes</u>	<u>No</u>	Multiple P/Ds in 1/4 1/4? _____
	<u>Yes</u>	<u>No</u>	Non-Irr. Uses <u>STOCK/100 Cattle DOM/1 Home + office</u>
	<u>Yes</u>	<u>No</u>	Special Overlap Condition <u>COMM/equipment maintenance</u>
	<u>Yes</u>	<u>No</u>	Other <u>+ dust abatement</u>
CONDITIONS	<u>Yes</u>	<u>No</u>	Measuring Device _____ DATES/MISC _____
	<u>Yes</u>	<u>No</u>	W/Master Control _____ <u>Water Dist.</u>
	<u>Yes</u>	<u>No</u>	Overlap _____ <u>App Rec'd</u>
	<u>Yes</u>	<u>No</u>	Water Quality _____ <u>Exam Made</u>
COMMENTS/MEMOS NEEDED:	<u>Reduced Rate Amend P/D + Uses</u>		
	<u>146' static level/Used 156' minimum dynamic</u>		

License 10-Day 15-Day Special Correspondence

Meridian

[illegible]

RECEIVED

JUL 27 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 96-7943

1. Owner: RAY MASON

Phone No. _____

Current Address: PO BOX 1840 HAYDEN LAKE, ID. 83835

2. Accompanied by: SAME

EXAM. DATE: 10-9-91

Address: _____

Phone No. _____

Relationship to Permit Holder: _____

3. Source: GROUNDWATER tributary to _____


B. OVERLAP REVIEW

1. Other water rights with same place of use: 96-02264 IS FOR SURFACE WATER IRRIGATION ☐ Copies Attached

2. Other water rights with same point of diversion: NO IRRIGATION ON THIS RIGHT ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached

(required for irrigation of 10 acres or more).

DEC 16 1992

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

10"X200' WELL w/ SML @ 146', a 10HP SUB. PUMP AND
2" LINE TO RANCH HOUSE, BARN, OFFICE, RISER FOR TANKER
TRUCK, ~~74" VINYL HOSE~~ ^{MACHINERY} AND 1 1/2" VINYL HOSE FOR
MISC. WATER - WASHING & FILLING RADIATORS.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
SUBMERSIBLE		10			

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	1		NE	NE	1	54N	6W	KOOTENAI	MAP

6. **Place(s) of Use:**

Indicate Method of Determination MAP

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
54N	6W	1	CLD O																
55N	5W	31											SD						

Do not use this space

DEC 10 1962

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$\frac{8.8(10) 70\%}{2.3(65) + 146} = 0.21 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

0.20 per FEE

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

SEE ATTACHED

DEC 16 1982

H. REMARKS AND OVERLAP REVIEW ANALYSIS

SEE ATTACHED

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Commercial	1-1	12-31	0.17	105.8
Domestic (2)	1-1	12-31	0.06	1.8
Stock	1-1	12-31	0.03	1.4
			0.26	10.8
Totals:			0.20	10.8

2. Recommended Amendments


- ☒ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

☐ None

☒ Other

J. AUTHENTICATION

Field Examiner's Name TOM DRING
Signature [Signature]
Certification Date 9/10/91
Field Report Preparation Date 10/9/91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

DEU 10 102

G. Volume:

Commercial use consists of equipment washing with 5/8" and 1-1/2" vinyl hoses, approximately 4,700 gal/day, dust abatement and other equipment cleaning by use of 3,000 gal tank truck 10,000 gal./day.

$$4700+10000 = (14700)(6 \text{ days/wk} \times 52 \text{ wks/Ann})/43560 = 105 \text{ AFA}$$

$$(312 \text{ days})(1.9835 \text{ cfs/af})(.17 \text{ cfs}) = 105 \text{ AFA}$$

Domestic use consists of one home with lawn and garden 1.2 AFA and one caretaker/office building .6 AFA

Stockwater for 100 hd. 1.4 AFA

$$(365 \text{ days})(1.9835 \text{ cfs/af})(.20 \text{ cfs}) = 145.$$

RECEIVED
DEC 16 1992

CHANGE IN NATURE OF USE

PERMITTED:

USE	Q	V	CU (Stock & Comm Non-CU)
IRR	2.0	300/853 AF	
DOM	0.6	<u>1.8</u>	
TOTAL	2.0	301.8	


FOUND

USE	Q	V
Comm	.17	105
Stock	.03	1.85
Dom	.06	<u>1.40</u>
TOTAL	.20	108

NO EXPANSION

RECEIVED

DEC 16 1992



R-5W.

SW 1/4 Section 17 T4S R5W S46gallon

96-2264

Succinimide

1

DEC 16 1992

ARRA

17

CCRS

ARRA

Q

Drum. 22 of

36

31

1

6

DEC 16 1992

PERMIT # 96-07943

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT



PHOTOGRAPHS

PHOTO OF HOME DID NOT DEVELOPE

" " P.O. " " "

" " TRUCK & TANK DID NOT DEVELOPE

" " CARETAKER OFFICE DID NOT DEVELOPE



RECEIVED
DEC 16 1992

State of Idaho
Department Of Water Resources
WELL INSPECTION FORM

If well is associated with water right, provide WR Permit No. 96-7943

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description of Well Location:

Twp. _____ N, Rge. _____ Sec. _____, _____ $\frac{1}{4}$ _____ $\frac{1}{4}$ Gov. Lot _____

2. Owner: _____

Address: _____

City _____, State _____

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐

4. Access Port: Y ☐ N ☒ Static Water Level: 146
Pressure Gauge: Y ☒ N ☐ Casing Diameter: 10"
Flowing: Y ☐ N ☒ Temperature: _____

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Y ☐ N ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks : _____

RECORDED

DEC 16 1992

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

USE ADDITIONAL SHEETS IF NECESSARY -- FORWARD THE WHITE COPY TO THE DEPARTMENT

April 18, 1991

RAY MASON
BOX 840
HAYDEN LAKE ID 83835

Dear Mr. Mason:

Re: Permit No. 96-7943

The department received the proof of beneficial use form on March 26, 1991. Enclosed is a copy of the order which removes the access port condition from your permit.

The next step is for the department to conduct the field inspection to confirm and determine the extent of beneficial use. I cannot tell just when the representative from our Northern Regional office will conduct the exam, but he will try to contact you or your representative prior to being in the area.

If you have questions, please contact me.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

APR 23 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 9-7943

Date 4-16-91

GENERAL CONSIDERATIONS

9 Name same as permit?
6 Address same as permit? If no, indicate below.
9 Proof timely received? If no, complete priority
advancement below.

SOURCE OF WATER

 Surface water source
9 Ground water source
 Drill permit req'd?
 Copy in file? Drill permit no.
 Amt paid for drilling permit? Correct?
 Well log in file?

LICENSE EXAMINATION FEE

9 Required?
50.00 Amount submitted?
9 Correct amount?

MEASURING DEVICE

 Measuring device or access port required?
 Installed?
 Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

*Change address
waive meas. dev.*

PRIORITY CALCULATION

LB
Date proof received
Date proof due -
No. of days late =
Priority date +
NEW PRIORITY DATE =

RECEIVED
MAR 29 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Amt. of Fee, \$ 50.00
Date 3/26/91
Receipt No. N4386
Received by [Signature]

RECEIVED
MAR 26 1991
NORTHERN REGION
IDWR

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 96-07943 Telephone No. (208) 772-8209

2. Name(s) of Permit Holder(s): Ray Mason

3. Post Office Address: Box 840, Hayden Lake, Id. 83835

4. Source of Water: Ground Water

a. If ground water, well driller's name: Brenson Water Wells Date drilled: 1978 (circa)

b. Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use:

Domestic 1 (No. of households)

Irrigation 17 (No. of acres)

Stockwater _____ (No. and type of stock)

Other Bark Plant

6. Total rate and/or volume for which proof is submitted .17 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ☒ Yes ☐ No Installed? ☐ Yes ☒ No

OR

Flow Measurement Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

8. Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

* ACCESS PIERS NOT INSTALLED BECAUSE OF QUANTITY OF WATER USED.

9. Person to contact to accompany the Department representative during the field examination:

SEE ABOVE.

Name

Telephone No.

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

3/26/91
Date

Raymond Mason
Signature (and title if on behalf of a company or organization)

APR 23 1991

138059

January 31, 1991

RAY MASON
772 N. OAK #7
COLVILLE, WA 991140000

PROOF DUE NOTICE

RE: PERMIT NO. 96-07943

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MAILED

APR 23 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 96-7943
Name(s) of Permit Holder(s): Ray Mason
Post Office Address: 2923 N 6th.
Coeur d'Alene, Id. 83814 Tel. No. 664-8967

- ☒ I hereby certify that construction of diversion works for the above referenced permit began on April 21, 1981 (date) APR 25 1981. I understand that I must continue to develop the water system with due diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

July 7, 1982 Ray Mason
Date Signature of Permit Holder

Ray Mason


2923 N 6th St.

Coeur d'Alene, Id. 83814



HELP GOODWILL Fire Pump
1860s
USA 20c

THE HANDICAPPED



Department of Water Resources
JUL 9 1982



APR 23 1991

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

March 6, 1986

Ray Mason
772 N. Oak #7
Colville, WA 99114

Dear Mr. Mason:

Re: Permit No. 96-7943

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to April 1, 1991.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

UNRECORDED

STAFF REVIEW SHEET - EXTENSION OF TIME

Permit No. 96-7943

Reviewed by [Signature]

Date 3-6-1986

BASIC INFORMATION

- Y Date stamp received
Y Extension received timely
 (not prior to 6 month before proof due date or after reinstatement period)
Y Fee received and receipted
Y Name and signature same as permit
Y Address change (indicate on coding sheet)

BASIS FOR EXTENSION REQUEST

- Y Has adequate work been completed to demonstrate due diligence?
Y Has the cost incurred been adequate to demonstrate an intent to complete the project?
 Has the permit been involved in litigation?
 a. Swan Falls _____ Dismissed from Swan Falls _____
 Other _____ Identify _____
 b. Is supporting documentation needed to complete the file? _____
 Requested _____
 c. Calculate the period of delay

Date litigation completed _____

Date litigation began _____

Total period of delay = _____

Present proof due date + _____

NEW PROOF DUE DATE = _____

- Is delay by a government agency?
 Is supporting documentation needed to complete the file? _____
 Requested? _____

ACTION TAKEN

Recommend approval based on due diligence

Special conditions or remarks:

Reinstate	Date extension received	_____	=	_____
	Proof due date	_____	=	_____
	No. of days late	_____	=	_____
	Priority date	_____	=	+
	ADJUSTED PRIORITY DATE	_____	=	_____

- Prepare coding sheet - *address*
 Change rolodex card

UNRECORDED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

EXTENSION OF TIME

February 14, 1986

Ray Mason
772 N. Oak #7
Colville, WA 99114

PERMIT NO. 96-7943

We are in receipt of the \$15 extension fee for Extension(s) of Time to provide additional time in which to submit proof of beneficial use on a water right permit.

Your request for extension(s) of time is being reviewed by staff. You will be informed of our decision when review has been completed.


Enclosed is our receipt No. 37470.

Roberta Garrett
Records Supervisor

Enclosure

UNRECORDED

R. R. Mason
772 N. Oak #7
Coeville, Wa. 99114



State of Idaho
Department of Water Resources
Statehouse
Boise, Id. 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
JANUARY 31, 1986

138812

MASON, RAY
2923 N. 6TH ST.
COEUR D'ALENE, ID 83814

PROOF DUE NOTICE

RE: PERMIT NO. 96-7943

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF THE ABOVE REFERENCED WATER PERMIT WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE APRIL 1, 1986. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST.) ENCLOSED IS A FORM WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER A COMPLETED PROOF OF BENEFICIAL USE FORM OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

MASON, RAY
2923 N. 6TH ST.
COEUR D ALENE, ID 83814

APRIL 22, 1981

RE: PERMIT NO. 96-7943

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR AN ACCESS PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE ACCESS PORT.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: LR

APPLICATION NUMBER: 96-7943

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☒ Idaho Fish and Game Department. _____
☒ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising. 3/30/81 ✓
Final date for protests: _____
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 3/24/81 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☒ Yes ☐ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
2/27/81 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: Rega

Date: 3/30/81

RECEIVED

STATE OFFICE REVIEW:

SLW/L03 oic

- ☐ See attached sheet for more information.

By: Rega

Date: 4/8/81

96-2943-

MASON, RAY

2923 N. 6TH ST., COEUR D'ALENE, ID 83814

Source: GROUNDWATER

Date Filed: 02/27/1981

Amount: 2.00 CFS

Diversion Point: SENE Sec 01 T 54N R 06W, BONNER Co.

Use: IRRIGATION	(2.00 CFS)	from 04/01 to 10/31
DOMESTIC	(0.60 CFS)	from 01/01 to 12/31
FIRE PROTECTION	(2.00 CFS)	from 01/01 to 12/31

Place of Use: NWNW Sec 06 T 54N R 05W SWSW Sec 31 T 55N R 05W LOT 01 (NENE)
Sec 01 T 54N R 06W SENE Sec 01 T 54N R 06W FOR 100 ACRES

Diversion Means: WELL AND PUMP.

MICROFILMED