

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED
MAR 07 1988

[Signature]
(Applicant)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-07927

Priority: January 19, 1981 Amount: 0.04 CFS 0.6 AFA

This is to certify, that JOE K. STALEY
E. 18822 APPLEWAY ST.
GREENACRES, WA 99016

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated January 19, 1981, and has submitted proof to the Department of Water Resources on July 22, 1981, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .040 cfs of water from a GROUNDWATER source and that a water right has been established as follow:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AFA

LOCATION OF POINT OF DIVERSION(S): LOT 1(NWNE), Sec. 33, Township 57N, Range 01W
BONNER County

PLACE OF USE: DOMESTIC

TWN RGE SEC

57N 01W 33 LOT 1(NWNE)

CONDITIONS/REMARKS:

1. The right to the use of water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 19th day of July, 1988.

Director

AUG 18 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Joe K. Staley Phone 509-922-2700

Post office address E. 18822 Appleway Greenacres, wa. 99016

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is ^(NW $\frac{1}{4}$ NE $\frac{1}{4}$)~~1/4~~ of GL. 1 1/4 of Section 33 Township 57N

Range 1W B.M. Bonner County, additional points of diversion if any: _____

AKA Beltone Acres Blk #2, Lot 5

4. Water will be used for the following purposes:

Amount 0.04 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.04 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____

Well, pump and pipeline TK.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.

c. Proposed well diameter is 6 inches; proposed depth of well is 129 feet.
(Month/Day) (Month/Day)

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: ^(NW $\frac{1}{4}$ NE $\frac{1}{4}$)~~1/4~~ of GL. 1 1/4 of Section 33 Township 57N

Range 1W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 1.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

MAR 07 1988

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

RECORDED

MAR 07 1988

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

MAR 07 1988

X *[Signature]*
(Applicant)

Proposed Priority 1/19/81

Received by ZK Date 1-19-81 Time 2:30 PM
Preliminary check by RJA Fee \$ 3000
Received by ma Date (15529) 1/19/81
Publication prepared by ma Date 1/22/81
Published in Footprint Boe
Publication dates 1/28 + 2/4/81
Publication approved ma Date 2/11/81
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by RJA RA

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-7927, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- SUBJECT TO ALL PRIOR WATER RIGHTS.
- Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 82.
- The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- Other: _____

Witness my hand this 10th day of March, 19 81.

A. Glen Saxton
Chief, Permit Division

MICROFILMED
MAR 07 1988

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Pete Thompson being first duly sworn on oath deposes and says that he is publisher of the Sandpoint Daily Bee, and News Bulletin, newspapers printed and published at Sandpoint, in Bonner County, Idaho; that the said newspapers have been continuously and uninterruptedly published in said Bonner County during a period of 12 months prior to the first publication of the hereto attached notice of publication in the case of Application

for Water Right

as it was published in the regular and entire issue of the said paper for a period of 2 consecutive weeks, commencing on 28 day of 1, 1981 and ending on the 4 day of 2, 1981 and that said notice was published in said newspaper.

Pete Thompson

Subscribed and sworn to before me this 4th day of Feb, 1981.

Quell M Thompson

Notary Public for Idaho,

Residing at Sandpoint, Idaho

**NOTICE OF
APPLICATION FOR
WATER RIGHT**

Notice is hereby given that the following application(s) have been submitted to appropriate the public waters of the State of Idaho:

96-7927

STALEY, JOE K.
E. 18822 APPLEWAY ST.,
GREENACRES, WA. 99016
Source: GROUNDWATER
Date Filed: 01-19-1981
Amount: 0.04 CFS
Diversion Point: LOT 01 Sec
33 T 57N R 01W, BONNER
Co.
Use: DOMESTIC (0.04 CFS)
from 01-01 to 12-31
Place of Use: LOT 01 Sec 33
T 57N R 01W
Diversion Means: WELL,
PUMP AND PIPELINE

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id., 83814 on or before FEBRUARY 22, 1981.

C. STEPHEN ALLRED
Director

Published Jan. 28, Feb. 4, 1981

Department of Water Resources

*paper's error -
held until
2/22*

MAR 07 1988

July 19, 1988

JOE K. STALEY
E. 18822 APPLEWAY ST.
GREENACRES, WA 99016

RE: PERMIT NO. 96-07927

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

AUG 18 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

LICENSING REPORT

RECEIVED

JUN 5 1985

96-7927
Permit No.

Department of Water Resources

1. Measurement Calculations

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

Composite 0.04 ft

- b) Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

- c) Volume Calculations for Other Uses:

Composite 0.6 AF

2. Overlap Review

- a) Other water rights with same place of use: *None*

- b) Other water rights with same point of diversion: *None*

- c) Analysis:


MICROFILMED

MAR 07 1988

RECOMMENDED AMOUNTS

- [illegible]

10. Other water rights on these lands None
11. Other water right diverted from same p.d. _____
12. **Diverslon and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ **Photo of Diverslon & System Attached**
- ☒ **Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached**

14. Remarks WELL COVERED FOR WINTER @ TIME OF EXAM

VIS @ QUEEN & 57 RAIN

15. Recommended Amendments
- ☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None
- ☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

16. Examiner's/Consultant's Signature *[Signature]* Date _____

Consultant's License Number _____

IDWR Director's Authorization to Conduct

Beneficial Use Examination _____

_____ Date _____


CONSULTANT SEAL

MICHIGAN

MAR 07 1989

96-7927

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN W. EVANS
Governor
- KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

August 18, 1981

Mr. Joe Staley
Box 10
Greenacres, Wash.

RE: 96-7927

Dear Mr. Staley:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination, however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Very truly yours,

TOM D. KING
Senior Water Resource Agent

TDK/rms

cc: IDWR - State Office

MICROFILMED

MAR 07 1988

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 7-19-81

Name(s) of Permit Holder: Joe K. Szalay

Post Office Address: Box 10

Greensboro Wash Tel. No. 922-2700

Source of Water: Well

Extent of Use:

☒ Domestic

☐ Stockwater

☐ Irrigation

☐ Other

(number of households)

(number and type of stock)

(acres)

Measuring Device: Required?

☐ Yes ☒ No

Installed?

☐ Yes ☐ No

Access Port: Required?

☐ Yes ☒ No

Installed?

☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

7-19-81

Date

Joe K. Szalay
Signature of Permit Holder

RECEIVED

MAR 07 1988



RECEIVED

PLACE
TEN CENT
STAMP
HERE

JUL 22 1981

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED

JUN 24 1981

Department of Water Resources



E. 18822 APPLEWAY / BOX 10
GREENACRES, WA 99016
(509) 922-2700

June 22, 1981

*Please
pull
for Jan*

Department of Water Resources
Statehouse
Bise, Idaho 83720

RE: Permit #96-7927

Dear Sirs:

We have received your letter stating you had approved the application for permit from Joe K. Staley. We understand that in order to get the license we need to make proof. Would you please send the necessary forms.

Thank you,

Joe K. Staley
Joe K. Staley
JK/gn

*Sent forms
7/9/81
Jan G.*


RECEIVED

MAR 07 1988

We Appreciate Your Business



E. 18822 APPLEWAY/BOX 10
GREENACRES, WA 99016



State of Idaho
Department of Water Resources
Statehouse
Boise, Idaho 83720

ADDRESS CORRECTION REQUESTED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

STALEY, JOE K.
E. 18822 APPLEWAY ST.
GREENACRES, WA 99016

MARCH 17, 1981

RE: PERMIT NO. 96-7927

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

MAR 07 1988

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: TR

APPLICATION NUMBER: 96-7927

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No
☐ Yes ☒ No
☐ Yes ☒ No
☒ Yes ☒ No*

Field check by: _____

Date: _____

Comments: _____

Field check required.

Critical groundwater area.

Request dam safety information. Sent by: _____ Date: _____

In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No
☐ Yes ☒ No

Platted by: _____ Map No. _____

Other rights on same place of use. _____

- ☒ Yes ☐ No*

In form for advertising.

Final date for protests: 2/22/81 ✓

- ☐ Yes ☒ No

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 2/11/81 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.

- ☒ Yes ☒ No

Measuring device required.

- ☐ Yes ☒ No

Access port required.

- ☐ Yes ☒ No

Will water be delivered by watermaster? If yes, what district? _____

- ☒ Yes ☒ No

Date of priority recommended.

Special conditions of approval or cover letter. _____

STATE OFFICE REVIEW:

low items 3 & 8A

SLW/cond

- ☐ See attached sheet for more information.

By: [Signature] Date: 3/9/81

96-2922

STALEY, JOE K.

E. 18822 APPLEWAY ST., GREENACRES, WA 99016

Source: GROUNDWATER

Date Filed: 01/19/1981

Amount: 0.04 CFS

Diversion Point: LOT 01 Sec 33 T 57N R 01W, BONNER Co.

Use: DOMESTIC (0.04 CFS) from 01/01 to 12/31

Place of Use: LOT 01 Sec 33 T 57N R 01W

Diversion Means: WELL, PUMP AND PIPELINE.

MICROFILMED

MAR 07 1988