


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

RECEIVED
MAR 07 1988

George Bonar
(Applicant)

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

95-8066

HOFFMAN, JOSEPH &/or
MADELEINE
RT. 3 BOX 397, RATHDRUM, ID
83858

Source: GROUNDWATER
Dated Filed: 01/19/1981

Amount: 0.20 CFS

Diversion Point: NESE Sec 29 T
52N R 04W, KOOTENAI Co.

Use: IRRIGATION (0.16 CFS)
from 03/15 to 11/15; STOCK-
WATER (0.02 CFS) from 01/01 to
12/31; DOMESTIC (0.04 CFS)
from 01/01 to 12/31

Place of Use: NESE Sec 29 T 52N
R 04W FOR 8 ACRES

Diversion Means: WELL, PUMP
AND PIPELINE.

96-7926

BOMAR, GEORGE &/or
ELAINE

RT. 1 BOX 84, ATHOL, ID 83801
Source: SPRINGS tributary of
LEWELLEN CREEK UN-
NAMED STREAM tributary to
LEWELLEN CREEK

Date Filed: 01/15/1981

Amount: 0.09 CFS 7.0 AC-FT

Diversion Point: SWNW Sec 29 T
53N R 02W, KOOTENAI Co.

Use: IRRIGATION STORAGE
(7.0 AC-FT) from 01/01 to 12/31;
IRRIGATION FROM STORAGE
(7.0 AC-FT) from 03/15 to 11/15;
STOCKWATER STORAGE (7.0
AC-FT) from 01/01 to 12/31;
DOMESTIC (0.04 CFS) from 01/01
to 12/31; RECREATION
STORAGE (7.0 AC-FT) from
01/01 to 12/31; DIVERSION TO
STORAGE (0.05 CFS) from 01/01
to 12/31

Place of Use: SWNW Sec 29 T 53N
R 02W FOR 5 ACRES

Diversion Means: SPRINGS,
PONDS, PUMPS AND
PIPELINE.

96-7930

MERGER MINES

P. O. BOX 718, COEUR D
ALENE, ID 83814

Source: UNNAMED STREAM
tributary to SAGE CREEK

Date Filed: 01/21/1981

Amount: 0.18 CFS

Diversion Point: SWSE Sec 31 T
53N R 02W, KOOTENAI Co.

Use: MINING (0.10 CFS) from
01/01 to 12/31; DOMESTIC (0.08
CFS) from 01/01 to 12/31

Place of Use: SWSE Sec 31 T 53N
R 02W

Diversion Means: GRAVITY-
FLOW FLUME, JIG AND
SCREEN.

If issued, the permit(s) will be
subject to all prior water rights.
Protests against the granting of
any permit must be filed with the
director of the Idaho Department
of Water Resources, 4065 Gov't
Way, Coeur d'Alene, Id, 83814 on
or before FEBRUARY 23, 1981.

C. STEPHEN ALLRED
Director

Legal 775

Feb. 5, 12, 1981

STATE OF IDAHO,
County of Kootenai,

} ss.

being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Supplement to the Coeur d'Alene Press of which the annexed is a printed copy, was published in the regular issue of said newspaper for 2 consecutive days commencing on the 5th day of Feb, 1981, and ending on the 12th day of Feb, 1981, and such publication was made as often during said period as said newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 12th day of Feb, 1981.

Roberta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

LEADER

Rec'd
2/17/81

FILMED

MAR 07 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT II

PHOTOGRAPHS

Spring

#1



Spring #2



Pond




domestic
spring

not
OCT 02 1991



Spring

#1



Spring #2

Pond

domestic
spring


note

OCT 02 1991



Spring

#1



Spring #2

Pond



domestic
spring

OCT 02 1991



Spring

#1



Spring #2

Pond



domestic
spring

note

OCT 02 1991



LEWELLEN

96-0108

96-7674

96-2306

96-7665

96-7177

96-0103

96-7562

96-7420

96-7658

96-7561

17

18

20

50

51

23

24

25

19 20

96-7566

30 29

96-7577

34

43

44

35

DOMESTIC
SPRING

SPRING

SPRING

33

36

37

NOT FILMED

OCT 02 1991

41


42

40

39

38

30 29



TWP. 53 N., RGE. 24 SEC. 29 MAP # E-6 PERMIT # 96-7926
 DATE OF EXAM _____

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-07926

Priority: January 15, 1981

Maximum Diversion Rate:

0.09 CFS

Maximum Diversion Volume:¹

10.0 AF

This is to certify, that GEORGE BOMAR
ELAINE BOMAR

N 26600 GOODHOPE RD
ATHOL ID 83801

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 15, 1981; and has submitted Proof of Beneficial Use on June 27, 1986. An examination indicates that the works have a diversion capacity of .100 cfs of water from:

SPRINGS

tributary to **LEWELLEN CREEK**

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.04 CFS	6.0 AF
IRRIGATION STORAGE	01/01 to 12/31		0.7 AF
IRRIGATION FROM STORAGE	03/15 to 11/15		0.7 AF
STOCKWATER	01/01 to 12/31	0.05 CFS	2.7 AF
STOCKWATER STORAGE	01/01 to 12/31		0.7 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF
	Totals	0.09 CFS	10.0 AF

LOCATION OF POINT(S) OF DIVERSION:

NESWNW , Sec. 29, Township 53N, Range 02W
NWSWNW , Sec. 29, Township 53N, Range 02W
SESWNW , Sec. 29, Township 53N, Range 02W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
53N	02W	29	SWNW	2		2

Total number of acres irrigated: 2

PLACE OF USE: IRRIGATION FROM STORAGE, same as IRRIGATION use

PLACE OF USE: STOCKWATER, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

MICROFILMED

OCT 02 1991

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 96-07926

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.
6. Two points of diversion located in the SESENW, Section 29, T53N, R2W.
7. Domestic use is for 1 home; stockwater use is for 150 cattle.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 3RD
day of SEPTEMBER, 19 91.

Acting for R. Keith Higginson, Director

RECEIVED

OCT 02 1991

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF REMOVAL OF THE MEASURING)
DEVICE AND WATERMASTER REQUIREMENT FOR) ORDER
PERMIT NO. 96-7926)

WHEREAS, on July 8, 1981, the Department approved said Application for Permit with the condition that a measuring device and lockable controlling works be installed and that the permit was subject to control by the Watermaster of State Water District No. 96-A, Lewellyn Creek; and,

WHEREAS, it has been determined by the Department of Water Resources that a measuring device and lockable controlling works are not required at this time for a determination of the quantity of water and that the permit is not subject to control by the Watermaster of State Water District No. 96-A, Lewellyn Creek;

IT IS, THEREFORE, HEREBY ORDERED that said conditions of approval be and are, REMOVED from said permit.

Dated this 24th day of June, 1983.



L. GLEN SAXTON
Chief, Operations Bureau

MICROFILMED

MAR 07 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant George &/or Elaine Bomar Phone _____

Post office address Rt. 1 Box 84 Athol, Id. 83801

2. Source of water supply Diffused Water (unnamed stream) which is a tributary of Lewellen Creek

3. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 29 Township 53N

Range 2W B.M. Kootenai County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.05 for Storage purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum) Storage for Irrigation,

Amount 7.00AF for Stock & Recr. purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum) Irrigation from

Amount 7.00AF for Storage purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.04 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.09 cubic feet per second and/or b. 7.0 acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. #1) Spring excavated for stockwater.
#2) Spring-fed pond (50' diameter x 8' deep) for stock & recreation, and pump & pipe for irrigation. #3) Spring developed to flow into pond #2 for irrigation, stock & recreation, and pump & pipe to home. #4) 1½ surface acre, spring-fed pond 8' deep that also collects run-off. #5) Developed spring with pump & pipe to home.

b. Height of storage dam _____ feet, active reservoir capacity 7 acre-feet; total reservoir capacity 7 acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage 1/1 to 12/31 inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 29 Township 53N

Range 2W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 150 range stock

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 1.

(5) If water is to be used for other purposes describe: Recreation pond for fish propagation, swimming, etc.

MAR 07 1988

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
53N	2W	29						5											5

Total number of acres to be irrigated 5

c. Describe any other water rights used for the same purposes as described above.

None

9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

RECEIVED

MAR 07 1988

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

RECEIVED

MAR 07 1988

George Bomar
(Applicant)

Proposed Priority 1/15/81

Received by TK Date 1/15/81 Time 4:50pm

Preliminary check by PSH Fee \$ 30.00

Receipted by mo Date 1/15/81 (15532)

Publication prepared by mo Date 1/22/81

Published in Coeur d'Alene Press

Publication dates 1/29 & 2/5/81 Superior news got ad. - re-ad.
2/5 & 12/81

Publication approved mo Date 2/18/81

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by PSH RA

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-7926, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 86.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Use of water under this permit is subject to control by the watermaster of State Water District # 96-A, Lewellyn Creek.

A measuring device and lockable controlling works of a type acceptable to the Department shall be permanently installed and maintained as part of the diverting works.

Witness my hand this 8th day of July, 1981.

J. Glen Saxton
Chief, Operations Bureau

RECEIVED
MAR 07 1988

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

95-8006

HOFFMAN, JOSEPH &/or
MADELEINE
RT. 3 BOX 397, RATHDRUM, ID
83859

Source: GROUNDWATER
Dated Filed: 01/19/1981

Amount: 0.20 CFS

Diversion Point: NESE Sec 29 T
52N R 04W, KOOTENAI Co.

Use: IRRIGATION (0.16 CFS)
from 03/15 to 11/15; STOCK-
WATER (0.02 CFS) from 01/01 to
12/31; DOMESTIC (0.04 CFS)
from 01/01 to 12/31

Place of Use: NESE Sec 29 T 52N
R 04W FOR 8 ACRES

Diversion Means: WELL, PUMP
AND PIPELINE.

96-7924

BOMAR, GEORGE &/or
ELAINE

RT. 1 BOX 84, ATHOL, ID 83801
Source: SPRINGS tributary of
LEWELLEN CREEK UN-
NAMED STREAM tributary to
LEWELLEN CREEK

Date Filed: 01/15/1981

Amount: 0.09 CFS 7.0 AC-FT

Diversion Point: SWNW Sec 29 T
53N R 02W, KOOTENAI Co.

Use: IRRIGATION STORAGE
(7.0 AC-FT) from 01/01 to 12/31;
IRRIGATION FROM STORAGE
(7.0 AC-FT) from 03/15 to 11/15;
STOCKWATER STORAGE (7.0
AC-FT) from 01/01 to 12/31;
DOMESTIC (0.04 CFS) from 01/01
to 12/31; RECREATION
STORAGE (7.0 AC-FT) from
01/01 to 12/31; DIVERSION TO
STORAGE (0.09 CFS) from 01/01
to 12/31

Place of Use: SWNW Sec 29 T 53N
R 02W FOR 5 ACRES

Diversion Means: SPRINGS,
PONDS, PUMPS AND
PIPELINE.

96-7930

MERGER MINES

P. O. BOX 716, COEUR D
ALENE, ID 83814

Source: UNNAMED STREAM
tributary to SAGE CREEK

Date Filed: 01/21/1981

Amount: 0.18 CFS

Diversion Point: SWSE Sec 31 T
53N R 02W, KOOTENAI Co.

Use: MINING (0.10 CFS) from
01/01 to 12/31; DOMESTIC (0.08
CFS) from 01/01 to 12/31

Place of Use: SWSE Sec 31 T 53N
R 02W

Diversion Means: GRAVITY-
FLOW FLUME, JIG AND
SCREEN.

If issued, the permit(s) will be
subject to all prior water rights.
Protests against the granting of
any permit must be filed with the
director of the Idaho Department
of Water Resources, 4005 Gov't
Way, Coeur d'Alene, Id, 83814 on
or before FEBRUARY 23, 1981.

C. STEPHEN ALLRED
Director

Legal 775

Feb. 5, 1981

STATE OF IDAHO,
County of Kootenai,

} ss.

being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The newspaper of which the annexed is a printed copy, was published in the regular issue of said newspaper for consecutive commencing on the 5th day of Feb, 1981, and ending on the 12th day of Feb, 1981, and such publication was made as often during said period as said newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 12th day of Feb, 1981.

Roberta Znanley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

LEADER

Rec'd
2/17/81

FILMED

MAR 07 1988

September 5, 1991

GEORGE BOMAR
ELAINE BOMAR
N 26600 GOODHOPE RD
ATHOL ID 83801

RE: WATER RIGHT NO. 96-07926

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

MICROFILMED

OCT 02 1991

From: DWR50::KNOBLOCK 22-AUG-1991 15:02:54.50
To: DWR01::WRCURTIS
CC:
Subj: 96-7926

Elaine Bowman was in the office. They have no objections to the proposed license.

They have a new address: N. 26600 Goodhope Rd.
Athol, ID 83801

ken

RECEIVED

OCT 02 1991

August 13, 1991

GEORGE BOMAR
ELAINE BOMAR
RT. 1 BOX 84
ATHOL, ID 83801

RE: WATER RIGHT NO. 96-07926

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

MAILED

OCT 02 1991

LICENSE REVIEW CHECKLIST

Permit No. 96-7926

Name/Address change? ok ☒

Priority date Advance? yes no ☒

Memo to advance n/a

Order to reinstate needed? yes no ☒

Total cfs Limited by fee no

Limited by capacity no

Total volume Limited by flow no

Chart checked for AP rate/ac 3.5

Capacity Actual measurement checked n/a

Theoretical checked n/a

If greater than permit, check for other rts n/a

Source Changed? yes ☒ no no
If so, is memo needed to clarify? n/a

P/D Verify with map ☒ permit no
More than one per 1/4? Remember remark yes ☒
Check p/d overlap no

Uses Check irrigation period of use w/ chart 3/15 - 11/15

P/U Verify with map ☒ permit no
> 5 acres irrigated, run overlap no

Remarks More than one p/d in 1/4 ☒
Description of non-irrig uses no
Special overlap condition no

Conditions -
Measuring device not
W.Master control no
Overlap R29
Water quality not
Other not

Dates/Misc. -
Water Dist ☒
App Rec'd ☒
Proof Rec'd ☒

CHECK FOR ADJ. CLAIM Needed according to proof filed no
Filed - needs amended no
Add'l fee required no
Not filed no
Not needed no

Comments/Changes to Examiner's Recommendations:

License 10-day ☒

Back of field report signed?

Reviewer [Signature] Date 6/5/94 Review time 30 min.

OCT 02 1994

SENIOR AGENT REVIEW

RECEIVED
JUN 27 1990

Check List
for
Beneficial Use Field Report

Department of Water Resources

Permit 96-07926

A. GENERAL INFORMATION

- ☒ 1. Name and address are most current available. (Check BU statement)
☒ 2. Exam Date
☒ 3. Source (Check Permit)

B. OVERLAP REVIEW

- ☒ 1. & 2. (Rule 5,1,4)

C. SYSTEM DESCRIPTION

- ☒ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
☒ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
☒ 3. Word Picture (Rule 5,1,3 / 5,1,4)
☒ 4. Diversion (Rule 5,1,3)
☒ 5. Compare with USGS Map, Land Survey Maps, Aerial Photos and Permit. ~~Handwritten notes~~
☒ 6. Irrigation (Rule 5,1,8)

D. FLOW MEASUREMENTS Check math (Rule 5,1,13 / 5,1,14)

E. FLOW CALCULATIONS Check math (Rule 5,1,13 / 5,1,14)

F. OPTIONAL

G. VOLUME CALCULATIONS

- Three significant figures and no more than 1/10's (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

H. REMARKS AND OVERLAP ANALYSES

- All actual uses listed; all permitted uses not used, also listed; (Rule 5,1,2):
Overlaps (Rule 5,1,4):
Return flows (Rule 5,1,5):
Conditions (Rule 5,1,6).

I. RECOMMENDATIONS

1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
2. Compare permit to exam for amendments (Rule 5,1,16)

J. AUTHENTICATION

Name, Signature, Certification Date, Exam Date.

WELL INSPECTION REPORT

Check with permit and well log for discrepancies

Signature

J. Key

Date

8/25/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT II
P H O T O G R A P H S


Spring

#1



Spring #3

Pond




domestic
spring

OCT 02 1991

Spring

#1



Spring #2

Pond


domestic
spring

OCT 02 1991



Spring

#1



Spring #2


Road



domestic
spring


note

OCT 02 1991



Spring

#1




Spring #2


Pond

domestic
spring

note

OCT 02 1991





MAILED

OCT 02 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 27 1990

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Elaine Bomar and/or George Bomar Permit No. 96-7926
Current Address: Rt 1 Box 84 Athol Id 83801 Phone No.
2. Accompanied by: Elaine Bomar EXAM. DATE: 6/7/89
Address: ~~Elaine Bomar~~ Same Phone No.
Relationship to Permit Holder: Same (wife)
3. Source: Spring tributary to Lewellen Cr.

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

RECEIVED
OCT 02 1991

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Spring #1 and #2: Spring #2 has a handmade cinder block cistern that by buried pipe flows into Spring #1 which also has a cinder block cistern and the flows into pond #1. Irrigation is then pumped from the pond using a 1hp pump in basement and irrigates area surrounding house. Spring #3 is the domestic spring and has a concrete storage tank with a small floorless wooden shed on top. This is the piped to the basement of house and pumped for domestic by ~~1~~ 1 hp pump. Spring #4 supplies a small pond at or near end of driveway for stock. Stock also drink in stream and pond #1. ☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Irrigation For lawn	Fairbanks Morse and Co	1	5X57803 804X	Same	2"
Domestic	Sears	1	39062	SP	1"

*Code to correspond with No. on map and aerial photo

Stone

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
#1		SE	SW	NW	29	53N	2W	Kootenai	map
#2		SE	SW	NW	29	53N	2W	Kootenai	" "
#3		NE	SW	NW	29	53N	2W	" "	" "
#4		NW	SW	NW	29	53N	2W	" "	" "

6. **Place(s) of Use:**

Indicate Method of Determination map

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
53N	2W	29							S										
									2										2
									2										2
									D										

MICROFILMED

OCT 02 1991

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS


☐ Additional Data Sheets Attached

1.

NONE

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:



E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

*maximum flow
rate of system*

$$Q = \frac{8.8(1.7)(1)}{2.3(20)+15} = .1 \text{ cfs limited to } .09 \text{ cfs}$$

*by ~~for sheet~~
APPLICATION
JK*

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated})^2 \times (\text{Irrigation Requirement})^3 = \underline{6 \text{ afa}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}]^{.09} \times (\text{Days in Irrigation Season})^{245} \times 1.9835 = \underline{43.7 \text{ afa}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{6 \text{ afa}}$$

2. Volume Calculations for Other Uses:

*Stock water .05 cfs and 2.7 afa
150 Head*

Storage in pond $\pi R^2 50 \text{ ft} (2\pi r^2) = A$ 8 ft deep

$$(85)^2 (2\pi) (8) = .72 \text{ af storage}$$

MICROFILMED

OCT 02 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

NONE

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3/15	11/15	.09 cfs	6 afa
Stock	1/1	12/31	.05 cfs	2.7 afa
Domestic	1/1	12/31	.04 cfs	.6 afa
Storage Irrigation and Stock	1/1	12/31	.09	.7 afa
Totals:			.09 cfs	10 afa

2. Recommended Amendments


- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

- ☒ None
☒ Other

J. AUTHENTICATION

Field Examiner's Name Louis Sukoraty
 Signature [Signature]
 Certification Date 2/17/89
 Field Report Preparation Date 6/8/89

CONSULTANT SEAL



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED

OCT 02 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 96-7926
Name(s) of Permit Holder(s): GEORGE & ELAINE BOMAR
Post Office Address: RT 1 BOX 84
ATHOL, ID 83801 Tel. No. _____

☒ I hereby certify that construction of diversion works on the above referenced permit began on JUL 1981 I understand that I must
(date)
continue to develop the water system with due diligence and maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control:

*Note: A financing difficulty is not an acceptable reason.

5/31/83
Date

George Bomar
Signature of Permit Holder

PLACE

STAMP

HERE

RECEIVED

MAY 31 1983

Department of Water Resources
Northern District Office

OCT 02 1981



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED
JUN 2 1983
NATIONAL INDIAN SCHOOL

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region.

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 765-4639

OCTOBER 3, 1986

GEORGE BOMAR
RT. 1 BOX 84
ATHOL, ID 83805

RE: Permit No. 96-7926

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone or in person.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

RECEIVED

MAR 07 1988

RECEIVED

JUN 27 1986

For Office Use Only
Fee Received \$50.00
Date 6/24/86
Receipt # 38020
Receipt by [Signature]
Reviewed by [Signature]
Sent to region 9-19

STATE OF IDAHO
Department of Water Resources
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 96-7986

Name(s) of Permit Holder: George & Elaine Boman

Post Office Address: Rt. #1 Box 84

Athol, Idaho Telephone No. (208) 683-2258

Source of Water: _____

Extent of Use:

Domestic 1 (number of households) Stockwater 150 (number and type of stock)

Irrigation 1 (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted .09 cfs 7.0 acre-feet

Show the date water was first diverted and beneficially used under this permit: _____

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Fee enclosed \$ _____
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

SAME
(Name)

(Telephone Number)
MICROFILMED

(Address)

MAR 07 1988

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

6/24/86
Date

George Boman
Signature of Permit Holder (and title, if appropriate)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
APRIL 30, 1986

BOMAR, GEORGE & ELAINE
RT. 1 BOX 84
ATHOL, ID 83801

138415

PROOF DUE NOTICE

RE: PERMIT NO. 96-7926

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF THE ABOVE REFERENCED WATER PERMIT WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JULY 1, 1986. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST.) ENCLOSED IS A FORM WHICH WHEN ACCOMPANIED BY THE LICENSE EXAMINATION FEE OR A COMPLETED FIELD EXAMINATION REPORT PREPARED BY A CERTIFIED WATER RIGHT EXAMINER MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER AN ACCEPTABLE PROOF OF BENEFICIAL USE SUBMITTAL OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

FILED

MAR 07 1988

June 24, 1983

George and Elaine Bomar
Rt. 1 Box 84
Athol, ID 83801

RE: Water Right Permit No. 96-7926

Dear Mr. and Mrs. Bomar,

Enclosed is an order which removes the Conditions of Approval on the above referenced permit.

If you have any questions, please contact our office.

Sincerely,

Jim Johnson
Water Distribution Supervisor

jj/rc
enclosure

cc: Northern Region

MICROFILMED

MAR 07 1988

RECEIVED

JUN 13 1983

MEMORANDUM

TO: File 96-7926

FROM: Bob Haynes *RHB*

SUBJECT: Conditions of Approval

DATE: June 10, 1983

At the time the Bomars filed this application, it was believed that the water right would be included within Water District 96A.

Subsequent events have changed that and this permit is not subject to the control of the watermaster of Water District 96A.

I recommend that this condition and the measuring device requirement be removed. The Bomars made this verbal request to this office last week.

INDEXED

MAR 07 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

BOMAR, GEORGE & ELAINE
RT. 1 BOX 84
ATHOL, ID 83801

JULY 21, 1981

RE: PERMIT NO. 96-7926

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A LOCKABLE DEVICE THAT WILL PROVIDE THE WATERMASTER CONTROL OF YOUR DIVERSION WORKS.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL AND MAINTAIN A MEASURING DEVICE AT YOUR POINT OF DIVERSION. WE HAVE ENCLOSED A DESCRIPTION OF THE DIFFERENT TYPES OF MEASURING DEVICES ACCEPTED BY THIS OFFICE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

RECORDED

MAR 07 1988

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: RYM APPLICATION NUMBER: 96-7926

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No
☐ Yes ☒ No

Platted by: _____ Map No. _____

Other rights on same place of use. _____

- ☒ Yes ☐ No*

In form for advertising. _____

Final date for protests: 2/23/81 ✓

- ☐ Yes ☒ No

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 2/17/81 ✓
☒ Application published correctly. If not, record action taken: You never got 1st notice to me adv.
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☐ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 1/15/81 Date of priority recommended.
☒ Special conditions of approval or cover letter. _____

By: RYM Date: 2/24/81

STATE OFFICE REVIEW: Con item 2 18A OIE

5th cond 05(96-A) Lewellen Creek

☐ See attached sheet for more information.

By: RYM Date: 3/11/81

WATER RIGHT
DATA ENTRY LOG

[illegible]

BOMAR, GEORGE &/or ELAINE

RT. 1 BOX 84, ATHOL, ID 83801

Source: SPRINGS tributary to LEWELLEN CREEK
 UNNAMED SPRING tributary to LEWELLEN CREEK
 STREAM

Date Filed: 01/15/1981

Amount: 0.09 CFS 7.0 AC-FT

Diversion Point: SWNW Sec 29 T 53N R 02W, KOOTENAI Co.

Use: IRRIGATION STORAGE	(7.0 AC-FT)	from 01/01 to 12/31
IRRIGATION FROM STORAGE	(7.0 AC-FT)	from 03/15 to 11/15
STOCKWATER STORAGE	(7.0 AC-FT)	from 01/01 to 12/31
DOMESTIC	(0.04 CFS)	from 01/01 to 12/31
RECREATION STORAGE	(7.0 AC-FT)	from 01/01 to 12/31
DIVERSION TO STORAGE	(0.05 CFS)	from 01/01 to 12/31

Place of Use: SWNW Sec 29 T 53N R 02W FOR 5 ACRES

Diversion Means: SPRINGS, PONDS, PUMPS AND PIPELINE.

*corrected on
 computer 2/5/81*

MICROFILMED

MAR 07 1988