





MICROFILMED

MAR 06 1992



MICROFILMED

MAR 06 1992



TWP, 55N RGE, 4W SEC, 35 MAP # D-54 MAP SCALE _____
DATE OF EXAM _____ **96-07911** IT # 96-7911

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

* NOTE!
NEW
ADDRESS

Permit No. 96-7911

Name(s) of Permit Holder(s): A.F. HOFSTATTER, W. M. ELLIOTT

* Post Office Address: 2527 NIPOMO AVE
LONG BEACH CAL 90815 Tel. No. 213 493 5341

☒ I hereby certify that construction of diversion works for the above referenced permit began on AUG. 27, 1980 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

JUL. 7 1982
Date

[Signature]
Signature of Permit Holder

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-07911

Priority: October 20, 1980

Maximum Diversion Rate:

0.05 CFS

Maximum Diversion Volume:

4.2 AF

This is to certify, that W M ELLIOTT
A F HOFSTATTER

11951 MAYFIELD AVE #206
LOS ANGELES CA 90049000

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated October 20, 1980; and has submitted Proof of Beneficial Use on February 6, 1989. An examination indicates that the works have a diversion capacity of .050 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.03 CFS	3.0 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	1.2 AF
Totals		0.05 CFS	4.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSE , Sec. 35, Township 55N, Range 04W
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
55N	04W	35	SWSE	1		1

Total number of acres irrigated: 1

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this permit in no way grants any right-of-way or easement across the land of another.

MICROFILMED

MAR 06 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-07911

CONDITIONS/REMARKS:

6. Domestic use is for 2 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 12TH
day of FEBRUARY, 1992.

Acting for


R. Keith Higginson, Director

MICROFILMED

MAR 06 1992

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 96-7911)
IN THE NAME OF ALFRED F. HOFSTATTER)
AND W. M. ELLIOTT)

ORDER

WHEREAS, the Department issued the above-referenced permit with the condition that proof of construction of works and application of water to beneficial use be submitted on or before August 1, 1979; and,

WHEREAS, the Department notified the permit holders by certified mail that proof was due and instructed the permit holders as to the steps to be taken to make said proof; and,


WHEREAS, the permit holders requested an extension of time; and,

WHEREAS, the Department granted an extension of time until December 1, 1988; and,

WHEREAS, the Department failed to notify the permit holders sixty days prior to that date that proof of beneficial use was due; and,

IT IS, THEREFORE, HEREBY ORDERED that the time within which to submit proof of beneficial use is extended to March 1, 1989.

Dated this 23rd day of December, 1988.


L. GLEN SAXTON, Chief
Water Allocation Section

MICROFILMED

SEP 27 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

For Office Use Only

\$15 FEE Received *AA*

Date *12-3-85*

Receipt # *37338*

REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit proof
of beneficial use on a water right permit

ALFRED F. HOFSTATTER

WILLIAM M ELLIOTT

(Name)

of *33942 PEQUITO DR; DANA POINT,*

(Address)

State of *CALIF. 92629*, deposes and says:

That he is the holder, or the duly authorized agent of the holder*, of Permit to Appropriate the Public Water of the

State of Idaho No. *96-7911*

RECEIVED

DEC 2 1985

That under the terms and conditions of said permit, work thereunder was required to be completed on or before
Department of Water Resources

DECEMBER 1, 1985.

That he has heretofore performed the following work described under said permit: *6" ϕ X 145' DEEP*

(This must be filled out! If no work has been completed put none.)

WELL, PUMP, PRESSURE TANKS, PLUMBING TO HOUSES (2), BARN,

AND DISTRIBUTION TO DRIP IRRIGATION IN TWO ORCHARDS.

Costing \$ *9000.⁰⁰*

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit:

*SECOND WELL ON PARCEL II HAS NOT BEEN STARTED DUE
TO LACK OF FUNDS -*

Wherefore, he asks that the Department of Water Resources extend the time for the completion of obligations
under said permit to *DECEMBER 1, 1988*

(1 yr. minimum,
5 yrs. maximum)

(Signature)*

*IF OTHER THAN HOLDER, Power of Attorney must be supplied.

FEE: \$15.00

MICROFILMED

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED and the time within
which to submit proof of beneficial use is extended to December 1, 1988.

Signed this *17th* day of *December*, 19 *85*.

J. Glen Saxton
Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT**APPROVED**

To appropriate the public waters of the State of Idaho

1. Name of applicant A. F. Hofstatter, W. M. Elliott Phone (213) 999-0719Post office address 20241 Ruston Rd., Woodland Hills, CA 913642. Source of water supply HooDoo Valley-Ground Water which is a tributary of _____2 POINTS - from map TK 10/24/803. Location of point of diversion is S 1/2 of SE 1/4 of Section 35 Township 55 NRange 4 W B.M. Bonner County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .02 for Domestic purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or ~~acre-feet per annum~~)Amount .13 for Irrigation purposes from May 15 to Oct. 15 (both dates inclusive)
(cfs or ~~acre-feet per annum~~)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .15 cubic feet per second and/or b. ----- acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____

Well, pump and pipeline - TK 10/24/80

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)c. Proposed well No. 1 diameter is 6 inches; proposed depth of well is 143 feet.Well No. 2 6 inches; " " " " 150 feet.7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:(1) Give the place of use of water: S 1/2 of SE 1/4 of Section 35 Township 55 NRange 4 W B.M.(2) Amount of power to be generated: -- horsepower under _____ feet of head.(3) List number of each kind of livestock to be watered ----(4) Name of municipality to be served ----, or number of families to be supplied with domestic water 2.(5) If water is to be used for other purposes describe: ----**MICROFILMED**

b. If water is for irrigation, indicate acreage in each subdivision in the relation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
55N	4W	35															10	10	20

Total number of acres to be irrigated 20

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion N/A


b. Who owns the land to be irrigated or place of use A. F. Hofstatter & W. M. Elliott

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing N/A

10. Remarks

MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

PARCEL ① $S\frac{1}{2}$, $SW\frac{1}{4}$, $SE\frac{1}{4}$, SEC 35
PARCEL ② $S\frac{1}{2}$, $SE\frac{1}{4}$, $SE\frac{1}{4}$, SEC 35

Alfred F. Felt
William M. Elliott
(Applicant)

MICROFILMED

Received by John Date 10/24/80 Time 11:00pm
Preliminary check by JK Fee \$ 30.00
Receipted by ms Date 10/27/80 (15454)
Publication prepared by ms Date 10/30/80
Published in Quiet River Series
Publication dates 11/5 & 12/80
Proposed Priority 10/20/80
Publication approved ms Date 12/3/80
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by RAH 10/10

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-7911, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 19 85.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 24th day of December, 19 80.

L. Glen Sayton
Chief, Operations Bureau

MICROFILMED

Affidavit of Publication

STATE OF IDAHO
County of Bonner,

ss.

.....Pete Thompson.....
being duly sworn, says that he is the Publisher
of the PRIEST RIVER TIMES, a weekly newspaper printed and
published at Priest River, Bonner County, Idaho, and has been
continuously and uninterruptedly published in said County during
a period of 78 consecutive weeks prior to the first publication of
the annexed notice for publication, is a newspaper of general cir-
culation made up of at least eight pages of at least seven columns
each, printed from typematter or stereotyped forms of at least
nineteen and three-fourths inches depth, has at least 1250 bona fide
subscribers living within said Bonner County, and is published at
regular weekly intervals. That the annexed is a true copy of the
notice for publication in the case of

Application No. 96-7911

as it was published in the regular and entire issue of said paper
for a period of two consecutive weeks, commencing on
the 6th day of November, 1980,
and
.....
ending on the 13th day of November, 1980,
and that said notice was published in said newspaper proper, and
not in supplement form.

Subscribed and sworn to before me this

15 day of Nov, 1980

Odell M Thompson
Notary Public for Idaho,
Residing at Priest River, Idaho

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that
the following application(s)
have been submitted for per-
mit to appropriate the public
waters of the State of Idaho:

Application No. 96-7911
HOFSTATTER, A. F.
ELLIOTT, W. M.
20241 RUSTON RD.,
WOODLAND HILLS, CA
91364

Source: GROUNDWATER
Date Filed: 10 20 1980
Amount: 0.15 CFS
Diversion Point: SWSE
SESE Sec. 35 T 55N R 04W,
BONNER Co.

Use: IRRIGATION (0.13
CFS) from 05/15 to 10/15
DOMESTIC (0.02 CFS) from
01/01 to 12/31

Place of Use: SWSE SESE
Sec. 35 T 55N R 04W FOR 20
ACRES

Diversion Means: WELL,
PUMP AND PIPELINE.

If issued, the permit(s)
will be subject to all prior
water rights. Protests
against the granting of any
permit must be filed with the
Director of the Idaho
Department of Water
Resources, 4055 Gov't Way,
Coeur d'Alene, Id. 83814 on
or before NOVEMBER 24,
1980.

C. STEPHEN ALLRED
Director

Publ. PRT-N-6,13-2t

RECEIVED

NOV 18 1980

Department of Water Resources
Northern District Office

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 4, 1992

W M ELLIOTT
A F HOFSTATTER
1705 CARMEL DR
PLANO TX 75075-7302

RE: WATER RIGHT NO. 96-07911

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Water Resource Agent


SC:clh

Enclosure

MICROFILMED

MAR 06 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
100 North Orchard Street
Boise, Idaho 83706-2237



*re sent
2/14/92*

RECEIVED

MAR 06 1992

BP/PE/10 OPAL PDEPH4009 15P1773
FORWARDING TIME EXPIRED

**FILED
1705 CARNEL DR
PLAND TX 75075-7208**



January 24, 1992

W M ELLIOTT
A F HOFSTATTER
11951 MAYFIELD AVE #206
LOS ANGELES CA 90049000

RE: WATER RIGHT NO. 96-07911

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:blm

Enclosure

MICROFILMED
MAR 06 1992



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 28 1991

A. GENERAL INFORMATION

Permit No. Department of Water Resources


1. Owner: William M. Elliot Phone No. 213-999-0719
Current Address: 11951 Mayfield Ave. #206 Los Angeles CA 90049
2. Accompanied by: Mrs. Wallace EXAM. DATE: 7/17/90
Address: _____ Phone No. 263-7103
Relationship to Permit Holder: Rentor/Neighbor
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

MICROFILMED

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached (required for irrigation of 10 acres or more).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

The well has a submersible pump with a buried line to (2) 86 gallon pressure tanks which are also buried. The lines to the homes are inside a buried culvert + Tunnel. The irrigation portion of the system has a 2 inch buried line to the timer control inside the barn. The water then travels underground to an area where the pipes divide into 3 set-ups: One for each of 2 orchards and one for the garden. The orchards have drip irrigation systems and the lawns & Gardens have 5/32" impact sprinklers on vinyl hoses.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible					

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	SE	35	55N	4W	Bonner	Map

6. Place(s) of Use:

Indicate Method of Determination Map

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
55N	4W	35															P		1

Do not use this space

MAR 06 1992

Do not use this space

D. FLOW MEASUREMENTS None

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Pressure gage at 45 psi

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{1.0} \times \underline{3.5} = \underline{3.5 \text{ AFA}}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{0.03} \times \underline{195 \text{ days}} \times \underline{1.9835} = \underline{11.6 \text{ AFA}}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{3.5 \text{ AFA}}$

2. Volume Calculations for Other Uses:

$0.03 \times 195 \times 1.9835 = 11.6 \text{ AFA}$

1 home

MAR 06 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1-1	12-31	0.02 cfs	0.6 AFA
Irrigation	5/15	10/15	0.03 cfs	3.5 AFA
Totals:			0.05 cfs	4.1 AFA

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name

Theresa J. Bright

Signature


Theresa J. Bright

Certification Date

4/16/90

Field Report Preparation Date



7/17/90



- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.


EXPIRED

MAR 06 1992




MICROFILMED

MAR 06 1992



ASIDE FILMED

MAR 06 1992



TWP, 55N RGE, 4W SEC, 35 MAP # D-54 MAP SCALE
DATE OF EXAM 96-07911 IT # 96-7911

One Orchard @	80' x 200' =	16,000 sq ft
One Orchard @	80' x 200' =	16,000 sq ft
One garden @	65' x 60' =	3,900 sq ft
One lawn @	60' x 100' =	6,000 sq ft
One lawn @	60' x 40' =	2,400 sq ft
		<u>44,300 sq ft</u> = 1.02 ^{acre}
		43,560 sq ft/Acre

for Orchards' drip 80 emitters at $\frac{1}{2}$ gph = 40 gph or ~~0.7~~ 0.7 gpm

2 lawn Sprinklers @ $\frac{5}{32}$ " x 45 psi = $(4.68 \text{ gpm})(2) = 9.36 \text{ gpm}$

$$9.36 + 0.7 = \frac{10.06}{448.8 \text{ gpm/cfs}} = 0.022 \text{ cfs}$$


$\therefore$ allow 0.03 to insure adequate water

Defco Rain mate emitters $\frac{1}{2}$ gph/emitter as per Telephone Conversation with the plant Mill 7/19/90 TB

MICROFILMED

MAR 06 1992

WILLIAM M. ELLIOTT
ATTORNEY AT LAW
11951 MAYFIELD AVENUE
SUITE 206
LOS ANGELES, CALIFORNIA 90049
TELEPHONE: (213) 820-1222



October 3, 1989

Mr. Tom D. King
State of Idaho
Department of Water Resources
Suite 210
1910 Northwest Blvd.
Coeur d'Alene, Idaho 83814

Dear Mr. King:

I have received your letter, dated August 14, 1989.
I do have a caretaker residing on the premises. His
name and telephone number is Terry Wallace, (208)
263-7103. Please call him to make arrangements to
inspect the property in order to issue the license.
If there are any further questions, please contact
me.

Sincerely,

William M Elliott
William M. Elliott

jae

cc Mr. Terry Wallace

MICROFILMED

MAR 06 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

* NOTE!
NEW
ADDRESS

Permit No.

96-7911

Name(s) of Permit Holder(s):

A.F. HOFSTATTER, W. M. ELLIOTT

* Post Office Address:

2527 NIPOMO AVE

LONG BEACH CAL 90815

Tel. No.

213 493 5341

☒ I hereby certify that construction of diversion works for the above referenced permit began on AUG. 27, 1980 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

JUL. 7 1982

Date

[Signature]
Signature of Permit Holder

PLACE
STAMP
HERE

RECEIVED

MAR 06 1992



RECEIVED

JUL 12 1982

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED

JUL 12 1982

Department of Water Resources

2527 Nipomo Avenue
Long Beach, CA 90815

July 9, 1982

RE: Permit No. 96-7911

State of Idaho
DEPT. OF WATER RESOURCES
450 W. State Street
Boise, Idaho 83720

Attention: Mr. David R. Tuthill, Jr.

Dear Mr. Tuthill:


Enclosed is the "Commencement of Works" card in response to your letter of June 24, 1982.

When I received the approved permit, you had attached a memo directing a permittee to submit proof of beneficial use of the water on a form available from the Department of Water Resources. Is the enclosed blue card that form?

If it is not, please forward the applicable form so I can finish the procedure to obtain the water license.

For information: a 6" diameter, steel casing well, complete with submerged pump, irrigation lines, and pressure tanks are now installed. Water is presently in use to irrigate a newly planted orchard. Further expansion is planned over the next three years for residence, live stock, and irrigation.

Very truly yours,



A. F. Hofstatter

AFH:cl
Enclosure

cc: Mr. W. M. Elliott

*Blue card mailed
7-16-82
J.F.*

RECEIVED
MAR 06 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
August 14, 1989
Governor

R. KEITH HIGGINSON
Director

Mr. William Elliott
11951 Mayfield ave #206
Los Angeles, Ca. 90049

Re: 96-7911

Dear Applicant:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you prior to the time the examination is made so that you may demonstrate the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

TDK/pms

MICROFILMED

SEP 27 1989



May 1, 1989

William M. Elliott
11951 Mayfield Ave. #206
Los Angeles, CA 90049

Re: Permit No. 96-7911

Dear Mr. Elliott:

Returned is your request for extension of time form received in this office January 16, 1989. The proof of beneficial use form, submitted to this office February 6, 1989, is accepted in lieu of the request for an extension. The \$15 fee submitted with the request for an extension has been added to the \$35 received with the proof to be applied to the licensing examination fee of \$50.

The next step is for the department to notify the region that a field examination is needed. I cannot tell you when the field examination will be conducted, but the region will contact Terry Wallace to work out a convenient time for the field exam to take place.

If you have any questions regarding the field exam, please contact the Northern Regional office at 765-4639.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

c: N. Region

MICROFILMED

SEP 27 1989

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 94-7911

Date: 4-19-89

General Considerations:

y Name same as permit
y Signature the same as permit holder
y Address change _____ If yes, prepare a data entry
y Proof received timely _____
_____ Reinstated

Source of Water:

y Surface water
y Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

y Rate of diversion appropriate for uses
y Is rate or volume and fee appropriate?
1 Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

NA Is a measuring device or access port required?
NA Has one been installed?
NA Waiver or modification of measuring device requested

Remarks:

Proof acceptable

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	- _____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

FEB 06 1989

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

Ext.
\$5.00
1/18/89
C005156
CPFor Office Use Only
Fee Received \$35.00
Date 2/7/89
Receipt # C005422
Receipt by CP
Reviewed by
Sent to region

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 96-7911Name(s) of Permit Holder: William M. ElliottPost Office Address: 11951 Mayfield Ave., #206, Los Angeles, CA 90049Telephone No. (213) 820-1222Source of Water: Well

Extent of Use:

Domestic 2 (number of households) Stockwater X * (number and type of stock)
Irrigation 1-2 acres (acres) Other/Remark _____

*None at this time. For future.

Total rate and/or volume for which proof is submitted .05-.20 cfs 5-20 acre-feetShow the date water was first diverted and beneficially used under this permit: approximately 1981Measuring Device: Required? Yes No
Installed? Yes NoFee enclosed \$50.00
(See License Examination Fee Schedule)Flow Measurement Port: Required? Yes No
Installed? Yes NoDon't know if it is required
Nothing installed

Person to contact to accompany the Department representative during the field examination:

Terry Wallace (208) 263-7103
(Name) (Telephone Number)Rt. 1, Box 254A, Priest River, Idaho 83856
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

SEP 27 1989

Date

2/2/89

Signature of Permit Holder (and title, if appropriate)

W. Elliott M. Elliott

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Bill Elliot or Al Hofstatter</u> Address <u>615 Minnetka Circle Woodland Hills, Cal.</u> Owner's Permit No. _____	7. WATER LEVEL Static water level <u>111</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ of _____ Quality _____																																								
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____	8. WELL TEST DATA ☐ Pump ☒ Bailer ☐ Air ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr> <td><u>15</u></td> <td><u>113</u></td> <td><u>2</u></td> </tr> </tbody> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>15</u>	<u>113</u>	<u>2</u>																																		
Discharge G.P.M.	Pumping Level	Hours Pumped																																							
<u>15</u>	<u>113</u>	<u>2</u>																																							
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type: _____)	9. LITHOLOGIC LOG <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Hole Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr> <td>6</td> <td>0</td> <td>3</td> <td>surface soil</td> <td></td> <td>X</td> </tr> <tr> <td>6</td> <td>3</td> <td>28</td> <td>sand & gravel</td> <td></td> <td>X</td> </tr> <tr> <td>6</td> <td>28</td> <td>35</td> <td>sand & pea gravel</td> <td></td> <td>X</td> </tr> <tr> <td>6</td> <td>35</td> <td>125</td> <td>sand & gravel some brown clay</td> <td>X</td> <td></td> </tr> <tr> <td>6</td> <td>125</td> <td>143</td> <td>sand & pea gravel some brown clay</td> <td>X</td> <td></td> </tr> </tbody> </table>	Hole Diam.	Depth		Material	Water		From	To	Yes	No	6	0	3	surface soil		X	6	3	28	sand & gravel		X	6	28	35	sand & pea gravel		X	6	35	125	sand & gravel some brown clay	X		6	125	143	sand & pea gravel some brown clay	X	
Hole Diam.	Depth		Material	Water																																					
	From	To		Yes	No																																				
6	0	3	surface soil		X																																				
6	3	28	sand & gravel		X																																				
6	28	35	sand & pea gravel		X																																				
6	35	125	sand & gravel some brown clay	X																																					
6	125	143	sand & pea gravel some brown clay	X																																					
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☒ Cable ☐ Dug ☐ Other _____																																									
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>.250</u> inches</td> <td><u>6</u> inches</td> <td><u>1</u> feet</td> <td><u>133</u> feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☒ Yes ☐ No Manufacturer's name <u>Johnson</u> Type <u>stainless steel</u> Model No. _____ Diameter <u>5 1/2</u> Slot size <u>35</u> Set from <u>138</u> feet to <u>143</u> feet Gravel packed? ☐ Yes ☒ No Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>18</u> Material used in seal: ☐ Cement grout ☐ Pudding clay ☒ Well cuttings Sealing procedure used: ☐ Shurry pit ☒ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between struts Describe access port <u>well cap</u>	Thickness	Diameter	From	To	<u>.250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>133</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet									
Thickness	Diameter	From	To																																						
<u>.250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>133</u> feet																																						
_____ inches	_____ inches	_____ feet	_____ feet																																						
_____ inches	_____ inches	_____ feet	_____ feet																																						
_____ inches	_____ inches	_____ feet	_____ feet																																						
Number	From	To																																							
_____ perforations	_____ feet	_____ feet																																							
_____ perforations	_____ feet	_____ feet																																							
_____ perforations	_____ feet	_____ feet																																							
6. LOCATION OF WELL Sketch map location must agree with written location. Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Bonner</u> SE 1/4 Sec. 35 T. 40 N. R. 12 E. W.	10. Work started <u>8-23-80</u> finished <u>8-27-80</u>																																								
	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Bonham Water Wells</u> Firm No. <u>360</u> Address <u>P.O. Box 1 Spirit Lake, Idaho 8-27-80</u> Signed by (Firm Official) <u>[Signature]</u> and _____ (Operator)																																								

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

SEP 27 1989

January 31, 1989

To: Rita I. Fleck

Enclosed is the Proof of Beneficial Use form for Mr. Elliott. I believe you are holding his \$15 check and I am enclosing \$35 to cover the balance due for filing this form. If you have any questions, Mr. Elliott or I can be reached during the day at (213) 201-3418.


J.E.

RECEIVED

FEB 06 1989

Department of Water Resources

MICROFILMED

SEP 27 1989

January 20, 1989

William M. Elliott
11951 Mayfield Avenue, #206
Los Angeles, CA 90049

Dear Mr. Elliott:

Re: Permit No. 96-7911

I received the request for extension of time submitted to this office on January 16, 1989. I've taken a few minutes to review it in connection with the water right file. I have some concerns I wish to bring to your attention.

In order for the department to grant an extension of time, the extension request must meet one of the provisions as outlined in the Idaho statutes. Basically, the provisions are extensions for project delays caused by governmental agencies (i.e. easements, permit approvals, etc.), and delays caused by litigation which brings title to the water into question. In addition, the department can grant one extension of time based on due diligence which is a showing of good faith toward the development of the project.

In 1985, the department granted an extension of time based on due diligence. The department cannot grant another extension unless you submit the extension request based on one of the other provisions. If you cannot do this, then as an alternative, you may wish to submit the proof of beneficial use and licensing exam fee for that portion of the right developed. Then in the future when you are ready to develop, you can apply for a permit to develop that portion of the water right not developed under this permit. (Note the permit is issued to cover irrigation of only 20 acres instead of 40 as indicated on the extension request.

Enclosed for your convenience is a proof of beneficial use form and instruction/fee schedule. Should you decide to submit proof, the \$15 filing fee for the extension request can be applied to the licensing exam fee.

I will hold this extension request for thirty days. Please advise me as to what action you wish the department to take.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enc.

INDEXED
SEP 27 1989

WILLIAM M. ELLIOTT
ATTORNEY AT LAW
11951 MAYFIELD AVENUE
SUITE 206
LOS ANGELES, CALIFORNIA 90049
TELEPHONE: (213) 820-1222

RECEIVED

JAN 16 1989

January 9, 1988

Department of Water Resources

Ms. Rita I. Fleck
Secretary/Records Manager
State of Idaho
Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, Idaho 83720

Dear Ms. Fleck:

Re: Permit No. 96-7911

I had the opportunity of discussing the renewal of the referenced permit number with Mr. Elliott in greater detail. He advised me his intentions are to further develop the water system and, therefore, will request an extension of time. The application for this request and \$15 check is enclosed. Please return his original \$50 check to Mr. Elliott. If you need further clarification, I can be reached during the day at (213) 201-3418.

Sincerely,


Joy A. Edge
Secretary to Mr. Elliott

jae

Enclosures

MICROFILMED

SEP 27 1989

January 6, 1988

William M. Elliott
11951 Mayfield Avenue #206
Los Angeles, CA 90049

Dear Mr. Elliott:

Re: Permit No. 96-7911

Returned is your check No. 1586 (16-66/1220) in the amount of \$50.

Pursuant to a telephone conversation with Joy, the department was instructed to return the check and that you would be submitting a request for extension of time instead. The extension and \$15 filing fee would be submitted together.

If you have any questions concerning this matter, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

c: Acct. Sec.

MICROFILMED

SEP 27 1989

96-07911

WILLIAM M. ELLIOTT
ATTORNEY AT LAW
11951 MAYFIELD AVENUE
SUITE 206
LOS ANGELES, CALIFORNIA 90049
TELEPHONE: (213) 820-1222


RECEIVED

DEC 27 1988

December 20, 1988

Depart

resources



Idaho Department of Water Resources
4055 Government Way
Coeur d'Alene, Idaho 83814

Gentlemen:

I am in receipt of Mr. Saxton's letter of December 1, 1988, referring to "Examination Fee Notice". You sent the letter to my former partner, A. F. Hofstatter. However, I am the sole owner of the property and the permit holder. In response to your inquiry, I do wish to have the property inspected, in order to have the license issued confirming use of the water under the permit.

My files are in Idaho and I do not have a copy of the application form that was submitted a number of years ago to specifically identify the amount of water claimed. I would appreciate it if you would send me a photocopy of that form for my records here in Los Angeles. I do not live on the property full time but plan to be a full-time resident in the near future. However, I do have a caretaker living on the property. I would appreciate if you would contact him and make arrangements to visit the property, conduct the field examination and issue the appropriate permit.

The caretaker's name, address and telephone number is as follows: Terry Wallace, P. O. Box 1, Box 254A, Priest River, Idaho 83856, (208) 263-7103.

I do visit the property a number of times during the year. I own 40 acres; have two residences on the property; a fully functioning barn and two orchards which, in the spring and summer, are watered by an automatic irrigation system. I believe in the application form we filed years ago, we indicated in the future that we might plan to use some water for the feeding of livestock. I would like to have that factored into the examination.

I am enclosing herewith my check in the amount of \$50 as payment for the fee involved for this examination. If my memory is correct, this category falls within the application form we submitted and the fee should be appropriate. If, for some reason, however, the fee is not within the parameters of the

SEP 27 1988

application form we submitted, please advise me and I will send the additional amount required.

My address in Los Angeles is William M. Elliott, 11951 Mayfield Avenue, Unit 206, Los Angeles, CA 90049, Telephone number, (213) 820-1222.

Sincerely,

William M Elliott
William M. Elliott

jae

Enclosure

MICROFILMED

SEP 27 1989

December 29, 1988

138883

ALFRED F. HOFSTATTER
W. M. ELLIOTT
33942 PEQUITO DR.
DANA POINT, CA 92629

PROOF DUE NOTICE

RE: PERMIT NO. 96-7911

Gentlemen:

On December 1, 1988, the department sent you a letter notifying you of the need to submit an examination fee. That letter was sent in error and should be ignored. This letter accomplishes the same thing only under the proper procedure given the permit statutes.

One of the conditons of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before March 1, 1989. (See the enclosed order.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time provided the delay is for reasonable cause as described in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosures

MICROFILMED

SEP 27 1989

SENDER: Complete items 1, 2, 3 and 4.

Put your address in the "RETURN TO" space on the reverse side. Failure to do this will prevent this card from being returned to you. The return receipt fee will provide you the name of the person delivered to and the date of delivery. For additional fees the following services are available. Consult postmaster for fees and check box(es) for service(s) requested.

1. ☐ Show to whom, date and address of delivery.
2. ☐ Restricted Delivery.

3. Article Addressed to:

A. F. Hofstatter
33942 Pequito Dr.
Dana Point, CA 92629

4. Type of Service:

- ☐ Registered
☒ Certified
☐ Express Mail

96-11111
11230-11111
SEP 27 1989

Always obtain signature of addressee or agent and
DATE DELIVERED.

5. Signature - Addressee

X

6. Signature - Agent

X

7. Date of Delivery

12. 5. 88

8. Addressee's Address (ONLY if requested and fee paid)

DOMESTIC RETURN RECEIPT

UNITED STATES POSTAL SERVICE
OFFICIAL BUSINESS

RECEIVED



SENDER INSTRUCTIONS:

Print your name, address, and ZIP Code in the space below.

- Complete Items 1, 2, 3, and 4 on the reverse.
- Attach to front of article if space permits, otherwise affix to back of article.
- Endorse article "Return Receipt Requested" adjacent to number.

DEC 08 1988

PENALTY FOR PRIVATE
USE, \$300

RETURN
TO



DEC 27 1989

Department of Water Resources
Department of Water Resources

(Name of Sender)

201 N. Orchard

(No. and Street, Apt., Suite, P.O. Box or R.D. No.)

Idaho, ID 83706

(City, State, and ZIP Code)



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

December 1, 1988

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

96-7911
A. F. Hofstatter
33942 Pequito Dr.
Dana Point, CA 92629

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this Department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the Department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the Department, but you must within sixty (60) days of the date of this letter return to the Department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the Department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers or geologists certified by the Department to conduct water right examinations. A listing of certified water right examiners is available from this Department.

MICROFILMED

SEP 27 1989

If your permitted use, in fact, has already been examined by the Department and you have not asked to have the examination repeated,

the fee requirement is not applicable to your permit. If you believe this is the case, please contact the Department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following Department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
2148 4th Avenue East
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
2735 Airport Way
Boise, ID 83705
Phone: 334-2190

Sincerely,


L. GLEN SAXTON
Chief, Operations Bureau

LGS:hm

Enclosures

MICROFILMED

SEP 27 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
R. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

JANUARY 29, 1986

A. F. HOFSTATTER
33942 PEQUITO DR.
DANA POINT CA 92629

RE: Permit No. 96-7911

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 765-4639 or in person at our office.

Sincerely,

/S/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MICROFILMED

SEP 27 1989

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has consented to the development to the extent shown below of permit No. 96-7911.

Name(s) of Permit Holder: ALFRED F HOFSTATTER, WILLIAM M. ELLIOTT

Post Office Address: 2527 ALPINE AVE 33942 PEQUIN OR
PANA POINT CA 92629
2016 BERRY CA 90815 Tel. No. 714-493-4907

Source of Water: WELL

Extent of Use: ☒ Domestic 2 (number of households)
☐ Stockwater _____ (number and type of stock)
☒ Irrigation 2 (acres)
☐ Other _____

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No
Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

7-22-85

[Signature]

MICROFILMED

Department of Water Resources
Northern District

RECEIVED

FEB 21 1986

ALFRED F. HOFSTATTER

33942 PEQUITO DRIVE • DANA POINT, CALIFORNIA 92629 • (714) 493-4907

Department of Water Resources

RECEIVED
February 4 1986
FEB 1986
Department of Water Resources
Northern District Office

Mr. Tom D. King
Sr. Water Resource Agent,
4055 Government Way
Coeur d'Alene ID 83814

Re: 96-7911

Dear Mr. King,

I have received an extension to December
of 1988. Therefore a field examination is
not needed at this time.

I will contact you when our water
project is complete.

Sincerely,

Alfred F. Hofstadter

Encl: Permit extension

MICROFILMED

December 19, 1985

Alfred F. Hofstatter
William M. Elliott
33922 Pequito Dr.
Dana Point, CA 82629

Gentlemen:

Re: Permit No. 96-7911

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial-use is extended to December 1, 1988.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

MICROFILMED

STAFF VIEW OF REQUESTS FOR EXTENSION OF TIME

Permit No. 96-2911

BASIC INFORMATION ABOUT EXTENSION REQUEST

Check for the following:

- ☒ Date received stamp
☒ Extension received within six months of due date (if greater than, return extension)
☒ Fee received and receipted
☒ Name and signature same as on permit
☒ Address change? If so, complete coding sheet
☒ Source of water the same?
☒ Extension previously approved?
☒ Do conditions of approval restrict the extension?

Indicate basis: _____

REASON FOR GRANTING EXTENSION

- ☒ Due diligence
☒ Work completed - Adequate to show due diligence?
☒ Cost incurred - Adequate to show due diligence?

_____ Litigation _____ Swan Falls _____ Dismissed from Swan Falls
 _____ Have supporting documents been submitted?

Date litigation completed _____

Date litigation began _____

Total period of delay = _____

Proof due date _____

NEW PRIORITY DATE _____

=====

_____ Delayed by a governmental agency
 _____ Permit holder provided supporting documents?

REASON FOR DENIAL _____

RECOMMENDATION FOR ACTION

Recommend approval based on due diligence

Additional conditions:

☒ Reinstate: Date extension received _____ = _____
 Proof due date _____ = _____
 No. of days late _____
 Priority date _____ = _____

ADJUSTED PRIORITY DATE _____

_____ Is there commencement of works?
 _____ Prepared coding sheet?
 _____ Change rolodex card

Reviewed by _____

Date

12-16-85**MICROFILMED**



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse
Boise, Idaho 83720
(208) 334-4440

EXTENSION OF TIME

December 9, 1985

Alfred F. Hofstatter
William M. Elliott
33942 Pequito Dr.
Dana Point, CA 92629

PERMIT NO. 96-7911

We are in receipt of the \$15 extension fee for Extension(s) of Time to provide additional time in which to submit proof of beneficial use on a water right permit.

Your request for extension(s) of time is being reviewed by staff. You will be informed of our decision when review has been completed.

Enclosed is our receipt No. 37338.

Roberta Garrett
Records Supervisor

Enclosure

MICROFILMED

INTER-DEPARTMENT MEMO — 1

FROM Rita Fleck

DATE 11-22-1985

TO File 96-7911 - Hofstatter/Elliott

SUBJECT Returned Proof Notice

The Bonner County Assessor's Office has
33942 Peguito Dr. Dana Point CA 92629
as an address for A. F. Hofstatter.

MICROFILMED


[Signature]

SIGNATURE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Statehouse
Boise, Idaho 83720

RECEIVED

OCT 31 1985



Returned to
TO
SENDER


Attempted not known
Insufficient Address 81509
Forwarding Order Expired

Department of Water Resources

0909SEN1 10/09/85

RETURN TO SENDER
NO FORWARDING ORDER ON FILE
UNABLE TO FORWARD

81509
EW



MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138403

ELLIOTT, W. M.
HOFSTATTER, A. F.
2527 NIPOMO AVE.
LONG BEACH, CA 90815

PROOF DUE NOTICE

SEPTEMBER 30, 1985

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 96-7911 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE DECEMBER 01, 1985. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A FORM WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE FORM OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

September 5, 1985

A. F. Hofstatter
2527 Nipomo Avenue
Long Beach, CA 90815

Re: Permit No. 96-7911

Dear Mr. Hofstatter:

Pursuant to our telephone conversation, enclosed is the proof of beneficial use form and a blank extension of time request.

The proof form should be submitted at the time you have completed all of the project that you intend to. It is a statement conveying your wish for the Department to conduct a field inspection of the project to recommend the permit for licensing based on the amount of water being diverted and the extent of use.

Since you still wish to put additional land under irrigation, I recommend filing a request for an extension of time. Upon approval, this will allow you additional time in which to develop more acreage. In five years, the Department will again notify you that proof is due, and based upon the findings of the field examiner, a license can be issued for the extent of use found.

Your other option is to return the proof of beneficial use. This essentially ends the amount of development that you can do on this project under this permit. For any additional lands you wish to put under irrigation, you would need to start the application-permit-licensing procedure over again. You would also be starting with a new priority date, which would be the date you actually file the new application.

My suggestion is to submit the extension of time since it allows you to continue to put land already covered by a permit under irrigation. Enclosed for your convenience is an extension of time form. Please note the \$15 filing fee.

If you have any questions, please feel free to contact me.

Sincerely,

A handwritten signature in cursive script, reading "Rita I. Fleck", is written over the typed name.

RITA I. FLECK
Secretary/Records Manager

RIF/ljs Enclosures

MICROFILMED

ALFRED F. HOFSTATTER

33942 PEQUITO DRIVE • DANA POINT, CALIFORNIA 92629 • (714) 493-4907

RECEIVED

JUL 29 1985

July 21, 1985

Ms. Rita I. Fleck
State of Idaho
Department of Water Resources
State Office
450 W. State St.
Boise, 83720 ID.

Department of Water Resources

ATTN, Water Rights, ref, 96-7911

Dear Ms. Fleck

I am submitting the Beneficial Use postcard, as the water project is complete. Please advise what the fee will be to file for water rights.

Sincerely,


Alfred F. Hofstatter

MICROFILMED

RECEIVED

Rita
ALFRED F. HOFSTATTER

SEP 20 1982

2527 NIPOMO AVENUE • LONG BEACH, CALIFORNIA 90815 • TELEPHONE: (213) 493-1334 *Department of Water Resources*

September 17, 1982

STATE OF IDAHO
Department of Water Resources
450 West State Street
Boise, ID 83720

Attention: Ms. Rita Flock

Reference: Permit No. 96-7911

Dear Ms. Flock:

Thank you for the call inquiring about my water permit development. My records show that on July 9, 1982, I filed a "Commencement of Works" card (see the attached enclosure).

On July 22, 1982, I filed a "Development Completed To Date" card, also enclosed. Per our discussion, please disregard the July 22, 1982, submission, as the level of completion - as of now - is not finished. When I have finished the water system development, a "Statement of Completion" will be forwarded to you.

I appreciate your personal attention to the permit application records. Thank you again for calling this to my attention.

Sincerely,



A. F. Hofstatter

AFH:cl
Enclosures (2)

cc: Mr. W. M. Elliott / 4615 Winnetka Circle / Woodland Hills, CA 91364

MICROFILMED

A.F. HOFSTATTER
2527 NIPOMO AVE
LONG BEACH CA 90815



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 96-7911.

Name(s) of Permit Holder: ALFRED F. HOFSTATTER, WILLIAM M. ELLIOTT

Post Office Address: 2527 NIPOMO AVE
LONG BEACH CA 90815 Tel. No. 213 493 5341

Source of Water: WELL

Extent of Use: ☒ Domestic 1 (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation 2 (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No
Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

7-22-82
Date

Alfred F. Hofstatter
Signature of Permit Holder

MICROFILMED

2527 Nipomo Avenue
Long Beach, CA 90815

July 9, 1982

RE: Permit No. 96-7911

State of Idaho
DEPT. OF WATER RESOURCES
450 W. State Street
Boise, Idaho 83720

Attention: Mr. David R. Tuthill, Jr.

Dear Mr. Tuthill:

Enclosed is the "Commencement of Works" card in response to your letter of June 24, 1982.

When I received the approved permit, you had attached a memo directing a permittee to submit proof of beneficial use of the water on a form available from the Department of Water Resources. Is the enclosed blue card that form?

If it is not, please forward the applicable form so I can finish the procedure to obtain the water license.

For information: a 6" diameter, steel casing well, complete with submerged pump, irrigation lines, and pressure tanks are now installed. Water is presently in use to irrigate a newly planted orchard. Further expansion is planned over the next three years for residence, live stock, and irrigation.

Very truly yours,


A. F. Hofstatter

AFH:cl
Enclosure

cc: Mr. W. M. Elliott

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

* NOTE!
NEW
ADDRESS

Permit No. 96-7911

Name(s) of Permit Holder(s): A.F. HOFSTATTER, W.M. ELLIOTT

* Post Office Address: 2527 NIPOMO AVE
LONG BEACH CAL 90815 Tel. No. 213 493 5341

☒ I hereby certify that construction of diversion works for the above referenced permit began on AUG. 27, 1980 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control:


*Note: A financing difficulty is not an acceptable reason.

JUL 7 1982
Date

[Signature]
Signature of Permit Holder

MICROFILMED

Mr. A. F. Hofstatter
2527 Nipomo Avenue
Long Beach, CA 90815



RECEIVED

STATE OF IDAHO
Department of Water Resources
450 West State Street
Boise, ID 83720

Attention: Ms. Rita Flock

September 15, 1982

A. F. Hofstatter
2527 Nipomo Avenue
Long Beach, CA 90815

Dear Mr. Hofstatter:

Re: Permit No. 96-7911

Pursuant to our telephone conversation, enclosed is the Statement of Beneficial Use postcard. It should be returned at the time the proposed project is completed, otherwise, we will send you a certified letter requesting it sometime late 1985.

The Commencement of Works postcard is in. No further action needs to be taken at this time.

If you have any questions concerning your water right permit, please feel free to contact me at 334-4290.

Sincerely,

RITA I. FLECK
Sr. Secretary

Enclosure

p.s. We have changed our records to show the new address.

MICROFILMED

S T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

HOFSTATTER, A. F.
20241 RUSTON RD.
WOODLAND HILLS, CA 91364

DECEMBER 31, 1980

RE: PERMIT NO. 96-7911

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JK

APPLICATION NUMBER: 96-7911

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 11/24/80 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 10/18/80 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
10/20/80 Date of priority recommended.
✓ Special conditions of approval or cover letter. _____

By: JK

Date: 12/3/80

MICROFILMED

STATE OFFICE REVIEW:

- ☐ See attached sheet for more information.


By: Kobyn

Date: 12/23/80

DEC 30 8 12 AM '80

Idaho Dept of Water Resources

WILLIAM M. ELLIOTT
ATTORNEY AT LAW
4615 WINNETKA CIRCLE
WOODLAND HILLS, CALIFORNIA 91364



Idaho Department of Water Resources
Broadbent Business Park
92 South Cole Road
Boise, Idaho 83709

96-7911

HOFSTATTER, A. F.
ELLIOTT, W. M.

20241 RUSTON RD., WOODLAND HILLS, CA 91364

Source: GROUNDWATER

Date Filed: 10/20/1980

Amount: 0.15 CFS

Diversion Point: SWSE SESE Sec 35 T 55N R 04W, BONNER Co.

Use: IRRIGATION	(0.13 CFS)	from 05/15 to 10/15
DOMESTIC	(0.02 CFS)	from 01/01 to 12/31

Place of Use: SWSE SESE Sec 35 T 55N R 04W FOR 20 ACRES

Diversion Means: WELL, PUMP AND PIPELINE.

MICROFILMED