

T 57 N
5343000m N

Bottle Bay



T 56 N
SAGLE 25 MI



10
SANDPOINT 11 MI
5.6 MI TO US BS



(SANDPOINT 1:125 000)



T 55 N



MICROFILMED



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 96-7900 Priority September 4, 1980 Amount 0.04 cfs

THIS IS TO CERTIFY, that Charles E. or Deanna M. Martin Sr.
of Sagle, Idaho, has complied with the terms and conditions of Permit
No. 96-7900 issued pursuant to Application for Permit dated September 4, 1980,
and has submitted proof to the Department of Water Resources on October 1, 1981,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.04 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Domestic (1 unit)	from <u>January 1</u> to <u>December 31</u>	at <u>0.04</u> cfs and	<u>1.2</u> acre feet
	from _____ to _____	cfs and	
	from _____ to _____	cfs and	

(both dates inclusive)

Subject, however, to the condition that no more than 0.04 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
1.2 acre feet per year, said waters to be diverted within the NE $\frac{1}{4}$ SW $\frac{1}{4}$, Section 22, Twp.
56N, Rge. 1W in the County of Bonner

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
56N	1W	22									X								

Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 29th day of
April, 19 82.

Acting for the Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant CHARLES E. OR DEANNA M. MARTIN, SR. Phone _____

Post office address BOX 538, SAGLE, ID 83860

2. Source of water supply GROUND WATER which is a tributary of _____

3. Location of point of diversion is NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 22 Township 56N

Range 1W B.M. BONNER County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.04 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.04 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL & PUMP

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6 inches; proposed depth of well is 185 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 22 Township 56N
Range 1W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water ONE.

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. NONE

9. a. Who owns the property at the point of diversion APPLICANT

b. Who owns the land to be irrigated or place of use it

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

22 T-56N
P.D.
P/O
R-16

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Mr. Charles C. Martin, Sr.
(Applicant)

Proposed Priority

9/4/80

Received by KK Date 9/4/80 Time 9:00 A

Preliminary check by JK Fee \$ 30⁰⁰

Received by KK Date 9/4/80 #15388

Publication prepared by mo Date 9/4/80

Published in Sandpoint Daily Bee

Publication dates 9/10/80-9/17/80

Publication approved mo Date 9/24/80

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by BA RA

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-7900, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 19 81.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: _____

Witness my hand this 17 day of October, 19 80.

David R. Tuttle
Acting Chief, Water Resources

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Pete Thompson being first duly sworn on oath deposes and says that he is publisher of the Sandpoint Daily Bee, and News Bulletin, newspapers printed and published at Sandpoint, in Bonner County, Idaho; that the said newspapers have been continuously and uninterruptedly published in said Bonner County during a period of 12 months prior to the first publication of the hereto attached notice of publication in the case of _____

Application for Water Right
as it was published in the regular and entire issue of the said paper for a period of 2 consecutive weeks, commencing on 10 day of 9, 1980 and ending on the 17 day of 9, 1980 and that said notice was published in said newspaper.

Pete Thompson

Subscribed and sworn to before me this 22 day of Sept, 1980.

All M. Thompson

Notary Public for Idaho,

Residing at Sandpoint, Idaho

**NOTICE OF
APPLICATION FOR
WATER RIGHT**

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

96-7898

FOURNIER, BERTON O.
&/or ALMA E.

RT. 1 BOX 286, SAGLE, ID
83860

Source: GROUNDWATER

Date Filed: 08/27/1980

Amount: 0.40 CFS

Diversion Point: SENW Sec
16 T 56N R 02W, BONNER,
Co.

Use: INDUSTRIAL (0.30
CFS) from 01/01 to 12/31
DOMESTIC (0.10 CFS) from
01/01 to 12/31

Place of Use: SENW Sec 16 T
56N R 02W

Diversion Means: WELL,
PUMP AND PIPELINE.

96-7900

MARTIN, SR., CHARLES E.
MARTIN, DEANNA M.

P.O. BOX 538, SAGLE, ID
83860

Source: GROUNDWATER

Date Filed: 09/04/1980

Amount: 0.04 CFS

Diversion Point: NESW Sec
22 T 56N R 01W, BONNER
Co.

Use: DOMESTIC (0.04 CFS)
from 01/01 to 12/31

Place of Use: NESW Sec 22 T
56N R 01W

Diversion Means: WELL
AND PUMP

If issued the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id., 83814 on or before SEPTEMBER 29, 1980.

C. STEPHEN ALLRED
Director

Published 9/10 & 9/17, 1980

Department of Water Resources

ALLRED

May 20, 1982

RE: Permit No. 96-7900

Charles E. or Deanna M. Martin Sr.
P.O. Box 538
Sagle, ID 83860

Dear Mr. and Mrs. Martin:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

MICROFILMED

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

RECEIVED

SEP 3 1981

Department of Water Resources

96-1900

Permit No.
9-2

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:			
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

EXAMINATION

Date 8-21-81 Accompanied by - Total Q measured -
If source is surface water, estimate total flow of source -
Methods of measurement Est- Meets Permit requirements? Yes

Measurement calculations: One home

ALLOW .04 cfs per permit

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS

System Description 6" x 185' well with pump & pipeline to home

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE	Irrigation requirement =		AFA/Acre	
	Q (cfs)	V (afa)	FROM	TO
<u>Domestic</u>	<u>0.04</u> ✓	<u>1.2</u> ✓	<u>1-1</u>	<u>12-31</u>
Total	<u>0.04</u> ✓	<u>1.2</u> ✓		

Remarks

MICROFILMED

4-27-82
Juni

[illegible]

(Include distance from pump to measuring device, if applicable.)

Place(s) of Use

[illegible]☐ Other

Date _____

5343000m N

Bottle Bay


Y. 56 N
64516 9.5 MI.

SANDPOINT 11 MI.
58 MI. TO U.S. 66

ISANDPOINT 1,125,000

Y. 55 N

Microfilm 1177



2048 SEPT 1948

O R E I L L E

P E N I N S U L A

N A T

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 96-7900.

Name(s) of Permit Holder: CHARLES E. OR DEBRA M. MARTIN

Post Office Address: P.O. Box 538
SAGE, Id. 83860 Tel. No. 263-9462

Source of Water: WELL

Extent of Use

- ☒ Domestic 1 (number of households)
☐ Stockwater (number and type of stock)
☐ Irrigation (acres)
☐ Other

Measuring Device:

Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

Access Port:

Required? ☐ Yes ☒ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

9/28/81
 Date

Debra M. Martin
 Signature of Permit Holder

C. E. Martin

P.O. Box 538

Sage, Id. 83860

RECEIVED

OCT 1 1981

Department of Water Resources



MICROFILMED

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720





State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

September 2, 1981

Re: Permit No. 96-7900

#138590

Charles E. or Deanna M. Martin, Sr.
Box 538
Sagle, ID 83860

Dear Permit Holder:

One of the conditions of approval of your Water Permit No. 96-7900 was that evidence of the extent of development must be submitted to this office on or before November 1, 1981. (See last page of your approved permit). Enclosed is a post card which may be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted. A request for extension of time form is enclosed for your convenience. Please note that a fee of \$15.00 must be submitted with this form.

Either the beneficial use post card or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise, the permit will lapse and be of no further force or effect within 60 days.

Sincerely,

RITA FLECK
Sr. Secretary

Enclosure

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
C. STEPHEN ALLRED
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

December 12, 1980

Mr. Charles Martin
Box 538
Sagle, Idaho 83860

RE: 96-7900

Dear Mr. Martin:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination, however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office.

Very truly yours,

TOM D. KING
Senior Water Resource Agent

TDK/fms

cc: IDWR - State Office

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 96-7900.

Name(s) of Permit Holder: CHARLES & DEANNA MARTIN

Post Office Address: Box 538

SAGE, ID 83860

Source of Water: GROUNDWATER

Extent of Use: ☒ Domestic 1 (number of households)
☐ Stockwater _____ (number and type of stock)
☐ Irrigation _____ (acres)
☐ Other _____

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

9/4/80
Date

Mr. Charles E. Martin, Jr.
Signature of Permit Holder

PLACE
TEN CENT
STAMP
HERE



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

November 10, 1980


Charles & Deanna Martin, Sr.
Box 538
Sagle, Idaho 83860

Dear Mrs. & Mrs. Martin,

RE: Permit No. 96-7900

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,



DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:mr

Enclosure

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: [Signature]

APPLICATION NUMBER: 96-7900

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 9/29/80 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 9/24/80 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
11/1/80 ✓ Date of priority recommended.
☒ Special conditions of approval or cover letter. _____

By: [Signature]

Date: 9/20/80

MICROFILMED

STATE OFFICE REVIEW:

- Shw to card
☐ See attached sheet for more information.
By: [Signature] Date: 10/15/80

96-7900-

MARTIN, SR., CHARLES E.
MARTIN, DEANNA M.

P.O. BOX 538, SAGLE, ID 83860

Source: GROUNDWATER

Date Filed: 09/04/1980

Amount: 0.04 CFS

Diversion Point: NESW Sec 22 T 56N R 01W, BONNER Co.

Use: DOMESTIC (0.04 CFS) from 01/01 to 12/31

Place of Use: NESW Sec 22 T 56N R 01W

Diversion Means: WELL AND PUMP.

MICROFILMED