

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 96-7866
Name(s) of Permit Holder(s): STEVEN + ROBIN KELSO
Post Office Address: 1555 HAYDEN VIEW DR
HAYDEN ID. Tel. No. 242-7363

☒ I hereby certify that construction of diversion works for the above referenced permit began on 10-21-82 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

11-5-82
Date

[Signature]
Signature of Permit Holder

10. Other water rights on these lands None
11. Other water right diverted from same p.d. None
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☐ Photo of Diversion & System Attached ☐ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks No stock at time of exam but evidence of stock usage is there 10head

15. Recommended Amendments
- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
- ☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

16. Examiner's/Consultant's Signature Robert D. Hays Date 7/30/85

Consultant's License Number _____

IDWR Director's Authorization to Conduct


Beneficial Use Examination _____

Date

CONSULTANT SEAL

MICROFILMED

SEP 27 1989



TWP. 53N RGE. 2W SEC. 31 MAP # E7 MAP SCALE 1" = 1 MILE
DATE OF FIELD EXAM 7/30/85 FIELD REPORT MAP PERMIT # 96-1866

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-07866

Priority: June 6, 1980

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.21 CFS
35.2 AF

This is to certify, that STEVE KELSO
ROBIN KELSO

10025 N. BATEMAN RD.
HAYDEN LAKE, ID 83835

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 14, 1980; and has submitted Proof of Beneficial Use on June 24, 1985. An examination indicates that the works have a diversion capacity of .220 cfs of water from:

SAGE CREEK

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.20 CFS	35.0 AF
STOCKWATER	01/01 to 12/31	0.01 CFS	0.2 AF
	Totals	0.21 CFS	35.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NENW , Sec. 31, Township 53N, Range 02W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
53N	02W	31	NENW	10		10
Total number of acres irrigated:						10

PLACE OF USE: STOCKWATER, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED

SEP 27 1989

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 96-07866

CONDITIONS/REMARKS:

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 4TH
day of AUGUST, 1989.

Acting for


R. Keith Higginson, Director

MICROFILMED

SEP 27 1989

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 96-7866 IN THE
NAME OF STEVEN & ROBIN KELSO

)
) ORDER OF REINSTATEMENT
)

WHEREAS, the Department has issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use be submitted on or before June 1, 1985; and,

WHEREAS, the Department has notified the permit holders by certified mail that proof was due and instructed the permit holders as to the steps to be taken to make said proof; and,

WHEREAS, the Department has notified the permit holders that the permit lapsed for failure of the permit holders to submit proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holders have provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on June 24, 1985;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 96-7866 be REINSTATED and the priority advanced to June 6, 1980.

Dated this 15th day of July, 1985.


L. GLEN SAXTON
Chief, Operations Bureau

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant STEVEN + ROBIN KELSO Phone 772-7363
Post office address 1555 HAYDEN VIEW - COEUR D'ALENE
2. Source of water supply SAGE CREEK which is a tributary of N/A Sinks M.R. 6-25-80
3. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 31 Township 53N
Range 2W B.M. KOOTENAI County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 20 for IRRIGATION purposes from MARCH 15 to NOV. 15 (both dates inclusive)
(cfs or acre-feet per annum) Allow 0.01 6-26-80 G.S.

Amount 205 for LIVESTOCK purposes from JAN 1 to DEC. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

- Allow 0.21 6-26-80 G.S.
- a. 205 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. 2 pumps- size
UNKNOWN AS OF THIS TIME. (PORTABLE TYPE- IF
ALLOWED)
- b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____
- Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 (FIVE) years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

- a. If water is not for irrigation:
- (1) Give the place of use of water: NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 31 Township 53N
Range 2W B.M.
- (2) Amount of power to be generated: _____ horsepower under _____ feet of head.
- (3) List number of each kind of livestock to be watered 20 BEEFCATTLE; 2 HORSES
- (4) Name of municipality to be served N/A, or number of families to be supplied with domestic water _____
- (5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
53 ^N	2W	31	~~10~~				10												10 ACRES

Total number of acres to be irrigated 10 ACRES
(TEN ACRES)

c. Describe any other water rights used for the same purposes as described above. _____


9. a. Who owns the property at the point of diversion STEVEN L AND ROBIN ANN KELSO

b. Who owns the land to be irrigated or place of use STEVEN L AND ROBIN ANN KELSO

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number. **SECT. 31 T53N R2W**



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robin A. Kelso
(Applicant)
Robin A. Kelso

Proposed Priority 5/14/80

Received by ms Date 5/14/80 Time 2:40pm
Preliminary check by KR Fee \$ 35.00
Received by ms Date 5/14/80 (16979)
Publication prepared by KR Date 5/15/80
Published in Coeur d'Alene Times
Publication dates 5/22-29/80
Publication approved ms Date 6/17/80
Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DB Jim

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-7866, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 85.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: _____

Witness my hand this 26th day of June, 19 80.

J. Glen Saxton
Chief, Bureau

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

94-7166

REINHOFER, FRITZ &/or ADA
RT. 1 BOX 37D, CATALDO, ID
83810

Source: SPRINGS

Date Filed: 05/01/1980

Amount: 0.10 CFS

Diversion Point: NENW Sec 30 T

49N R 01E, KOOTENAI Co.

Use: DOMESTIC (0.10 CFS) from
01/01 to 12/31

Place of Use: NENE Sec 30 T 49N R 01E SESW SWSE Sec
19 T 49N R 01E

Diversion Means: DEVELOPED
SPRINGS AND PIPELINE.

94-7167

FOX, EDWARD

RT. 1 BOX 130C, CATALDO, ID
83810

Source: ROBINSON CREEK trib-
utary to MEDICINE LAKE
SPRING tributary to SINKS

Date Filed: 05/12/1980

Amount: 0.06 CFS

Diversion Point: NENE Sec 26 T

48N R 02W SESE Sec 23 T 48N R
02W, KOOTENAI Co.

Use: STOCKWATER (0.02 CFS)
from 01/01 to 12/31; DOMESTIC
(0.04 CFS) from 01/01 to 12/31

Place of Use: SESE Sec 23 T 48N
R 02W NENE Sec 26 T 48N R 02W
Diversion Means: COLLECTION
BOX WITH PIPELINE.

95-8015

DURHAM, WILLIAM H.
N. 9020 COUNTY HOMES BLVD.,
19, SPOKANE, WA 99218

Source: HAYDEN LAKE

Date Filed: 04/08/1980

Amount: 0.05 CFS

Diversion Point: SWNW Sec 03 T

51N R 03W, KOOTENAI Co.

Use: DOMESTIC (0.05 CFS) from
05/01 to 10/01

Place of Use: SWNW Sec 03 T 51N
R 03W

Diversion Means: PUMP

96-7886

KELSO, STEVE &/or ROBIN
1555 HAYDEN VIEW, COEUR D
ALENE, ID 83814

Source: SAGE CREEK

Date Filed: 05/14/1980

Amount: 0.21 CFS

Diversion Point: NENW Sec 31 T

53N R 02W, KOOTENAI Co.

Use: IRRIGATION (0.20 CFS)
from 03/15 to 11/15; STOCK-
WATER (0.01 CFS) from 01/01 to
12/31

Place of Use: NENW Sec 31 T 53N
R 02W FOR 10 ACRES

Diversion Means: PORTABLE
UP PUMP AND PIPELINE.

If issued, the permit(s) will be
subject to all prior water rights.
Protests against the granting of
any permit must be filed with the
director of the Idaho Department
of Water Resources, 4055 Gov't
Way, Coeur d'Alene, Id. 83814 on
or before JUNE 9, 1980.

C. STEPHEN ALLRED
Director

Legal 948

May 22, 29, 1980

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

ss.

upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

of which the annexed is a printed copy, was published in the regular issue of said newspaper for consecutive commencing on the day of 1980, and ending on the day of 1980, and such publication was made as often during said period as said newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this day of 1980.

Department of Water Resources
Northern District Office

LEADER

Notary Public for the State of Idaho
residing at Coeur d'Alene, Idaho.

August 4, 1989

STEVE KELSO
ROBIN KELSO
10025 N. BATEMAN RD.
HAYDEN LAKE, ID 83835

RE: PERMIT NO. 96-07866

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

SEP 27 1989

POINT OF DIVERSION OVERLAP REVIEW

WR-NUMBER	TWP	RNG	SC	TRACT 1\4 1\4 1\4	LT	#SOURCE	#NAME
9607866	53N	02W	31	NE NW		SAGE CREEK	KELSO, STEVE

MICROFILMED

SEP 27 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 96-7866
Name(s) of Permit Holder(s): STEVEN + ROBIN KELSO
Post Office Address: 1555 HAYDEN VIEW DR
HAYDEN ID. Tel. No. 242-7363

- ☒ I hereby certify that construction of diversion works for the above referenced permit began on 10-21-82 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control:

*Note: A financing difficulty is not an acceptable reason.

11-5-82
Date

[Signature]
Signature of Permit Holder

PLACE
STAMP
HERE




MicroFILMED

SEP 27 1989

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

10. Other water rights on these lands None
11. Other water right diverted from same p.d. None
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☐ Photo of Diversion & System Attached ☐ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached
14. Remarks No stock at time of exam but evidence of stock usage is there 10head

15. Recommended Amendments
- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
- ☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other
16. Examiner's/Consultant's Signature Robert D. Offenberg Date 7/30/85
- Consultant's License Number _____
- IDWR Director's Authorization to Conduct Beneficial Use Examination _____
- Date _____

CONSULTANT SEAL

SEP 1 1985

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED

OCT 9 1985

96-7866

Permit No.

1. Measurement Calculations

Department of Water Resources

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

12 Nelson 33 sprinklers (1 1/4") at 50 = (6.01)12 = 72.1 gpm
3 Nelson 33 sprinklers (1 1/4") at 52 = (6.13)3 = 18.4 gpm
1 Nelson 33 sprinkler (1 1/4") at 53 = (6.18)1 = 6.2 gpm
96.7 gpm = .22 cfs

$$Q_{\text{theor.}} = \frac{(8.8 \text{ HP})e}{H + (H_{\text{psi}})(2.33)} = \frac{(8.8)(7.5)(7)}{(50) + (50)(2.33)} = .277 \text{ cfs}$$

APPLIED FOR 0.21 cfs

b) Volume Calculations for Irrigation:

$$V_{\text{I.R.}} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (10)(3.5) = 35 \text{ AF}$$

$$V_{\text{D.R.}} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (.20)(245)(1.9835) = 97.2 \text{ AF}$$

$$V = \text{Smaller of } V_{\text{I.R.}} \text{ and } V_{\text{D.R.}} = 35 \text{ AF}$$

c) Volume Calculations for Other Uses:

10 head .01 cfs @ 2 AF/Annum

2. Overlap Review

a) Other water rights with same place of use: NONE

b) Other water rights with same point of diversion: NONE

c) Analysis:

MICROFILMED

SEP 27 1989

RECOMMENDED AMOUNTS

- | Permit No. | Priority | Amount | App. Date | Date Proof Submitted | System Capacity |
|------------|-------------------------------|--------|-----------|----------------------|-----------------|
| 967866 | ~~9/16/80~~
5-14-80 | 21cs | | | 0.22cs |

4. Permit Holder: Steven & Robin Kelso

Address: 10025 Baleman Rd Hayden Lake ID 83835

5. Source: Sage Creek tributary to Sinks

- | 6. Beneficial Use | Period of Use
From To | Rate of Diversion
Q (cfs) | Annual Volume
V (afa) |
|-------------------|--------------------------|------------------------------|--------------------------|
|-------------------|--------------------------|------------------------------|--------------------------|

Irrigation	3-15	17-15	.20	35
------------	------	-------	-----	----

Stock	1-1	12-31	pl	2
-------	-----	-------	----	---

Allowable Maximums: 21 35.2

- 7. Point(s) of Diversion:**

[illegible]

8. Place(s) of Use

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
53N	2W	31					10												10
Total Acres																			10

9. Recommended Conditions/Remarks: _____

NOTHING LIVED

SEP 27 1989

- ## 10. Recommended Amendments


☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other _____

11. Examiner's Signature B. O. Haynes Date 1/30/85

Checked in Regional Office by [Signature] Date 7/1/85

Approved in State Office by _____ Date 3/8/87



SEP 27 1989

TWP. 53N RGE. 2W SEC. 31 MAP # E7 MAP SCALE
 DATE OF FIELD EXAM 7/30/85 FIELD REPORT MAP PERMIT # 96-1866

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

JULY 19, 1985

STEVEN KELSO
10025 N. BATEMAN RD.
HAYDEN LAKE ID 83835

RE: Permit No. 96-7866

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Enclosed please find a copy of an order involving your permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 765-4639 or in person at our office.

Sincerely,

/S/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

ENCLOSURE

RECEIVED

SEP 27 1989

^ALCULATION OF NEW PRIORITY DATE

FROM: RITA FLECK

TO: FILE # 96-7866

DATE: 7/15/85

Date proof received

175

6/24/85

Proof due

-152

6/1/85

Number of day proof late

23

Priority date

+134

5/14/80

New priority date

157

6/6/80

Remarks:

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED
JUN 24 1985

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 96-7866

Name(s) of Permit Holder: STEVEN AND ROBIN KELSO

Post Office Address: 10025 N. BATEMAN RD. HAYDEN LAKE,
ID. 83835 Telephone No. 208-772-8155

Source of Water: SAGE CREEK

Extent of Use:

Domestic 0 (number of households)

Stockwater ~~WATER~~ (number and type of stock)

Irrigation 10 (acres)

Other/Remarks CATTLE + HOUSES NOT ON PROPERTY AT

TIME OF FILING

Indicate the date water was first diverted and beneficially used under this permit: 5-15-85

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

STEVE L. KELSO
(Name)

10025 N. BATEMAN RD. HAYDEN LAKE, ID. 208-772-8155
(Address) (Telephone Number)


The above information is a true statement of the extent to which the above numbered permit has been developed.

5-28-85
Date

[Signature]
Signature of Permit Holder (and Title, if appropriate)

MICROFILMED

STEVE KEND
1025 N. BATEMAN RD.
HAYDEN LAKE, ID. 83835



Idaho Department of Water Resources
Statehouse Mail
Boise, ID 83720

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

KELSO, STEVE & ROBIN
10025 N. BATEMAN RD.
HAYDEN LAKE, ID 83835

LAPSE NOTICE

JUNE 04, 1985

DEAR PERMIT HOLDER:

YOU ARE HEREBY NOTIFIED THAT UNDER THE PROVISIONS OF SECTION 42-218A OF THE IDAHO CODE, PERMIT NO. 96-7866 HAS LAPSED. THIS OFFICE DID NOT RECEIVE EITHER AN ACCEPTABLE NOTICE THAT YOU HAVE COMPLETED THE PROJECT (PROOF OF BENEFICIAL USE) BY THE DATE REQUIRED ON YOUR PERMIT OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME. YOU WERE PROVIDED THE PROPER FORMS IN OUR PROOF DUE NOTICE TO YOU DATED MARCH 31, 1985.

YOUR PERMIT CANNOT BE REINSTATED UNLESS YOU SUBMIT THE STATEMENT OF BENEFICIAL USE FORM OR SUBMIT AN EXTENSION OF TIME REQUEST SHOWING REASONABLE CAUSE FOR DELAY. EITHER THE COMPLETED FORM OR THE EXTENSION REQUEST MUST BE RECEIVED BY THIS OFFICE WITHIN SIXTY DAYS OF THE DATE OF THIS LAPSE NOTICE OR THE PERMIT WILL NO LONGER BE OF ANY FORCE OR EFFECT.

A STATEMENT OF BENEFICIAL USE FORM AND A REQUEST FOR EXTENSION OF TIME FORM ARE AGAIN ENCLOSED FOR YOUR USE. PLEASE NOTE THAT A FEE OF \$15.00 MUST ACCOMPANY AN EXTENSION OF TIME REQUEST AND THAT ONLY ONE EXTENSION OF TIME CAN BE GRANTED UNLESS THE PROJECT HAS NOT BEEN COMPLETED BECAUSE OF LACK OF A NECESSARY APPROVAL BY A GOVERNMENTAL AGENCY OR BY LITIGATION.

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

ENCLOSURES

LGS:RF

CERTIFICATION OF MAILING
I hereby certify that on 6-19-1985
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
(individuals) named above.
[Signature]

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

128893

KELSO, STEVE & ROBIN
10025 N. BATEMAN RD.
HAYDEN LAKE, ID 83835

PROOF DUE NOTICE

MARCH 31, 1985

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 96-7866 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JUNE 01, 1985. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A FORM WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE FORM OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

11/30/84
CW

INTER-DEPARTMENT MEMO — 1

FROM

Pat

DATE

11/26/84

TO

Jim

SUBJECT


96-7866 - Address Change

New Address is:

10025 N. BATEMAN Rd.

HAYDEN LAKE, ID. 83835

(Home owner)



SIGNATURE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

KELSO, STEVE & ROBIN
1555 HAYDEN VIEW
COEUR D'ALENE, ID 83814

JULY 10, 1980

RE: PERMIT NO. 96-7866

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

RECEIVED
JUL 11 1980

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: KK

APPLICATION NUMBER: 96-7866

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☐ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 6/9/80
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 6/17/80
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
5/14/80 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: Rea Date: 6/30/80

STATE OFFICE REVIEW:

Send receipt w/ approved app
correct plan 2

- ☐ See attached sheet for more information.

By: Juni Date: 6/24/80

RECORDED

96-2866-

KELSO, STEVE &/or ROBIN

1555 HAYDEN VIEW, COEUR D ALENE, ID 83814

Source: SAGE CREEK

Date Filed: 05/14/1980

Amount: 0.21 CFS

Diversion Point: NENW Sec 31 T 53N R 02W, KOOTENAI Co.

Use: IRRIGATION	(0.20 CFS)	from 03/15 to 11/15
STOCKWATER	(0.01 CFS)	from 01/01 to 12/31

Place of Use: NENW Sec 31 T 53N R 02W FOR 10 ACRES

Diversion Means: PORTABLE UP PUMP AND PIPELINE.

NOTED