




96-07855
T55N
R3W
5.11

MICROFILMED
SEP 22 1992
RR crossing

PERMIT # 96-07855

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S




← 3'x5'x25'
WOODEN CATCH
BASIN



← Home

MICROFILMED

SEP 22 1992



TWP. 55N RGE. 34 SEC. 11 MAP # D-5 MAP SCALE 1:24,000

DATE OF FIELD EXAM SEP 22 1992 FIELD REPORT MAP PERMIT # 96-7855

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-07855

Priority: October 19, 1980

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

0.7 AF

This is to certify, that STEPHEN N YOUNG

2922 BLACK PINE MT RD

COCOLALLA ID 83813

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 13, 1980; and has submitted Proof of Beneficial Use on February 3, 1985. An examination indicates that the works have a diversion capacity of .040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.01 CFS	0.1 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF
	Totals	0.04 CFS	0.7 AF

LOCATION OF POINT(S) OF DIVERSION:

NESW , Sec. 11, Township 55N, Range 03W
BONNER County

PLACE OF USE: STOCKWATER

TWN RGE SEC

55N 03W 11 NESW

PLACE OF USE: DOMESTIC

TWN RGE SEC

55N 03W 11 NWSW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

MICROFILMED

SEP 22 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 96-07855

CONDITIONS/REMARKS:

6. Stockwater use is for 4 horses.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 14TH
day of SEPTEMBER, 1992.

Acting for


R. Keith Higginson, Director

MICROFILMED

SEP 22 1992

State of Idaho
Department of Water Resources

RECEIVED

SEP 8 1992

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 96-07855

Department of Water Resources

APPROVED

Date of Priority: October 19, 1980

Maximum Diversion Rate:
Maximum Diversion Volume:

0.04 CFS
0.7 AF

Comes now
2922 BLACK PINE MT RD
COCOLALLA ID 83813

STEPHEN N YOUNG

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 96-07855, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.01 CFS	0.1 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF
	Totals	0.04 CFS	0.7 AF

ADA County

PLACE OF USE: STOCKWATER
TWN RGE SEC

55N 03W 11 NESW

PLACE OF USE: DOMESTIC
TWN RGE SEC

55N 03W 11 NWSW

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at 2922 BLACK PINE MTN RD, this 4 day of Sept., 1992.
COCOLALLA IDAHO 83813

Stephen N Young
(Signature)

MICROFILMED

SEP 22 1992

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 96-07855

FOR DEPARTMENT USE ONLY

Preliminary check by CS Fee = \$26.00 Receipted by [Signature] # 0025417 Date 9-8-92

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 96-07855 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.
6. Stockwater use is for 4 horses.

Witness my hand this 14TH day of SEPTEMBER, 1992

[Signature]
Acting for R. Keith Higginson, Director

RECORDED
SEP 22 1992

IN THE MATTER OF PERMIT
NO. 96-7855 IN THE NAME OF
STEPHEN N. YOUNG

This matter having come before the Department of Water Resources (Department) as a result of preparing Permit No. 96-7855 for issuance of a license, the Department finds, concludes and orders:

1. The Department approved Application for Permit No. 96-7855 to appropriate the public waters of the State of Idaho with a proposed priority of FEBRUARY 13, 1980.

2. On APRIL 17, 1986 the Department advised the permit holder that a license examination fee was required before an examination could be conducted to confirm the extent of use developed under the permit. The examination fee was due on JUNE 16, 1986.

3. The license examination fee was received on
FEBRUARY 19, 1987, 248 day(s) late.

MICROFILMED
SEP 22 1992

CONCLUSIONS OF LAW

1. The Director may advance the priority date of the permit one day for each day the license examination fee is late, pursuant to the provisions of Section 42-217, Idaho Code.

2. The date of priority of Permit No. 96-7855 should be advanced 248 day(s).

ORDER

IT IS HEREBY ORDERED that the date of priority of Permit No. 96-7855 is advanced to OCTOBER 19, 1980.

Dated this 14th day of August, 1992.

J. Glen Sactor
Chief, Water Allocation Bureau

MICROFILMED

SEP 22 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Stephen N Young Phone _____

Post office address Box 337 HCR 68 Coconalla IDAHO 83813

2. Source of water supply Surface water (SPRING) which is a tributary of Coconalla lake
Groundwater 3-14-80 J.J.

3. Location of point of diversion is NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 11 Township 55N

Range 3W B.M. Banner County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.06 for domestic purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.02 for STOCKWATER purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.06 cubic feet per second and/or b. 20 acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Hand dug well with Hand pump to
1 1/2" pipe 1000 ft to house

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 120 inches; proposed depth of well is 30 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 11 Township 55N
Range 3W B.M. 7B

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.


(3) List number of each kind of livestock to be watered Two horses Four goats one dog

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water ONE.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Stephen N. Young
(Applicant)

Proposed Priority 2/13/80

Received by KK Date 2/13/80 Time 1:30 p
Preliminary check by KK Fee \$ 20.00
Receipted by pm Date 2/13/80 (16825)
Publication prepared by pm Date 2/14/80
Published in Sandpoint Daily Bee
Publication dates 2/20/80 - 2/27/80
Publication approved pm Date 3/3/80
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date: _____
Recommended for approval denial by pm Jim

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-7855 , and said application is hereby approved .

1. Approval of said application is subject to the following limitations and conditions:
- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
 - b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1 , 19 85 .
 - c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
 - d. Other: _____

Witness my hand this 17th day of March , 19 80 .

L. Glen Saxton
Chief, Geomorph. & Sediment.


AFFIDAVIT OF PUBLICATION

State of Idaho


ss.

County of Bonner,

Pete Thompson being first duly sworn on oath deposes and says that he is publisher of the Sandpoint Daily Bee, and News Bulletin, newspapers printed and published at Sandpoint, in Bonner County, Idaho; that the said newspapers have been continuously and uninterruptedly published in said Bonner County during a period of 12 months prior to the first publication of the hereto attached notice of publication in the case of Notice of Application #5' 96-7854 & 96-7855 as it was published in the regular and entire issue of the said paper for a period of 2 consecutive weeks, commencing on 20 day of 2, 1980 and ending on the 27 day of 2, 1980 and that said notice was published in said newspaper.



Subscribed and sworn to before me this 27 day of Feb, 1980.



Notary Public for Idaho,

Residing at Sandpoint, Idaho

NOTICE OF APPLICATION
FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

96-7854

SMITH, CHUCK
RT. 2 BOX 285-A, SANDPOINT,
ID 83864

Source: SPRING tributary to
HORNBY CREEK

Date Filed: 02-12-1980

Amount: 0.04 CFS

Diversion Point: LOT 01 Sec 30
T 57N R 02W, BONNER Co.

Use: DOMESTIC (0.04 CFS)
from 01-01 to 12-31

Place of Use: LOT 01 Sec 30 T
57N R 02W

Diversion Means: SPRING
BOX & PIPE.

96-7855

YOUNG, STEPHEN N.
HCR 68, BOX 337,
COCOLALLA, ID 83813

Source: SPRING tributary to
COCOLALLA LAKE

Date Filed: 02-13-1980

Amount: 0.06CFS

Diversion Point: NWSW Sec 11
T 55N R 03W, BONNER Co.

Use: STOCKWATER (0.02
CFS) from 01-01 to 12-31

DOMESTIC (0.04 CFS) from 01-
01 to 12-31

Place of Use: NWSW Sec 11 T
55N R 03W

Diversion Means: WELL,
PUMP & PIPE.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id, 83814 on or before MARCH 10, 1980.

C. STEPHEN ALLRED
Director

Pub. 2-20 & 2-27-80.

MICROFILMED

September 15, 1992

STEPHEN N YOUNG
2922 BLACK PINE MT RD
COCOLALLA ID 83813

RE: WATER RIGHT NO. 96-07855

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
SEP 22 1992

August 25, 1992

STEPHEN N YOUNG
2922 BLACK PINE MT RD
COCOLALLA ID 83813

RE: WATER RIGHT NO. 96-07855

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Also enclosed is an Order Advancing Date of Priority. The priority date was advanced due to late receipt of the license examination fee.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MICROFILMED

SEP 22 1992

LICENSE REVIEW CHECKLIST

Permit # 96-07855

Date 8-13-92
28

	<u>Yes</u>	<u>No</u>	
NAME	<u> </u>	<u>✓</u>	Address Change?
PRIORITY DATE	<u>✓</u>	<u> </u>	Advance? <u>Fee Notice 4-17-86/SHEET 2-19-87</u>
	<u>✓</u>	<u> </u>	Memo to Advance to 10-19-80
	<u> </u>	<u>✓</u>	Order to Reinstate Needed?
TOTAL CFS	<u> </u>	<u>✓</u>	Incorrect Fee for rate recommended?
	<u>NA</u>	<u> </u>	Disagree with Actual Measurement?
			<u>.04 cfs (DOM) 4x.00022 = .00088 ≈ .01 cfs (STOCK)</u>
	<u>NA</u>	<u> </u>	Disagree with Theoretical?
	<u> </u>	<u>✓</u>	Limited by Capacity? <u>.04 cfs</u>
TOTAL VOLUME			Rate/ac <u> </u> AFA Irr. Season <u> </u>
			<u> </u> Standard Irr. Season
			<u> </u> Season Recommended
	<u>✓</u>	<u> </u>	Disagree with Examiner's Calculations?
			<u>.6 afa (DOM) 4x.0134 = .053 ≈ .1 afa (STOCK)</u>
	<u> </u>	<u>✓</u>	Limited by Flow? <u>.04 x 365 x 1.9835 = 297.6</u>
SOURCE	<u> </u>	<u>✓</u>	Changes? Clarification of <u>Originally</u>
			<u>Intended</u> source
	<u> </u>	<u>✓</u>	Notice of Intent to Void.
P/D			Verify with Map
	<u>✓</u>	<u> </u>	Amendment Needed? <u>change NWSW to NESW</u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
P/U			Verify with Map
	<u>✓</u>	<u> </u>	Amendment Needed? <u>Add NESW</u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
USES	<u> </u>	<u>✓</u>	Change(s) in Nature of Use? <u> </u>
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
REMARKS	<u> </u>	<u>✓</u>	Multiple P/Ds in 1/4 1/4? <u> </u>
	<u>✓</u>	<u> </u>	Non-Irr. Uses <u>DOM/1 Home</u>
	<u> </u>	<u>✓</u>	Special Overlap Condition <u> </u>
	<u> </u>	<u>✓</u>	Other <u> </u>
CONDITIONS	<u> </u>	<u>✓</u>	Measuring Device
	<u> </u>	<u>✓</u>	W/Master Control
	<u> </u>	<u>✓</u>	Overlap
	<u> </u>	<u>✓</u>	Water Quality
			DATES/MISC
			<u> </u> <u>✓</u> Water Dist.
			<u>✓</u> <u> </u> App Rec'd
			<u>✓</u> <u> </u> Exam Made
COMMENTS/MEMOS NEEDED:	<u>Reduced rate Amend P/D & P/U</u>		
	<u> </u>		
	<u> </u>		
License	<u> </u>	10-Day	<u> </u>
	<u> </u>	15-Day	<u>✓</u>
		Special Correspondence	<u> </u>

Audit: 08/13/92 SKAGGS

BENEFICIAL USE FIELD REPORT REVIEW

TO: FILE 96-7855

FROM: PAM SKAGGS *PS*

RE: PRIORITY ADVANCE REVIEW

DATE: 13-AUG-1992

=====

This review memo is prepared to show the process for determining what elements were involved in advancement of the priority.

	<u>DATE</u>	<u>JULIAN</u>
PERMIT		
Permit priority Date:	FEBRUARY 13 1980	44
EXAM FEE NOTICE		
Exam Fee Notice Date:	APRIL 17 1986	107
Exam Fee/Info Sheet Received Date:	FEBRUARY 19 1987	415
Exam Fee or Info Due Date:	JUNE 16 1986	167
Days Late:		248 DAY(S)
NEW PRIORITY DATE		
Original Priority Date:	FEBRUARY 13 1980	44
Total Days Late:		248 DAY(S)
New Priority Date:	OCTOBER 19 1980	292

RECORDED

SEP 22 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUL 27 1992

Department of Water Resources

A. GENERAL INFORMATION


- Permit No. 96-07855
Phone No. _____
1. Owner: STEPHEN N. YOUNG
Current Address: 2922 BLACK PINE MT. RD SANDPOINT, ID 83813
2. Accompanied by: SAME EXAM. DATE: 3/24/92
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: _____
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

MICROFILMED

SEP 22 1992

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A 5'x3'x25' WOODEN ^{WELL CASING - TOP} CATCH BASIN WITH 3/8" PVC TO STOCK TANK - OVERFLOW TO STOCK POND WATER FOR DOMESTIC IS COLLECTED AT STOCK TANK BY BUCKET THEN CONVEYED TO HOME VIA ATV.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Gravity					

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	NE	SW	11	SSN	SW	BONNER	MAP

6. Place(s) of Use:

Indicate Method of Determination MAP

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
SSN	SW	11									S	S							
												D							

RECEIVED

SEP 22 1992

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

ONE HOME
4 STOCK

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

INDEXED

ONE HOME
4 STOCK

SEP 22 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
STOCK	1-1	12-31	.02	.2
DOMESTIC (12)	1-1	12-31	.04	1.2
Totals:			.04	1.4

2. Recommended Amendments

☒ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☒ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Tom D. King

Signature


Tom D. King

Certification Date

4/10/92

Field Report Preparation Date


3/24/92



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

SEP 22 1992



96-07855
T55N
R3W
S.11


PERMIT # 96-07855

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S



← 3' x 5' x 25'
WOODEN CATCH
BASIN



← Home

MICROFILMED

SEP 22 1992

SENDER: Complete items 1 and 2 when additional services are desired, and complete items 3 and 4. Put your address in "RETURN TO" space on the reverse side. Failure to do this will prevent this card from being returned to you. The return receipt fee will provide you the name of the person delivered to and the date of delivery. For additional fees the following services are available. Consult postmaster for fees and check box(es) for additional service(s) requested.

1. ☐ Show to whom delivered, date, and addressee's address. 2. ☐ Restricted Delivery.

3. Article Addressed to:

STEPHEN N YOUNG
HCR 68 BOX 337
COCOLALLA ID 83813

4. Article Number

48180

Type of Service:

- ☒ Registered
☒ Certified
☐ Express Mail

☐ Insured
☐ COD

Always obtain signature of addressee or agent and **DATE DELIVERED.**

5. Signature - Addressee

X

6. Signature - Agent

X

7. Date of Delivery

2-7-92

RECEIVED
Addressee's Address ONLY if requested and fee paid

FEB 10 1992

NORTHERN REGION
IDWR

**UNITED STATES POSTAL SERVICE
OFFICIAL BUSINESS**

SENDER INSTRUCTIONS

Print your name, address, and ZIP Code in the space below.

- Complete items 1, 2, 3, and 4 on the reverse.
- Attach to front of article if space permits, otherwise affix to back of article.
- Endorse article "Return Receipt Requested" adjacent to number.

**RETURN
TO**



Print Sender's name, address, and ZIP Code in the space below.

**DEPARTMENT OF WATER RESOURCES
1910 NORTHWEST BLVD. - SUITE 210
COEUR D'ALENE, IDAHO 83814**

MICROFILMED

SEP 22 1992



**PENALTY FOR PRIVATE
USE, \$300**

February 6, 1991

CERTIFIED NO. 48180

Stephen N. Young
HCR 68 BOX 337
Cocolalla ID 83813

RE: Water Right Permit # 96-07855

Dear Mr. Young:

Enclosed are copies of letters sent to you requesting more information on the location of your water system and notifying you that if you did not provide this Department with the information we would have no other recourse other than to recommend cancellation of your Water Right Permit. Each one of these letters constitutes official notification.

Your recent letter to our State Office states that you agree with items 1-3 in the Order voiding your permit. Actually, the item referred to in item 3 as being received on December 6, 1982 is the Commencement of Works not the Proof of Beneficial Use. The proof of Beneficial Use card stating that you had completed development was not signed by you until February 4, 1985. It is when our office receives this card that we are triggered to schedule a Field Examination. We have no record of a prior request for a Field Examination. You further state that you doubt that the Examiner was in the correct location. We have tried to obtain more information about the location of your water system, but have received no response from you. In your letter you also state that you received no notification of pending action prior to the letter from our State Office dated December 23, 1991, yet these letters in your file indicate otherwise.

In order for this Water Right to become licensed, a Field Examination must be conducted. Please schedule an appointment with this office so that you can be present during the exam to make sure that the Examiner is in the correct location. You can select the time and location (We would prefer a meeting location on Highway 95 so that there can be no question of not finding it). Also, please schedule a time when your system is operating as it normally would, and that no part of it is shut-down for winter.

Sincerely,

Theresa J. Bright
Field Examiner

RECEIVED

SEP 22 1992

NAME AND ADDRESS OF SENDER

DEPARTMENT OF WATER RESOURCES

1910 NORTHWEST BLVD. - SUITE 210

COEUR D'ALENE, IDAHO 83814

Indicate type of mail

- ☐ Registered
☐ Insured
☐ COD
☒ Certified

I certify that we have

- ☐ Commercial Insurance
☐ A deductible clause of \$

Affix stamp here if issued as certificate of mailing or for additional copies of this bill
POSTMARK AND DATE OF RECEIPT

22 1992

ACCEPTANCE OF REGISTERED, INSURED, C.O.D. AND CERTIFIED MAIL

PS Form 3877, July 1978

1 N	NUMBER OF ARTICLE	NAME OF ADDRESSEE, STREET, AND POST-OFFICE ADDRESS	POSTAGE	FEE	Handling Charge	Actual Value (If Registered)	DUE SENDER IF C.O.D.	R. B. FEE	S. D. FEE	S. H. FEE	REST. DEL. FEE	REMARKS
1	48180	Stephen N. Young HCR 68 Box 337, Cocolalla, Id. 83813	.52	1.00				1.00				96-7855
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												

TOTAL NUMBER OF PIECES LISTED BY SENDER

1

TOTAL NUMBER OF PIECES RECEIVED AT POST OFFICE

one

POSTMASTER. PER (Name of receiving employee)

R. L. Hardy

The full declaration of value is required on all domestic and international registered mail. Commercial Insurance—Payment of the full registry fee is required on articles valued up to \$1,000 or the full amount of the deductible if the deductible exceeds \$1,000. The maximum indemnity payable is \$25,000 for registered mail, \$400 for COD and \$400 for insured mail. Special handling charges apply only to third- and fourth-class parcels. Special delivery service also includes special handling service.

FORM MUST BE COMPLETED BY TYPEWRITER, INK OR BALL POINT PEN

• U.S. GOVERNMENT PRINTING OFFICE: 1978 270-037

February 6, 1991

CERTIFIED NO. 48180

Stephen N. Young
HCR 68 BOX 337
Cocolalla ID 83813

RE: Water Right Permit # 96-07855

Dear Mr. Young:

Enclosed are copies of letters sent to you requesting more information on the location of your water system and notifying you that if you did not provide this Department with the information we would have no other recourse other than to recommend cancellation of your Water Right Permit. Each one of these letters constitutes official notification.

Your recent letter to our State Office states that you agree with items 1-3 in the Order voiding your permit. Actually, the item referred to in item 3 as being received on December 6, 1982 is the Commencement of Works not the Proof of Beneficial Use. The proof of Beneficial Use card stating that you had completed development was not signed by you until February 4, 1985. It is when our office receives this card that we are triggered to schedule a Field Examination. We have no record of a prior request for a Field Examination. You further state that you doubt that the Examiner was in the correct location. We have tried to obtain more information about the location of your water system, but have received no response from you. In your letter you also state that you received no notification of pending action prior to the letter from our State Office dated December 23, 1991, yet these letters in your file indicate otherwise.

In order for this Water Right to become licensed, a Field Examination must be conducted. Please schedule an appointment with this office so that you can be present during the exam to make sure that the Examiner is in the correct location. You can select the time and location (We would prefer a meeting location on Highway 95 so that there can be no question of not finding it). Also, please schedule a time when your system is operating as it normally would, and that no part of it is shut-down for winter.

Sincerely,

Theresa J. Bright
Field Examiner

MICROFILMED

SEP 22 1992

MEMORANDUM

TO: Bob Haynes
FROM: Gary Spackman *Gary*
DATE: January 9, 1992

RE: Permit to Appropriate Water No. 96-07855

The owner of permit no. 96-7855, Stephen N. Young, called about our order voiding permit no. 96-7855. I pulled the file, and reviewed the information. The permit states that Young intended to divert water from a spring that apparently sinks. The application also states that Young intended to hand dig a well and install a hand pump to a pipe which supplies water to his house, and also to some stock.

I reviewed the notes of the field examiners. The examiners apparently searched for a well log, and also looked for a well on the property. I have no evidence in the file to show that the examiners ever attempted to contact Mr. Young, although from his statements to me, it appears he is not often at home.

I recognize in this case that we sent several letters to Mr. Young to which he did not respond. He stated to me, however, that he attempted on several occasions to contact the examiner who wrote the letter to him, but never could find her in the office. I again recognize that contact with water users like Mr. Young might be difficult.

Every couple of months, however, a wateruser within Northern Region calls me after we have voided a permit for failure to develop, and the permit holder represents that the system is in place, and the Department representative has never contacted them about the exam. On a couple of occasions, information has been obtained by telephone from a relative or a neighbor without an actual inspection, and the field exam is sent to the state office recommending cancellation.

In this case, a hand dug well in a spring or seep would not require a drilling permit, and the person who developed it would not hire a well driller. Whatever excavation took place would probably be less than 18 feet, and would not even classify as a well. The actual definition of the source may be in question, but it appears to me that the examiners were looking for wrong information to begin with in reviewing the extent of beneficial use.

MICROFILMED

SEP 22 1992

Bob Haynes
January 9, 1992
Page - 2

I request that the examiner again attempt to contact Mr. Young. His address is 2922 Black Pine Mountain Rd., Cocolalla, Idaho 83813-9725. He has two telephone numbers where he can be reached. One is a Priest Lake connection, numbered 443-2351. The other telephone number is a mobile phone numbered 263-6885; mobile unit 4210. Thanks for your help. I will destroy the order voiding permit from our files so that we do not have to issue an order of reinstatement. If you have difficulty contacting Mr. Young, please let me know.

cc: Stephen Young

MICROFILMED

SEP 22 1992

SEP 22 1992

Young

NOT FILMED
Signed

Sirs: You have
already received
a fax copy (Have receipt)
Here is a certified letter
of same for THE RECORD!

(ATTN - Director Water Resources)

Stephen N. Young
2922 Black Pine Mtn. Rd.
Cocolalla, ID 83813-9725
208-263-6885 mobile 4210
208-443-2351
January 2, 1992

RE: Permit No. 96-07855

State of Idaho
Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, ID 83720-9000

RECEIVED
JAN 02 1992

Department of Water Resources

Dear Water Resources Director:

This is a timely petition to the director of water resources, as requested, within the 15 day limit of the order voiding my permit. I am requesting a hearing before the director, as instructed in the letter, to discuss incorrect records.

I find numbers 1-3 in the letter sent 12-23-91 to be correct. I question if the representative was in the correct location concerning number 4 in the letter. On the property there exists a developed well and stock pond. Its location is clearly marked with ribbon leading into the location of the developed well. The well was developed in 1982, at which time I requested a field examination from your CDA office. Result - no response. At periodic times, telephone and personal requests were made for field examination, result - no response. At no time did I receive an official notice of any pending action against my permit until receipt of certified mail No. 33785 which threatens to void my permit. I am (and always have been) willing to show an official from the Water Resources Department the exact field location of the developed well. In the past no one has taken me up on this gesture. My last attempt to contact Gary Spackman in your department (1-2-92) resulted in being put on hold (long Distance) for 5 minutes. The secretary periodically asked me if I was still there. Finally, my call was directed to Tim Luke, who advised me that my request for a hearing before the director was invalid because it was over the phone. He told me that I would have to contact the department in writing. This is my official request.

Sincerely,

Stephen N. Young

Stephen N. Young
Permit Holder: 96-07855

MICROFILMED

SEP 22 1992


Copy 1 of 3

Stephen N Young
2922 BLACK Pine NITAI Road
Cocolalla, IDAHO 83813-9725

CERTIFIED

P 055 399 375

MAIL



Department of WATER RESOURCES

STATE OF IDAHO

1301 North Orchard Street

STATEHOUSE MAIL Boise, IDAHO

83720-9001

RECEIVED

JUN 2 1992

Is your RETURN ADDRESS
completed on the reverse side?

(ATTN - Director Water Resources)

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, and 4a & b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt Fee will provide you the signature of the person delivered to and the date of delivery.

I also wish to receive the following services (for an extra fee):

1. ☐ Addressee's Address
2. ☐ Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

SEP 22 1992
STEPHEN W. YOUNG
HCR 68 BOX 327
COCOLALLA ID 83813

4a. Article Number

33785

4b. Service Type

- ☐ Registered ☐ Insured
☒ Certified ☐ COD
☐ Express Mail ☐ Return Receipt for Merchandise

7. Date of Delivery

12-31-91

5. Signature (Addressee)

Barbara H. Young

6. Signature (Agent)

8. Addressee's Address (Only if requested and fee is paid)

96-7855

UNITED STATES POSTAL SERVICE

Official Business

MAILED

SEP 22 1992



PENALTY FOR PRIVATE
USE, \$300

Print your name, address and ZIP Code here

Water Allocation Bureau
Department of Water Resources
1301 N. Orchard St.
Boise, ID 83706





State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 23, 1991

CERTIFIED MAIL # 33785

RE: Permit No. 96-07855

STEPHEN N. YOUNG
HCR 68 BOX 337
COCOLALLA ID 83813

Dear Water Right Holder(s):

Enclosed is an Order which voids the above referenced permit for failure to comply with the requirements of such permit and failure to show cause why such action should not be taken.

Please be advised that if you do not agree with the decision of the Department you may, within fifteen (15) days of receipt of the order voiding your permit, request a hearing before the Director. Failure to timely petition the Director within fifteen days of receipt of the order may prevent you from further contesting the voiding of your permit.

Sincerely,

GARY SPACKMAN, Manager
Water Right Permits Section

GS:blm

Enclosure

MICROFILMED

SEP 22 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 17, 1991

Stephen A. Young
HCR 68 BOX 337
Cocolalla ID 83813

RE: Permit to Appropriate Water No. 96-07855

NOTICE OF PENDING ORDER VOIDING PERMIT

Dear Permit Holder(s):

On March 17, 1980 the Department of Water Resources approved Application for Permit No. 96-07855, which authorized diversion of a spring for domestic and stockwater purposes in the NW $\frac{1}{4}$ SW $\frac{1}{4}$, S11, T55N, R3W, B.M., Bonner County.

A field inspection conducted by a representative of our Department revealed that you have not developed the system described by your permit.

The purpose of this letter is to request that you relinquish your permit or explain why the Department should not void the permit. Enclosed is a relinquishment form that should be signed and returned to this office, unless you have some explanation that would prevent the Department from voiding your permit.

If you fail to respond to this notice within thirty (30) days of the date of mailing of this letter, the Department will act to void your permit. The permit will be voided on the grounds that you failed to divert and beneficially use the water that you were permitted to develop.

If you have any questions in regard to this matter, please feel free to contact our office.

Respectfully,

GARY SPACKMAN, Manager
Water Right Permits Section


GS:blm

MICROFILMED

SEP 22 1992

cc: Northern Region

I hereby certify that on this 17th day of October, 1991,
I sent the original copy of this letter, postage prepaid, to the
person and address listed above.

A handwritten signature in cursive script, reading "Brenda L. Miller", written over a horizontal line.

Brenda L. Miller
Clerical Specialist

MICROFILMED

SEP 22 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

July 2, 1990

Stephen D. Young
HCR 68 Box 337
Cocolalla, ID 83813

RE: 96-07855

Dear Mr. Young:

In August of 1988, an on-site examination on Permit No. 96-07855 was attempted. No evidence of any system was found. A letter dated May 18, 1989 requested more information on the location of the water development that is covered by this permit. No reply was received by this office. Unless we receive additional information on the exact location of this water development within thirty days, we will recommend cancellation of Permit No. 96-07855.

Sincerely,

Theresa J. Bright
Field Examiner

MICROFILMED

SEP 22 1992





State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

May 18, 1989

Mr. Stephen D. Young
Box 337 HCR 68
Cocolalla, Id. 83813

Re: 96-7855

Dear Mr. Young:

In August of 1988, an on-site examination was attempted on Permit No. 96-7855. Although we could find the place, we could find no evidence of any sort of water system.

Please contact us by mail or phone to give better directions to the well site or we will have to recommend cancellation of the above-mentioned permit.

Our address is:

Department of Water Resources
1910 Northwest Blvd., #210
Coeur d'Alene, Id. 83814
Telephone: (208) 765-4639.

Thank you,

LOUIS SUKOVATY
Beneficial Use Examiner

LS/pms

MIKROFILMED

SEP 22 1992



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT

Yes No PERMIT _____
(☒) () B/U Acknowledgement Letter Sent _____ (INITIAL & DATE)
() () Aerial Photo Date Requested _____ by _____
() () Quad Sheet
() () GL Plat
() () Copies of overlapping License Field Report
() () Photo PD/PU
() () Correspondence (Date) _____
() () Other (List) _____

EXAM COMPLETED BY _____ DATE _____
SR AGENT REVIEW _____ DATE _____
REGIONAL MANAGER REVIEW _____ DATE _____
ENTERED ON COMPUTER BY _____ DATE _____
PRELIMINARY OVERLAP REVIEW BY J King DATE 1-88
(☒) NO OVERLAP FOUND

NO WELL LOG FOUND - NO WELL LOGS WITHIN 1/2 MILE

Attempted to find in 8/88 could not find well

MICROFILMED

SEP 22 1992

96-7855

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

None

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
<i>None</i>					

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:** *None*

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks

6. **Place(s) of Use:** *None*


Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	

Do not use this space

MICROFILMED

SEP 22 1992



SEP 22 1992

TWP. 55N RGE. 3W SEC. 11 MAP # D-5 MAP SCALE

DATE OF FIELD EXAM

FIELD REPORT MAP PERMIT # 96-7255

Do not use this space

D. FLOW MEASUREMENTS

None

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

None

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

None

MICROFILMED

SEP 22 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

As per enclosed correspondence - No System was found in 1988. ~~B~~ No response was received from my letter of July 2, 1990 TJB

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
~~Dam~~ Cancellation				
Totals:				

2. Recommended Amendments

Cancellation

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ Other

J. AUTHENTICATION

Field Examiner's Name

Theresa J Bright

Signature


Theresa J Bright

Certification Date

4/16/90

Field Report Preparation Date

8/20/90



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

SEP 22 1992

RECEIVED

For Office Use Only
Fee Received N/A
Date 2/26/87
Receipt #
Receipt by
Sent to S.O. 2/26/87

due 6-16-86

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

RECEIVED

FEB 12 1987

1. Permit No. 96-7855

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination ^{Department of Water Resources} ~~Not a Department of Water Resources~~ permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Stephen N Young

3. Post Office Address: Box 337 HCR 68 Cocolalla, IDAHO 83813

Telephone No. NONE

4. Source of Water: Cocolalla Lake and Fish CR Drainage

5. Extent of Use:

Domestic ONE (No. of households) Stockwater 4 ^{Real Horses} (No. and type of stock)

Irrigation None (acres) Other/Remark see under lined on reverse side

6. Total rate &/or volume for which proof is submitted 05-1020 of 30 acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

4/77

8. Person to contact to accompany the department representative during the field examination:

MICROFILMED

SEP 22 1992

(Name)

(Address)

(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date 2/17/87

Stephen N Young
Signature of Permit Holder (and title, if appropriate)

State of Idaho
Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

96-7855

Permit No. 16825
Name(s) of Permit Holder(s): Stephen Young
Post Office Address: Box 337A HCR 680
IDAHO 83813 Coccolulla
Tel. No. _____

☒ I hereby certify that construction of diversion works for the above referenced permit began on 6/1/89. I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.



11/29/82
Date

Stephen Young
Signature of Permit Holder

Stephen Young

Box 337A HCR 68

Cocatulla, IDAHO 83813



RECEIVED
DEC
MICROFILMED

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

SEP 22 1982



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

96-7855
YOUNG, STEPHEN N.
HCR 68 BOX 337
COCOLALLA, ID 83813

Mailing address:
Storehouse
Boise, Idaho 83720

138511

April 17, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

SEP 22 1986

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

MICROFILMED

SEP 22 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

JUNE 21, 1985

STEPHEN YOUNG
BOX 337 HCR 68
COCOLALLA ID 83813

RE: Permit No. 96-7855

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 765-4639 or in person at our office.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MICROFILMED

SEP 22 1992

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 96-7855.

Name(s) of Permit Holder: Stephen N Young

Post Office Address: Box 337 HCR 65

Cocatulla, IDAHO 83513 Tel. No. _____

Source of Water: Cocatulla Drainage

Extent of Use: ☒ Domestic THREE (number of households)
☒ Stockwater 3 HORSES & 6 CATTLE (number and type of stock)
☐ Irrigation _____ (acres)
☐ Other _____

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No
 Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

2/4/85
Date

MICROFILMED

Stephen N Young
Signature of Permit Holder

Stephen M. Young

Box 337 HERBS

Cocatalla IDAHO 83813



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

FEB 3 1986

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138599

YOUNG, STEPHEN N.
HCR 68 BOX 337
COCOLALLA, ID 83813

PROOF DUE NOTICE

DECEMBER 31, 1984

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 96-7855 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MARCH 01, 1985. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

March 17, 1980


Stephen N. Young
Box 337 HCR 68
Cocolalla, Idaho 83813

Dear Mr. Young,

RE: Permit No. 96-7855

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,



DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:mr

Enclosure

MICROFILMED

Jim,

- It appears the source should be groundwater.
- I suggest changing to G.W. on item 2.
- I doubt readjust. is necessary

JES

3-14-80

MICROFILMED

ROUTING SLIP		
DATE <u>3/14/80</u>	TIME _____	
TO: <u>Glen</u>	REF. No. (if any) _____	
FROM: (show title) <u>Jim</u>	_____	
FOR YOUR: ☐ Information ☐ Approval ☐ Signature	REVIEW AND: ☐ Call Me ☐ See Me ☐ Comment & Return ☐ Take Proper Action ☐ Draft a Reply for Me	PER: ☐ Our Conversation ☐ Your Request ☐ Boss's Request

Note the use of "well" as part of the diverting works. It was also used in the ~~SA~~ advertisement. ~~SA~~
 The source is listed as Spring. Do you think it is important enough to get additional information on which the source should be?

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: KK

APPLICATION NUMBER: 96-7855

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 3/10/80
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 3/3/80
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
2/13/80 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: Reg H Date: 3/11/80

STATE OFFICE REVIEW:

Correct item 2 - change source to G.W. on computer file
Short letter w/o condition

- ☐ See attached sheet for more information.

By: Jmi Date: 3/14/80

96-2855-

YOUNG, STEPHEN N.

HCR 68, BOX 337, COCOLALLA, ID 83813

Source: SPRING tributary to COCOLALLA LAKE

Date Filed: 02/13/1980

Amount: 0.06 CFS

Diversion Point: NWSW Sec 11 T 55N R 03W, BONNER Co.

Use: STOCKWATER	(0.02 CFS)	from 01/01 to 12/31
DOMESTIC	(0.04 CFS)	from 01/01 to 12/31

Place of Use: NWSW Sec 11 T 55N R 03W

Diversion Means: WELL, PUMP & PIPE.

MICROFILMED