




State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 96-7846 Priority December 21, 1979 Amount .04 cfs

THIS IS TO CERTIFY, that ALVIN ROBINSON
of Post Falls, Idaho, has complied with the terms and conditions of Permit
No. 96-7846 issued pursuant to Application for Permit dated December 21, 1979,
and has submitted proof to the Department of Water Resources on December 21, 1979,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of .04 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Domestic (1 unit)	from <u>January 1</u> to <u>December 31</u> at <u>.04</u> cfs and <u>1.2</u> acre feet		
	from _____ at _____ cfs and _____		
	from _____ at _____ cfs and _____		

(both dates inclusive)

Subject, however, to the condition that no more than .04 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
1.2 acre feet per year, said waters to be diverted within the NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 15, Twp. 56N,
Rge. 2W, B.M. in the County of Bonner

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
56N	2W	15																	

Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 24 day of
July, 19 81.

MICROFILMED

Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Alvin Robinson Phone _____

Post office address Rt 1, Box 15, Sagle, Id

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 15 Township 54N

Range 2W B.M. Banner County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.04 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.04 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well, pump & pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 5 ft inches, proposed depth of well is 16 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 15 Township 54N

Range 2W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 1.

(5) If water is to be used for other purposes describe: _____

RECORDED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion Burlington Northern Railroad

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing Applicant Leasing property from BNRR

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Dec 15
T56 NR2W
x - place of rose
x - P.D.

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Olivia Robinson
(Applicant)

Proposed Priority 12/21/79

Received by JK Date 12-21-79 Time 3:00 PM

Preliminary check by KK Fee \$ 20.00 No. 15168

Receipted by AB Date 12-21-79

Publication prepared by ma Date 12/27/79

Published in Sandpoint Daily Bee

Publication dates 1/2 & 9/79

Publication approved ma Date 1/25/80

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by RJA Jim

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-7846, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 19 81.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: (1) The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 31st day of January, 19 80.

L. Glen Saxton
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Pete Thompson being first duly sworn on oath deposes and says that he is publisher of the Sandpoint Daily Bee, and News Bulletin, newspapers printed and published at Sandpoint, in Bonner County, Idaho; that the said newspapers have been continuously and uninterruptedly published in said Bonner County during a period of 12 months prior to the first publication of the hereto attached notice of publication in the case of Notice of Application 96-7846 & 96-7847 as it was published in the regular and entire issue of the said paper for a period of 2 consecutive weeks, commencing on 2 day of 1, 1980 and ending on the 9 day of 1, 1980 and that said notice was published in said newspaper.

Pete Thompson

Subscribed and sworn to before me this 16 day of Jan, 1980.

Adel M. Thompson

Notary Public for Idaho,

Residing at Sandpoint, Idaho

**NOTICE OF APPLICATION
FOR WATER RIGHT**

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

96-7846

ROBINSON, ALVIN
RT. 1 BOX 15, SAGLE, ID 83860
Source: GROUNDWATER
Date Filed: 12-21-1979
Amount: 0.04 CFS
Diversion Point: NESE Sec 15 T
56N R 02W, BONNER Co.
Use: DOMESTIC (0.04 CFS)
from 01-01 to 12-31
Place of Use: SENE Sec 15 T
56N R 02W
Diversion Means: WELL,
PUMP & PIPE

96-7847

STEEN, GREGORY L.
BOX 265, VERADALE, WA
99037
Source: PEND OREILLE
LAKE
Date Filed: 12-21-1979
Amount: 0.04 CFS
Diversion Point: LOT 04 Sec 08
T 56N R 01E, BONNER Co.
Use: DOMESTIC (0.04 CFS)
from 01-01 to 12-31
Place of Use: LOT 04 Sec 08 T
56N R 01E
Diversion Means: PUMP &
PIPE

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id, 83814 on or before JANUARY 21, 1980.

C. STEPHEN ALLRED
Director

Published 1-2 & 1-9-80



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

~~STEPHEN K. LUND~~

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

July 28, 1981

Alvin Robinson
Rt. 1, Box 15
Sagle, ID 83860

Dear Mr. Robinson,

RE: Permit No. 96-7846

Enclosed is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:mr

Enclosure

MICROFILMED

RECEIVED

JUL 20 1961

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

Department of Water Resources

96-7846

Permit No.

9-2

CONTACT WITH PERMIT HOLDER

DATE _____

INITIALS

REMARKS

☐ Appointment letter mailed:

☐ Telephone call made:
(List Telephone No. used)

☐ Appointment scheduled for:
(Date, time, location)

EXAMINATION

Date 7-9-81 Accompanied by — Total Q measured —

If source is surface water, estimate total flow of source _____

Methods of measurement Calc. Meets Permit requirements?

Measurement calculations:

One Home

[illegible]

System Description 5 FT x 16 FT well, pump & pipeline

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE

Irrigation requirement =

AFA/Acre

Q (cfs)

V (afa)

FROM

TO

Domesti

0.04

1.2

1-1

12-31

Total

Remarks No-one home - Sold property - don't know who is new owner.
Alvin Robinson
391 Ponderosa Dr. } New address.
Post Falls.

MICROFILMED

[illegible]

(Include distance from pump to measuring device, if applicable.)

Place(s) of Use

[illegible]

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

☒ None

☐ Other

Examiner's Signature _____

Checked by

Approved by _____

Date 7-24-81

Date 7/15/84

Date 7/23/81

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
C. STEPHEN ALLRED
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

December 15, 1980

Mr. Alvin Robinson
Rt. 1 Box 15
Sagle, Idaho 83860

RE: 96-7846

Dear Mr. Robinson:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination, however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office.

Very truly yours,

Tom D. King
TOM D. KING
Senior Water Resource Agent

TDK/pms

cc: IDWR - State Office


RECEIVED

DEC 23 1980

MICROFILMED

Department of Water Resources
Northern District Office

*I then we applied for the
permit a year ago. we
advised your office that
the system was already
in, has been for over
20 years. If an examination
is necessary and I'm not
home, you might try Sagle
School (next door) where I
work part time. Mrs. Robinson*



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN W. EVANS
Governor
C. STEPHEN ALLRED
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

December 15, 1980

Mr. Alvin Robinson
Rt. 1 Box 15
Sagle, Idaho 83860

RE: 96-7846

Dear Mr. Robinson:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination, however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office.

Very truly yours,

TOM D. KING
Senior Water Resource Agent

TDK/fms

cc: IDWR - State Office

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 96-7846.

Name(s) of Permit Holder: Alvin Robinson

Post Office Address: Rt. 1 Box 15

Sagle, Idaho

Tel. No. 263-3766

Source of Water: Groundwater

Extent of Use: ☒ Domestic 1 (number of households)
☐ Stockwater _____ (number and type of stock)
☐ Irrigation _____ (acres)
☐ Other _____

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

12/21/79

Date

Alvin Robinson

Signature of Permit Holder

PLACE
TEN CENT
STAMP
HERE



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

February 1, 1980

Alvin Robinson
Rt. 1 Box 15
Sagle, Idaho 83860

Dear Mr. Robinson,

RE: Permit No. 96-7846

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosure

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: KK APPLICATION NUMBER: 96-7846

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 1/21/80
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 1/25/80
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 12/21/79 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: RJA Date: 1/28/80

STATE OFFICE REVIEW:

- 04
Short letter w/p cond.
☐ See attached sheet for more information.
By: Jas Date: 1/31/80

96-7846-

ROBINSON, ALVIN

RT. 1 BOX 15, SAGLE, ID 83860

Source: GROUNDWATER

Date Filed: 12/21/1979

Amount: 0.04 CFS

Diversion Point: NESE Sec 15 T 56N R 02W, BONNER Co.

Use: DOMESTIC (0.04 CFS) from 01/01 to 12/31

Place of Use: SENE Sec 15 T 56N R 02W

Diversion Means: WELL, PUMP & PIPE

MICROFILMED