

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Pete Thompson being first duly sworn on oath deposes and says that he is publisher of the Sandpoint Daily Bee, and News Bulletin, newspapers printed and published at Sandpoint, in Bonner County, Idaho; that the said newspapers have been continuously and uninterruptedly published in said Bonner County during a period of 12 months prior to the first publication of the hereto attached notice of publication in the case of \_\_\_\_\_

Water Rights

as it was published in the regular and entire issue of the said paper for a period of 2 consecutive weeks, commencing on 27 day of June, 1979 and ending on the 3 day of July, 1979 and that said notice was published in said newspaper.

Pete Thompson

Subscribed and sworn to before me this 11 day

of July, 1979.

Adell M. Thompson

Notary Public for Idaho

Residing at Sandpoint, Idaho

Department of Water  
Northern District Office

JUL 12 1979

NOTICE OF APPLICATION  
FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

96-7794

WILEY, THOMAS M. &-or  
VIVA J.

RT. 1 BOX 235B, SAMUELS, ID  
83862

Source: PACK RIVER

Date Filed: 06-12-1979

Amount: 0.20 CFS

Diversion Point: NWSE Sec 11  
T 59N R 02W, BONNER Co.

Use: IRRIGATION (0.20 CFS)  
from 04-01 to 10-15

Place of Use: NESW NWSE Sec  
11 T 59N R 02W FOR 10 ACRES

Diversion Means: PUMP,  
PIPE & STORAGE TANK

96-7795

BISHOP, DENNIS &-or  
MONTE

P.O. Box 14, CAREYWOOD, ID  
83809

Source: CAREYWOOD CREEK

Date Filed: 06-14-1979

Amount: 0.30 CFS

Diversion Point: NWNE Sec 19  
T 54N R 02W, BONNER Co.

Use: IRRIGATION (0.30 CFS)  
from 05-01 to 10-01

Place of Use: NENE NWNE  
SWNE SENE Sec 19 T 54N R

02W FOR 40 ACRES

Diversion Means: POND,  
PUMP & PIPE

96-7796

WALLACE, RALPH LLOYD  
RT. 1 BOX 577, SANDPOINT,  
ID 83864

Source: STRAWBERRY  
CREEK tributary to GROUSE  
CREEK

Date Filed: 06-19-1979

Amount: 0.96 CFS

Diversion Point: SESE Sec 19 T  
59N R 02E, BONNER Co.

Use: IRRIGATION (0.10 CFS)  
from 04-01 to 11-01, COM-

MERCIAL (0.02 CFS) from 01-  
01 to 12-31, DOMESTIC (0.08

CFS from 01-01 to 12-31, FIRE  
PROTECTION (0.80 CFS) from

01-01 to 12-31, POWER (0.80  
CFS) from 01-01 to 12-31

Place of Use: SESW SWSE Sec  
19 T 59N R 02E FOR 25 ACRES

Diversion Means: GRAVITY-  
FLOW PIPE & HYDRANTS

If issued, the permit(s) will  
be subject to all prior water

rights. Protests against the  
granting of any permit must be

filed with the Director of the  
Idaho Department of Water


Resources, 4055 Government  
Way, Coeur d'Alene, Id, 83814 on

or before JULY 16, 1979.

C. STEPHEN ALLRED  
Director

Published 6-27 & 7-3-79

MICROFILMED



APR 05 1989

State of Idaho  
Department of Water Resources

# WATER RIGHT LICENSE

WATER RIGHT NO. 96-07794

Priority: June 12, 1979 Amount: 0.02 CFS 3.0 AFA

This is to certify, that THOMAS M. WILEY  
VIVA J. WILEY

P.O. BOX 669

BRENTWOOD, CA 94513

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated June 12, 1979, and has submitted proof to the Department of Water Resources on July 18, 1984, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .020 cfs of water from:

PACK RIVER

tributary to PEND OREILLE RIVER

source and that a water right has been established as follows:

| <u>BENEFICIAL USE</u> | <u>PERIOD OF USE</u> | <u>RATE OF DIVERSION</u> | <u>VOLUME</u> |
|-----------------------|----------------------|--------------------------|---------------|
| IRRIGATION            | 04/01 to 10/15       | 0.02 CFS                 | 3.0 AFA       |

LOCATION OF POINT(S) OF DIVERSION:

NWSE , Sec. 11, Township 59N, Range 02W  
BONNER County

35

PLACE OF USE: IRRIGATION

| <u>TWN</u> | <u>RGE</u> | <u>SEC</u> | <u>ACRES</u> | <u>ACRES</u> | <u>ACRES</u> | <u>TOTAL</u> |
|------------|------------|------------|--------------|--------------|--------------|--------------|
| 59N        | 02W        | 11         | NWSE         | 1            |              | 1            |

Total number of acres irrigated: 1

CONDITIONS/REMARKS:

1. The right to the use of water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 13<sup>TH</sup> day of MARCH, 1989.

**MICROFILMED**

APR 05 1989

Acting for the Director

*Norman C. Young*

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant THOMAS M. + VIVA J. WILEY Phone 263-8189  
Post office address RT 1, Box 235B, SAMUELS, ID 83862  
2. Source of water supply PACK RIVER which is a tributary of —  
3. Location of point of diversion is NW  $\frac{1}{4}$  of SE  $\frac{1}{4}$  of Section 11 Township 39N  
Range 2W B.M. BONNER County, additional points of diversion if any: —

4. Water will be used for the following purposes:

Amount 200 cfs for IRRIGATION purposes from APR 1 to OCT 15 (both dates inclusive)  
(cfs or acre-feet per annum)  
Amount — for — purposes from — to — (both dates inclusive)  
(cfs or acre-feet per annum)  
Amount — for — purposes from — to — (both dates inclusive)  
(cfs or acre-feet per annum)  
Amount — for — purposes from — to — (both dates inclusive)  
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.20 cubic feet per second and/or b. — acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. PUMP AND IRRIGATION  
PIPE (2") WITH STORAGE TANK (500-1000 gal.)

b. Height of storage dam — feet, active reservoir capacity — acre-feet; total reservoir capacity — acre-feet, materials used in storage dam: —

Period of year when water will be diverted to storage — to — inclusive.  
(Month/Day) (Month/Day)

c. Proposed well diameter is — inches; proposed depth of well is — feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: —  $\frac{1}{4}$  of —  $\frac{1}{4}$  of Section — Township —  
Range — B.M. —

(2) Amount of power to be generated: — horsepower under — feet of head.

(3) List number of each kind of livestock to be watered —

(4) Name of municipality to be served —, or number of families to be supplied with domestic water —.

(5) If water is to be used for other purposes describe: —

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

| TWP | RANGE | SEC. | NE¼ |     |     |     | NW¼ |     |     |     | SW¼ |     |     |     | SE¼ |     |     |     | TOTALS |
|-----|-------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--------|
|     |       |      | NE¼ | NW¼ | SW¼ | SE¼ | NE¼ | NW¼ | SW¼ | SE¼ | NE¼ | NW¼ | SW¼ | SE¼ | NE¼ | NW¼ | SE¼ | SW¼ |        |
| 59N | 2W    | 11   |     |     |     |     |     |     |     |     | 7   |     |     |     |     | 3   |     |     | 10     |
|     |       |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |        |
|     |       |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |        |
|     |       |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |        |
|     |       |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |        |
|     |       |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |        |
|     |       |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |        |
|     |       |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |        |
|     |       |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |        |

Total number of acres to be irrigated 10

c. Describe any other water rights used for the same purposes as described above. \_\_\_\_\_


9. a. Who owns the property at the point of diversion THOMAS M. + VIVA J. WILEY

b. Who owns the land to be irrigated or place of use SAME

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing \_\_\_\_\_

10. Remarks This is a 10.40 place on the Park River, I wish to pump water from the river to irrigate our gardens and orchard. I intend to build an elevated storage tank of 500-1000 gal. capacity. I want to pump the water to the tank and then, after it is warmed by the sun, use gravity feed to run the water to the plants.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Thomas M. Wiley  
Hwa J. Wiley  
(Applicant)

Proposed Priority 6/12/79

Received by ma Date 6/12/79 Time 11:30am

Preliminary check by BT Fee \$ 20.00

Receipted by ma Date 6/15/79 (14030)

Publication prepared by ma Date 6/20/79

Published in Sandpoint Daily Bee

Publication dates 6/27-7/3/79

Publication approved ma Date 7/17/79

Protests filed by: none

Copies of protests forwarded by \_\_\_\_\_

Hearing held by \_\_\_\_\_ Date \_\_\_\_\_

Recommended for approval denial by BT J.S.

#### ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-7794, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 84.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: \_\_\_\_\_

Witness my hand this 9<sup>th</sup> day of August, 19 79.

J. Glen Saxton  
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Pete Thompson being first duly sworn on oath deposes and says that he is publisher of the Sandpoint Daily Bee, and News Bulletin, newspapers printed and published at Sandpoint, in Bonner County, Idaho; that the said newspapers have been continuously and uninterruptedly published in said Bonner County during a period of 12 months prior to the first publication of the hereto attached notice of publication in the case of \_\_\_\_\_

Water Rights

as it was published in the regular and entire issue of the said paper for a period of 2 consecutive weeks, commencing on 27 day of June, 1979 and ending on the 3 day of July, 19 79 and that said notice was published in said newspaper.

Pete Thompson

Subscribed and sworn to before me this 11 day of July, 19 79.

Adell M. Thompson

Notary Public for Idaho,

Residing at Sandpoint, Idaho

Department of  
Northern District Office

NOTICE OF APPLICATION  
FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

96-7794

WILEY, THOMAS M. &-or  
VIVA J.

RT. 1 BOX 235B, SAMUELS, ID  
83862

Source: PACK RIVER

Date Filed: 06-12-1979

Amount: 0.20 CFS

Diversion Point: NWSE Sec 11  
T 59N R 02W, BONNER Co.

Use: IRRIGATION (0.20 CFS)  
from 04-01 to 10-15

Place of Use: NESW NWSE Sec  
11 T 59N R 02W FOR 10 ACRES

Diversion Means: PUMP,  
PIPE & STORAGE TANK

96-7795

BISHOP, DENNIS &-or  
MONTE

P.O. Box 14, CAREYWOOD, ID  
83809

Source: CAREYWOOD CREEK

Date Filed: 06-14-1979

Amount: 0.30 CFS

Diversion Point: NWNE Sec 19  
T 54N R 02W, BONNER Co.

Use: IRRIGATION (0.30 CFS)  
from 05-01 to 10-01

Place of Use: NENE NWNE  
SWNE SENE Sec 19 T 54N R

02W FOR 40 ACRES

Diversion Means: POND,  
PUMP & PIPE

96-7796

WALLACE, RALPH LLOYD  
RT. 1 BOX 577, SANDPOINT,  
ID 83864

Source: STRAWBERRY  
CREEK tributary to GROUSE  
CREEK

Date Filed: 06-19-1979

Amount: 0.96 CFS

Diversion Point: SESE Sec 19 T  
59N R 02E, BONNER Co.

Use: IRRIGATION (0.10 CFS)  
from 04-01 to 11-01, COM-

MERCIAL (0.02 CFS) from 01-

01 to 12-31, DOMESTIC (0.08

CFS from 01-01 to 12-31, FIRE

PROTECTION (0.80 CFS) from

01-01 to 12-31, POWER (0.80

CFS) from 01-01 to 12-31

Place of Use: SESW SWSE Sec  
19 T 59N R 02E FOR 25 ACRES

Diversion Means: GRAVITY-  
FLOW PIPE & HYDRANTS

If issued, the permit(s) will  
be subject to all prior water

rights. Protests against the  
granting of any permit must be

filed with the Director of the  
Idaho Department of Water

Resources, 4055 Government  
Way, Coeur d'Alene, Id, 83814 on

or before JULY 16, 1979.

C. STEPHEN ALLRED  
Director

Published 6-28-79  
7-3-79  
7-10-79

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
COMMENCEMENT OF WORKS

Permit No. 96-7794  
Name(s) of Permit Holder(s): THOMAS M. & VIVA J. WILEY  
Post Office Address: RT. 1 Box 235B, SAMUELS, ID 83862  
Tel. No. (208) 263-8189



☒ I hereby certify that construction of diversion works for the above referenced permit began on June, 1980 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control\*:

\*Note: A financing difficulty is not an acceptable reason.

11/15/82  
Date

Thomas M. Wiley  
Signature of Permit Holder



REGISTERED MAIL

NOV 23 1982

IDAHO DEPARTMENT OF WATER RESOURCES  
STATEHOUSE  
BOISE, IDAHO 83720

Department of Water Resources

March 15, 1989

THOMAS M. WILEY  
VIVA J. WILEY  
P.O. BOX 669  
BRENTWOOD, CA 94513

RE: PERMIT NO. 96-07794

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON  
Water Rights Supervisor

JJ:sc

Enclosure

**MICROFILMED**

APR 05 1989

February 7, 1989

THOMAS M. WILEY  
VIVA J. WILEY  
P.O. BOX 669  
BRENTWOOD, CA 94513

RE: PERMIT NO. 96-07794

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON  
Water Rights Supervisor

JJ:sc


Enclosure

**MICROFILMED**

APR 05 1989

[illegible]

10. Other water rights on these lands WELL ON PREMISES
11. Other water right diverted from same p.d. None
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☐ Photo of Diversion & System Attached
- ☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks PHOTO DID NOT DEV.

15. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other
16. Examiner's/Consultant's Signature [Signature] Date 6/26/85
- Consultant's License Number \_\_\_\_\_
- IDWR Director's Authorization to Conduct
- Beneficial Use Examination \_\_\_\_\_

Date

**MICROFILMED**

CONSULTANT SEAL

APR 05 1989

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
LICENSING REPORT

RECEIVED

AUG 26 1985

96-7794  
~~96-7795~~  
Permit No.

1. Measurement Calculations

Department of Water Resources

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

one ACRE 0.02

- b) Volume Calculations for Irrigation:

$$\begin{aligned} V_{I.R.} &= (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\quad 3 \quad} \\ V_{D.R.} &= [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{2.85} \\ V &= \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\quad 3 \quad} \end{aligned}$$

- c) Volume Calculations for Other Uses:

2. Overlap Review

- a) Other water rights with same place of use: none


- b) Other water rights with same point of diversion: none

- c) Analysis:

MICROFILMED  
APR 05 1989

## RECOMMENDED AMOUNTS

- [illegible]



one Acre 4/9

APR 05 1989

TWP. 59N RGE. 2W SEC. 11 MAP # C-6 MAP SCALE 1/2  
DATE OF FIELD EXAM 6/26/85 FIELD REPORT MAP PERMIT # 96-7794

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
Northern Region

---

JOHN V. EVANS  
Governor  
A. KENNETH DUNN  
Director

4055 Government Way  
Coeur d'Alene, ID 83814  
(208) 667-6484

August 30, 1984

THOMAS M. & VIVA J. WILEY  
BOX 669  
BRENTWOOD CA 94513

RE: Permit No. 96-7794

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 765-4639 or in person at our office.

Sincerely,

/S/  
TOM D. KING  
Senior Water Resource Agent

cc: IDWR - State Office

MicroFILMED

APR 05 1989

# DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 96-7794

Name(s) of Permit Holder: Thomas M. AND VIVA J.

Post Office Address: P.O. Box 669

BRENTWOOD, CA 94513 \*Tel. No. (415) 682-2032

Source of Water: Upper Pack River



Extent of Use: ☐ Domestic \_\_\_\_\_ (number of households)  
☐ Stockwater \_\_\_\_\_ (number and type of stock)  
☒ Irrigation 1.0 (acres)  
☐ Other \_\_\_\_\_

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No  
 Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

6/7/84 Date **REC'D** Thomas M. Kelly  
Viva J. Kelly  
Signature of Permit Holder

T. WILE  
P.O. BOX 66  
BRENTWOOD - CA 94513



RECEIVED

JUL 18 1984



IDAHO DEPARTMENT OF WATER RESOURCES  
STATEHOUSE

Department of Water Resources, IDAHO 83720

MAILED

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES

---

STATEHOUSE  
BOISE, IDAHO 83720  
(208) 334-4440  
CERTIFIED MAIL

138867

WILEY, THOMAS M. & VIVA J.  
RT. 1 BOX 235B  
SAMUELS, ID 83862

PROOF DUE NOTICE

MAY 31, 1984

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 96-7794 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE AUGUST 01, 1984. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK  
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED



State of Idaho

## DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS  
Governor

C. STEPHEN ALLRED  
Director

Mailing address:  
Statehouse  
Boise, Idaho 83720  
(208) 384-2215

August 10, 1979

Thomas & Viva Wiley  
Rt 1 Box 235 B  
Samuels, Idaho 83862

Dear Mr. & Mrs. Wiley,

RE: Permit No. 96-7794

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

*David R. Tuthill, Jr.*

DAVID R. TUTHILL, JR.  
Supervisor, Water Allocations Section

DRT:lr

Enclosure

**MICROFILMED**  
1984

DEPARTMENT OF WATER RESOURCES  
- STAFF ANALYSIS -

Item Initial Date

Application No. 96-7794 Wiley

☒ Source  
☒ Point of Diversion  
☒ County  
☒ Quantity of Water and Period of Use  
☒ Description of Diverting Works  
☒ Time required for B/U of water  
☒ Place of Use or Acres Irrigated  
☒ Map  
☒ Signature  
☒ Fee

- (1) RWA 6-14-79 In form to receipt
- (2) \_\_\_\_\_ Send Copies to:  
\_\_\_\_\_ Idaho State Health Department  
\_\_\_\_\_ Idaho Fish and Game Department  
\_\_\_\_\_ Bureau of Land Management
- (3) \_\_\_\_\_ Request Special Use Permit from U.S.F.S.  
\_\_\_\_\_ Request Easement from B.L.M.  
\_\_\_\_\_ Request Information from Applicant  
\_\_\_\_\_ Request Dam Safety Information
- (4) \_\_\_\_\_ In form for advertising
- (5) \_\_\_\_\_ Platted on Map No. \_\_\_\_\_
- (6) \_\_\_\_\_ Located within Water District No. \_\_\_\_\_
- (7) \_\_\_\_\_ Critical groundwater area: yes \_\_\_\_\_ no \_\_\_\_\_
- (8) \_\_\_\_\_ Groundwater levels:  
\_\_\_\_\_ Declining, \_\_\_\_\_ Stable, \_\_\_\_\_ Increasing  
(comment) \_\_\_\_\_
- (9) \_\_\_\_\_ Other rights on the same place of use
- (10) \_\_\_\_\_ Comments: \_\_\_\_\_
- (11) ms 2/18/79 Affidavit of Publication received(date) 7/12/79
- (12) ms 7/18/79 Final date for protests 7/16/79  
Protests received: yes \_\_\_\_\_ no ☒
- (13) ms 7/18/79 All requested information received from agencies or  
applicant: yes ☒ no \_\_\_\_\_
- (14) \_\_\_\_\_ Action recommended:

☒ Approve \_\_\_\_\_ Deny

6-12-79 Proposed Priority

\_\_\_\_\_ Reason for Reduction \_\_\_\_\_

\_\_\_\_\_ Measuring device required

\_\_\_\_\_ See attached sheet for other conditions of  
approval

☒ No special conditions for approval

(15) District Northern

By

Bob Haynes

Date

7-19-79

RECEIVED

JUL 26 1979

Department of Water Resources

MICROFILMED

DEPARTMENT OF WATER RESOURCES  
- STAFF ANALYSIS -

Item Initial Date

Application No. 96-7794 Wiley

☒ Source  
☒ Point of Diversion  
☒ County  
☒ Quantity of Water and Period of Use  
☒ Description of Diverting Works  
☒ Time required for B/U of water  
☒ Place of Use or Acres Irrigated  
☒ Map  
☒ Signature  
☒ Fee

(1) RWA 6-14-79

In form to receipt

(2) \_\_\_\_\_

Send Copies to:

\_\_\_\_\_ Idaho State Health Department  
\_\_\_\_\_ Idaho Fish and Game Department  
\_\_\_\_\_ Bureau of Land Management

(3) \_\_\_\_\_

\_\_\_\_\_ Request Special Use Permit from U.S.F.S.  
\_\_\_\_\_ Request Easement from B.L.M.  
\_\_\_\_\_ Request Information from Applicant  
\_\_\_\_\_ Request Dam Safety Information

(4) \_\_\_\_\_

In form for advertising

(5) \_\_\_\_\_

Platted on Map No. \_\_\_\_\_

(6) \_\_\_\_\_

Located within Water District No. \_\_\_\_\_

(7) \_\_\_\_\_

Critical groundwater area: yes \_\_\_\_\_ no \_\_\_\_\_

(8) \_\_\_\_\_

Groundwater levels:

\_\_\_\_\_ Declining, \_\_\_\_\_ Stable, \_\_\_\_\_ Increasing

(comment) \_\_\_\_\_

(9) \_\_\_\_\_

Other rights on the same place of use

(10) \_\_\_\_\_

Comments: \_\_\_\_\_

(11) ms 7/18/79

Affidavit of Publication received(date) 7/12/79

(12) ms 7/18/79

Final date for protests 7/16/79

Protests received: yes \_\_\_\_\_ no ☒

(13) ms 7/18/79

All requested information received from agencies or applicant: yes ☒ no \_\_\_\_\_

(14) \_\_\_\_\_

Action recommended:

☒ Approve \_\_\_\_\_ Deny

6-12-79 Proposed Priority

\_\_\_\_\_ Reason for Reduction \_\_\_\_\_

\_\_\_\_\_ Measuring device required

\_\_\_\_\_ See attached sheet for other conditions of approval

☒ No special conditions for approval

(15) District Northern

By Bob Haynes Date 7-19-79

RECEIVED

JUL 26 1979

Department of Water Resources

MICROFILMED

96-7794\_

WILEY, THOMAS M. &/or VIVA J.

RT. 1 BOX 235B, SAMUELS, ID 83862

Source: PACK RIVER

Date Filed: 06/12/1979

Amount: 0.20 CFS

Diversion Point: NWSE Sec 11 T 59N R 02W, BONNER Co.

Use: IRRIGATION (0.20 CFS) from 04/01 to 10/15

Place of Use: NESW NWSE Sec 11 T 59N R 02W FOR 10 ACRES

Diversion Means: PUMP, PIPE & STORAGE TANK

**MICROFILMED**

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
Northern Region

---

JOHN V. EVANS  
Governor  
C. STEPHEN ALLRED  
Director

4055 Government Way  
Coeur d'Alene, ID 83814  
(208) 667-6484

June 21, 1979

Mr. and Mrs. Thomas M. Wiley  
Rt. 1 Box 235B  
Samuels, Idaho 83862

RE: 96-7794

Dear Mr. and Mrs. Wiley:

Enclosed is Receipt No. 14030 in the amount of \$20.00 which was received by this office for the filing fee on the above-referenced item.

Sincerely,

Patricia M. Stypa

pms

Enclosure

**MICROFILMED**