

RECEIVED

FEB - 3 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT

Department of Water Resources

Yes No

PERMIT 96-7784

(☒) () Quad Sheet

(☒) () Photo PD/PU

(☒) () Aerial Photo Date Requested 6/85

by z

(☒) () GL Plat

(☒) (~~z~~) Copies of overlapping License Field Report MAP ~~claim~~

(☒) () Other (list) LETTER - 3-30-87

EXAM COMPLETED BY

Jon King

DATE

8/87

SR AGENT REVIEW

z

DATE

9/87

REGIONAL MANAGER REVIEW

RYA

DATE

1/28/88

ENTERED ON COMPUTER BY

Jon

DATE

1/28/88

PRELIMINARY OVERLAP REVIEW BY

Jon King

DATE

6/87

96-2253

$Q = 0.55 \text{ cfs} / 44 \text{ ACRES} = 0.0125 \text{ cfs/ACRE}$

ACCORDING TO ^{EXAMINERS} ~~MAP~~ MAP MR. STOLLEY HAD 12 ACRES OF
IRRIGATION WITHIN THE E²SWSE, SEC 25, WHICH ACCORDING TO
ASSES HE STILL OWNS. $\therefore$ MR. GOOBY PURCHASED 32
IRRIGATED ACRES @ 0.40 cfs [$.0125 \times 0.4 = 32$]



MICROFILMED
JUL 30 1990

State of Idaho
Department of Water Administration
LICENSE OF WATER RIGHT

License No. 27537 96-2253 Dated Aug. 19, 1958 Amount 0.55 cfs

THIS IS TO CERTIFY THAT GEO. M. STOLLEY

of Idaho, has complied with the terms and conditions of Permit No. 27537 96-2253 issued pursuant to Application for Permit dated August 19, 1958 and has submitted proof to the Department of Water Administration on July 9, 1969 that the water has been used for the purpose for which the permit was issued and that the water has in fact been applied to a Round Lake

the Pond Oreille River is hereby confirmed in the following amounts:

0.55 cfs for irrigation from March 15 to Nov. 15 (both dates inclusive)

from _____ to _____ (both dates inclusive)

from _____ to _____ (both dates inclusive)

and that the water has in fact been applied to a 0.55 cfs of water be diverted at

_____ and waters to be diverted within the _____

NW 1/4 Sec. 36, Twp. 56 N, Rge. 3 W, B. M.

_____ Bonner and that the amount of water so diverted and to which such rights are claimed and confirmed is for the purposes aforesaid and is limited to the amount which can be applied to the land and shall not exceed 132 acre feet per year or

2.0 acre feet per acre.

Description and location of place of use:

SEC	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
56 N 3 W 25									19				25				44

MICROFILMED

JUL 30 1990

Total number of acres irrigated 44
96-2253
FOR
96-7784

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, provided by the laws of Idaho.


Witness the seal and signature of the Director, affixed at Boise, Idaho, this 20 day of

December 1971

[Signature]
Director

3


199



INFORMED

JUL 30 1990

96-2253
FOR
96-7784



MICROFILMED

JUL 30 1990

Round
Lake

North

96-7784

1000
E 300
E

John
Whitney

Robt
Olson

N 65 W 70
N 45 W 30
S 45 W 40
S 60 W 30
S 45 W 18

Walter Carl
May

Robt

Crane

RECORDED

JUL 30 1990

Geo.
Stolley

Eldon
Smith

James Whitney

Rock Co

US

25

Robt
Olson

Walter Carl
May

Robt
Grooby

MICROFILMED


JUL 30 1990

Geo.
Stalley

46

Miller

Eldon
Smith



PERMIT HOLDER ROBERT G. GOSBY PERMIT # 96-7784
 P D TWP 56N RGE 3W SEC 36 NW NE (E)

JUL 30 1990
 P/U TWP 56N RGE 3W SEC 25 SW, W² SE

SOURCE ROUND LAKE TRIBUTARY TO COCOLALLA CR.
 MAP PLOT 30 IRR. ACRES 110 USGS QUAD D-5

4/86

RECEIVED

DEC 15 1986

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received \$150.00
Date 7/14/86
Receipt # 38053
Receipt by [Signature]
Sent to S.O. 12/12/86

RECEIVED

JUN 26 1986

1. Permit No. 96-7784

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

Department of Water Resources

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: ROBERT L. GOOBY

3. Post Office Address: Box 2255 MTN. VIEW Rd.

SANDPOINT, Idaho 83864 Telephone No. 208-265-4683

4. Source of Water: BOUND LAKE

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 110 (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted 2.7 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

8. Person to contact to accompany the department representative during the field examination:

ROBERT L. GOOBY

(Name)

2255 MTN. VIEW Rd. SANDPOINT, IDAHO

(Address)

265-4683

(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date

7-11-86

Signature of Permit Holder (and title, if appropriate)

Robert L. Gooby



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

96-7784

GOOBY, ROBERT L.
BOX 2255 MTN. VIEW RD.
SANDPOINT, ID 83864

Mailing address:
Statehouse
Boise, Idaho 83720

138505

April 17, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

MICROFILMED
JUL 30 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 96-07784

Priority: May 28, 1979

Maximum Diversion Rate: 0.74 CFS
Maximum Diversion Volume:¹ 359.6 AF

This is to certify, that ROBERT L. GOOBY
2255 MTN. VIEW RD.
SANDPOINT, ID 83864

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated May 18, 1979; and
has submitted Proof of Beneficial Use on June 15, 1984. An examination indicates
that the works have a diversion capacity of .740 cfs of water from:

ROUND LAKE tributary to COCOLALLA CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.74 CFS	359.6 AF

LOCATION OF POINT(S) OF DIVERSION: NWNE , Sec. 36, Township 56N, Range 03W
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
56N 03W 25	NESW 10	NWSW 30	SWSW 40	
	SESW 30	NWSE 1	SWSE 15	126
		Total number of acres irrigated:		126

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED

JUL 30 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 96-07784

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 19TH
day of July, 1990.

Acting for R. Keith Higginson, Director

MICROFILMED

JUL 30 1990

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO


IN THE MATTER OF PERMIT)
NO. 96-7784 IN THE NAME OF)
ROBERT L. GOOBY)

ORDER ADVANCING
DATE OF PRIORITY

This matter having come before the Department of Water Resources (Department) as a result of preparing Permit No. 96-7784 for issuance of a license, the Department finds, concludes and orders:

FINDINGS OF FACT

1. The Department approved Application for Permit No. 96-7784 to appropriate the public waters of the State of Idaho with a proposed priority of MAY 18, 1979.
2. On APRIL 17, 1986 the Department advised the permit holder that a license examination fee was required before an examination could be conducted to confirm the extent of use developed under the permit. The examination fee was due on JUNE 16, 1986.
3. The license examination fee was received on JUNE 26, 1986, 10 day(s) late.



CONCLUSIONS OF LAW

1. The Director may advance the priority date of the permit one day for each day the license examination fee is late, pursuant to the provisions of Section 42-217, Idaho Code.

2. The date of priority of Permit No. 96-7784 should be advanced 10 day(s).

ORDER

IT IS HEREBY ORDERED that the date of priority of Permit No. 96-7784 is advanced to MAY 28, 1979.

Dated this 13th day of June, 1990.

J. Glen Saxton
Chief, Water Allocation Bureau

MICROFILMED

JUL 30 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Robert J. Gooby Phone 363 84231
Post office address Rt 3 Box 170, Sandpoint, Id. 83864
2. Source of water supply Rainier Lake which is a tributary of _____
3. Location of point of diversion is NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 36 Township 56N
Range 3W B.M. Bonner County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 2.72 for Irrigation purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 2.72 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. pump & pipe line

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial

use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____

Range _____ B.M. _____

(2) Amount of power to be generated: _____ horsepower under _____ feet of head

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
56N	3W	25									10	30	40	46		1	15		136


Total number of acres to be irrigated 136

c. Describe any other water rights used for the same purposes as described above. NONE

9. a. Who owns the property at the point of diversion State of Delaho
- b. Who owns the land to be irrigated or place of use Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing Permanent Easement.

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert L. Rooby
(Applicant)

Proposed Priority 5/18/79

Received by VR Date 5/18/79 Time 3:00 PM
Preliminary check by RK Fee \$ 55.00
Receipted by VR Date 5/18/79 13582
Publication prepared by ms Date 5/23/79
Published in Sagehen Daily Bee
Publication dates 5/30 - 6/6/79
Publication approved ms Date 6/19/79
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by PyR J.S.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-7784, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 84.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: (1) The issuance of this permit in no way grants any right-of-way or easement across the land of another. (2) An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 12th day of July, 19 79.

L. Glen Saxton

L. GLEN SAXTON
Chief, Operations Bureau

State of Idaho

County of Bonner,

Right Application

five weeks, commencing on 30th day of May 1979 and ending on the 16th day of June.

19 79 and that said notice was published in said newspaper.

newspaper.

Pete Thompson

Subscribed and sworn to before me this 15th day
of June, 19 79.

Robert M. B. 20

Notary Public for Idaho,

Residing at Sandpoint, Idaho

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

GOOBY, ROBERT L.
RT. 3 BOX 170, SANDPOINT,
ID 83864

Date Filed: 05-18-1979

Amount: 2.72 CFS

Diversion Point: NWNE Sec 36
T 56N R 03W, BONNER Co.

Use: IRRIGATION (2.72 CFS)
from 03-15 to 11-15

Place of Use: NESW NWSW
SWSW SESW NWSE SWSE Sec
25 T 56N R 03W FOR 136 ACRES
Diversion Means: PUMP &
PIPELINE

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't. Way, Coeur d'Alene, Id., 83814 on or before JUNE 18, 1979.

C. STEPHEN ALLRED

Director

May 30, 1979

June 6, 1979

MICROFILMED

July 19, 1990

ROBERT L. GOOBY
2255 MTN. VIEW RD.
SANDPOINT, ID 83864

RE: PERMIT NO. 96-07784

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

JUL 30 1990

June 14, 1990

ROBERT L. GOOBY
2255 MTN. VIEW RD.
SANDPOINT, ID 83864

RE: PERMIT NO. 96-07784

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

Also enclosed is an order advancing the date of priority of this right due to late submittal of the examination fee.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

JUL 30 1990

BENEFICIAL USE FIELD REPORT REVIEW

TO: FILE 96-7784

FROM: JIM JOHNSON

RE: PRIORITY ADVANCE REVIEW

DATE: 12-JUN-1989

=====

This review memo is prepared to show the process for determining what elements were involved in advancement of the priority.

	<u>DATE</u>	<u>JULIAN</u>
PERMIT		
Permit priority Date:	MAY 18 1979	138
EXAM FEE NOTICE		
Exam Fee Notice Date:	APRIL 17 1986	107
Exam Fee/Info Sheet Received Date:	JUNE 26 1986	177
Exam Fee or Info Due Date:	JUNE 16 1986	167
Days Late:		10 DAY(S)
NEW PRIORITY DATE		
Original Priority Date:	MAY 18 1979	138
Total Days Late:		10 DAY(S)
New Priority Date:	MAY 28 1979	148



POINT OF DIVERSION OVERLAP REVIEW

WR-NUMBER	TWP	RNG	SC	TRACT	LT	#SOURCE	#NAME
				1\4 1\4 1\4			
9607784 9602253	56N	03W	36	NW NE		ROUND LAKE ROUND LAKE	GOOBY, ROBERT STOLLEY, GEO.

MICROFILMED

JUL 30 1990

RECEIVED

FEB - 3 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT

Department of Water Resources

Yes No

PERMIT 96-7784

(X)() Quad Sheet

(X)() Photo PD/PU

(X)() Aerial Photo Date Requested 6/85

by R

(X)() GL Plat

(X)() Copies of overlapping ... License ... Field Report ... MAP

(X)() Other (list) LETTER - 3-30-87

EXAM COMPLETED BY Tom King

DATE 8/87

SR AGENT REVIEW R

DATE 9/87

REGIONAL MANAGER REVIEW PJA

DATE 1/28/88

ENTERED ON COMPUTER BY Tom

DATE 1/28/88


PRELIMINARY OVERLAP REVIEW BY Tom King

DATE 6/87

96-2253

Q = 0.55 cfs / 44 ACRES = 0.0125 cfs/ACRE

EXAMINERS
RECORDING TO MAP MR. STOLLEY HAD 12 ACRES OF
IRRIGATION WITHIN THE E²SWSE, SEC 25, WHICH ACCORDING TO
AGES HE STILL OWNS. MR. GOOBY PURCHASED 32
IRRIGATED ACRES @ 0.40 cfs [$0.0125 \times 0.4 = 32$]



MICROFILMED
JUL 30 1990

March 30, 1987

Mr. Robert L. Gooby
Box 2255 Mt. View Rd.
Sandpoint, Id. 83864

Re: 96-7784

Dear Mr. Gooby:

The final stage of developing a water right requires an on-site examination of the irrigation system, while it is in operation.

Please contact this office for an appointment to meet our examiner at the site so that the examination can be conducted.

Hopefully, this matter can be concluded during the 1987 irrigation season.

If you have any questions, please contact this office.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

MICROFILMED

JUL 30 1990

C
O
P
Y

State of Idaho

Department of Administration

Water Resources Division

17-37-96-2253

Aug. 19, 1958

Amount 0.55 cfs

GEO. M. STOLLEY

Sight, Idaho

17-37-96-2253

August 19, 1958

July 9, 1960

0.55 cfs

Round Lake

the Pond Oreille River

0.55 cfs

irrigation

March 15

Nov. 15 (both dates inclusive)

0.55 cfs

Sec. 36, Twp. 56 N. Rge. 3 W, B. M.

Reuter

The following is a summary of the water rights

Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTAL
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
17-37-96-2253												19			25		44

MICROFILMED

JUL 30 1990

Total number of acres irrigated 44

96-2253

FOR

96-7784


December

71

20

[Signature]

3 194




INDEXED

JUL 30 1990

96-2253

FOR

96-7784



True Meridian

96-7784

E 30° E

WINTER

Rob
Ols

NESW 70
NW SW 30
SW SW 40
SE SW 30
SW SE 18

Walter Carl
May

20/30

Miller

Rob

46 1990

30

15

4

15

Geo.
Stolley
12

Eldon
Smith



Robert
Olson

Walter Carl
May

Robert
Gordon


Miller

FUNER

0 1990

G. Stanley

Eldon
Smith



PERMIT HOLDER ROBERT GREGORY **MICROFILMED** PERMIT # 96-7784
P D TWP 56N RGE 3W SEC 36 NW NE

JUL 30 1990
P/U TWP 56N RGE 3W SEC 25 SW, Q² SE

SOURCE ROUND LAKE TRIBUTARY TO COCOLALLA CR.
MAP PLOT 30 IRR. ACRES 110 USGS QUAD D-5

7/87

State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR COX/HALL MEASUREMENT

Measured by: TOM KINGDate 7/31/87Owner: ROBERT GOOBYPermit No. 96-7784

Description of well &/or measuring site

- Include any clarifications of the sketch

- Include legal description if more than one p.d. is described in the Field Report

MEASURED INSIDE PIPE RADIUS IN INCHES

(IR)

2.5"

CIR = Pipe Circumference in Inches = _____

T = Pipe Thickness in Inches = _____

IR = [(0.1592 X CIR) - T] = _____

DIFFERENTIAL PRESSURE READING IN INCHES OF H₂O

(H)

High Reading = 32.6Low Reading = 20.1High - Low = H = 12.5

COX/HALL DESCRIPTION & FACTOR DETERMINATION

(H#)

State ID No. NONESize of tip used 5"Number of holes in
meter taped or blocked 0

To determine Cox/Hall Factor (H#) use table to the right.
Using the Differential Pressure Reading (H) find appropriate
Row and Column to determine (H#).
(example: H = 12.4 then H# = 17.0)

Determine (H#) and enter here: 12.5 17

CALCULATION OF DISCHARGE IN CFS

(Q)

$$Q = \frac{(3.1416) (IR)^2 (H\#)}{(448.8)}$$

$$Q = \frac{(3.1416) (2.5)^2 (17)}{(448.8)} = 74 \text{ CFS}$$

SKETCH (If not shown on Field Report)

	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
0	0.0	0.8	1.3	1.8	2.2	2.5	2.9	3.3	3.7	4.0
1	4.3	4.5	4.8	5.0	5.2	5.4	5.6	5.8	6.0	6.2
2	6.3	6.5	6.7	6.9	7.0	7.2	7.3	7.5	7.6	7.7
3	7.9	8.0	8.2	8.3	8.5	8.6	8.7	8.8	9.0	9.1
4	9.3	9.4	9.5	9.6	9.7	9.8	10.0	10.1	10.2	10.3
5	10.4	10.5	10.6	10.7	10.9	11.0	11.1	11.2	11.3	11.4
6	11.5	11.6	11.7	11.8	11.9	12.0	12.1	12.2	12.3	12.4
7	12.5	12.6	12.7	12.8	12.9	13.0	13.1	13.2	13.3	13.4
8	13.5	13.5	13.6	13.7	13.8	13.9	14.0	14.0	14.1	14.2
9	14.3	14.4	14.5	14.5	14.6	14.7	14.8	14.9	15.0	15.0
10	15.1	15.2	15.3	15.4	15.5	15.5	15.6	15.7	15.8	15.9
11	15.9	16.0	16.1	16.2	16.3	16.3	16.4	16.5	16.5	16.6
12	16.7	16.7	16.8	16.9	17.0	17.0	17.1	17.2	17.3	17.3
13	17.4	17.5	17.5	17.6	17.7	17.8	17.8	17.9	18.0	18.1
14	18.1	18.2	18.3	18.3	18.4	18.5	18.5	18.6	18.7	18.7
15	18.8	18.9	18.9	19.0	19.1	19.1	19.2	19.3	19.3	19.4
16	19.5	19.5	19.6	19.6	19.7	19.7	19.8	19.9	19.9	20.0
17	20.1	20.1	20.2	20.2	20.3	20.4	20.4	20.5	20.5	20.6
18	20.7	20.7	20.8	20.9	20.9	21.0	21.0	21.1	21.2	21.2
19	21.3	21.3	21.4	21.4	21.5	21.6	21.6	21.7	21.7	21.8
20	21.9	21.9	22.0	22.0	22.1	22.2	22.2	22.3	22.3	22.4
21	22.4	22.5	22.5	22.6	22.6	22.7	22.7	22.8	22.9	22.9
22	23.0	23.0	23.1	23.1	23.2	23.2	23.3	23.4	23.4	23.5
23	23.5	23.6	23.6	23.7	23.7	23.8	23.8	23.9	23.9	24.0
24	24.0	24.1	24.2	24.2	24.3	24.3	24.4	24.4	24.5	24.5
25	24.6	24.6	24.7	24.7	24.8	24.8	24.9	24.9	25.0	25.0
26	25.1	25.1	25.2	25.2	25.3	25.3	25.4	25.4	25.5	25.5
27	25.6	25.6	25.7	25.7	25.8	25.8	25.9	25.9	26.0	26.0
28	26.1	26.1	26.2	26.2	26.3	26.3	26.4	26.4	26.5	26.5
29	26.6	26.6	26.7	26.7	26.8	26.8	26.9	26.9	27.0	27.0
30	27.0	27.1	27.1	27.2	27.2	27.3	27.3	27.4	27.4	27.5
31	27.5	27.5	27.6	27.6	27.7	27.7	27.8	27.8	27.9	27.9
32	28.0	28.0	28.0	28.1	28.1	28.2	28.2	28.3	28.3	28.4
33	28.4	28.5	28.5	28.5	28.6	28.6	28.7	28.7	28.8	28.8
34	28.9	28.9	29.0	29.0	29.0	29.1	29.1	29.1	29.2	29.2
35	29.3	29.3	29.3	29.4	29.4	29.5	29.5	29.5	29.6	29.6
36	29.7	29.7	29.8	29.8	29.9	29.9	30.0	30.0	30.0	30.1
37	30.1	30.2	30.2	30.3	30.3	30.4	30.4	30.5	30.5	30.5
38	30.6	30.6	30.7	30.7	30.8	30.8	30.8	30.9	30.9	31.0
39	31.0	31.0	31.1	31.1	31.2	31.2	31.2	31.3	31.3	31.4
40	31.4	31.5	31.5	31.5	31.6	31.6	31.7	31.7	31.7	31.8
41	31.8	31.9	31.9	31.9	32.0	32.0	32.1	32.1	32.1	32.2
42	32.2	32.3	32.3	32.3	32.4	32.4	32.4	32.5	32.5	32.5
43	32.6	32.6	32.7	32.7	32.7	32.8	32.8	32.9	32.9	33.0
44	33.0	33.0	33.1	33.1	33.2	33.2	33.2	33.3	33.3	33.4
45	33.4	33.5	33.5	33.5	33.6	33.6	33.7	33.7	33.7	33.8
46	33.8	33.9	33.9	33.9	34.0	34.0	34.0	34.1	34.1	34.1
47	34.2	34.2	34.2	34.3	34.3	34.4	34.4	34.4	34.5	34.5
48	34.6	34.6	34.6	34.7	34.7	34.8	34.8	34.8	34.9	34.9

MICROFILMED

JUL 30 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 96-9784

1. Owner: ROBERT L. GOOBY Phone No. _____
Current Address: BOX 2255 MT. VIEW DR. SANDPOINT, ID. 83864

2. Accompanied by: NONE EXAM. DATE: 7/31/87
Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: ROUND LAKE tributary to COCOLALLA CR.


B. OVERLAP REVIEW

1. Other water rights with same place of use: 96-2253
_____ ☐ Copies Attached

2. Other water rights with same point of diversion: 96-2253
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.)

☒ Aerial Photo Attached

(required for irrigation of 10 acres or more).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

4" ALUMINUM INTAKE IN LAKE W/ PUMP, MOTOR & 5" MAIN
TO 66 SPRINKLERS

SPRINKLER SYSTEM: { 66 SPRINKLERS W/ 1/4" NOZZLES
2 1/2 MI OF 5" MAIN, 2640 LF 3" LATERAL

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	A.D. SMITH	20	WORN OFF	PACIFIC	2 1/2" < 6"

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
					NWNE 36	56N 3W	BONNER		- MAP / ASSESSOR

6. **Place(s) of Use:**

Indicate Method of Determination MAP / AERIAL

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
56N	3W	36									10	30	40	30		1	15		126

MICROFILMED

Do not use this space

JUL 10 1990

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
COX-HALL 2-5					2-5	2/86
PRESSURE						

2. Measurements:

SEE ATTACHED FOR COX-HALL

PRESSURE 1 1/4 NOZZLES AV. PRESS 35 PSI

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

.74 cfs

2. Alternate Method for Checking Purposes:

$$\frac{8.8(20)70\%}{2.3(35)+78} = 1.77 \quad 1 1/4 @ 35 = 4.96 \therefore \frac{(66)(4.96)}{448.8} = 0.73 \checkmark$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = \frac{126}{.74} \times \frac{3}{245} \times \text{(Irrigation Requirement)} = 378$$

$$V_{D.R.} = \text{[Diversion Rate (cfs)]} \times \text{(Days in Irrigation Season)} \times 1.9835 = 359.6$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 359.6$$

2. Volume Calculations for Other Uses:

MICROFILMED

JUL 30 1990

H. REMARKS AND OVERLAP REVIEW ANALYSIS

MR. STOLLEY (96-2253) HAS A SON-IN-LAW WHO NOW OWNS THE
E 1/4 SW 36, SEC 36 (MARKED GEO STOLLEY ON THE AERIAL). ACCORDING TO
HIM 96-2253 ^{JK WAS} ~~HAS~~ ^{JK} NOT BEEN USED FOR A PERIOD OF 5
CONSECUTIVE YEARS PRIOR TO THE PURCHASE OF MR. GARRY.
∴ WHEN 96-2253 & 96-7784 ARE COMBINED; THE TOTAL NUMBER
OF IRRIGATED ACREAGE SHALL NOT EXCEED ¹³⁶ 136 ACRES;
~~VOLUME SHALL NOT EXCEED 489 AF JK~~
MAXIMUM SYSTEM CAPACITY IS 0.74 cfs
∴ WHEN COMBINED W/ 96-2253 Q SHALL NOT EXCEED .89 cfs
" " " " " " 295.6 AFA

I. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3-15	12-15	0.74	359.6
Totals:			.74	359.6

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name TOM KING
Signature Tom King
Certification Date 5/15/87
Field Report Preparation Date 11/24/87



- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

JK 6/5/89

MICROFILMED

JUL 30 1990

OVERLAP REVIEW

PERMIT # 96-7784

PD NWNE

DU NESW - 10 AC

NW SW 30 AC

SW SW 40 AC

SESW 30 AC

NWSE 1 AC

SWSE 15 AC

TOTAL 120 AC

ALL SEC 36 T56N R3W

REQUESTED FLOW RATE 2.72 cfs

* MEASURED FLOW RATE 0.74 cfs

RATE / ACRE $\frac{.74}{126} = .0059 / \text{ACRE}$

VOLUME / ACRE $\frac{259.6}{126} = 2.06 / \text{ACRE}$

LIC 96-2253

PD NWNE

DU

SESW 19 AC

SWSE 25 AC

TOTAL 44 AC

ALL SEC 36 T56N R3W

LIC FLOW RATE .55 cfs

RATE / ACRE $\frac{.55}{44} = .0125 / \text{ACRE}$

V = 3 AF/A

SYSTEM CAPACITY 0.74 cfs

SWSE SAME ACREAGE LIC. UNDER 96-2253 15 AC

SESW 19 OF 30 ACRES LIC. UNDER 96-2253

MICROFILMED

19 AC
34 AC OVERLAP

JUL 30 1990

126 AC + 44 AC - 34 AC = 136 TOTAL AC.

MR. GOOBY PURCHASE 32 ACRES IRRIGATED UNDER 96-2253 @ .0125 cfs/ACRE

$\therefore (32 \text{ AC}) (.0125 \text{ cfs/AC}) = .4 \text{ cfs}$.55 cfs - .4 cfs = .15 cfs ON 96-2253 + .74 cfs

ON 96-7784 = .89 cfs TOTAL Q 96-2253 V = 3 AF/A $\therefore .52(3) = 96 \text{ AF}$

136 AF + 259.6 AF - 96 AF = 299.6 TOTAL V

4/86

RECEIVED

DEC 15 1986

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received 450.00
Date 7/14/86
Receipt # 38653
Receipt by [Signature]
Sent to S.O. 12/12/86

RECEIVED

JUN 26 1986

1. Permit No. 96-7784

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:
Department of Water Resources

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: ROBERT L. GOOBY

3. Post Office Address: Box 2255 MTN. VIEW Rd.

SANDPOINT, Idaho 83864 Telephone No. 208-265-4683

4. Source of Water: ROUND LAKE

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 110 (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted 2.7 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

8. Person to contact to accompany the department representative during the field examination:

ROBERT L. GOOBY (Name)

2255 MTN. VIEW Rd. SANDPOINT, IDAHO (Address) 265-4683 (Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. **RECORDED** statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

7-11-86
Date

Robert L. Gooby
Signature of Permit Holder (and title, if appropriate)

July 15, 1986

Mr. Robert Gooby
Box 2255 Mtn. View Rd.
Sandpoint, Id. 83864

Re: 96-7784

Dear Mr. Gooby:

Enclosed is your Receipt No. 38053 in the amount of \$150.00 for the examination of your above-referenced permit.

If you have any questions, please contact me at this office.

Sincerely,

IDM D. KING
Senior Water Resource Agent

IDK/pms

Enc. - Receipt

RECEIVED

JUL 30 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

96-7784

GOOBY, ROBERT L.
BOX 2255 MTN. VIEW RD.
SANDPOINT, ID 83864

Mailing address:
Statehouse
Boise, Idaho 83720

138505

April 17, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and still be needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

MICROFILMED

JUL 30 1990

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

MICROFILMED

JUL 30 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

JULY 31, 1984

ROBERT GOOBY
BOX 2255 MTN. VIEW RD.
SANDPOINT ID 83864

RE: Permit No. 96-7784

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A condition of approval of your original permit required the installation of an access port which, according to the proof card submitted by you, has not been installed. An access port must be installed prior to the time a field examination is made.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 667-6484 or in person at our office.

Sincerely,

/S/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MICROFILMED

JUL 30 1990

• DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has consented development to the extent shown below of Permit No. 96-7784

Name(s) of Permit Holder: Robert T. L. Gooby

Post Office Address: Box 2255 MTN. View Road

SANDPOINT, Idaho 83864 Tel. No. 265-4683

Source of Water: ROUND LAKE


Extent of Use: ☐ Domestic _____ (number of households)
☐ Stockwater _____ (number and type of stock)
☒ Irrigation 100 _____ (acres)
☐ Other _____

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No
 Access Port: Required? ☒ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

6-9-84 **MICRO** Robert T. Gooby
 Date Signature of Permit Holder

Robert L. Coby WA
2255 MTN. View Rd
Sandpoint, Idaho 83864



HELIP GOOD

HELIP USAE HAD PEP

13c
000

RECEIVED

JUN 15 1984



IDAHO DEPARTMENT OF WATER RESOURCES

STATEHOUSE

BOISE, IDAHO 83720

Department of Water Resources

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138860

GOOBY, ROBERT L.
RT. 3 BOX 170
SANDPOINT, ID 83864

PROOF DUE NOTICE

MAY 31, 1984

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 96-7784 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE AUGUST 01, 1984. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

September 22, 1980

George M. Stolley
Rt. 1, Box 249
Sagle, Idaho 83860

Dear Mr. Stolley,

We recently received a letter from Mr. Don F. McNarie of the Department of Lands requesting that we assist you in assigning your water right to Mr. Gooby.

In reviewing our files we find that Mr. Gooby had filed for a new water right No. 96-7784 to cover lands he plans to irrigate. These lands include in part, lands covered in your licensed water right.

Mr. Gooby apparently assumed that your water right on this land had been abandoned since water had not been used on it for at least 5 years. It will not be necessary for you to take any action since Mr. Gooby has already filed the water right.

If you have any questions on this matter please let me know.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:mr

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

July 13, 1979

Robert L. Gooby
Rt. 3, Box 170
Sandpoint, ID 83864

Dear Mr. Gooby:

RE: Permit No. 96-7784

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note the special condition requiring you to install an access port or other device to provide for the installation of measuring equipment by the Department. Enclosed are specifications for the installation of the access port, as well as a list of measuring device options.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosures

MICROFILMED

MEMORANDUM

DATE: July 6, 1979

FROM: Tom King

TO: Jim Johnson 5-5.

RE: Overlapping Water Rights

License 96-2253 was abandoned approximately 10 years ago when Mr. Gooby purchased the property from Mr. Stolley.

On this date, I spoke with Wilda Stolley Gooby Kirk. She stated that about 10 years ago, she and her ex-husband, Robert Gooby, purchased the land from her father, Mr. Stolley. No irrigation has taken place and the system has not been kept in repair since that time.

Mr. Gooby was aware of the abandoned right when he made application for the water.

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

TO: Bob Haynes

DATE: 6/25/79

FROM: Jim Johnson JS

RE: Overlapping water rights

The place of use described in application No. 96-7784 overlap lands already licensed from the same source in No. 96-2253.

The overlapping lands are in SESW, Sec. 25, Twp. 56N, Rge. 3W. There may be additional lands overlapped in the SWSE of said section, however, it is not known how many acres will be eventually irrigated. The combined acreage from ~~the com-~~
^{both}
~~bined~~ rights does not exceed 40 acres.

Since additional information is required, this file is being returned.

The minimum amount this application must be reduced is $(0.0125 \frac{\text{cfs}}{\text{af}} \times 19 \text{ ac.}) =$
0.24 cfs.

Additional information needed:

1. Is license No. 96-2253 still valid and being used on lands described within?
2. What is the total number of acres presently or planned to be irrigated in SW1/4SE1/4, Sec. 25, Twp. 56N, Rge. 3W.? The application may need adjusting depending on what is determined.

100-200-10000

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: KK

APPLICATION NUMBER: 96-7784

CHECK:

- 5.5.1 ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☒ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☒ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. None, platted 3.5.
☒ Yes ☐ No* In form for advertising.
Final date for protests: June 18, 1979
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 6/19/79
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☒ Yes ☐ No Measuring device required.
☒ Yes ☐ No Access port required.
☐ Yes ☐ No Will water be delivered by watermaster? If yes, what district? _____
☒ 5-18-79 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: RJA Date: 6-19-79

STATE OFFICE REVIEW:

04, OIC

- ☐ See attached sheet for more information.

By: Jani Date: 6/25/79

RECEIVED
JUN 25 1979
Department of Water Resources

96-2284

GOOBY, ROBERT L.

RT. 3 BOX 170, SANDPOINT, ID 83864

Source: ROUND LAKE

Date Filed: 05/18/1979

Amount: 2.72 CFS

Diversion Point: NWNE Sec 36 T 56N R 03W, BONNER Co.

Use: IRRIGATION (2.72 CFS) from 03/15 to 11/15

Place of Use: NESW NWSW SWSW SESW NWSE SWSE Sec 25 T 56N R 03W
FOR 136 ACRES

Diversion Means: PUMP & PIPELINE

RECEIVED
MAY 20 1979
FBI - BOZEMAN



STATE OF IDAHO

DEPARTMENT OF LANDS

STATEHOUSE, BOISE, IDAHO 83720

GORDON C. TROMBLEY
DIRECTOR

STATE BOARD OF LAND COMMISSIONERS

JOHN V. EVANS
GOVERNOR AND PRESIDENT
PETE T. CENARRUSA
SECRETARY OF STATE
DAVID H. LEROY
ATTORNEY GENERAL
JOE R. WILLIAMS
STATE AUDITOR
JERRY L. EVANS
SUPT OF PUBLIC INSTRUCTION

May 31, 1979

Robert Haynes
Dept. of Water Resources
Northern District
Rt. 5, Box 203, Suite 1
Coeur d'Alene, ID 83814

RE: 96-7784
Robert Gooby

Dear Bob:

Thank you for the copy of the above numbered application. The applicant will be required to make application for an easement or temporary permit from the Department of Lands in addition to your diversion permit.

The applicant is being advised.

Very truly yours,

William A. Scribner
WILLIAM A. SCRIBNER, Chief
Bureau of Navigable Waters

WAS:bv

RECEIVED

JUN 4 1979

Department of Water Resources
Northern District Office

EQUAL OPPORTUNITY EMPLOYER

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
C. STEPHEN ALLRED
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

May 23, 1979

Mr. William A. Scribner
Idaho Department of Lands
Statehouse
Boise, Idaho 83720

RE: 96-7784

Dear Bill:

Enclosed is information which may be of interest to your Agency relating
to an application recently filed with the Department of Water Resources.

Very truly yours,

Robert G. Haynes, P.E.
Regional Supervisor

RGH/pms

Enclosure

ENCLOSURE