

No Color
Documents
In File

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 96-7777 Priority April 26, 1979 Amount .07 cfs

THIS IS TO CERTIFY, that ROBERT C. SEISS
of Spokane, Washington, has complied with the terms and conditions of Permit
No. 96-7777 issued pursuant to Application for Permit dated April 26, 1969,
and has submitted proof to the Department of Water Resources on May 7, 1980,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of .07 cfs of water from Pend Oreille River,
tributary to Columbia River, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	<u>from March 15 to November 15</u>	<u>at 0.03 cfs and</u>	<u>3.5 acre feet</u>
<u>Domestic</u>	<u>from January 1 to December 31</u>	<u>at 0.04 cfs and</u>	<u>1.2 acre feet</u>
<u>(1 unit)</u>	<u>from to at cfs and</u>		
	<u>(both dates inclusive)</u>		

Subject, however, to the condition that no more than .07 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
4.7 acre feet per year, said waters to be diverted within the (SE $\frac{1}{4}$ SW $\frac{1}{4}$) Govt Lot 6,
Sec. 26, Twp. 57N, Rge. 3W, B.M. in the County of Bonner

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
57N	3W	26																	1

Total number of acres irrigated 1

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 30 day of
September, 19 80

Director

RECORDED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Robert C. Seiss Phone ⁵⁰⁹ 928-3107
Post office address E. 9125 Grace Ave. Spokane, Wa. 99206
2. Source of water supply Land Ovielle River which is a tributary of Columbia R
3. Location of point of diversion is 1/4 of G.L. 6 1/4 of Section 26 Township 57N
Range 3W B.M. Bonner County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.03 for Irrigation purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.04 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.07 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Stationary pump & pipe line to garden hose & sprinkler and to charcoal filtration system & to mobile home.
b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____
Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:
(1) Give the place of use of water: 1/4 of G.L. 6 1/4 of Section 26 Township 57N
Range 3W B.M.
(2) Amount of power to be generated: _____ horsepower under _____ feet of head.
(3) List number of each kind of livestock to be watered _____
(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 1.
(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
57N	300	26												1.5 (64.6)					1.5

Total number of acres to be irrigated 1.5

c. Describe any other water rights used for the same purposes as described above. _____

None

9. a. Who owns the property at the point of diversion Applicant


b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

for Examiner: pump house is not locked. Basically
a summer home but use is year around
on week ends - vacations etc.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Robert C. Leiss
(Applicant)

Proposed priority 4-26-79

Received by AK Date 4/26/79 Time 12:11:00 PM

Preliminary check by RYA Fee \$ 90.00

Received by AK Date 4/26/79 13544

Publication prepared by pm Date 5/2/79

Published in Sandpoint Daily Bee

Publication dates 5/9 & 16/79

Publication approved pm Date 5/22/79

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by RYA SS.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-7777, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 80.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: _____

Witness my hand this 18th day of June, 19 79.

J. Glen Saxton
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

State of Idaho

SS.

County of Bonner,

Pete Thompson being first duly sworn on oath deposes and says that he is publisher of the Sandpoint Daily Bee, and News Bulletin, newspapers printed and published at Sandpoint, in Bonner County, Idaho; that the said newspapers have been continuously and uninterruptedly published in said Bonner County during a period of 12 months prior to the first publication of the hereto attached

notice of publication in the case of Water

Right Application

as it was published in the regular and entire issue

of the said paper for a period of 2 consecu-

tive weeks, commencing on 9th day of

May, 1979 and ending on the 16th day of May.

1979 and that said notice was published in said

newspaper.

Pete Thompson

Subscribed and sworn to before me this 21 day

of May, 1979.

Edell M Thompson

Notary Public for Idaho,

Residing at Sandpoint, Idaho

NOTICE APPLICATION
FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

96-7777

SEISS, ROBERT C.
E. 9125 GRACE AVENUE,
SPOKANE, WA 99206
Source: PEND OREILLE
RIVER

Date Filed: 04-26-1979

Amount: 0.07 CFS

Diversion Point: LOT 06 Sec 26
T 57N R 03W, BONNER Co.

Use: IRRIGATION (0.03 CFS)
from 03-15 to 11-15

Use: DOMESTIC (0.04 CFS)
from 01-01 to 12-31

Place of Use: LOT 06 (SESW)
Sec 26 T 57N R 03W FOR 2
ACRES

Diversion Means: PUMP,
PIPE, SPRINKLERS &
FILTRATION SYSTEM.

96-7778

MAPLE, TERRY A &-O,
CHARLES L.
P.O. BOX 1658, SANDPOINT,
ID 83864

Source: UNNAMED STREAM
tributary to GOLD CREEK

Amount: 0.05 CFS

Diversion Point: SWSE Sec 32 T
59N R 01E, BONNER Co.

Use: STOCKWATER (0.03
CFS) from 01-01 to 12-31

Use: IRRIGATION (0.02 CFS)
from 05-01 to 10-01

Place of Use: SWSE Sec 32 T
59N R 01 E FOR 2 ACRES

Diversion Means: PUMPS &
PIPELINE

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't. Way, Coeur d'Alene, Id., 83814 on or before MAY 29, 1979.

C. STEPHEN ALLRED
Director

May 9, 16, 1979

RECEIVED

MAY 22 1979

Department of Water Resources
Coeur d'Alene, Idaho

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

October 6, 1980

Robert C. Seiss
E. 9125 Grace Ave.
Spokane, Washington 99206

Dear Mr. Seiss,

RE: License No. 96-7777

Enclosed is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:mr.

Enclosure

MICROFILMED

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

AUG 18 1980

Department of Water Resources

96-7777

Permit No.

9-2-W

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:	5-30-80	JK	
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

EXAMINATION

Date 7-28-80 Accompanied by — Total Q measured 41.85 gpm
If source is surface water, estimate total flow of source —
Methods of measurement Measure & Calc. ✓ Meets Permit requirements? —

Measurement calculations:

2 homes 0.04 - 2.4

3RB25 - 5/32 @ 60 psi = (4.95) 3 = 14.85 gpm

Sucker Hose 5 gpm each

430 / 20 gpm = 0.04 cfs

Domestic 0.04 cfs 2.44 AF

irr 0.04 cfs 3.5

0.08 cfs 5.9 AF

ALLOW. 0.07 cfs RA

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	1	GE	CJF	unlabeled				

System Description Pump in pipeline from river to pump station with
buried sprinkler system to 3 rises & 2 homes

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

Irrigation requirement = 3.5 AFA/Acre

USE

Irrigation
Domestic

Q (cfs)

0.03

0.04

V (afa)

3.5

2.4

FROM

3-15

1-1

TO

11-15

12-31

Total

0.07 ✓

5.9 ✓

Remarks 1 acre irr - 2 mobile homes 3RB25 5/32 @ 60 psi + 50' sucker

MICROFILMED

MAP (Attach Aerial Photo)

SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: GL 6, 26, 57N, 3W

Place(s) of Use

TWP.	RGE.	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
57N	3W	26												X					
														G					
														L					
														6					

Recommended Amendments:

☐ Change P.D. as reflected above
 ☐ Add P.D. as reflected above
 ☐ None

☐ Change P.U. as reflected above
 ☐ Add P.U. as reflected above
 ☐ Other _____

Examiner's Signature J King
 Date 7-28-80

Checked by Bob Dauph
 Date 8/13/80

Approved by Rdoy
 Date 8/28/80

DEPARTMENT OF WATER RESOURCES

Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 96-7777.

Name(s) of Permit Holder: Robert C. Seiss

Post Office Address: E-9125 Grace Ave.

Spokane Wa. 99206

Tel. No. 928-3100

Source of Water: Pond Orielle River

Extent of Use: ☒ Domestic 1 (number of households)
☐ Stockwater _____ (number and type of stock)
☒ Irrigation 1 1/3 (acres)
☐ Other _____

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No
 Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

5-5-80

Date

Robert C. Seiss
 Signature of Permit Holder

RECEIVED

Robert C. S. SSM
E-9125 Grace Ave
Spokane, WA 99206



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

MAY 2 1980

Department of Water Resources

RECEIVED

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
C. STEPHEN ALLRED
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

May 30, 1980

Mr. Robert Seiss
E. 9125 Grace Ave.
Spokane, Wa. 99206

RE: 96-7777

Dear Mr. Seiss:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination, however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office.

Very truly yours,

TOM D. KING
Senior Water Resource Agent

TDK/pms

cc: IDWR - State Office

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

SEISS, ROBERT C.
E. 9125 GRACE AVENUE
SPOKANE, WA 99206

138692

APRIL 30, 1980

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 96-7777 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JULY 01, 1980. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

MICROFILMED



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES NORTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

July 16, 1979

Mr. Robert Seiss
9125 Grace Avenue
Spokane, Washington 99206

Re: 96-7777

Dear Mr. Seiss:

In regard to your recent visit to our office concerning the above-referenced water right application for permit.

I have checked into the matter of the possibility of your building a permanent home on the premises to replace the trailer presently on the site in approximately three years' time and this would not affect the above application in any way.

If you have any further questions, please contact this office.

Sincerely,

Patricia M. Stypa
Senior Secretary

cc: IDWR - State Office

please file

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

June 19, 1979

Re: Permit No. 96-7777

Robert C. Seiss
E. 9125 Grace Avenue
Spokane, Washington 99206

Dear Mr. Seiss:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosure

MICROFILMED

96-7777

STAFF REVIEW - STATE OFFICE

1. ✓ Name vs. Signature
2. S.W. Source
3. ✓ Point of Diversion
4. 0.7 Amnt. & Period of Use
5. ✓ Descrip. of Diverting Wrks.
6. 1 Time req. for Proof of B/U
7. ✓ Place of Use for other than irrig.
8. 1.5 Place of Use for irrigation (add acres)
9. 4 Property Owner at Pt. of Div. & Pl. of Use
10. ✓ Map
11. 20 Fee & Rec't. No.

Copies Sent To:

<u>NO</u> Idaho Health Department	<u>NO</u> U.S.F.S.
<u>NO</u> Idaho Fish & Game Dept.	<u>NO</u> Dept. of Lands
<u>NO</u> Bureau of Land Management	<u>NO</u> Other

Dam Safety Information N/A (Goes to Permit Section)

Check:

Critical G.W. Area yes no

Other rights on same land None platted

Withdrawals of all protests received yes no

Conditions:

ID Power Co. Letter - Snake R. NO
ID Power Co. Letter - G.W. & Tribs. NO
Snake River Condition NO
Payette River Letter NO
Priority Date 4/26/79

Water Quality #16 NO
Water Quality #10 NO
intrastate NO interstate NO

Meas. Dev. or Sc. Meas. NO
Totalizing meter NO
Supplemental NO
Right-of-Way Cond. NO
Watermaster Cond. NO
Wtr. Dist No. NO
Meas. Dev. Cond. for apps within a Water Dist. NO

Jim Reviewer
6/15/79 Date
MICROFILMED

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 96-7777 Seiss

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) PSH 4-26-79
(2) PSH 4-26-79

In form to receipt

Send Copies to:

☐ Idaho State Health Department
☐ Idaho Fish and Game Department
☐ Bureau of Land Management
☒ lands put 5/2/79
☐ Request Special Use Permit from U.S.F.S.
☐ Request Easement from B.L.M.
☐ Request Information from Applicant
☐ Request Dam Safety Information

(3) _____
(4) PSH 4-26-79

In form for advertising

(5) _____
(6) _____
(7) _____
(8) _____

Platted on Map No. _____

Located within Water District No. _____

Critical groundwater area: yes _____ no _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) pm 5/22/79

Affidavit of Publication received(date) 5/22/79

(12) pm 5/29/79

Final date for protests May 29, 1979

Protests received: yes _____ no ☒

(13) pm 5/29/79

All requested information received from agencies or applicant: yes ☒ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

4-26-79 Proposed Priority

_____ Reason for Reduction _____

_____ Measuring device required

_____ See attached sheet for other conditions of approval

☒ No special conditions

(15) District Northem

By Bob Haynes

Date 5-29-79

RECEIVED
MAY 31 1979

Department of Water Resources

MICROFILMED

96-7777

SEISS, ROBERT C.

E. 9125 GRACE AVENUE, SPOKANE, WA 99206

Source: PEND OREILLE RIVER

Date Filed: 04/26/1979

Amount: 0.07 CFS

Diversion Point: LOT 06 Sec 26 T 57N R 03W, BONNER Co.

Use: IRRIGATION (0.03 CFS) from 03/15 to 11/15
DOMESTIC (0.04 CFS) from 01/01 to 12/31

Place of Use: LOT 06 (SESW) Sec 26 T 57N R 03W FOR 2 ACRES

Diversion Means: PUMP, PIPE, SPRINKLERS & FILTRATION SYSTEM.

**NOTICE OF APPLICATION
FOR WATER RIGHT**

Notice is hereby given that
the following application(s)
have been submitted for permit
to appropriate the public waters
of the State of Idaho:

96-7777

SEISS, ROBERT C.
E. 9125 GRACE AVENUE,
SPOKANE, WA 99206
Source: PEND OREILLE
RIVER

Date Filed: 04-26-1979

Amount: 0.07 CFS

Diversion Point: LOT 06 Sec 26
T 57N R 03W, BONNER Co.

Use: IRRIGATION (0.03 CFS)
from 03-15 to 11-15

Use: DOMESTIC (0.04 CFS)
from 01-01 to 12-31

Place of Use: LOT 06 (SESW)
Sec 26 T 57N R 03W FOR 2
ACRES

Diversion Means: PUMP,
PIPE, SPRINKLERS &
FILTRATION SYSTEM.

Microfilm



STATE OF IDAHO

DEPARTMENT OF LANDS

STATEHOUSE, BOISE, IDAHO 83720

GORDON C. TROMBLEY
DIRECTOR

STATE BOARD OF LAND COMMISSIONERS

JOHN V. EVANS
GOVERNOR AND PRESIDENT
PETE T. CENARRUSA
SECRETARY OF STATE
DAVID H. LEROY
ATTORNEY GENERAL
JOE R. WILLIAMS
STATE AUDITOR
JERRY L. EVANS
SUPT OF PUBLIC INSTRUCTION

May 10, 1979

Robert Haynes
Dept. of Water Resources
Northern District
Rt. 5, Box 203, Suite 1
Coeur d'Alene, ID 83814

RECEIVED

MAY 14 1979

Department of Water Resources
Northern District Office

RE: 96-7777
Robert Seiss

Dear Bob:

The work proposed in the above numbered diversion application will require a temporary permit and an encroachment from the Department of Lands in addition to your diversion permit.

The applicant is being advised.

Very truly yours,

William A. Scribner
WILLIAM A. SCRIBNER, Chief
Bureau of Navigable Waters

WAS:bv

cc: Bureau of Navigable Waters-CdA

REPROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
C. STEPHEN ALLRED
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

May 2, 1979

Mr. William A. Scribner
Idaho Dept. of Lands
Statehouse
Boise, Idaho 83720

RE: 96-7777

Dear Bill:

Enclosed is information which may be of interest to your Agency relating
to an application recently filed with the Department of Water Resources.

Very truly yours,

Robert G. Haynes, P.E.
Regional Supervisor

RGH/pms

Enclosure

MICROFILMED