




THIS MAP COMPLEIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225 OR WASHINGTON, D. C. 20242
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

MICROFILMED



WATER RIGHT LICENSE

THIS IS TO CERTIFY, that
Elizabeth Weber

[illegible]

GENIUS

MICROFILMED

CONDITIONS OF APPROVAL

a. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.


b. The right to the use of the water hereby confirmed is restricted and appurtenant to lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

c. Any water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water other than hydropower, within the State of Idaho initiated later in time than the priority of this license.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 18TH day of APRIL, 19 86.

Acting for the

Director



108

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Elizabeth Weber Phone (509) 325-5332
Post office address W. 439 Maxwell, Spokane, Wa.
2. Source of water supply Unnamed Spring which is a tributary of _____
→ 3. Location of point of diversion is NE ¼ of SE ¼ of Section 21 Township 57N
Range 1E B.M. Ponne County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.04 for Domestic purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.04 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. gravity flow to place of use

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NE ¼ of SE ¼ of Section 21 Township 57N
Range 1E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 1.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. *None*

9. a. Who owns the property at the point of diversion *Applicant*

b. Who owns the land to be irrigated or place of use Replicor

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

[illegible]

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Elizabeth Ann Weber
(Applicant)

Proposed priority 4-23-79

Received by JK Date 4/23/79 Time 4:15 PM

Preliminary check by Rgt Fee \$ 20.00

Received by pm Date 4/23/79 (135-38)
Publication prepared by pm Date 4/23/79

Published in Starpoint Daily Bee

Publication dates 5/2 - 9/79

Publication approved pm Date 5/22/79

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by J.J.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-7776, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 84.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: _____

Witness my hand this 18th day of June, 19 79.

L. Glen Saxton
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Pete Thompson being first duly sworn on oath deposes and says that he is publisher of the Sandpoint Daily Bee, and News Bulletin, newspapers printed and published at Sandpoint, in Bonner County, Idaho; that the said newspapers have been continuously and uninterruptedly published in said Bonner County during a period of 12 months prior to the first publication of the hereto attached notice of publication in the case of Water Right Application as it was published in the regular and entire issue of the said paper for a period of 2 consecutive weeks, commencing on 2nd day of May, 1979 and ending on the 9th day of May, 1979 and that said notice was published in said newspaper.

Pete Thompson

Subscribed and sworn to before me this 21 day of May, 1979.

Adrian M. Thompson

Notary Public for Idaho,

Residing at Sandpoint, Idaho

RECEIVED

MAY 22 1979

Department of Water Resources
Northern District Office

NOTICE
OF APPLICATION
FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

96-7773

YEAKE, CLEMANS H. &-or
ARLENE S.

P.O. Box 486, Sandpoint, ID
83864

Source: Unnamed Spring
Date Filed: 04-19-1979

Amount: 0.04 CFS

Diversion Point: NWNE Sec. 31
T 58N R 01E, Bonner Co.

Use Domestic (0.04 CFS) from
01-01 to 12-31

Place of Use: NWNE Sec. 31 T
58N R 01E

Diversion Means: Collection
Box & Pipeline

96-7775

RECREATION UTILITIES,
INC.

P.O. Box 1427, Sandpoint, ID
83864

Source: Unnamed Springs
tributary to Schweitzer Creek
Date Filed: 04-20-1979

Amount: 1.00 CFS

Diversion Point: NESW Sec 20
T 58N R 02W, Bonner Co.

Use: Domestic (1.00 CFS) from
01-01 to 12-31

Place of Use: N½ Sec. 29, T58N,
R2W; N½, SW¼, Sec. 20, T58N,
R2W; All of Sec. 21, T58N, R2W;
S½ Sec. 17, T58N R2W.

Diversion Means: Low Head
Dam, Catch Basin, Weir &
Pipeline.

96-7776

WEBER, ELIZABETH
W. 439 Maxwell, Spokane, WA

Source: Unnamed Spring
Date Filed: 04-23-1979

Amount: 0.04 CFS

Diversion Point: NESE Sec. 21
T 57N R 01E, Bonner Co.

Use: Domestic (0.04 CFS) from
01-01 to 12-31

Place of Use: NESE Sec 21 T
57N R 01E

Diversion Means: Gravity-Flow
Pipeline

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't. Way, Coeur d'Alene, Id, 83814 on or before May 21, 1979.

C. STEPHEN ALLRED
Director
May 2, 9, 1979

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

April 18, 1986

RE: Permit No. 96-7776

Elizabeth Weber
Star Rt., Box 97
Hope, ID 83836

Dear Ms. Weber:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

Enclosure

MICROFILMED

State of Idaho
DEPARTMENT OF WATER RESOURCES
WATER RIGHT BENEFICIAL USE FIELD REPORT

96-7776
Permit No.
WEBER

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:			
☐ Telephone call made (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

EXAMINATION

Date 10/27/83 Accompanied by App Total Q measured - est. 0.04
Source Spring Tributary to sinks Supp. annubar measurement sheet used? no
If source is surface water, estimate total flow of source 0.20
Methods of measurement Est. Meets permit requirements? yes

Measurement calculations: one home

WELL/DIV. NO.*	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEVICE	REMARKS
								Gravity

System Description 4" pvc installed in main line of 96-7090 to collect overflow. Water then conveyed to 3500 gal ~~steel~~ concrete storage Vault, then to home.

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE	Irrigation requirement =		AFA/Acre	
	Q (cfs)	V (afa)	FROM	TO
<u>Domestic ✓ (1 unit)</u>	<u>0.04 ✓</u>	<u>1.2 ✓</u>	<u>1-1 ✓</u>	<u>12-31 ✓</u>
Total	<u>0.04 ✓</u>	<u>1.2 ✓</u>		

Remarks

MICROFILMED

[illegible]

(Include distance from pump to measuring device, if applicable.)

Place(s) of Use

[illegible]

☒ None
☐ Other

Date _____

Proof has been
made on Rt.
96-8228 in the
name of Robert
Argue — kw
3/27/86

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 26-5220

Name(s) of Permit Holder: Robert S. Argue + Elizabeth A. Weber

Post Office Address: 145 Eagen Mtn Drive, Hope, Idaho 83836

Tel. No. 264-5623

Source of Water: Spring

Extent of Use: ☐ Domestic Domestic 96-7776 (number of households)
☐ Stockwater _____ (number and type of stock)
☒ Irrigation 1 (acres)
☐ Other _____

MICROFILMED

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No
 Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

8/25/84
Date

Robert S. Argue
Elizabeth Ann Weber
Signature of Permit Holder

Argu Weber

145 Eagen Mtn Dr,

Hope, Id. 83836



RECEIVED

SEP 4 1984



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE

Department of Water Resources

BOISE, IDAHO 83720

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

OCTOBER 18, 1983

ELIZABETH WEBER
STAR RT BOX 97
HOPE

ID

RE: Permit No. 96-7776

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 667-6484 or in person at our office.

Sincerely,

/S/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit 96-7776.

Name(s) of Permit Holder: ELIZABETH WEBER

Post Office Address: STAR RT Box 97
HOPE, ID Tel. No. _____

Source of Water: SPRING

Extent of Use: ☒ Domestic GARDEN USE (number of households)
☐ Stockwater _____ (number and type of stock)
☐ Irrigation _____ (acres)
☐ Other _____

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No
Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No


The above information is a true statement of the extent to which the above numbered permit has been developed.

6/18/83 Date Elizabeth Ann Weber Signature of Permit Holder

Argue Weber

E1834-124H

Spokane, Wa 99202



MICROFILMED

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

June 19, 1979

Re: Permit No. 96-7776

Elizabeth Weber
W. 439 Maxwell
Spokane, Washington

Dear Ms. Weber:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosure

MICROFILMED

96-7776

STAFF REVIEW - STATE OFFICE

- | | |
|---|--|
| 1. <u>✓</u> Name vs. Signature | 7. <u>✓</u> Place of Use for other than irrig. |
| 2. <u>Spr</u> Source | 8. <u>N/A</u> Place of Use for irrigation (add acres) |
| 3. <u>✓</u> Point of Diversion | 9. <u>A</u> Property Owner at Pt. of Div. & Pl. of Use |
| 4. <u>04</u> Amnt. & Period of Use | 10. <u>✓</u> Map |
| 5. <u>✓</u> Descrip. of Diverting Wrks. | 11. <u>20</u> Fee & Rec't. No. |
| 6. <u>5</u> Time req. for Proof of B/U | |

Copies Sent To:

<u>NO</u> Idaho Health Department	<u>NO</u> U.S.F.S.
<u>NO</u> Idaho Fish & Game Dept.	<u>NO</u> Dept. of Lands
<u>NO</u> Bureau of Land Management	<u>NO</u> Other

Dam Safety Information N/A (Goes to Permit Section)

Check:

Critical G.W. Area yes ✓ no

Other rights on same land N/A

Withdrawals of all protests received N/A yes no

Conditions:

ID Power Co. Letter - Snake R. NO
ID Power Co. Letter - G.W. & Tribs. NO
Snake River Condition NO
Payette River Letter NO
Priority Date 4/23/79

Water Quality #16 NO
Water Quality #10 NO
intrastate NO interstate NO

Meas. Dev. or Sc. Meas. NO
Totalizing meter NO
Supplemental NO
Right-of-Way Cond. NO
Watermaster Cond. NO
Wtr. Dist No. NO
Meas. Dev. Cond. for apps within a Water Dist. NO

John
Reviewer
6/15/79
Date

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 96-7776 Weber

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) RYA 4-25-79

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant
_____ Request Dam Safety Information

(4) RYA 4-25-79

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) pm 5/22/79

Affidavit of Publication received (date) 5/22/79

(12) pm 5/22/79

Final date for protests May 21, 1979

Protests received: yes _____ no ✓

(13) pm 5/22/79

All requested information received from agencies or applicant: yes ✓ no _____

(14) _____

Action recommended:

✓ Approve _____ Deny

4-23-79 Proposed Priority

_____ Reason for Reduction _____

_____ Measuring device required

_____ See attached sheet for other conditions of approval

✓ No special conditions for approval

(15) District Northern

By Bob Haynes Date 5-29-79

RECEIVED
MAY 31 1979

Department of Water Resources

MICROFILMED

WEBER, ELIZABETH

W. 439 MAXWELL, SPOKANE, WA

Source: UNNAMED SPRING

Date Filed: 04/23/1979

Amount: 0.04 CFS

Diversion Point: NESE Sec 21 T 57N R 01E, BONNER Co.

Use: DOMESTIC (0.04 CFS) from 01/01 to 12/31

Place of Use: NESE Sec 21 T 57N R 01E

Diversion Means: GRAVITY-FLOW PIPELINE

MICROFILMED