




TWP. 57N RGE. 1W SEC. 5 MAP # C-1 MAP SCALE 1:25,000
 DATE OF FIELD EXAM 7/24/85 FIELD REPORT MAP PERMIT # 96-7759

96-7757





STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 962759
Name(s) of Permit Holder(s): Kanaka Shree, Dignity Assn
Post Office Address: 50 P21 BT116 Sandpoint Idh
Tel. No. 208-4807

☒ I hereby certify that construction of diversion works for the above referenced permit began on 6/80 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control:

*Note: A financing difficulty is not an acceptable reason.

5-12-83
Date

Kanaka Shree Dignity Assn
James L. Jones
President
Signature of Permit Holder

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has committed development to the extent shown below of 96-7759.

Name(s) of Permit Holder: KANIKSU SHORES ESTATES IMPROVEMENT

Post Office Address: 16480 KANIKSU SHORES CIRCLE ASSOC.

SNOWPOINT, ID. 83864

Tel. No. (208) 263-0820

Source of Water: WELL

AFTER 5 P.M.

Extent of Use:

☒ Domestic

17 *

(number of households)

☐ Stockwater

(number and type of stock)

☐ Irrigation

(acres)

☒ Other

* 17 CONNECTED NOW (PERMANENT)

36 TOTAL WHEN ALL CONNECTED

Measuring Device:

Required?

☐ Yes

☒ No

Installed?

☐ Yes

☒ No

Access Port:

Required?

☐ Yes

☒ No

Installed?

☐ Yes

☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

36 hookups actually
subscribed-in - per
telephone con. w/
Joe Bedard 5-16-84

3-2-84

Date

Joseph F. Bedard (K.S.I.A. SEC/TREAS.)

Signature of Permit Holder

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-07759

Priority: March 12, 1979

Maximum Diversion Rate: 0.20 CFS
Maximum Diversion Volume:¹ 15.6 AF

This is to certify, that KANIKSU SHORES EST. IMPROVEMENT ASSN.
6480 KANIKSU SHORE CIRCLE
SANDPOINT, ID 83864

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 12, 1979; and has submitted Proof of Beneficial Use on March 5, 1984. An examination indicates that the works have a diversion capacity of .200 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.20 CFS	15.6 AF

LOCATION OF POINT(S) OF DIVERSION: SESE, Sec. 5, Township 57N, Range 01W
BONNER County

PLACE OF USE: DOMESTIC

TWN RGE SEC

57N 01W 5 SESE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The maximum combined rate of diversion under this right & Right 96-7536 shall not exceed 0.20 cfs.
6. Domestic use is for 20 homes.
7. 2 points of diversion located in SESE, S5, T57N, R1W.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 25TH day of JANUARY, 1990.

MICROFILMED

MAR 26 1990

Acting for R. Keith Higginson, Director

R. Keith Higginson

low

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Kaniksu Shores Estates Improvement Assn Phone 263-5166
Post office address Box Rt #1 Box 551A Sandpoint, Id. 83864
2. Source of water supply Groundwater which is a tributary of —
3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 5 Township 57N
Range 1W B.M. Bonner County, additional points of diversion if any: —
(2 points)

4. Water will be used for the following purposes:

- Amount 0.20 for Domestic purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)
- Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)
- Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

- a. 0.20 cubic feet per second and/or b. — acre-feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. 2 Wells, pump, pipeline
- b. Height of storage dam — feet, active reservoir capacity — acre-feet; total reservoir capacity — acre-feet, materials used in storage dam: —
Period of year when water will be diverted to storage — to — inclusive.
(Month/Day) (Month/Day)
- c. Proposed well diameter is 8 inches; proposed depth of well is 42 ± 80 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

- a. If water is not for irrigation:
(1) Give the place of use of water: SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 5 Township 57N
Range 1W B.M.
- (2) Amount of power to be generated: — horsepower under — feet of head.
- (3) List number of each kind of livestock to be watered —
- (4) Name of municipality to be served —, or number of families to be supplied with domestic water 26.
- (5) If water is to be used for other purposes describe: —

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. _____

License 96-7536

9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Members of Assn

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks Application for Kandow Shores Estates, those homes within the subdivision which are not covered under 96-7536

Sec 5
T 57N R 1W

x

James President
(Applicant)

Proposed Priority 3-12-79

Received by Date 3/12/79 Time 11:21 AM

Preliminary check by RYA Fee \$ 20⁰⁰

Receipted by Date 3/13/79 #13454

RYA Publication prepared by Date 3/14/79

Published in Idaho State Daily Bee

Publication dates 3/21-28/79

Publication approved Date 4/2/79

Protests filed by:

Copies of protests forwarded by

Hearing held by Date

Recommended for approval denial by RYA J.S.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-7759, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 84.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 12th day of April, 19 79.

J. Glen Saxton
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Pete Thompson being first duly sworn on oath deposes and says that he is publisher of the Sandpoint Daily Bee, and News Bulletin, newspapers printed and published at Sandpoint, in Bonner County, Idaho; that the said newspapers have been continuously and uninterruptedly published in said Bonner County during a period of 12 months prior to the first publication of the hereto attached notice of publication in the case of Water

Right Application

as it was published in the regular and entire issue of the said paper for a period of 2 consecutive weeks, commencing on 21st day of

Mar, 1979 and ending on the 28th day of Mar

19 79 and that said notice was published in said newspaper.

Pete Thompson

Subscribed and sworn to before me this 29 day of Mar, 19 79.

Ed M. Thompson

Notary Public for Idaho,

Residing at Sandpoint, Idaho

RECEIVED

MAR 31 1979

Department of Water Resources
Northern District Office

FOR WALKER
Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

96-7756

WALKER, DAVID A.
P.O. BOX 21, COLBURN, ID 83865

Source: SAND CREEK tributary to PACK RIVER
Date Filed: 02-06-1979

Amount: 0.44 CFS
Diversion Point: SWNE Sec 33 T 59N R 01W, BONNER Co.
Use: IRRIGATION (0.40 CFS) from 03-15 to 11-15
DOMESTIC (0.40 CFS) from 01-01 to 12-31

Place of Use: SWNE Sec 33 T 59N R 01W FOR 20 ACRES
Diversion Means: PUMP

96-7757

MOORE, DON L. &-or ESTER M.

ROUTE 1 BOX 237 F, SAGLE, ID 83860

Source: MOORE CREEK tributary to PEND OREILLE RIVER

Date Filed: 03-09-1979

Amount: 0.04 CFS
Diversion Point: LOT 02 (NWNE) Sec 23 T 56N R 03W, BONNER Co.

Use: IRRIGATION (0.02 CFS) from 03-15 to 11-15
STOCKWATER (0.02 CFS) from 01-01 to 12-31

Place of Use: LOT 02 (NWNE) Sec 23 T 56N R 03W FOR 1 ACRES

Diversion Means: PUMP & PIPELINE

96-7758

YOUNG, CAROL
MOORE, GRACE
38522 CHERRY AVENUE, LONG BEACH, CA 90807

Source: PEND OREILLE RIVER

Dated Filed: 03-12-1979

Amount: 0.03 CFS
Diversion Point: SWNW Sec 29 T 56N R 03W, BONNER Co.

Use: DOMESTIC (0.03 CFS) from 01-01 to 12-31
Place of Use: SWNW Sec 29 T 56N R 03W

Diversion Means: CONCRETE SUMP, PUMP & PIPELINE

96-7759

KANIKSU SHORES ESTATES IMPROVEMENT ASSN.

ROUTE 1, BOX 551 A, SANDPOINT, ID 83864

Source: GROUNDWATER

Date Filed: 03-12-1979

Amount: 0.20 CFS
Diversion Point: SESE Sec 05 T 57N R 01W, BONNER Co. (2 points)

Use: DOMESTIC (0.20 CFS) from 01-01 to 12-31
Place of Use: SESE Sec 05 T 57N R 01W

Diversion Means: 2WELLS, PUMP & PIPELINE

96-7760

MEINHART, CLARK O &-or ANNETTE

ROUTE 1, Box 56 A, SAGLE, ID 83860

Source: GROUNDWATER

Date Filed: 03-13-1979

Amount: 0.04 CFS
Diversion Point: NWNE Sec 02 T 56N R 02W, BONNER Co.

Use: DOMESTIC (0.04 CFS) from 01-01 to 12-31
Place of Use: NWNE Sec 02 T 56N R 02W

Diversion Means: WELL AND PUMP

If issued, the permittee be subject to all prior water rights. Protests against the permit must be

MICROFILMED

January 29, 1990

KANIKSU SHORES EST. IMPROVEMENT ASSN.
6480 KANIKSU SHORE CIRCLE
SANDPOINT, ID 83864

RE: PERMIT NO. 96-07759

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAR 26 1990

November 28, 1989

KANIKSU SHORES EST. IMPROVEMENT ASSN.
6480 KANIKSU SHORE CIRCLE
SANDPOINT, ID 83864

RE: PERMIT NO. 96-07759

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAR 26 1990

POINT OF DIVERSION OVERLAP REVIEW

WR-NUMBER	TWP	RNG	SC	TRACT	LT	#SOURCE	#NAME
				1\4 1\4 1\4			
9607759	57N	01W	5	SE	SE	GROUNDWATER	KANIKSU SHORES EST.
9607536	<i>same wells</i>					GROUNDWATER	KANIKSU SHORES EST.
9607645	<i>diff. source</i>					PEND OREILLE LAKE	FOURNIER, WILLIAM G.
9608440	<i>permit</i>					GROUNDWATER	KANIKSU SHORES EST.
9607759	57N	01W	5	SE	SE	GROUNDWATER	KANIKSU SHORES EST.
9607536	<i>same wells</i>					GROUNDWATER	KANIKSU SHORES EST.
9607645	<i>diff. source</i>					PEND OREILLE LAKE	FOURNIER, WILLIAM G.
9608440	<i>permit</i>					GROUNDWATER	KANIKSU SHORES EST.

MICROFILMED

MAR 26 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED

AUG 26 1985

96-7759
Permit No.

Department of Water Resources

1. Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

20 HOMES = 0.20 cfs PER MEMO 8/13/81
0.20 cfs FOR APPLICATION

$$\frac{8.8(5) 80\%}{2.33(20) + 80} = 0.28 \text{ cfs}$$

$$\frac{8.8(1\frac{1}{2}) 80\%}{2.33(20) + 42} = \frac{0.12 \text{ cfs}}{0.40 \text{ cfs}}$$

b) Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

c) Volume Calculations for Other Uses:

$$1.9835(365) .20 = 144.8 \text{ AF}$$

$$20 \text{ HOMES @ } 0.6 \text{ AF} = 12 \text{ AF}$$

2. Overlap Review

a) Other water rights with same place of use: 96-7536

b) Other water rights with same point of diversion: 96-7536

c) Analysis: THIS IS AN EXPANSION

96-7536 = 0.15 cfs / 15.6 AF FOR 13 HOMES + IRR LFG, LOTS #6 (WHICH SHOULD HAVE BEEN LOTS #9, 13 (WHICH SHOULD HAVE BEEN LOT 11), 12, 18, 20, 24, 27, 28, 30, 31, 32, 33)
IRR IS NO LONGER ALLOWED ON THIS SYSTEM

96-7759 20 HOMES LOTS 3, 4, 5, 7, 8, 9, 11, 12, 18, 19, 20, 23, 24, 27, 28, 30, 31, 32, 33, 34

MICROFILMED

MAR 26 1990

RECOMMENDED AMOUNTS

Permit No.	Priority	Amount	App. Date	Date Proof Submitted	System Capacity
96-7759		0.20			0.40

4. Permit Holder: Karixsu Shores Estates Improvement Assn.

Address: 6480 Karitsu Sheras Circle, Sandpoint, ID 83864

5. Source: GH tributary to _____

5. Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		

Domestic (20)	1-1	12-31	0.20	15.6
---------------	-----	-------	------	------

Allowable Maximums: 0.20 15.6

7. Point(s) of Diversion: 2 POINTS

[illegible]

3. Place(s) of Use

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
57N	1W	5															X		
Total Acres _____																			

3. Recommended Conditions/Remarks: Not to Exceed 0.20 cfs nor 15.6 AFA
When Combined with 76-7536

WILKINS

MAR 26 1962

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other _____

1. Examiner's Signature J. K. King

Checked in Regional Office by Deb Haynes


Approved in State Office by


Date 7/25/23

Date 8/19/85

Date 9/26/89

96-77






651.159

[illegible]

10. Other water rights on these lands 96-7536
11. Other water right diverted from same p.d. 96-7536
12. **Diverslon and Delivery System Diagram:** Indicate all major components and distances between compo-
nents. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the
distance between the port and the nearest component/pipe bend/restriction both upstream and
downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems
indicate how diversion systems are connected.



13. ☒ **Photo of Diversion & System Attached** ☒ **Aerial Photo of Place of Use Attached
or Map of Irrigated Acreage Attached**

14. Remarks NO IRR ON THIS SYSTEM IS ALLOWED

ALL PHOTOS DID NOT DEV.

15. Recommended Amendments
- ☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None
- ☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

16. Examiner's/Consultant's Signature [Signature] Date 7/24/85

Consultant's License Number _____

IDWR Director's Authorization to Conduct
Beneficial Use Examination _____

Date

MICROFILMED

MAR 26 1990

CONSULTANT SEAL

CONTACT WITH PERMIT HOLDER

PERMIT# 95-7759
INITIALS

DATE

11/5/84263-0820 / 263-3117 ✓ Joe BedardTucker Eng. Mr. Bedard will try to obtain As-
Build drawings from Tuckerk7/23/84NEW PRES. CHARLES DAVIS 263-8567L

MICROFILMED

MAR 26 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

MAY 29, 1984

KANIKSU SHORES ESTATES IMPROVEMENT ASSN.
6480 KANIKSU SHORES CIRCLE
SANDPOINT ID 83864

RE: Permit No. 96-7759

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 667-6484 or in person at our office.

Sincerely,

/S/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MICROFILMED

MAR 26 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 969759
Name(s) of Permit Holder(s): Krakauer Shores, Incorporated
Post Office Address: 501 121 ST 116 Sandpoint Id.
Tel. No. 836-8007

☒ I hereby certify that construction of diversion works on the above referenced permit began on 6/80 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control:


*Note: A financing difficulty is not an acceptable reason.

5-12-83
Date

Krakauer Shores, Incorporated
James L. Judd
President
Signature of Permit Holder

MS 1A
Rt 1 Box 116

Sandpoint Idaho 83864



PLACE
STAMP
HERE
E 0.20

MICROFILMED

RECEIVED



MAR 26 1990

MAY 16 1983

COPIES DESTROYED
IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has committed development to the extent shown below of 96-7759.

Name(s) of Permit Holder: KANIKSU SHARES ESTATES IMPROVEMENT

Post Office Address: 16480 KANIKSU SHARES CIRCLE ASSOC.

SNOWPOINT, ID. 83864

Tel. No. (208) 263-0820
AFTER 5 P.M.
OR 263-3117

Source of Water: WELL

Extent of Use:

- ☒ Domestic 17 * (number of households)
- ☐ Stockwater _____ (number and type of stock)
- ☐ Irrigation _____ (acres)
- ☒ Other * 17 CONNECTED NOW (PERMANENT)
- 36 TOTAL WHEN ALL CONNECTED

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

3-2-84

Date

36 hookups actually
subbed-in - per
telephone con. w/
Joe Bedard 5-16-84


Joseph F. Bedard (K.S.I.A.)
SEC/TWAS
Signature of Permit Holder

RECEIVED
MICROFILMED

K. S. I. A.

6480 Kaniksu Shores Circle

Sandpoint, ID 83864



RECEIVED



MAR 5 1984

IDAHO DEPARTMENT OF WATER RESOURCES

Department of Water Resources

STATEHOUSE
BOISE, IDAHO 83720

April 17, 1984

Kaniksu Shores Estate Improvement Assoc.
6480 Kaniksu Shores Circle
Sandpoint, ID 83864

Gentlemen:

Re: Permit No. 96-7759

I received the statement of beneficial use postcard for the above referenced permit. However, before I accept it, I need more information.

You made a notation on the postcard that 17 households now have water and "36 total when all connected". If the hookups for the other households are presently installed which means that the water system has been stubbed in to each of the lots, then the department can accept the postcard and license the permit for the number of stubbed-in hookups. If, however, the water system is not stubbed in to each of the lots and you intend to develop the system for more hookups under this permit, I suggest you request an extension of time. Enclosed for your convenience is the extension form and instructions. Please note there is a \$15.00 filing fee for the extension.

I will hold the processing of the statement of beneficial use postcard until May 10, 1984. If I do not hear from you by then, I will accept the statement and continue the permit-license process.

Please feel free to contact me 334-4290 if you have any questions.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosures

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138451

KANIKSU SHORES ESTATES IMPROVEMENT ASSN.
ROUTE 1, BOX 551 A
SANDPOINT, ID 83864

PROOF DUE NOTICE

JANUARY 31, 1984

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 96-7759 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE APRIL 01, 1984. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

April 12, 1979

Re: Permit No. 96-7759

Kaniksu Shores Estates Improvement Assn.
Route #1, Box 551-A
Sandpoint, Idaho 83864

Gentlemen:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosure

MIDDOCH MED

96-7759

STAFF REVIEW - STATE OFFICE

1. Pres Name vs. Signature
2. W Source
3. 0.2 Point of Diversion
4. 0.2 Amnt. & Period of Use
5. ✓ Descrip. of Diverting Wrks.
6. 5 Time req. for Proof of B/U
7. ✓ Place of Use for other than irrig.
8. N/A Place of Use for irrigation (add acres)
9. A Property Owner at Pt. of Div. & Pl. of Use
10. ✓ Map
11. 20 Fee & Rec't. No.

Copies Sent To:

<u>NO</u> <u>YES</u> Idaho Health Department	<u>NO</u> U.S.F.S.
<u>NO</u> Idaho Fish & Game Dept.	<u>✓</u> Dept. of Lands
<u>NO</u> Bureau of Land Management	<u>✓</u> Other

Dam Safety Information N/A (Goes to Permit Section)

Check:

Critical G.W. Area yes ✓ no

Other rights on same land N/A

Withdrawals of all protests received N/A yes no

Conditions:

ID Power Co. Letter - Snake R. <u>NO</u>	Meas. Dev. or Sc. Meas. <u>NO</u>
ID Power Co. Letter - G.W. & Tribs. <u>✓</u>	Totalizing meter <u>✓</u>
Snake River Condition <u>✓</u>	Supplemental <u>✓</u>
Payette River Letter <u>✓</u>	Right-of-Way Cond. <u>Yes</u>
Priority Date <u>3/12/79</u>	Watermaster Cond. <u>NO</u>
Water Quality #16 <u>NO</u>	Wtr. Dist No. <u>✓</u>
Water Quality #10 <u>✓</u>	Meas. Dev. Cond. for apps within a Water Dist. <u>✓</u>
intrastate <u>✓</u> interstate <u>✓</u>	

Jain
Reviewer
4/12/79
Date

96-7759

September 5, 1979

Kaniksu Shores Improvement Assn.
Rt. 1 Box 551A
Sandpoint, Idaho 83864

Gentlemen:

I am returning Your Check No. 92-58 in the amount of \$20.00 and your Claim to a Water Right. The claim form is not acceptable on a surface water source for multiple ownership domestic uses with a priority date later than May 20, 1971.

I have enclosed an Application for Permit to allow you to apply for the rights you have outlined on the claim. Please insure that Items 3 and 3.a.1. are completed prior to refiling.

If you have any questions, please contact me at this office.

Sincerely,

TOM D. KING,
Senior Water Resource Agent

TDK/pms

Enc. - Check
Claim
Application

MICROFILMED

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 96-7759 Kaniksu Shores

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) RWT 3-13-79
(2) KK 3/14/79

In form to receipt

Send Copies to:

☒ Idaho State Health Department
☐ Idaho Fish and Game Department
☐ Bureau of Land Management
☐ Request Special Use Permit from U.S.F.S.
☐ Request Easement from B.L.M.
☐ Request Information from Applicant
☐ Request Dam Safety Information

(3) _____

(4) RWT 3-13-79

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) pm 4/2/79

Affidavit of Publication received (date) 3/31/79

(12) pm 4/9/79

Final date for protests April 9, 1979

Protests received: yes _____ no ☒

(13) pm 4/9/79

All requested information received from agencies or applicant: yes ☒ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

RECEIVED
APR 11 1979

Department of Water Resources

3-12-79 Proposed Priority

Reason for Reduction _____

Measuring device required

See attached sheet for other conditions of approval

☒ No special conditions for approval

(15) District Northern

By Bob Haynes

Date 4-9-79

MICROFILMED

KANIKSU SHORES ESTATES IMPROVEMENT ASSN.

ROUTE 1, BOX 551 A, SANDPOINT, ID 83864

Source: GROUNDWATER

Date Filed: 03/12/1979

Amount: 0.20 CFS

Diversion Point: SESE Sec 05 T 57N R 01W, BONNER Co. (2 POINTS)

Use: DOMESTIC (26 FAMILIES) (0.20 CFS) from 01/01 to 12/31

Place of Use: SESE Sec 05 T 57N R 01W

Diversion Means: 2 WELLS, PUMP & PIPELINE

MICROFILMED

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
C. STEPHEN ALLRED
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

March 14, 1979

David Johann
Department of Health & Welfare
2110 Ironwood Parkway
Coeur d'Alene, ID 83814

RE: 96-7759

Dear Dave:

Enclosed is information which may be of interest to your Agency relating to an application recently filed with the Department of Water Resources.

Very truly yours,

Robert G. Haynes, P.E.
Regional Supervisor

RGH/pms

Enclosure

ENCLOSURE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
C. STEPHEN ALLRED
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

March 14, 1979

Kaniksu Shores Estates Improvement Assn.
Route 1 Box 551-A
Sandpoint, ID 83864

RE: 96-7759

Gentlemen:

Enclosed is Receipt No. 13454 in the amount of \$20.00 which was received by this office for the filing fee on the above-referenced item.

Sincerely,

Patricia M. Stypa

PMS

Enclosure

MICROFILMED