


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

T56N, R3W, B.M.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

(Applicant)

Proposed Project



10m N.
57 N.
56 N.
5342
5341
5340
12'30"
5339
5338
5337
5336
5335

OREILLE

PEND

MORTON

RIVER

OREILLE

INTERNATIONAL

SPOKANE

SLOUGH

Morton

KANIKSU

Spring

NEWPORT WASH. 16 MI.
PRIEST RIVER 5 MI.

96-7758
Part of Kaniksu GL-2
Home P.D. in GL-2 (Sunset)



Wrencoe

GREAT

ELEV

2062

2068

2094

2102

2124

2155

2140

2120

2080

2080

2080

2120

2120

2086

2080

2097

2077

2080

2080

2120

2120

2086

2080

2097

2077

2080

2080

2120

2120

2086

2080

2097

2077

2080

2080

2120

2120

2086

2080

2097

2077

2080

2080

2120

2120

2086

2080

2097

2077

2080

2080

2120

2120

2086

2080

2097

2077

2080

2080

2120

2120

2086

2080

2097

2077

2080

2080

2120

2120

2086

2080

2097

2077

2080

2080

2120

2120

2086

2080

2097

2077

2080

2080

2120

2120

2086

2080

2097

2077

2080

2080

2120

2120

2086

2080

2097

2077

2080

2080

2120

2120

2086

2080

2097

2077

2080

2080

2120

2120

2086

2080

2097

2077

2080

2080

2120

2120

2086

2080

2097

2077

2080

2080

2120

2120

2086

2080

2097

2077

2080

2080

2120

2120

RECEIVED

FEB 27 1980

Department of Water Resources

2-24-80

State of Idaho
Dept. of Water Resources
State Office
373 West Franklin St.
Boise, Idaho

Re: Prmit No. 96-7758
Encroachment Permit L-96-S-82

Attn: Mr. David R. Tuthill, Jr.
Supervisor, Water Allocations Section

Gentlemen:

Please be advised that our water line, pump etc. have been installed and are functioning. All work on the water system was completed November 15, 1979 by M.J. Spear and Son Construction, Route 1, Box 520A, Sandpoint, Idaho, 263-2407.

We assume this is sufficient notification and that we have fulfilled our obligations for domestic river water. If anything further is needed, please let us know.

We have appreciated everyone's help in this matter and we are enjoying this most pleasant area and people.

Sincerely yours,

Grace Moore

Carol Young/Grace Moore
Windflower, Inc.

P.O. Box 938
Priest River, Idaho
83856

cc: State of Idaho
Dept. of Lands
Statehouse
Boise, Idaho
83720
Attn: Chief; Bureau of Navigable Waters

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 96-7758 Priority February 16, 1979 Amount .03 cfs

THIS IS TO CERTIFY, that Carol Young &/or Grace Moore
of Long Beach, CA, has complied with the terms and conditions of Permit
No. 96-7758 issued pursuant to Application for Permit dated February 16, 1979,
and has submitted proof to the Department of Water Resources on February 27, 1980,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of .03 cfs of water from Pend Oreille River,
tributary to Columbia River, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Domestic (1 unit)	from <u>January 1</u> to <u>December 31</u> at <u>.03</u> cfs and <u>1.2</u> acre feet		
	from _____ to _____ at _____ cfs and _____		
	from _____ to _____ at _____ cfs and _____ (both dates inclusive)		

Subject, however, to the condition that no more than .03 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
1.2 acre feet per year, said waters to be diverted within the GL2 (SWNW)

Sec. 29 T56N R3W in the County of Bonner

Description and location of place of use:

Twp.	Range	Sec.	NE¼				NW¼				SW¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
56N	3W	29							GL2 X						

Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 31 day of
August, 1982.

Director

fw Dr

Identification No. 96-7758
Application No. _____

RECEIVED

DEC 13 1979

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

Department of Water Resources
Northern District Office

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

✓ Per telecon 4/12/79 J.S.

1. Name of applicant CAROL YOUNG ^{for} GRACE MOORE Phone: 213-595-1761
post office address 3852 Cherry Avenue, Long Beach, CA 90807
2. Source of water supply PEND OREILLE RIVER which is a tributary of _____
3. a. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 29 Township 56N
Range 3W B.M. Bonner County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 0.03 cfs for Domestic purpose from January 1 to December 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 0.03 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Concrete sump with submersible pump and 1½ in. dia. pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ (Mo. Day) to _____ (Mo. Day) inclusive.
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years.
b. Estimated construction cost is \$ 750.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 29 Township 56N
Range 3W B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water one.
(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion applicant


b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

T56N, R3W, BM.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]
(Applicant)

Proposed Priority 2-16-79

Received by pm Date 3/12/79 Time 11:20am
2/16/79

Preliminary check by AK Fee \$ 20.00

Receipted by pm Date 3/13/79 # 13755

Publication prepared by pm Date 3/14/79

Published in Spokane Daily Bee

Publication dates 3/21 & 28/79

Publication approved pm Date 4/2/79

Priority reduced to _____ Reason _____

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by AK J.J.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-7758, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 80.

c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this 13th day of April, 19 79.

J. Glen Saxton
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Pete Thompson being first duly sworn on oath deposes and says that he is publisher of the Sandpoint Daily Bee, and News Bulletin, newspapers printed and published at Sandpoint, in Bonner County, Idaho; that the said newspapers have been continuously and uninterruptedly published in said Bonner County during a period of 12 months prior to the first publication of the hereto attached notice of publication in the case of Water Right Application

as it was published in the regular and entire issue of the said paper for a period of 2 consecutive weeks, commencing on 21st day of Mar, 1979 and ending on the 28th day of Mar, 1979 and that said notice was published in said newspaper.

Pete Thompson

Subscribed and sworn to before me this 29 day of Mar, 1979.

Bill M. Rangan

Notary Public for Idaho,

Residing at Sandpoint, Idaho

RECEIVED

MAR 31 1979

Department of Water Resources
Northern District Office

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

96-7756

WALKER, DAVID A.
P.O. BOX 21, COLBURN, ID 83365
Source: SAND CREEK tributary to PACK RIVER
Date Filed: 02-06-1979
Amount: 0.44 CFS
Diversion Point: SWNE Sec 33 T 59N R 01W, BONNER Co.
Use: IRRIGATION (0.40 CFS) from 03-15 to 11-15
DOMESTIC (0.40 CFS) from 01-01 to 12-31
Place of Use: SWNE Sec 33 T 59N R 01W FOR 20 ACRES
Diversion Means: PUMP

96-7757

MOORE, DON L. &-or ESTER M.
ROUTE 1 BOX 237 F, SAGLE, ID 83360
Source: MOORE CREEK tributary to PEND OREILLE RIVER
Date Filed: 03-09-1979
Amount: 0.04 CFS
Diversion Point: LOT 02 (NWNE) Sec 23 T 56N R 03W, BONNER Co.
Use: IRRIGATION (0.02 CFS) from 03-15 to 11-15
STOCKWATER (0.02 CFS) from 01-01 to 12-31
Place of Use: LOT 02 (NWNE) Sec 23 T 56N R 03W FOR 1 ACRES
Diversion Means: PUMP & PIPELINE

96-7758

YOUNG, CAROL
MOORE, GRACE
38523 CHERRY AVENUE, LONG BEACH, CA 90807
Source: PEND OREILLE RIVER
Date Filed: 03-12-1979
Amount: 0.03 CFS
Diversion Point: SWNW Sec 29 T 56N R 03W, BONNER Co.
Use: DOMESTIC (0.03 CFS) from 01-01 to 12-31
Place of Use: SWNW Sec 29 T 56N R 03W
Diversion Means: CONCRETE SUMP, PUMP & PIPELINE

96-7759

KANIKSU SHORES ESTATES IMPROVEMENT ASSN.
ROUTE 1, BOX 551 A, SANDPOINT, ID 83364
Source: GROUNDWATER
Date Filed: 03-12-1979
Amount: 0.20 CFS
Diversion Point: SESE Sec 05 T 57N R 01W, BONNER Co. (2 points)
Use: DOMESTIC (0.20 CFS) from 01-01 to 12-31
Place of Use: SESE Sec 05 T 57N R 01W
Diversion Means: 2WELLS, PUMP & PIPELINE

96-7760

MEINHART, CLARK O &-or ANNETTE
ROUTE 1, Box 56 A, SAGLE, ID 83360
Source: GROUNDWATER
Date Filed: 03-13-1979
Amount: 0.04 CFS
Diversion Point: NWNE Sec 02 T 56N R 02W, BONNER Co.
Use: DOMESTIC (0.04 CFS) from 01-01 to 12-31
Place of Use: NWNE Sec 02 T 56N R 02W
Diversion Means: WELL AND PUMP

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be

September 22, 1982

RE: Permit No. 96-7758

Carol Young &/or Grace Moore
P.O. Box 938
Priest River, ID 83856

Ladies:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

10/1/82

A hand-drawn map on a grid. The grid is 10 units wide and 10 units high. The path starts at T56N, goes east to R3W, and then south to the intersection of T56N and R3W. The path is marked with 'pd' and 'x 1/2 P/O'. The number '29' is written near the path.

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: GL-2, (SWNW) Sec 29, T56N, R3W

Place(s) of Use

[illegible]

☐ Change P.D., as reflected above

☐ Change P.U., as reflected above

☐ Add P.D. as reflected above

☐ Add P.U. as reflected above

☐ None No Amendment necessary
☒ Other SWNW is GL-2

Examiner's Signature 27 King & Beard

Checked by Bob Housley

Approved by [Signature]

Date 6/24/82

Date 7/1/82

Date _____

Nov. 4, 1981

State of Idaho
Dept. of Water Resources
4055 Government Way
Coeur d'Alene, Idaho
83814

RECEIVED

NOV 5 1981

Department of Water Resources
Northern District Office

Attn: Tom D. King: Ref. letter of Oct. 22

Dear Mr. King:

Sorry we were not home when you came by last.

We are in and out a lot, but if you will give us a call at 263-7869 when you plan to be in the area we will set an appointment time with you.

I don't know exactly what you mean by the sump - but the pressure tank and related equipment are in the basement - reached through a trap door in the front deck.


The system was installed by Mr. Spear of Sandpoint.

Very truly yours,

Grace A. Moore

Grace A. Moore
P.O. Box 938
Priest River, Idaho
83856

NOV 12 1981



June 9, 1980

Ms. Carol Young
Windflower, Inc.
Box 938
Priest River, Idaho 83856

Re: 96-7758

Dear Ms. Young:

Your letter of April 24, 1980, has been forwarded to me for appropriate action.

It is not possible, at this time, to set a definite date for the examination of your water system. I believe I will be able to get to it this summer, barring unforeseen circumstances. It will aid me if you could supply me with a telephone number at which you can be contacted during the day.

Yours truly,

TOM D. KING
Senior Water Resource Agent

TDK/pms

1-13-81 - Call P.R. No Listing - who can List?

no letter?

A. Kenneth Dunn
~~XXXXXXXXXXXX~~

October 22, 1981

Ms. Carol Young and
Ms. Grace Moore
B851938
Priest River, Idaho 83356

Dear Ladies:

I have attempted to conduct the examination of your water system,
but I could not locate the sump.

It will, therefore, be necessary for someone to be present during
the examination.

Please inform this office of a date and time someone will be at the
residence and I will attempt to be on the site at your convenience.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

RECEIVED

MAY 2 1980

Department of Water Resources

April 24, 1980

State of Idaho
Dept. of Water Resources
State Office
373 West Franklin St.
Boise, Idaho

Re: Permit No. 96-7758
W Encroachment Permit L-96-S-82

Subject: Our letter of Feb. 24, 1980


Gentlemen:

In the subject letter, we informed you that our domestic water system had been completed on November 15, 1979 and was in current use. Since no one has, to our knowledge, made a field inspection, nor have we received a license, we are concerned.

Since we are people who wish to fulfill our obligations, we ask if there is anything more that we should do in obtaining our water license.

We appreciate your assistance in this matter.

Very truly yours,


Carol Young
Windflower, Inc.
P.O. Box 938
Priest River, Idaho
83856

cc: State of Idaho
Dept. of Lands
Statehouse
Boise, Idaho
83720
Attn: Chief: Bureau of Navigable Waters

*Received
6/1/80
JH*

448-1479

G. McCre / C. Young
P.O. Box 938
Priest River, Idaho 83856



BAIRD & BARTON
1980

RECEIVED

FEB 27 1980

Department of Water Resources

2-24-80

State of Idaho
Dept. of Water Resources
State Office
373 West Franklin St.
Boise, Idaho

Re: Prmit No. 96-7758
Encroachment Permit L-96-S-82

Attn: Mr. David R. Tuthill, Jr.
Supervisor, Water Allocations Section

Gentlemen:

Please be advised that our water line, pump etc. have been installed and are functioning. All work on the water system was completed November 15, 1979 by M.J. Spear and Son Construction, Route 1, Box 520A, Sandpoint, Idaho, 263-2407.

We assume this is sufficient notification and that we have fulfilled our obligations for domestic river water. If anything further is needed, please let us know.

We have appreciated everyone's help in this matter and we are enjoying this most pleasant area and people.

Sincerely yours,

Grace Moore

Carol Young/Grace Moore
Windflower, Inc.

P.O. Box 938
Priest River, Idaho
83856

cc: State of Idaho
Dept. of Lands
Statehouse
Boise, Idaho
83720

Attn: Chief; Bureau of Navigable Waters

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
C. STEPHEN ALLRED
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

May 29, 1980

Ms. Carol Young
Windflower, Inc.
P.O. Box 938
Priest River, Idaho 83856

RE: 96-7758

Dear Ms. Young:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination, however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office.

Very truly yours,

TOM D. KING
Senior Water Resource Agent

TDK/pms

cc: IDWR - State Office

RECORDED

INTER-DEPARTMENT MEMO — 1

FROM Ylm S

DATE 5-23-80

TO Rita F

SUBJECT — Bob Haynes called relative to permit
910-7758 —

- He would like a copy of the proof if it has been submitted.
- We apparently in the past attempted to send this proof but sent the wrong one,

Called Bob Haynes. I advised him ~~fly~~
to use the letter dated 2/24/80 as proof. *YF*

SIGNATURE

MICROFILMED

RECEIVED

FEB 27 1980

Department of Water Resources

2-24-80

*Considered
as
per
P. J. J.*

State of Idaho
Dept. of Water Resources
State Office
373 West Franklin St.
Boise, Idaho

Re: Prmit No. 96-7758
Encroachment Permit L-96-S-82

Attn: Mr. David R. Tuthill, Jr.
Supervisor, Water Allocations Section

Gentlemen:

Please be advised that our water line, pump etc. have been installed and are functioning. All work on the water system was completed November 15, 1979 by M.J. Spear and Son Construction, Route 1, Box 520A, Sandpoint, Idaho, 263-2407.

We assume this is sufficient notification and that we have fulfilled our obligations for domestic river water. If anything further is needed, please let us know.

We have appreciated everyone's help in this matter and we are enjoying this most pleasant area and people.

Sincerely yours,

Grace Moore

Carol Young/Grace Moore
Windflower, Inc.

P.O. Box 938
Priest River, Idaho
83856

cc: State of Idaho
Dept. of Lands
Statehouse
Boise, Idaho
83720
Attn: Chief; Bureau of Navigable Waters

MICROFILMED

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. Young 96-7758

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) AK 3-12-79

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant
_____ Request Dam Safety Information

(4) AK 3-12-79

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) for 4/2/79

Affidavit of Publication received (date) 3/31/79

(12) pro 4/9/79

Final date for protests April 9, 1979

Protests received: yes _____ no ☒

(13) pro 4/9/79

All requested information received from agencies or applicant: yes ☒ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

2-16-79 Proposed Priority

_____ Reason for Reduction _____

_____ Measuring device required

_____ See attached sheet for other conditions of approval

☒ No special conditions for approval

(15) District Northern

By Bob Haynes Date 4-9-79

RECEIVED
APR 11 1979

Department of Water Resources

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

April 13, 1979

Re: Permit No. 96-7758

Carol Young
&/or Grace Moore
3852 Cherry Avenue
Long Beach, CA 90807

Ladies:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosure

MICROFILMED

YOUNG, CAROL
MOORE, GRACE

3852 CHERRY AVENUE, LONG BEACH, CA 90807

Source: PEND OREILLE RIVER

Date Filed: 03/12/1979

Amount: 0.03 CFS

Diversion Point: SWNW Sec 29 T 56N R 03W, BONNER Co.

Use: DOMESTIC (0.03 CFS) from 01/01 to 12/31

Place of Use: SWNW Sec 29 T 56N R 03W

Diversion Means: CONCRETE SUMP, PUMP & PIPELINE

MICROFILMED

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
C. STEPHEN ALLRED
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

March 14, 1979

Carol Young
Grace Moore
3852 Cherry Avenue
Long Beach, CA 90807

RE: 96-7758

Dear Ms. Young & Mrs. Moore:


Enclosed is Receipt No. 13455 in the amount of \$20.00 which was received by this office for the filing fee on the above-referenced item.

Sincerely,

Patricia M. Styra

pms

Enclosure



Tucker Engineering Consultants

107 FIFTH • SANDPOINT, ID. 83864 • 263-6723 or 263-5357
SURVEYING • STRUCTURES • WATER AND SEWER SYSTEMS

March 9, 1979

State of Idaho
Department of Water Resources
Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814

Re: Ms. Carol Young & Mrs. Grace Moore Water Application

Dear Tom D. King:

Enclosed find the Application for Permit to Appropriate Public Waters for the referenced project with the revisions as per your letter of February 20, 1979.

If you have any questions, please contact me.

Sincerely,

Philip J. Bloom, P.E.
Civil Engineer

c.c. Windflower

PJB/aam

MICROFILMED

February 20, 1979

Ms. Carol Young and
Ms. Grace Moore
3852 Cherry Avenue
Long Beach California 90807

Dear Ms. Young and Ms. Moore:

I am returning your check #16-8 and Application for Permit for clarification and additional information. You have listed the point of diversion as being within the SWNW, Sec. 29, T56N, R3W. The map, however, indicates the point of diversion is located within the SENW, Sec. 29.

Please complete items 9b and 8c and return the application to this office for processing.

If you have any questions, please contact me at this office.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

Enc. Check
Application

MICROFILMED