


10. Other water rights on these lands NONE
11. Other water right diverted from same p.d. NONE
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached

☐ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks _____

15. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

16. Examiner's/Consultant's Signature [Signature] Date 6/21/85

Consultant's License Number _____


IDWR Director's Authorization to Conduct

Beneficial Use Examination _____

Date

CONSULTANT SEAL

MICROFILMED
JUL 27 1988



96-7723

58N 1E

58N 1E

57N 1E

Oden Bay
MICROFILMED
JUL 27 1988

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-7723

Priority: October 10, 1978 Amount: .04 CFS 1.3 AFA

This is to certify, that NONNA SOMMERFELD
126 N. 3RD

SANDPOINT, ID 83864 has complied with the terms and conditions
of the permit issued pursuant to Application for Permit dated October 10, 1978, and
has submitted proof to the Department of Water Resources on November 7, 1983, that
water has been applied to a beneficial use; an examination by the Department indicates
that the works have a diversion capacity of .04 cfs of water from;

UNNAMED STREAM tributary to GROUSE CREEK

and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Stockwater	01/01 to 12/31	.02 cfs	.7 afa
Domestic	01/01 to 12/31	.02 cfs	.6 afa
Totals		.04 CFS	1.3 AFA

LOCATION OF POINT OF DIVERSION(S): SESW , Sec. 19, Township 59N, Range 1E
Bonner County

PLACE OF USE: Stockwater

TWN RGE SEC

59N 1E 19 SESW

PLACE OF USE: Domestic, same as Stockwater use

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 12th day
of May, 1988.

MICROFILMED

JUL 27 1988

Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Nenna Sommerfeld Phone 263-3163

Post office address 101 N 1st Sandpoint, ID. 83864

2. Source of water supply Unnamed Stream which is a tributary of Grouse Creek

3. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 19 Township 59N

Range 1E B.M. Bonner County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.02 for Stock purposes from Jan 1 to Dec 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.02 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.04 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Diversion dam w/gravity
flow pipe to stock pond & residence

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 19 Township 59N
Range 1E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 40 hd stock

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water one.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. _____

_____ None _____

9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks I hereby agree that I, my assigns, and successors, will not exercise this right to prevent the Forrest Aults, their assigns, or successors, for any and all times ^{and} ~~diverting~~ using a reasonable amount from this unnamed stream for culinary (household use for one (1) family only) purposes for one (1) single family residence within the NW¼ of the SE¼ of section 19, T59R1E Boise Meridian. This agreement is for inhouse use only and does not include irrigation use for even a lawn or garden.

Signed at Sandpoint Idaho This 16TH DAY OF JANUARY, 1979

Nonna Sommerfeld
NONNA SOMMERFELD

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Pete Thompson being first duly sworn on oath deposes and says that he is publisher of the Sandpoint Daily Bee, and News Bulletin, newspapers printed and published at Sandpoint, in Bonner County, Idaho; that the said newspapers have been continuously and uninterruptedly published in said Bonner County during a period of 12 months prior to the first publication of the hereto attached notice of publication in the case of Water Right Application as it was published in the regular and entire issue of the said paper for a period of 2 consecutive weeks, commencing on 18th day of Oct, 1978 and ending on the 25th day of Oct 19 78 and that said notice was published in said newspaper.

Pete Thompson

Subscribed and sworn to before me this 6th day of Nov, 19 78.

RECEIVED

NOV 8 1978

Robert M. Thompson

Department of Water Resources
Northern District Office

Notary Public for Idaho,

Residing at Sandpoint, Idaho

83801
Source: Groundwater
Date Filed: 05-1978
County: Bonner
Amount: 0.44 CFS
Point of Diversion: SWNW S25 T54N R03W
Use: Domestic, from 01-01 to 12-31
Irrigation, from 03-15 to 11-15
Place of Use: SWNW S25 T54N R03W for 0 acres
Means: Well, pump & pipe

96-7721
Name: Degotz, Robert F
Address: Box 39 Rt 1, Athol, ID 83801
Source: groundwater
Date Filed: 10-05-1978
County: Bonner
Amount: 0.04 CFS
Point of Diversion: SWNW S25 T54N R03W
Use: Domestic, from 01-01 to 12-31
Place of Use: SWNW S25 T54N R03W
Means: Well, Pump & pipe

96-7722
Name: Pence, Rosemarie
Address: HCR 66 Box 888,

Sagle, ID 83860
Source: Pend Oreille Ls
Date Filed: 10-11-1978
County: Bonner
Amount: 0.04 CFS
Point of Diversion: Lot 02 S21 T56N R01W
Use: Domestic, from 01-01 to 12-31
Place of Use Lot 02 S21 T56N R01W
Means: Pump & pipe

(96-7723)
Name: Sommerfeld, Nonna
Address: 101 N. 1st, Sandpoint, ID 83864
Source: Unnamed stream tributary to Grouse Creek
Date Filed: 10-10-1978
County: Bonner
Amount: 0.04 CFS
Point of Diversion: SESW S19 T59NR01E; ~~SESW S19 T59NR01E~~
Use: Domestic, from 01-01 to 12-31
Stockwater, from 10-01 to 12-31
Place of Use: SESW S19 T59N R01E
Means: Dam, gravity pipe

96-7724
Name: Sommerfeld, Nonna
Address: 101 N. 1st, Sandpoint, ID 83864
Source: Unnamed stream tributary to Grouse Creek
Date Filed: 10-10-1978
County: Bonner
Amount: 0.04 CFS
Point of Diversion: SWSW S19 T59N R01E
Use: Domestic, from 01-01 to 12-31;
Stockwater, from 01-01 to 12-31
Place of Use: SWSW S19 T59N R01E
Means: Dam, gravity flow

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id, 83814 on or before November 6, 1978.

C. STEPHEN ALLRED
Director

Published in the Sandpoint Daily Bee on October 18 and October 25, 1978.

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho: 96-7720
Name: Degitz, Robert F
Address: Box 39 Rt 1, Athol, ID

May 12, 1988

NONNA SOMMERFELD
126 N. 3RD
SANDPOINT, ID 83864

RE: Permit No. 96-7723

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

INDEXED

JUL 27 1988

RECEIVED
AUG 7 1985

Department of Water Resources

Permit No. 96-7723

Phone No. 263-9546

1. Owner: NONA SOMMERFELD Phone No. 263-9546
Current Address: 126 N. 3RD SANDPOINT, ID. 83864
2. Accompanied by: NO NE EXAM. DATE: 6/21/85
Address: NO NE Phone No.
Relationship to Permit Holder:
3. Source: Unnamed Stream tributary to BOUSE CR.

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
SUB		UNK			

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

5. System Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)
~~32" DIA STOCK POND 3' 4" deep, PUMP & PIPELINE TO HOME FOR STOCK~~
~~CONCRETE POND WITH GRAVEL FILTER BED FROM CREEK TO PUMP CISTERN~~
~~THEN PUMP SUB PUMP TO HOME~~


6.	Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

7. **Measurements** one hour ☐ Additional data/computation sheets attached
40 STOCK

- [illegible]

- [illegible]

10. Other water rights on these lands NONE
11. Other water right diverted from same p.d. NONE
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached

☒ Aerial Photo of Place of Use Attached
or Map of Irrigated Acreage Attached

14. Remarks _____

15. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

16. Examiner's/Consultant's Signature [Signature] Date 6/21/85
Consultant's License Number _____
IDWR Director's Authorization to Conduct
Beneficial Use Examination _____

CONSULTANT SEAL

Date
MICROFILMED
JUL 27 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED

AUG 7 1985

Permit No.

96-7723

1. Measurement Calculations

Department of Water Resources

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

one line 0.0 2

40 HEAD 0.0 2

b) Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

c) Volume Calculations for Other Uses:

one line 0.6

40 HD 0.7
1.3

2. Overlap Review

a) Other water rights with same place of use: none

b) Other water rights with same point of diversion: none

c) Analysis:

MICROFILMED

JUL 27 1988

RECOMMENDED AMOUNTS

Permit No.	Priority	Amount	App. Date	Date Proof Submitted	System Capacity
96-7723		0.04			

4. Permit Holder: NONNA SOMMERFELD

Address: 126 N 3rd SANDPOINT ID

5. Source: UNNAMED STREAM tributary to GRAYS CR.

5. Beneficial Use	Period of Use From To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
-------------------	--------------------------	------------------------------	--------------------------

Stock	7-1	12-31	0.02	0.7
-------	-----	-------	------	-----

Dom (1) 1-1 12-31 0.02 0.6

Allowable Maximums: 0.04 1.3

7. Point(s) of Diversion:

[illegible]

3. Place(s) of Use

[illegible]

9. Recommended Conditions/Remarks:

0. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other _____

1. Examiner's Signature

Checked in Regional Office by


Approved in State Office by

JUL 27 1988

Date 7/29/85

Date 7/21/85

Date _____



96-7123

14 59
58 18

58N
18

14 58N

JUL 27 1988

Oden Bay

CHURCHLAND

mai Pt

15

17

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

DECEMBER 5, 1983

NONNA OR CHARLES SOMMERFELD
126 N. 3RD
SANDPOINT ID 83864

RE: Permit No. 96-7723

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 667-6484 or in person at our office.

Sincerely,

/S/
TOM D. KING
Senior Water Resource Asent

cc: IDWR - State Office

MICROFILMED

JUL 27 1988

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 96-1123

Name(s) of Permit Holder: NONNA SOMMERFELD & CHATTEA

Post Office Address: 126 N 3rd.

Grandpoint, Idaho

Tel. No. 263 9546

Source of Water:

Extent of Use:

☐ Domestic

(number of households)

☒ Stockwater

(number and type of stock)

☐ Irrigation

(acres)

☐ Other

Measuring Device:

Required?

☐ Yes

☒ No

Installed?

☐ Yes

☐ No

Access Port:

Required?

☐ Yes

☒ No

Installed?

☒ Yes

☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

11-4-83

Date

Nonna Sommerfeld
Signature of Permit Holder

Norma Summerfield

126 N. 3rd

Sandpoint, Id. 83864



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138176

SOMMERFELD, NONNA
101 N 1ST
SANDPOINT, ID 83864

PROOF DUE NOTICE

OCTOBER 31, 1983

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 96-7723 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JANUARY 01, 1984. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.


IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES





State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

February 1, 1979

Re: Permit No. 96-7723

Nonna Sommerfeld
101 N. 1st
Sandpoint, Idaho 83864

Dear Ms. Sommerfeld:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosure

MICROFILMED

96-7723

STAFF REVIEW - STATE OFFICE

1. ✓ Name vs. Signature
2. S Source
3. ✓ Point of Diversion
4. ✓ Amnt. & Period of Use
5. ✓ Descrip. of Diverting Wrks.
6. S Time req. for Proof of B/U
7. ✓ Place of Use for other than irrig.
8. N/A Place of Use for irrigation (add acres)
9. A Property Owner at Pt. of Div. & Pl. of Use
10. ✓ Map
11. 20 Fee & Rec't. No.

Copies Sent To:

N/A Idaho Health Department
✓ Idaho Fish & Game Dept.
 Bureau of Land Management

N/A U.S.F.S.
 Dept. of Lands
 Other

Dam Safety Information N/A (Goes to Permit Section)

Check:

Critical G.W. Area yes ✓ no

Other rights on same land N/A

Withdrawals of all protests received X yes no

Conditions:

ID Power Co. Letter - Snake R. N/A

ID Power Co. Letter - G.W. & Tribs.

Snake River Condition

Payette River Letter

Priority Date 10/10/78

Water Quality #16 N/A

Water Quality #10

intrastate interstate

Meas. Dev. or Sc. Meas. N/A

Totalizing meter

Supplemental

Right-of-Way Cond.

Watermaster Cond.

Wtr. Dist No.

Meas. Dev. Cond. for apps within a Water Dist.

Jim
 Reviewer

1/29/79
 Date

1/16/79

Conf. notes - 96-7723

Protest withdrawn after
applicant agreed to let protestants
have water for one family at
all times.

NC

RECEIVED

96-7723

SENDER: Complete items 1, 2, and 3.
Add your address in the "RETURN TO" space
reverse.

1. The following service is requested (check one).
- ☒ Show to whom and date delivered \$
- ☐ Show to whom, date, and address of delivery \$
- ☐ RESTRICTED DELIVERY
Show to whom and date delivered \$
- ☐ RESTRICTED DELIVERY
Show to whom, date, and address of delivery \$
- (CONSULT POSTMASTER FOR FEES)

2. ARTICLE ADDRESSED TO:

Ms. Nonna Sommerfeld
101 N. 1st
Sandpoint, Idaho 83864

3. ARTICLE DESCRIPTION:

REGISTERED NO.	CERTIFIED NO.	INSURED NO.
	13373	

(Always obtain signature of addressee or agent)

I have received the article described above.

SIGNATURE ☐ Addressee ☐ Authorized agent

4. *Nonna Sommerfeld*
DATE OF DELIVERY POSTMARK

5. ADDRESS (Complete only if requested)

12/26/78

6. UNABLE TO DELIVER BECAUSE:

CLERK'S
INITIALS

7MB

96-7723

SENDER: Complete items 1, 2, and 3.
Add your address in the "RETURN TO" space
reverse.

1. The following service is requested (check one).
- ☒ Show to whom and date delivered \$
- ☐ Show to whom, date, and address of delivery \$
- ☐ RESTRICTED DELIVERY
Show to whom and date delivered \$
- ☐ RESTRICTED DELIVERY
Show to whom, date, and address of delivery \$
- (CONSULT POSTMASTER FOR FEES)

2. ARTICLE ADDRESSED TO:

Mr and Mrs Forrest M. Ault
Route 1, Box 30C
Colbert Wash. 99005

3. ARTICLE DESCRIPTION:

REGISTERED NO.	CERTIFIED NO.	INSURED NO.
	13372	

(Always obtain signature of addressee or agent)

I have received the article described above.

SIGNATURE ☐ Addressee ☐ Authorized agent

4. *Forrest M. Ault*
DATE OF DELIVERY POSTMARK

5. ADDRESS (Complete only if requested)

Delivered

6. UNABLE TO DELIVER BECAUSE:

CLERK'S
INITIALS

UNITED STATES POSTAL SERVICE
OFFICIAL BUSINESS

SENDER INSTRUCTIONS

Print your name, address, and ZIP CODE in the space below.

- Complete items 1, 2, and 3 on the reverse.
- Moisten gummed ends and attach to front of article if space permits. Otherwise affix to back of article.
- Endorse article "Return Receipt Requested" adjacent to number.

PENALTY FOR PRIVATE
USE TO AVOID PAYMENT
OF POSTAGE, \$300



**RETURN
TO**

IDAHO DEPARTMENT OF WATER RESOURCES
NORTHERN DISTRICT OFFICE
ROUTE 5, BOX 233, SUITE #91
COEUR D'ALENE, ID 83814

(Name of Sender)

(Street or P.O. Box)

(City, State, and ZIP Code)

UNITED STATES POSTAL SERVICE
OFFICIAL BUSINESS

SENDER INSTRUCTIONS

Print your name, address, and ZIP CODE in the space below.

- Complete items 1, 2, and 3 on the reverse.
- Moisten gummed ends and attach to front of article if space permits. Otherwise affix to back of article.
- Endorse article "Return Receipt Requested" adjacent to number.



PENALTY FOR PRIVATE
USE TO AVOID PAYMENT
OF POSTAGE, \$300



**RETURN
TO**

IDAHO DEPARTMENT OF WATER RESOURCES
NORTHERN DISTRICT OFFICE
ROUTE 5, BOX 233, SUITE #91
COEUR D'ALENE, ID 83814

(Name of Sender)

(Street or P.O. Box)

(City, State, and ZIP Code)

Name: Nonna Sommerfeld
File: 96-7723
Place: Sandpoint City Council Chambers
Date: Tuesday, January 16, 1979 - 1:00 p.m.

ROSTER OF ATTENDANCE

<u>Name</u>	<u>Address</u>	<u>Representing</u>
-------------	----------------	---------------------

Susan R. Ault	Rt 1- Box 30C Colbert Wa 99005	
Lonest M. Ault	Rt 1 Box 30C COLBERT WA 99005	
Nonna Sommerfeld	101 N 1st Sandpoint, Wa. 83864	

MICROFILMED

NAME AND ADDRESS OF SENDER

Indicate type of mail

☐ INSURED

☐ C. O. D.

☒ CERTIFIED

Affix stamp here if issued as certificate of mailing or for additional copies of this bill.

POSTMARK AND DATE OF RECEIPT

NUMBER OF ARTICLE	NAME OF ADDRESSEE, STREET, AND POST-OFFICE ADDRESS	POSTAGE	FEE	DUE SENDER IF C. O. D.	ENDORSEMENT	R. R. FEE	S. D. FEE	S. H. FEE	RESTRICTED DELIVERY FEE	REMARKS
1 13356	Mr. Archie Bredears, S.R.1, Bonners Ferry	15	80			45				
2 13357	L. R. Richardson, SR1, Box 44, Bonners Ferry	"	"			"				
3 13358	Jms A Ansley & Bill Hayden, SR 1, Box 1076, Bonners F.	"	"			"				
4 13359	Mr. and Mrs. Kermit Black, SR 1, Boyie Springs,	"	"			"				
5 13360	Lawson Farms Inc, Box 31, Tēkoa, Wa	"	"			"				
6 13361	Robert D. Dellwo, 1016 Old Nat'l. Bank Bldg, Spokane	"	"			"				
7 13362	Marvin A. Willadsen, Rt 1, Box 646, Rathdrum	"	"			"				
8 13363	Mr. and Mrs. Kenneth MacLaughlan, rt 3, Box 9, Rathdrum	"	"			"				
9 13364	Mr. George O. Johnston, 1315 E. 10th, Anchorage, Alas.	"	"			"				
10 13365	Susan Marmon, Rt 1, Box 73, Athol	"	"			"				
11 13366	David E. Jeffcoat, Rt 1, Athol	"	"			"				
12 13367	Don Merkeley, RT 1, Box 81, Athol	"	"			"				
13 13368	Paul N. Tallman, P. O. Box 385, Clark Fork,	"	"			"				
14 13369	Larry Tucker, Gen. Del, Clark Fork	"	"			"				
15 13370	Paul Weber, 11703 E. 8th, Spokane, 99106	"	"			"				
16 13371	E. D. Clark, RT 5, Box 148-A, Priest Lake, 83856	"	"			"				
17 13372 12/28	Mr. and Mrs. Forrest Ault, Rt 1, Box 30C, Colbert Wa 99005	"	"			"				
18 13373 12/27	Nonna Sommerfeld, 101 N. 1st, Sandpoint	"	"			"				
19 13374	John T. Tordoff, RR 5, Box 49-1A, Priest River	"	"			"				
20 13375	Jms. Parker Redmond, Box 153, Newport, Wa. 99156	"	"			"				
TOTAL NUMBER OF PIECES LISTED BY SENDER 20		TOTAL NUMBER OF PIECES RECEIVED AT POST OFFICE 20		POSTMASTER, PER (Name of receiving employee) S. Jones		Mark "F" if "Fragile," "P" if "Perishable," "E" if "Eggs," "EH" if "Eggs for Hatching," "B" if "Butter," "FL" if "Fragile-Liquid," and "FLU" if "Fragile-Liquid-This Side Up." *Special-handling charges apply only to fourth-class parcels. Special-delivery service also includes special-handling service.				

U. S. GOVERNMENT PRINTING OFFICE

C48-16-72948-2

MICROFILMED

All received Oct 1/1979

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

In the Matter of Protests Against Approval)
of Application for Permit No. 96-7723 in)
the name of NONNA SOMMERFELD.)

NOTICE OF CONFERENCE
AND/OR HEARING

On October 10, 1978, Nonna Sommerfeld filed with the Department of Water Resources an application for Permit No. 96-7723. The Department received protests against approval of said permit from Forrest M. Ault.

The Department has set the matter of protests for conference and/or hearing for Tuesday, January 16, 1979, at 1:00 p.m., at the City Council Chambers, City Hall, Sandpoint, Idaho 83864. Any hearing will be held in accordance with the Rules and Regulations of the Idaho Code and adopted Rules of Practice and Procedure of the Department of Water Resources. Opportunity shall be afforded all parties to respond and present evidence and argument on all issues involved.

Any party may request in writing five (5) days before any hearing that the oral proceedings thereof be taken in the form of stenographic notes. Any party may have such stenographic notes of the oral proceedings, or part thereof, transcribed at his own expense. A taped record of the proceedings will be maintained for the appeal period.

Failure to appear at the time and place set for hearing by the applicant or protestants may allow the Department without prejudice to dismiss the protests or the application. Any and all cost incurred by reason of such non-appearance may be assessed against such non-appearing parties.

Dated this 21 day of December, 1978.


ROBERT G. HAYNES, P.E.
Regional Supervisor

MICROFILMED

Rt 1-Box 30C
Colbert wa 99005
Oct 29-1978

RECEIVED

OCT 30 1978
Mr. C. Stephen Alfred:
Director of Water Resources,
Department of Water Resources,
Northern District Office
4055 Gont Way, Coeur d'Alene Id. 83814

Dear Sir:

In reference to application 96-7723
filed by Norma Summerfeld,
101-N-1st St Sandpoint Idaho 83864
SE-SW-519 - T59N - R-1E B.M.

Please be advised that this tributary
originates entirely from springs
(ground water) on our property
excluding rainy seasons and spring
run off.

Many years during summer months
stream flow ceases during summer
months. Stream flow ceases
completely at the SE SW diversion
point of section 19, but even
in draught year 1973.

RECORDED

example the springs continue
to flow into the beaver ponds
on our property.

Our question is: Would the
granting of this application in
any way endanger our future
utilization of the spring water
that originates on our property.
If so we would protest the
granting of the permit.

We own the north $\frac{1}{2}$ of the
South east $\frac{1}{4}$ of section 19.

T59N - R-1E B.M.

Yours Sincerely

Forrest M. Ault

Susan R. Ault



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

Nov. 2, 1978

Re: 96-7723

Forrest M. Ault

Rt 1 Box 30 C

Colbert, WA 99005

Dear M Ault

Your protest against the approval of the above referenced application has been received and a copy has been sent to the applicant. The Department suggests you contact the applicant directly in an effort to determine what is proposed by the application and to attempt to resolve the protest.

If you do not advise us within twenty (20) days that the protest has been resolved, the matter will be scheduled for conference and/or hearing. At such a conference and/or hearing, the following are the principle items the Department can consider in either approving or denying the application for permit (Section 42-203, Idaho Code):

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purpose intended?
3. Is the application made in good faith or for delay or speculation?
4. Has the applicant sufficient financial resources with which to complete the project?
5. Will the proposed use conflict with the local public interest?

If this office can be of any further assistance, please do not hesitate to contact us.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Supervisor

RGH: :tk

MICROFILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

Nov. 2, 1978

Nona Sommerfeld

101 N. 1st

Sandpoint, ID. 83864

Dear Ms. Sommerfeld

Enclosed is a copy of a protest filed against the issuance of a permit pursuant to the above referenced application. The Department suggests you contact the protestants directly in an effort to determine the nature of the protest and to attempt to resolve the protest.

If you do not advise us within twenty (20) days that the protest has been resolved, the matter will be scheduled for conference and/or hearing. At such a conference and/or hearing, the following are the principle items the Department can consider in either approving or denying the application for permit (Section 42-203, Idaho Code):

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purposes intended?
3. Is the application made in good faith or for delay or speculative purposes?
4. Has the applicant sufficient financial resources with which to complete the project?
5. Will the proposed use conflict with the local public interest?

If this office can be of any further assistance, please contact us.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Supervisor

RGH: :tk

Enclosure

ENCLOSURE

In the matter of :
application for permit : Withdrawal
96-7723, Nonna : of protest
Sommerfeld :

IN ACKNOWLEDGEMENT OF THE
AGREEMENT SIGNED BY NONNA
Sommerfeld and included as a
part of Sec 10 of the remarks
on the aboved referenced application
for permit, I hereby withdraw
my protest against issuance of
said permit.

Signed at Sandpoint Idaho
this 16TH DAY of January 1977.

Forrest M. Ault
Forrest M. Ault

Susan R. Ault
Susan R. Ault

MICROFILMED

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. _____

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) KK 10/11/78

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant
_____ Request Dam Safety Information

(4) KK 10/11/78

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: Protest withdrawn

(11) _____

Affidavit of Publication received(date) _____

(12) SK 11/2/78

Final date for protests 11-6-78

Protests received: yes ☒ no _____

(13) _____

All requested information received from agencies or applicant: yes ☒ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

RECEIVED
JAN 26 1979

Department of Water Resources

10-10-79 Proposed Priority

_____ Reason for Reduction _____

_____ Measuring device required

_____ See attached sheet for other conditions of approval

☒ No special conditions for approval

(15) District Northern

By Bob James

Date 1-22-79

MICROFILMED

96-2223

Name: SOMMERFELD, NONNA

Address: 101 N 1ST, SANDPOINT, ID 83864

Source: UNNAMED STREAM tributary to GROUSE CREEK

Date Filed: 10/10/1978

County: BONNER

Amount: 0.04 CFS

Point of Diversion: SESW S19 T59N R01E
SESW S19 T59N R01E

Use: DOMESTIC from 01/01 to 12/31
STOCKWATER from 01/01 to 12/31

Place of Use: SESW S19 T59N R01E

Means: DAM, GRAVITY PIPE

MICROFILMED

WATER RIGHT NUMBER 96-7723

ACT

ION

N OWNER LAST NAME - SOMMERFELD

FIRST NAME - NONNA

N ADDRESS LINE 1 - 101 N 1ST

CITY - SANDPOINT

STATE - ID ZIP CODE - 83864

N SOURCE - UNNAMED STREAM

TRIBUTARY OF - GROUSE CREEK

N STAGE - APPLICATION

PRIORITY - 10-10-1978

COUNTY - BONNER

TOTAL DIV. RATE -

.0400CFS

N DIVERSION POINT - SESW 19 59N 01E✓

N DIVERSION POINT - SESW 19 59N 01E✓

N FROM - 01-01 TO - 12-31 USE - DOMESTIC

USE DIV. RATE - .0200CFS

N FROM - 01-01 TO - 12-31 USE - STOCKWATER

USE DIV. RATE - .0200CFS

N USE - DOMESTIC

PLACE OF USE - TWN 59N RNG 01E SEC 19 TRACT SESW

N NON IRRIG USE - ONE FAMILY, 40 HEAD STOCK

N OTHER RIGHTS FOR SAME USE - NONE

N DIVERSION MEANS - DAM, GRAVITY PIPE

AB 12