

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED
SEP 13 1985

96-7605
Permit No.

Department of Water Resources

1. Measurement Calculations

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

ONE HOME 0.04

NOV 8 1985
MICROFILMED

- b) Volume Calculations for Irrigation:

$$\begin{aligned} V_{I.R.} &= (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}} \\ V_{D.R.} &= [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}} \\ V &= \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}} \end{aligned}$$

- c) Volume Calculations for Other Uses:


ONE HOME 1.2

2. Overlap Review

- a) Other water rights with same place of use: NONE
- b) Other water rights with same point of diversion: NONE
- c) Analysis:

MICROFILMED
NOV 24 1989





State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-07605

Priority: August 24, 1977

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:¹

1.2 AF

This is to certify, that ROBERT R. ELDRED
8790 RAPID LIGHTNING RD.
SANDPOINT, ID 83864

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated August 24, 1977; and
has submitted Proof of Beneficial Use on November 1, 1982. An examination indicates
that the works have a diversion capacity of .040 cfs of water from:

UNNAMED STREAM

tributary to RAPID LIGHTNING CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSW , Sec. 8, Township 58N, Range 01E
BONNER County

PLACE OF USE: DOMESTIC

TWN RGE SEC

58N 01E 8

SWSW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.
6. 2 points of diversion located in SWSW, S8, T58N, R1E.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 31st
day of October, 1989.

MICROFILMED

NOV 24 1988

Billy D. Hooner for
R. Keith Higginson, Director

Identification No. _____

Application No. 96-7605

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT **APPROVED**

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Robert R. Eldred Phone: _____
post office address PO Box 1663 Sandpoint Id 83864
2. Source of water supply Unnamed Stream which is a tributary of Rapid Lightning Creek
3. a. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 8 Township 58N
Range 1E B.M. Bonner County; additional points of diversion if any: _____
- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount .04 for Domestic purpose from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. .04 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Hydraulic ram pump.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ (Mo. Day) to _____ (Mo. Day) inclusive.
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years.
b. Estimated construction cost is \$ _____.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 8 Township 58N
Range 1E B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 1.
(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	

Total number of acres to be irrigated. _____

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion Appl.

b. Who owns the land to be irrigated or place of use Appl.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

RIE

⊙ PDF Place of use

Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert B. Eldred
(Applicant)

(Applicant)

Proposed Priority 8/24/77

Received by RH Date 8-24-77 Time 1:45 PM

Preliminary check by TV Fee \$ 10.00

Receipted by B Date 8-24-77 (5-252)

Publication prepared by LDW Date 8-28-77

Published in Sandpoint Daily Bee

Publication dates 9-7-14-77

Publication approved LDW Date 10-6-77

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by RH LDW

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-7605, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 19 82.

c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this 19 day of December, 19 77.

[Signature]
Deputy Director

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Pete Thompson being first duly sworn on oath deposes and says that he is publisher of the Sandpoint Daily Bee, and News Bulletin, newspapers printed and published at Sandpoint, in Bonner County, Idaho; that the said newspapers have been continuously and uninterruptedly published in said Bonner County during a period of 12 months prior to the first publication of the hereto attached notice of publication

in the case of Water
Permit Application

as it was published in the regular and entire issue of the said paper for a period of 2 consecutive weeks, commencing on the 7th day of Sept, 1977 and ending on the 14th day of Sept, 1977 and that said notice was published in said newspaper.

Pete Thompson

Subscribed and sworn to before me this

4th day of Oct, 1977.

Adelle M Thompson

Notary Public for Idaho,
Residing at Sandpoint, Idaho

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that Robert R. Eldred P.O. Box 1663 Sandpoint, Id 83864 has on August 24, 1977 submitted Application No. 96-7605 for a permit to appropriate 0.04 cubic feet per second of water from unnamed stream tributary to Rapid Lightning Creek by means of pump within the SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec 8 T58N R1E, B.M. Bonner County to be used from Jan 1 to Deed 31 for Domestic Purposes within the SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec 8 T58N R1E B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before September 26, 1977.

C. STEPHEN ALLRED
Director

Published in the Sandpoint Daily Bee, Sandpoint Id on September 7 and September 14, 1977.

ok SDW
10-6-77

RECEIVED

OCT 6 1977

Department of Water Resources
Northern District Office

October 31, 1989

ROBERT R. ELDRED
8790 RAPID LIGHTNING RD.
SANDPOINT, ID 83864

RE: PERMIT NO. 96-07605

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MicroFILMED

NOV 24 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED
SEP 18 1985

96-7605
Permit No.

Department of Water Resources

1. Measurement Calculations

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

ONE HOME 0.04

- b) Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

- c) Volume Calculations for Other Uses:

ONE HOME 1.2

2. Overlap Review

- a) Other water rights with same place of use: NONE

- b) Other water rights with same point of diversion: NONE

- c) Analysis:

RECEIVED

NOV 24 1989



RECOMMENDED AMOUNTS

3.

Permit No.	Priority	Amount	App. Date	Date Proof Submitted	System Capacity
96-7605		0.04			

4. Permit Holder: Robert R. Eldred

Address: 8790 Rapid Lightning Rd. Sandpoint ID 83864

5. Source: Unnamed Stream tributary to Rapid Lightning Cr.

6. Beneficial Use

	Period of Use From	To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
<u>Dom (1)</u>	<u>1-1</u>	<u>12-31</u>	<u>0.04</u>	<u>1.2</u>

Allowable Maximums: 0.04 1.2

7. Point(s) of Diversion: 2 POINTS

No.	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County
			SW	SW	8	58N	1E	BONNER

8. Place(s) of Use

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
58N	1E	8											X						
Total Acres _____																			

9. Recommended Conditions/Remarks: _____

MICROFILMED

NOV 24 1989

10. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other _____

11. Examiner's Signature Julius
Checked in Regional Office by Bob Haynes
Approved in State Office by Don

Date 9/3/85
Date 9/6/85
Date 9/26/89

RECEIVED
SEP 13 1985

SFP 13 1985

Department of Water Resources

Permit No. 96-7605

Phone No.

1. Owner: ROBERT R. ELDRED Phone No. _____
Current Address: 8790 RAPID LIGHTNING RD. SANDPOINT, ID. 83864
2. Accompanied by: R. ELDRED EXAM. DATE: 8/13/85
Address: _____ Phone No. _____
Relationship to Permit Holder: SAME
3. Source: UNNAMED STREAM tributary to RAPID LIGHTNING CREEK

4.	Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

5. System Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

2" PIPE IN-STREAM GRAVITY FLOW TO Ram Pump
1 1/4" PIPE TO 3,000 gal CISTERN THEN GRAVITY FLOW TO
Home

6.	Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
	<i>rod</i>						

7. Measurements *none* ☐ Additional data/computation sheets attached

8. Point(s) of Diversion: _____ Indicate Method of Determination *MAP*

[illegible]


9. Place(s) of Use: Irrigation - give acres served by system at time of exam.
Indicate Method of Determination MAD

[illegible]

10. Other water rights on these lands none

11. Other water right diverted from same p.d. none

12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached ☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks _____

15. Recommended Amendments

☐ Change P.D. as reflected above	☐ Add P.D. as reflected above	☒ None
☐ Change P.U. as reflected above	☐ Add P.U. as reflected above	☐ Other

16. Examiner's/Consultant's Signature [Signature] Date 8/13/83

Consultant's License Number _____

IDWR Director's Authorization to Conduct Beneficial Use Examination _____


Date _____

MicroFILMED

NOV 24 1989


CONSULTANT SEAL

96-7605



MICROFILMED
NOV 24 1989

ABLE 1:24 000
2680 11 NE
Mapped, edited, and published by the Geological Survey
Control by USGS, USC&GS, USFS, and 111
Topography from aerial photographs and by plane-table surveys 1951. Aerial photographs taken 1946



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

January 21, 1983

Mr. Robert Eldred
Rt. 1 Box 461M
Sandpoint, Id. 83864

RE: 96-7605

Dear Mr. Eldred:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination, however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Very truly yours,

TOM D. KING
Senior Water Resource Agent

TDK/pms

cc: IDWR - State Office

MICROFILMED

NOV 24 1989

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 96-7605.

Name(s) of Permit Holder: Robert R. Eldred

Post Office Address: Rt 1 Box 461 M
Sandpoint, Idaho 83864 Tel. No. none

Source of Water: unnamed stream

Extent of Use: ☒ Domestic two (number of households)
☐ Stockwater _____ (number and type of stock)
☐ Irrigation _____ (acres)
☐ Other _____

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No
 Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No


The above information is a true statement of the extent to which the above numbered permit has been developed.

Oct 26 1982 Robert R. Eldred
 Date of Permit

ELDREID

Rt 1 461-M

Sandpoint, Idaho 83701



RECEIVED



NOV 1 1982

IDAHO DEPARTMENT OF WATER RESOURCES
STATE HOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138772

ELDRED, ROBERT R.
RT. 1 BOX 461M
SANDPOINT, ID 83864

SEPTEMBER 30, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 96-7605 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE DECEMBER 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC:

MICROFILMED

IDENT. NO. 96-7605

WATER RIGHT
DATA ENTRY LOG

Item

Keypunched by State Office

~~12-27-79~~

December 20, 1977

Re: Permit No. 96-7605

Robert R. Eldred
P. O. Box 1663
Sandpoint, ID 83864

Dear Mr. Eldred:

Enclosed is a copy of your approved Application for Permit No 96-7605 . We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF/cah

Enclosure

RECEIVED
MAY 1978

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. E164cd

- ☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) JK 8-25-77

In form to receipt

(2) _____

Send Copies to:

- _____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

- _____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant
_____ Request Dam Safety Information

(4) JK 8-25-77

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) SDW 10-6-77

Affidavit of Publication received(date) 10-6-77

(12) _____

Final date for protests 9-26-77

Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes ☒ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

8-24-77 Proposed Priority

Reason for Reduction _____

NO Measuring device required

See attached sheet for other conditions of approval

☒ No special conditions for approval

RECEIVED

OCT 14 1977

Department of Water Resources

(15) District Northern

By Bob Haynes Date 10-11-77



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

September 1, 1977

RE: Applications No. 96-7607, 96-7605 & 96-7556

Sandpoint Daily Bee
PO Box 579
Sandpoint, Id 83864

Gentlemen:

Enclosed is a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to our office along with the publication bill. Your cooperation in this matter is appreciated.

Very truly yours,

ROBERT G. HAYNES, P.E.
District Supervisor

RGH:ab

Enc: Legal Notice(s)

*no
bill
received
10-6-77
S.D.W.*

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Robert R. Eldred

P.O. Box 1663, Sandpoint, ID 83864

has on August 24, 1977 submitted Application No. 96-7605

for a permit to appropriate 0.04 cubic feet per second ~~acre feet per annum~~

of water from unnamed stream tributary to Rapid Lightning Creek

by means of ph pump

within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec 8, T58N, R1E B.M. Bonner County

to be used from Jan 1 to Dec 31 for Domestic

~~for~~

within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec 8, T58N, R1E B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before

September 26, 1977.

C. STEPHEN ALLRED
Director

Published in the Sandpoint Daily Bee, Sandpoint, ID

on September 7 and September 14, 1977

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Robert R. Eldred, P.O. Box 1653 Sandpoint, Id. 83864 has on August 24, 1977 submitted Application No. 96-7605 for a permit to appropriate 0.04 cubic feet per second of water from unnamed stream tributary to Rapid Lightning Creek by means of pump within the SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec 8 T58N R1E, B.M. Bonner County to be used from Jan 1 to Dec. 31 for Domestic Purposes within the SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec 8 T58N R1E B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before September 26, 1977.

C. STEPHEN ALLRED
Director

Published in the Sandpoint Daily Bee, Sandpoint Id on September 7 and September 14, 1977.