




EXHIBIT A

MICROFILMED

THEORETICAL
CTR SEC 2

N 88° 29' 10" W 2671.32

NW 1/4, NW 1/4, SE 1/4

NE 1/4, NW 1/4, SE 1/4

NW 1/4, NE 1/4, SE 1/4

NE 1/4, NE 1/4, SE 1/4

Wilford Scheberger

SE 1/4, NW 1/4, SE 1/4

SE 1/4, NE 1/4, SE 1/4

SW 1/4, NE 1/4, SE 1/4

NW 1/4, SW 1/4, SE 1/4

NE 1/4, SW 1/4, SE 1/4

NW 1/4, SE 1/4, SE 1/4

NE 1/4, SE 1/4, SE 1/4

SW 1/4, SW 1/4, SE 1/4

SE 1/4, SW 1/4, SE 1/4

SW 1/4, SE 1/4, SE 1/4

SE 1/4, SE 1/4, SE 1/4

Beunk

SW 1/4, NW 1/4, SE 1/4

S 02° 19' 57" E 2602.65

N 02° 19' 57" E 2602.65

ED Scheberger

R 30°

R 30°

R 30°

R 30°

R 30°

R 30°

R 30°

R 30°

R 30°

EXISTING COUNTY ROAD

S 89° 29' 10" E 2671.31

F 30

694.40

IRON PIN

5' 5"

EXHIBIT A

APR 06 1988

RECEIVED


SE 1/4 Sec 2, T53N, R3W

96-7534

FOR SALE BY
MEYSKER MAPS
111 SOUTH 10TH ST., TACOMA, WASHINGTON
1020 THIRD AVE., SEATTLE, WASHINGTON

TOWNSHIP 53 N., RANGE 3 W. B. M.
KOOTENAI COUNTY, IDAHO

27




COPYRIGHT BY THE C. I. B.

COUNTY
APR 06 1988

8521004

SECTION



MICROFILMED

APR 06 1988

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-7534

Priority: May 2, 1977

Amount:

.06 CFS

12.0 AFA

This is to certify, that ROCK SPRINGS WATER ASSN.

RT. 1 BOX 63R

ATHOL, ID 83801

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated May 2, 1977, and has submitted proof to the Department of Water Resources on May 12, 1982, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .06 cfs of water from a GROUNDWATER source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Domestic	01/01 to 12/31	.06 cfs	12.0 afa

LOCATION OF POINT OF DIVERSION(S): SWSE , Sec. 2, Township 53N, Range 3W
Kootenai County

PLACE OF USE: Domestic

TWN RGE SEC

53N 3W 2 NESE NWSE SWSE SESE

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Domestic use is for 10 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 9th day of November, 19 87.

MICROFILMED

Director

APR 06 1988

Identification No. 96-7534

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Rock Springs Water Association Phone: _____
post office address % William Church Rt 1 Box 62E Athol ID
2. Source of water supply Groundwater which is a tributary of _____
3. a. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 2 Township 53N
Range 3W B.M. Kootenai County; additional points of diversion if any: _____
- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount .20 for Domestic purpose from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. .20 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Well and Pump
- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 8 inches; proposed depth of well is 325-350 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years.
b. Estimated construction cost is \$ _____.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 2 Township 53N
Range 3W B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____
(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 10.
(5) If water is to be used for other purposes describe: _____

APPROPRIATE

[illegible]

c. Describe any other water rights used for the same purposes as described above. _____

- [illegible]

SE 4 sec 2 150N R 5W

FOR RIVER PROPERTIES




EXHIBIT A

[illegible]

William E. Ruck
(Applicant) Pres.

Proposed Priority 5/ 2/77

Received by RWA Date 5-2-77 Time 2:45 PM

Preliminary check by _____ Fee \$ 1000

Received by RWA Date 5-2-77 # 5462

Publication prepared by B Date 5-3-77

Published in CDA PMA-CDA

Publication dates 5-12-77 19-77

Publication approved D Date 5-25-77

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by Rest jk

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-7534, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 82.
- c. Other: The issuance of this permit in no way grants any right-of-way or easement across the land of another person.

2. Denial of said application is for the following reasons: _____

Witness my hand this 13 day of June, 19 77.


Director

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Rock Springs Water Association c/o William Church, Rt., Athol, Id has on May 2, 1977 submitted Application No. 96-7534 for a permit to appropriate 0.20 cubic feet per second of water from ground water by means of well and pump within the SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 2, T53N, R3W, B.M., Kootenai County to be used from Jan. 1 to Dec. 31 for Domestic purposes within the SE $\frac{1}{4}$ Sec. 2, T53N, R3W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before May 30, 1977.

C. STEPHEN ALLRED
Director

Legal No. 149
May 12, 19, 1977

OK
5-25-77
\$
RECEIVED

STATE OF IDAHO,
County of Kootenai,

} ss.

Carol Hedge

being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Nature

of which the annexed is a printed copy, was published in the regular *Issue* issue of said newspaper for *2* consecutive *Weeks*, commencing on the *12* day of *May*, 19*77*, and ending on the *19* day of *May*, 19*77*, and such publication was made as often during said period as said *daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Carol Hedge

Subscribed and sworn to before me this

19 day of *May*

19*77*

Roberta Manley

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

11.14

LEADER

November 9, 1987

ROCK SPRINGS WATER ASSN.
RT. 1 BOX 63R
ATHOL, ID 83801

RE: Permit No. 96-7534

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

ALL INFORMATION CONTAINED
HEREIN IS UNCLASSIFIED
DATE 06-11-2008 BY 60322
APR 06 1988

September 18, 1987

ROCK SPRINGS WATER ASSN.
RT. 1 BOX 63R
ATHOL, ID 83801

RE: Permit No. 96-7534

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED
APR 06 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED

SEP 24 1984

10 - DAY
96 - - - -
Permit No.

Department of Water Resources

1. Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

$$\frac{8.8(3\frac{1}{2})80\%}{2.33(20)+325} = 0.06 \text{ cfs} \quad (\text{Static WL in adjacent wells } 300-350')$$

b) Volume Calculations for Irrigation:

$$\begin{aligned} V_{I.R.} &= (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}} \\ V_{D.R.} &= [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}} \\ V &= \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}} \end{aligned}$$

c) Volume Calculations for Other Uses:

$$\begin{aligned} 1.9835(365)0.06 &= 43.4 \text{ AF} \\ 10 \text{ homes}(1.2) &= \underline{\underline{12.0 \text{ AF}}} \end{aligned}$$

2. Overlap Review

a) Other water rights with same place of use: _____

b) Other water rights with same point of diversion: _____

c) Analysis:

MICROFILMED

APR 06 1988

RECOMMENDED AMOUNTS

- | Permit No. | Priority | Amount | App. Date | Date Proof Submitted | System Capacity |
|------------|----------|--------|-----------|----------------------|-----------------|
| 96-7534 | 5-2-77 | 0.06 | 5-2-77 | 5-12-82 | 0.06 |

4. Permit Holder: Rock Springs Water Association

Address: Rt. 1 Box 63R - Athol, Id. 83801

5. Source: Ground water tributary to _____

6. Beneficial Use	Period of Use From To	Rate of Diversion Q (cfs)	Annual Volume V (afa)

<u>Domestic (10)</u>	<u>1-1</u>	<u>12-31</u>	<u>0.06</u>	<u>12.0</u>
----------------------	------------	--------------	-------------	-------------

Allowable Maximums: 0.06 12.0

7. Point(s) of Diversion:

[illegible]

8. Place(s) of Use

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
53 N	3 W	2													X	X	X	X	
Total Acres _____																			

9. Recommended Conditions/Remarks: D/10

MICROFILMED

APR 06 1988

10. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other _____

11. Examiner's Signature J. H. King Date 29/17/84

Checked in Regional Office by DDO Haynes Date 7/29/84

Approved in State Office by Ron Hawerton Date 20 AUG '87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Permit No. 96-7534

Phone No. 683-3125

1. Owner: Rock Springs Water Assn Phone No. 683-3125
Current Address: Box 63R Alt 1d 83801
2. Accompanied by: NONE EXAM. DATE: 9/11/84
Address: NONE Phone No. _____
Relationship to Permit Holder: _____
3. Source: GU tributary to _____

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		~~4 1/2~~			54B 8"
Booster	Balder	5	BERKLEY		8262812
		3 1/2	Per Tele/call Anne Stoddard		Sub 2"

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

5. **System Description** (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

6" X 325' W 6" s. pump with 2" line to storage tank then booster to pressure tanks then 2" MAIN to homes.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
<i>Name</i>						

7. Measurements ☐ Additional data/computation sheets attached

10 lines 0.15 cfs 12.0 AF

371.4

8. Point(s) of Diversion: Indicate Method of Determination *MAP*

[illegible]

9. Place(s) of Use: Irrigation - give acres served by system at time of exam.
Indicate Method of Determination *MAP*


[illegible]

Total Acres

10. Other water rights on these lands none

11. Other water right diverted from same p.d. _____

12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ **Photo of Diversion & System Attached** ☒ **Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached**

14. Remarks _____

15. Recommended Amendments

☐ Change P.D. as reflected above	☐ Add P.D. as reflected above	☒ None
☐ Change P.U. as reflected above	☐ Add P.U. as reflected above	☐ Other

16. Examiner's/Consultant's Signature [Signature] Date 9/11/84

Consultant's License Number _____

IDWR Director's Authorization to Conduct

Beneficial Use Examination _____

MAILED


APR 06 1988

CONSULTANT SEAL

FOR SALE BY
MEYSKER MAPS

TOWNSHIP 53 N., RANGE 3 W. B. M.
KOOTENAI COUNTY, IDAHO

22



PHOTOGRAPH BY TONY C. JAMES


COUNTY
APR 06 1988

BOOKS



REPRODUCED

APR 06 1988



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

July 23, 1982

Rock Springs Water Association
Rt. 1 Box 63R
Rothol, ID 83801

RE: 95-7534

Gentlemen:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination, however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Very truly yours,

TOM D. KING
Senior Water Resource Asst

TDK/pms

cc: IDWR - State Office

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has consented development to the extent shown below of Permit No. 96-7534.

Name(s) of Permit Holder: Rock Springs Water Association

Post Office Address: RT-1 Box 63R
Athol Id. 83801 Tel. No. _____

Source of Water: well

Extent of Use: ☒ Domestic 10 (number of households)
☐ Stockwater _____ (number and type of stock)
☐ Irrigation _____ (acres)
☐ Other _____

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

5-3-82
 Date

Anne E. Stoddard ^{Sec} trans
 Signature of Permit Holder

Rock Springs Water
Rt 1 Box 63R
Alto, Id 83801


RECEIVED
MAY 18 1982

MAY 18 1982

Department of Water Resources



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138712

ROCK SPRINGS WATER ASSN.
C/O WILLIAM CHURCH
RT. 1 BOX 63E
ATHOL, ID 83801

MARCH 31, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 96-7534 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JUNE 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

MICROFILMED

June 24, 1977

Re: Permit No. 96-7534

Rock Springs Water Association
c/o William Church
Route #1, Box 63-E
Athol, ID 83801

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 96-7534 . We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

BOBBY D. FLEET
Chief, Water Rights

BDF/cah

Enclosure

MICROFILMED

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. Rock Spring Water Assn

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) JK 5-2-77

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant

(4) JK 5-2-77

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no ☒

(8) _____

Groundwater levels:

_____ Declining, ☒ Stable, _____ Increasing

(comment) _____

(9) _____

RNS Other rights on the same place of use

(10) _____

Comments: _____

(11) B 5-25-77

Affidavit of Publication received (date) 5-25-77

(12) _____

Final date for protests 5-30-77
Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes ☒ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

5-2-77 Proposed Priority

Reason for Reduction _____
☒ R/W clause
Measuring device required

See attached sheet for other conditions of approval

☒ No special conditions for approval

(15) District Northern

By B B Haynes Date 6-1-77

MICROFILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN DISTRICT

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

May 5, 1977

RE: Applications No's. 94-7098; 95-7724; 95-7725; 96-7534; 95-7723.

Coeur d'Alene Press
Second & Lakeside
Coeur d'Alene, Id 83814

Gentlemen:

Enclosed is a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to our office along with the publication bill. Your cooperation in this matter is appreciated.

Very truly yours,

ROBERT G. HAYNES, P.E.
District Supervisor

RGH:cp

Legal Notice(s)

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Rock Springs Water Association
c/o William Church, Rt, Athol, Id
has on May 2, 1977 submitted Application No. 96-7534
for a permit to appropriate 0.20 cubic feet per second ~~XXXXXXX~~ acre feet per annum
of water from ground water
by means of well and pump
within the SW 1/4 Sec 2, T53N, R3W, B.M., Kootenai County

to be used from Jan 1 to Dec 31
for Domestic purposes
within the SE 1/4 Sec 2, T53N, R3W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before May 30, 1977.

C. STEPHEN ALLRED
Director

Published in the Coeur d'Alene Press, Coeur d'Alene, Id
on May 12 and May 19, 1977

NOT REFILED