



Harold
Glabb

Harold Glabb
DEC 16 1992

Linton
Schuyler

Harold
Glabb

28
32

27 24
34 35

B917

14.3

10.2

17.1

18

15

32

Ballan

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PERMIT # 96-07501

P H O T O G R A P H S



**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Paul G. Schuyler, N. N.4818 Stone, Spokane, Washington has on February 11, 1977 submitted Application No. 96-7501 for a permit to appropriate 2.00 cubic feet per second of water from Hoodoo Creek, tributary of Pend Oreille River by means of pump within the NE $\frac{1}{4}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 34; SW $\frac{1}{4}$ SE $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 27, T.55N, R4W, B.M., Bonner County to be used from Jan. 1 to Dec. 31 for stock-watering purposes (0.02 cfs); and from May 1 to Oct. 31 for the irrigation of 112 acres (2.00 cfs) within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, S $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 27; N $\frac{1}{2}$ NE $\frac{1}{4}$, N $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 34, T.55N, R.4W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before March 7, 1977.

R. KEITH HIGGINSON
Director

Published in the Priest River Times on Feb. 17 and Feb. 24, 1977.

o.k.
2-23-77
P

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Paul G. Schuyler, N. 4818 Stone, Spokane, Washington has on February 11, 1977 submitted Application No. 96-7501 for a permit to appropriate 2.00 cubic feet per second of water from Hoodoo Creek, tributary of Pend Oreille River by means of pump within the NE $\frac{1}{4}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 34; SW $\frac{1}{4}$ SE $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 27, T.55N, R.4W, B.M., Bonner County to be used from Jan. 1 to Dec. 31 for stock-watering purposes (0.02 cfs); and from May 1 to Oct. 31 for the irrigation of 112 acres (2.00 cfs) within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, S $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 27; N $\frac{1}{2}$ NE $\frac{1}{4}$, N $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 34, T.55N, R.4W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before March 7, 1977.

R. KEITH HIGGINSON
Director

Published in the Sandpoint
Daily Bee on Feb. 16 and Feb.
23, 1977.

O.K.
2-18-77
C

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-07501

Priority: February 11, 1977

Maximum Diversion Rate: 0.89 CFS
Maximum Diversion Volume: 323.8 AF

This is to certify, that PAUL G SCHUYLER

N 4818 STONE

SPOKANE WA 99207

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 11, 1977; and has submitted Proof of Beneficial Use on February 8, 1982. An examination indicates that the works have a diversion capacity of .890 cfs of water from:

HOODOO CREEK

tributary to PEND OREILLE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	05/01 to 10/31	0.89 CFS	323.1 AF
STOCKWATER	01/01 to 12/31	0.01 CFS	0.7 AF
	Totals	0.89 CFS	323.8 AF

LOCATION OF POINT(S) OF DIVERSION:

SESW , Sec. 27, Township 55N, Range 04W
SWSE , Sec. 27, Township 55N, Range 04W
SESE , Sec. 27, Township 55N, Range 04W
NENE , Sec. 34, Township 55N, Range 04W
NENW , Sec. 34, Township 55N, Range 04W
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
55N	04W	27	SESW 18	SWSE 30	SESE 6	54
		34	NENE 8	NWNE 15	NENW 32	
			NWNW 3			58

Total number of acres irrigated: 112

PLACE OF USE: STOCKWATER, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.

APPROVED

DEC 16 1992

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 96-07501

CONDITIONS/REMARKS:

2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.
6. The diversion system consists of 2 portable pumps and systems located within the legally described area above.
7. Stockwater use is for 50 range cattle.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 24TH day of NOVEMBER, 1992.

Acting for  R. Keith Higginson, Director

RECEIVED

DEC 16 1992

APPROVED

State of Idaho
Department of Water Resources

RECEIVED

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 96-07501

NOV 09 1992

Department of Water Resources

Date of Priority: February 11, 1977

Maximum Diversion Rate: 0.89 CFS
Maximum Diversion Volume: 323.8 AF

Comes now
N 4818 STONE
SPOKANE WA 99207

PAUL G SCHUYLER

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 96-07501, and requests that the permit be changed as follows:

Source: HOODOO CREEK

tributary to PEND OREILLE RIVER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	05/01 to 10/31	0.89 CFS	323.1 AF
STOCKWATER	01/01 to 12/31	0.01 CFS	0.7 AF
	Totals	0.89 CFS	323.8 AF

LOCATION OF POINT(S) OF DIVERSION:

SESW , Sec. 27, Township 55N, Range 04W
SWSE , Sec. 27, Township 55N, Range 04W
SESE , Sec. 27, Township 55N, Range 04W
NENE , Sec. 34, Township 55N, Range 04W
NENW , Sec. 34, Township 55N, Range 04W
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
55N	04W	27	SESW 18	SWSE 30	SESE 6	54
		34	NENE 8	NWNE 15	NENW 32	
			NWNW 3			58

Total number of acres irrigated: 112

PLACE OF USE: STOCKWATER, same as IRRIGATION use

DEC 16 1992

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 96-07501

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Spokane, Wor, this 27th day of October, 1992.

Paul G. Schy
(Signature)

NOTED

DEC 16 1992

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 96-07501

FOR DEPARTMENT USE ONLY

Preliminary check by CS Fee = \$20.00 Received by [Signature] # C025962 Date 11-9-92

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 96-07501 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.
6. The diversion system consists of 2 portable pumps and systems located within the legally described area above.
7. Stockwater use is for 50 range cattle.

Witness my hand this 24TH day of NOVEMBER, 1992.

[Signature]
Acting for R. Keith Higginson, Director

RECEIVED
DEC 16 1992

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 96-7501

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

MICROFILMED

Glen Saxton

GLEN SAXTON
Chief, Operations Bureau

Identification No. 96-7501

Application No. _____

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant PAUL G. SCHUYLER Phone: (509) 487-3682
post office address N4818 STONE SPOKANE, WA 99207
2. Source of water supply Hoodoo Creek which is a tributary of Pend Oreille River
3. a. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 34 Township 55N
Range 4W B.M. Bonner County; additional points of diversion if any: _____
SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sect 27 T55N R4W; SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sect 27 T55N R4W;
NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sect 34 T55N R4W
- b. If water is not consumed, it will be discharged into NA at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 2 for irrigation purpose from MAY 1 to Oct. 31 (both dates inclusive)
(cfs or acre-feet per annum)
*0.02 cfs Amount 33 for Livestock purpose from Jan. 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
2.02 cfs a. 2 cubic feet per second and/or
* 33 acre feet per annum.
b. _____
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Portable pump units (2)
gas driven plus motor driven pump.
- b. Height of storage dam NA feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is NA inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 4000⁰⁰
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 34 Township 55N
Range 4W B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered 100 Beef cattle,
5 horses
(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____
(5) If water is to be used for other purposes describe: _____

MICROFILMED

*PURSUANT TO TELECON WITH APPLICANT'S FATHER. 2-11-77. RGH

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
55N	4W	34	15	35			35	10											95
55N	4W	27											3				10	4	17


Total number of acres to be irrigated 112

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion PAUL G. SCHUYLER
- b. Who owns the land to be irrigated or place of use PAUL G. SCHUYLER
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Paul D. Schuyler
(Applicant)

Proposed Priority 2/11/77

Received by CP Date 2-11-77 Time 1:00 p.m.

Preliminary check by RGH Fee \$35.00

Receipted by CP Date 2-11-77 (Rec. #4899)

Publication prepared by CP Date 2-11-77

Published in Sandpoint Daily Bee & Priest River Times

Publication dates 2-16 & 2-23-77 & 2-17 & 2-24-77

Publication approved CP Date 3-7-77

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by RGH gg

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-7501, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 82.
- c. Other: A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 14 day of March, 19 77.


Director

RECEIVED

AFFIDAVIT OF PUBLICATION

MAR 4 1977

State of Idaho

ss.

Department of Water Resources
Northern District Office

County of Bonner,

Pete Thompson being first duly sworn on
oath deposes and says that he is publisher
of the Sandpoint Daily Bee, and News Bulletin,
newspapers printed and published
at Sandpoint, in Bonner County, Idaho; that
the said newspapers have been continuously
and uninterruptedly published in said Bonner
County during a period of 12 months
prior to the first publication of the
hereto attached notice of publication
in the case of _____

Water Permit

as it was published in the regular and entire
issue of the said paper for a Period
of 2 consecutive weeks, commencing
on the 16 day of Feb, 1977
and ending on the 23 day of _____
Feb, 1977 and that said notice
was published in said newspaper.

Pete Thompson

Subscribed and sworn to before me this

2 day of March, 1977.

Dee M Thompson

Notary Public for Idaho,
Residing at Sandpoint, Idaho

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that Paul G. Schuyler, N. 4818 Stone, Spokane, Washington has on February 11, 1977 submitted Application No. 196-7501 for a permit to appropriate 2.00 cubic feet per second of water from Hoodoo Creek, tributary of Pend Oreille River by means of pump within the NE $\frac{1}{4}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 34; SW $\frac{1}{4}$ SE $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 27, T.55N, R.4W, B.M., Bonner County to be used from Jan. 1 to Dec. 31 for stock-watering purposes (0.02 cfs); and from May 1 to Oct. 31 for the irrigation of 112 acres (2.00 cfs) within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, S $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 27; N $\frac{1}{2}$ NE $\frac{1}{4}$, N $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 34, T55N, R4W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before March 7, 1977.

R. KEITH HIGGINSON
Director

Published in the Sandpoint Daily Bee on Feb. 16 and Feb. 23, 1977.

Affidavit of Publication

STATE OF IDAHO
County of Bonner,

ss.

Pete Thompson,

being duly sworn, says that he is the publisher of the PRIEST RIVER TIMES, a weekly newspaper printed and published at Priest River, Bonner County, Idaho, and has been continuously and uninterruptedly published in said County during a period of 78 consecutive weeks prior to the first publication of the annexed notice for publication, is a newspaper of general circulation made up of at least eight pages of at least seven columns each, printed from typematter or stereotyped forms of at least nineteen and three-fourths inches depth, has at least 1250 bona fide subscribers living within said Bonner County, and is published at regular weekly intervals. That the annexed is a true copy of the notice for publication in the case of

Notice of Application for Water Permit,
Paul G. Schuyler,

as it was published in the regular and entire issue of said paper for a period of two consecutive weeks, commencing on the 17 day of February, 1977, and

ending on the 24 day of February, 1977, and that said notice was published in said newspaper proper, and not in supplement form.

Pete Thompson

Subscribed and sworn to before me this

1 day of March, 1977.

Notary Public for Idaho,

Residing at Priest River, Idaho

RECEIVED

MAR 3 1977

Department of Water Resources
Northern District Office

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Paul G. Schuyler, N.4818 Stone, Spokane, Washington has on February 11, 1977 submitted Application No. 96-7501 for a permit to appropriate 2.00 cubic feet per second of water from Hoodoo Creek, tributary of Pend Oeille River by means of pump within the NE $\frac{1}{4}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 34; SW $\frac{1}{4}$ SE $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 27, T.55N, R.4W, B.M., Bonner County to be used from Jan. 1 to Dec. 31 for stock-watering purposes (0.02 cfs); and from May 1 to Oct. 31 for the irrigation of 112 acres (2.00 cfs) within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, S $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 27; N $\frac{1}{2}$ NE $\frac{1}{4}$, N $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 34, T.55N, R.4W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before March 7, 1977.

R. KEITH HIGGINSON
Director

Published in the Priest River
Times Feb. 17 and Feb. 24, 1977

RECEIVED



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 24, 1992

PAUL G SCHUYLER
N 4818 STONE
SPOKANE WA 99207

RE: WATER RIGHT NO. 96-07501

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

A handwritten signature in cursive script that reads "Pamela Skaggs".

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

A faint, circular official stamp, likely from the Idaho Department of Water Resources, with some illegible text inside.

DEC 16 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 14, 1992

PAUL G SCHUYLER
N 4818 STONE
SPOKANE WA 99207

RE: WATER RIGHT NO. 96-07501

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

DEC 16 1992

LICENSE REVIEW CHECKLIST

Permit # 96-07501

Date 9-30-92

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance? _____
	☐	☒	Memo to Advance _____
	☐	☒	Order to Reinstate Needed?
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended?
	☐	☒	Disagree with Actual Measurement?
	☒	☐	$112 \times .02 = 2.24 / .89 \text{ cfs (IRR)} 50 \times .00022 = .01 \text{ cfs (STOCK)}$
	☒	☐	Disagree with Theoretical? $8 \times 8.8 \times .7 = 3.77 \times 2 = 1.55$
	☒	☐	Limited by Capacity? $.89 \text{ cfs } 6' + (6.31 \times 25)$ (measured)
TOTAL VOLUME			Rate/ac <u>3.0</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>5-1 to 10-31</u> Per Permit Season Recommended
	☒	☐	Disagree with Examiner's Calculations?
	☒	☐	$112 \times 3.0 = 336 \text{ afa (STOCK)} 50 \times .0134 = .7 \text{ afa (STOCK)}$
			Limited by Flow? $.89 \times 183 \times 1.9835 = 323.1 \text{ afa (IRR)}$
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source _____
	☐	☒	Notice of Intent to Void.
P/D	☒	☐	Verify with Map
	☐	☒	Amendment Needed? <u>Add SE SW, S27</u>
	☐	☒	Is Overlap Analysis a Consideration?
P/U	☐	☒	Verify with Map
	☐	☒	Amendment Needed? _____
	☐	☒	Is Overlap Analysis a Consideration?
USES	☐	☒	Change(s) in Nature of Use? _____
	☐	☒	Amendment Needed? _____
REMARKS	☒	☐	Multiple P/Ds in 1/4 1/4? <u>2 P/D's/rotating</u>
	☒	☐	Non-Irr. Uses <u>STOCK/50 Cattle</u>
	☐	☒	Special Overlap Condition _____
	☐	☒	Other _____
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	<u>R29</u>	☐	Overlap
	☐	☒	Water Quality
		☒	DATES/MISC
		☒	Water Dist.
		☒	App Rec'd
		☒	Exam Made
COMMENTS/MEMOS NEEDED:	<u>Reduced rate</u> <u>Amend P/D</u>		
	<u>Estimate minimum 6' lift/Min. IRR DSI 25</u>		
	<u>8 Acres in NENE, 5.34 per Map + note</u>		
License	☐	☐	10-Day
	☐	☐	15-Day
	☒	☐	Special Correspondence

WR0749NP
No. L96-07501

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 10/01/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	PAUL G SCHUYLER N 4818 STONE SPOKANE WA 99207 (509) 487-3682	02/11/1977	IRRIGATION STOCKWATER	05-01 10-31 01-01 12-31	0.89 CFS 0.01 CFS	323.1 AFA 0.7 AFA
TOTAL DIVERSION:					0.89 CFS	323.8 AFA

Water Source: HOODOO CREEK

Tributary to: PEND OREILLE RIVER

Stage: LICENSE

Point(s) of Diversion Capacity: 0.89 CFS

Point(s) of Diversion: T55N R04W S27 S34 SE SW NE NE SW SE NE NW SE SE

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
55N	04W	27	:													18		30	06	:	54.0
55N	04W	34	:	08		15				32		03								:	58.0
TOTAL ACRES																				:	112.0

Place of use location for STOCKWATER is the same location as described for: IRRIGATION

Pou County: BONNER

Other Water Rights with Same Point(s) of Diversion and Source:
96-07022 96-07501 E96-07501

Other Water Rights Listing Overlapping Place(s) of use:
96-07022 96-07501 E96-07501

Conditions of Approval:

- R29 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 3.0 afa per acre for the
- lands above.

Remarks: The diversion system consists of 2 portable pumps and systems
located within the legally described area above.
Stockwater use is for 50 range cattle.

Dates: App. Received: 02/11/1977 Priority Date: 02/11/1977
Proof Due Date: 03/01/1982 Proof Made Date: 02/08/1982
Exam Made Date: 10/15/1991 Exam Sent to S.O.: 07/24/1992
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 10/01/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUL 27 1992
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 96-7501

1. Owner: PAUL SCHUYLER Phone No. 509-487-3682

Current Address: N. 4818 STONE, SPOKANE, WA 99-207

2. Accompanied by: SAME EXAM. DATE: 10/15/91

Address: _____ Phone No. 1

Relationship to Permit Holder: _____

3. Source: HODDGO CR tributary to PEND OREILLE RIVER

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

TWO IDENTICAL SYSTEMS { EXCEPT AS NOTED

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

RECEIVED

DEC 16 1992

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.)

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

TWO IDENTICAL SYSTEMS CONSISTING OF:
19" SAND SCREEN IN-STREAM WITH 4" SUCTION
8HP GAS MOTOR & PUMP, 4" ALUM. MAIN
400' OF 3" LATERAL WITH 1/4" SP. HD. 920' OF 2" LATERALS
WITH 7/32" SP. HD.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
1	BRIGGS & STRATTON	8	NONE	TEEL	4"
2	TEEL	8	"	"	"

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	SW	27	55N	4W	BONNER	SYSTEMS ARE PORTABLE & PUMPS ARE MOVED TO ANY POINT ON STREAM (POINT NEAREST TO PASTURE NEEDING TO BE IRRIGATED)
			SW	SE					
			SE	SE					
			NE	NE	34				
			NE	NW	34	55N	4W	BONNER	A. PHOTO

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
53N	4W	27												18			30	6	54
		34	8	15	6		32	3											58

APPROVED

DEC 16 1992

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
METER		BADGER	M0647574		4"	

2. Measurements:

200 gal IN 60 ^{SEC} ON BOTH SYSTEMS
NEITHER PUMP MOTOR WAS RUNNING AT FULL THROTTLE
METER IS PORTABLE - SAME METER USED

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: $\frac{200 \text{ gpm}(2)}{448.8 \text{ gpm/cfs}} = 0.89 \text{ cfs}$

~~SYSTEM CAPACITY~~
 $\frac{8.8(8) 70\%}{2.3(23)} = .93 \text{ cfs}(2) = 1.86$
SYSTEM CAPACITY
THEORETICAL

2. Alternate Method for Checking Purposes:

$23 \sim \frac{1}{32} @ 23 \text{ PSI} = (23)(6 \text{ gpm}) = 120 \text{ gpm}$
 $10 \sim \frac{1}{4} @ 23 \text{ PSI} = (10)(8 \text{ gpm}) = 80 \text{ gpm}$
 $\frac{200 \text{ gpm}(2)}{448.8 \text{ gpm/cfs}} = 0.89 \text{ cfs}$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{112}{.89} \times \frac{3}{214} = 336$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 377.6$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 336$

2. Volume Calculations for Other Uses:

50 HO DRINKING FROM STREAM
0.7

MICROFILMED

DEC 16 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

FOUND 30 ACRES OF IRRIGATION WITHIN SESE, 34, 55N, 4W
APPLICATION MAILED TO MR SCHUYLER

I. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>IRR</u>	<u>4-1</u>	<u>11-1</u>	<u>0.89</u>	<u>336</u>
<u>STOCK</u>	<u>1-1</u>	<u>12-31</u>	<u>0.02</u>	<u>.7</u>
Totals:			<u>0.91</u>	<u>338</u>

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☒ Add P.D. as reflected above
☐ Change P.U. as reflected above ☒ Add P.U. as reflected above

J. AUTHENTICATION

Field Examiner's Name TOM D. KING
Signature Tom D. King
Certification Date _____
Field Report Preparation Date 11/7/91



- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED
DEC 16 1992

DEC 16 1992

34 - NW NW 3.0 AC

NE NW 32.0 AC

NW NE 15.0 AC

NE NE 8.0 AC

27 - SE SW 18.0 AC


SW SE 30.0 AC

SE SE 30.0 AC

ACTUAL IRR 136 AC

PERMITTED IRR 112.0 AC

EXCESS IRR 24.0 AC



DEC 16 1992

17.1 30

18

15

32

4.3

27 24 34 35

B917



143

10.2

PERMIT # 96-07501

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S



November 7, 1991

Mr. Paul Schuyler
N. 4818 Stone
Spokane, WA 99207

Re: 96-07501

Dear Mr. Schuyler:

I have completed the Beneficial Use Report on the above mentioned permit, with a recommendation for 112 acres of irrigation and stock water for 50 head of range animals, with a total diversion rate of 0.91 cfs.

I realize that you are irrigating more land than this, but since you did not apply for more than 112 acres of irrigation on this permit, I am unable to recommend more acreage at this time. However, if you will complete, and sign the enclosed application and beneficial use statement and send them to my attention at this office with a \$30.00 filing fee and a \$50.00 examination fee, I will recommend the additional acreage on a second license. If for any reason the application is refused, the department will refund the examination fee.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

Tom D. King
Sr. Water Resource Agent

Enc: App
BU statement

RECEIVED

DEC 16 1992

September 13, 1991

Mr. Paul Schuyler
N 4818 Stone
Spokane, WA 99207

Re: 96-07501

Dear Mr. Schuyler:

It is the responsibility of a water permit holder to make arrangements for a qualified examiner to examine a permitted water use. You requested the examination in 1982 and you paid an examination fee of \$100.00 in 1986. Representatives of this office have attempted to conduct the examination but have never seen water being used. We have requested on several occasion that you schedule an appointment during the time you are using the water.

If you do not schedule an examination appointment with a representative of this department prior to October 31, 1991, I will have no recourse but to recommend licensing of the stock water portion of your permit and to recommend cancellation of the irrigation portion.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

Tom D. King
Sr. Water Resource Agent

DEC 16 1992

RE: 96-7501

July 22 1988

home -

Hoodoo creek is for all practical purposes dry in that portion that normally flows through my property. Conditions are worse than last fall when I was unable to pump. If conditions improve ~~to~~ to the point that I can pump, will advise you.

Sincerely

Paul Schuyler
Paul Schuyler

RECEIVED

JUL 1988

Department of Water Resources
Northern District Office

DEC 16 1992

REMARKS
ATTACHMENT TO 219A

PERMIT # 96-7501
INITIALS

DATE	REMARKS	INITIALS
7/16/84	NOT IRR	K
7/19/85	" "	K
8/14/86	" "	K
10/3/86	LETTER	
8/13/87	MSG TO CALL MR JONES 263-9107	K
8/14/87	MET W/ MR. JONES ON HIS PROP. WHICH IS ACROSS THE ROAD FROM 96-7501 NO IRR. MR JONES SET THAT HE HAS NEVER SEEN IRR. OF SUBJECT PROPERTY	K
9/17/87	TO DRY WILL CALL IF RAIN COMES	JK
7/22/88	LETTER - TO DRY	K
6/28/88	MR. S. HUNTER TO CALL	TOK
7/10/89	NOT IRR	JK
7/11/90	MR. S. HUNTER TO CALL	TOK
8/12/91	MR. S. NOT HOME LEFT MESSAGE	TOK

RECEIVED

DEC 16 1992

August 18, 1987

Mr. Paul Schuyler
N. 4818 Stone
Spokane, Wa. 99207

Re: 96-7501

Dear Mr. Schuyler:

I have requested an appointment with you to conduct the required examination of your irrigation system for the past four consecutive years.

If you do not schedule an appointment with a representative of this Department prior to October 31, 1988, I will have no recourse but to recommend cancellation of the irrigation portion of Permit No. 96-7501.

If you have any questions, please contact me at this office.

Sincerely,

TOM D. KING
Senior Water Resource Agent

IDK/pms

RECEIVED
COPY DEC 16 1992



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

A. Kenneth Dunn
Director

Suite No. 9
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 765-4639

6 October 1986

Paul G. Schuyler
N. 4818 Stone
Spokane, Wa. 99207

Dear Mr. Schuyler:

It was my understanding that when you set up your portable irrigation system this last spring, you were going to notify this office, to arrange for a field examiner to conduct the required examination of the system. Since you have not contacted this office this year, I assume that you did not irrigate this year. However since you did submit an examination fee I assume you still wish to have the examination conducted.

I can wait another season for your call, but I must caution you that a period of five consecutive years of non use is cause for cancelation.

Sincerely,

Tom D. King
Sr Water Resource Agent

MICROFILMED

DEC 16 1992

June 19, 1986

Mr. Paul Schuyler
N. 4818 Stone
Spokane, Wa. 99207

Re: 96-7501

Dear Mr. Schuyler:

Enclosed is your Receipt No. 32164 in the amount of \$100.00 for the examination of your above-referenced permit.

If you have any questions, please contact this office.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

Enc. - Receipt

DEC



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

A. Kenneth Dunn
Director

Suite No. 9
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

August 1, 1985

Mr. Paul Schuyler
N. 4818 Stone
Spokane, Wa. 99207

Re: 96-7501

Dear Mr. Schuyler:

I understand the difficulties involved with making arrangements to meet with you at the time you are irrigating.

Please contact me about a week before you start to irrigate next spring so that we may then set up a time for you to demonstrate the system.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

RECORDED

DEC 16 1992

July 27, 1985

Mr. Tom King
Senior Water Resource Agent
Suite No. 9
4055 Geovernment Way
Coeur d'Alene, Idaho 83814

Re: 96-7501

Dear MR. Tom King


I have not irrigated this year because my current employment has required me to work out of the immediate area and this situation will not be remedied until September. As you may recall from examining my file, the system I use is a portable one and I store it each winter at my ranch in Spokane County.

Because of my employment situation I did not intend to set up the system this year; however, I have made plans to use it in the Spring since I am going to reseed several of my hay fields. Consequently, it would be most convenient to me if you could postpone your inspection until that time.

It is not my desire to postpone this inspection if it will in anyway jepordize my permit. It would be possible for me to move the equipment and set up a demonstration pumping if it is necessary.

I regret the inconvienience of your attempted inspection on July 9 but had I been previously contacted we could have made suitable arrangements.

Sincerely,


Paul Schuyler

RECEIVED

DEC 16 1992

RECEIVED
JUL 30 1985
Department of Water Resources
Northern District Office



STATE OF IDAHO DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

A. Kenneth Dunn
Director

Suite No. 9
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

July 23, 1985

Mr. Paul Schuyler
N. 4818 Stone
Spokane, Wa. 99207

Re: 96-7501

Dear Mr. Schuyler:

I attempted to conduct the required on-site examination of your irrigation system on July 9, 1985, but could find no system. I would like to conduct the examination during this irrigation season.

Please contact this office to establish a date when you or your appointee can demonstrate the system to me. The system must be in operation and a measuring device or access port must be installed to allow measurement of the rate of diversion.

Failure to have the examination conducted may result in cancellation of the permit.

If you have any questions, please contact me at this office.

Sincerely,


TOM D. KING
Senior Water Resource Agent

TDK/pms

NOT RECORDED

DEC 16 1992

4/86



For Office Use Only
Fee Received 100.00
Date 6/12/86
Receipt # 32164
Receipt by [Signature]
Sent to S.O. 6/19/86

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

RECEIVED
JUN 23 1986

1. Permit No. 96-7501

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: PAUL G. SCHUYLER

3. Post Office Address: N 4818 STONE SPOKANE, WA 99207

Telephone No. 1-509-487-3682

4. Source of Water: Hooda Creek (tributary of Pend Oreille River)

5. Extent of Use:

Domestic _____ (No. of households) Stockwater 30 cattle current (high 65) (No. and type of stock)

Irrigation 112 (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted 1 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

My best recollection is the summer of 1981

8. Person to contact to accompany the department representative during the field examination:

PAUL SCHUYLER

(Name)

DEC 16 1992

N 4818 STONE

SPOKANE, WA

(Address)

1-509-487-3682

(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

6/11/86
Date

Paul Schuyler
Signature of Permit Holder (and title, if appropriate)



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

96-7501
SCHUYLER, PAUL G.
N. 4818 STONE
SPOKANE, WA 99207

Mailing address:
Statehouse
Boise, Idaho 83720

138493

April 17, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

DEC 16 1992

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

RECEIVED

DEC 16 1992

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
R. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

March 31, 1982

Mr. Paul G. Schuyler
N. 4818 Stone
Spokane, Wa. 99207

RE: 96-7501

Dear Mr. Schuyler:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination, however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Very truly yours,


TOM D. KING
Senior Water Resource Agent

TDK/pms

cc: IDWR - State Office

RECEIVED
MAY 11 1982

PAUL SCULLER
N 4818 STANLEY
SPOKANE WA 99207



RECEIVED

FEB 8 1982

Dept of Water Resources



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

03 MAR 1982

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card a statement that the permit holder(s) has completed development to the extent shown below on Permit No. 96-7501.

Name(s) of Permit Holder: PAUL G. SCHUYLER

Post Office Address: N 4818 STONE

SPOKANE, WA 99207 Tel. No. 487-3682

Source of Water: HOODOO CREEK


Extent of Use: ☐ Domestic _____ (number of households)
☒ Stockwater 100 CATTLE (number and type of stock)
☒ Irrigation 112 (acres)
☐ Other _____

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

Access Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

2/3/82
Date


Signature of Permit Holder

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138/00

SCHUYLER, PAUL G.
N. 4818 STONE
SPOKANE, WA 99207

DECEMBER 31, 1981

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 96-7501 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MARCH 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

October 28, 1981

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

RECEIVED

March ~~21~~, 1977

Re: Permit No. 96-7501

Paul G. Schuyler
North 4818 Stone
Spokane, WA 99207

Dear Mr. Schuyler:

Enclosed is a copy of your approved Application for Permit No. 96-7501 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

Enclosure: Copy of permit

RECEIVED

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 96-7501

Schuyler

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) QAA 2-11-77

In form to receipt

(2) _____

Send Copies to:

Idaho State Health Department

Idaho Fish and Game Department

Bureau of Land Management

(3) _____

Request Special Use Permit from U.S.F.S.

Request Easement from B.L.M.

Request Information from Applicant

(4) QAA 2-11-77

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) SS 3-16-77

Other rights on the same place of use NONE

(10) _____

Comments: _____

(11) φ 3/7

Affidavit of Publication received(date) MARCH 4, 1977

(12) φ 2/11

Final date for protests MARCH 7, 1977

Protests received: yes _____ no ✓

(13) _____

All requested information received from agencies or
applicant: yes ✓ no _____

(14) _____

Action recommended:

✓ Approve _____ Deny

Proposed Priority 2-11-77

Reason for Reduction _____

✓ Measuring device required

See attached sheet for other conditions of
approval

No special conditions for approval

(15) District North

By Bob Hayner

Date 3-8-77

MICROFILMED

February 14, 1977

Re: Application for Permit No. 96-7501

Mr. Paul G. Schuyler
North 4814 Stone
Spokane, WA 99207

Dear Mr. Schuyler:

Attached is your receipt No. 4899 in the amount of \$35 for the filing fee on the above referenced application which was received in this office.

Very truly yours,

Corda M. Patterson
Secretary

CP

Attachment

RECEIVED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN DISTRICT

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

February 11, 1977

Re: Application No. 96-7499 - Pend Oreille Valley Church School
" " 96-7500 - Rand D. Bitetti
" " 96-7501 - Paul G. Schuyler

Sandpoint Daily Bee
P.O. Box 579
Sandpoint, ID 83864

Gentlemen:

Enclosed is a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to our office along with the publication bill. Your cooperation in this matter is appreciated.

Very truly yours,

ROBERT G. HAYNES, P.E.
District Supervisor

RGH:cp

Enc: Legal Notice(s)

MICROFILMED

Bill: 3-7-77-4



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES NORTHERN DISTRICT

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

February 11, 1977

Re: Application No. 96-7499 - Pend Oreille Valley Church School
" " 96-7500 - Rand D. Bitetti
" " 96-7501 - Paul G. Schuyler

Priest River Times
P.O. Box 398
Priest River, ID 83856

Gentlemen:

Enclosed is a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to our office along with the publication bill. Your cooperation in this matter is appreciated.

Very truly yours,

ROBERT G. HAYNES, P.E.
District Supervisor

RGH:cp

Enc: Legal Notice(s)

Bill: 3-7-77.4

NOT RECORDED

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Paul G. Schuyler, N. N.4818 Stone, Spokane, Washington has on February 11, 1977 submitted Application No. 96-7501 for a permit to appropriate 2.00 cubic feet per second of water from Hoodoo Creek, tributary of Pend Oreille River by means of pump within the NE $\frac{1}{4}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 34; SW $\frac{1}{4}$ SE $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 27, T.55N, R.4W, B.M., Bonner County to be used from Jan. 1 to Dec. 31 for stock-watering purposes (0.02 cfs); and from Jan. 1 to Oct. 31 for the irrigation of 12 acres (2.00 cfs) within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, S $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 27, NE $\frac{1}{4}$, N $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 34, T.55N, R.4W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before March 7, 1977.

R. KEITH HIGGINSON
Director

Published in the Priest River Times on Feb. 17 and Feb. 24, 1977.

O.K.
2-23-77
P

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Paul G. Schuyler,
N. 4818 Stone, Spokane, Washington
has on February 11, 1977 submitted Application No. 96-7501
for a permit to appropriate 2.00 cubic feet per second ~~and one foot per annum~~
of water from Hoodoo Creek, tributary of Pend Oreille River
by means of pump
within the NE $\frac{1}{4}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 34; SW $\frac{1}{4}$ SE $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 27, T. 55N, R. 4W, B.M.,
Bonner County
to be used from Jan. 1 to Dec. 31 for stockwatering purposes (0.02 cfs); and
~~xxx~~ from May 1 to Oct. 31 for the irrigation of 112 acres (2.00 cfs)
within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, S $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 27; NE $\frac{1}{4}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 34, T. 55N, R. 4W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before March 7, 1977.

R. KEITH HIGGINSON
Director

Published in the Sandpoint Daily Bee and the Priest River Times
on Feb. 16 (17) and Feb. 23 (24), 1977

MICROFILMED

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Paul G. Schuyler, N. 4818 Stone, Spokane, Washington has on February 11, 1977 submitted Application No. 96-7501 for a permit to appropriate 2.00 cubic feet per second of water from Hoodoo Creek, tributary of Pend Oreille River by means of pump within the NE $\frac{1}{4}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 34; SW $\frac{1}{4}$ SE $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 27, T.55N, R.4W, B.M., Bonner County to be used from Jan. 1 to Dec. 31 for stock-watering purposes (0.02 cfs); and from May 1 to Oct. 31 for the irrigation of 112 acres (2.00 cfs) within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, S $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 27; NE $\frac{1}{4}$ NE $\frac{1}{4}$, N $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 34, T.55N, R.4W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 305 Government Way, Coeur d'Alene, Idaho 83814, on or before March 7, 1977.

R. KEITH HIGGINSON
Director

Published in the Sandpoint Daily Bee on Feb. 16 and Feb. 23, 1977.

C.K.
2-18-77
CP