


96-7461

MICROFILMED



**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Ceda-Pine Veneers, Inc., Idaho Veneer Company, Post Falls, Idaho has on July 26, 1976 submitted Application No. 96-7461 for a permit to appropriate 1.00 cubic feet per second of water from a ground water source by means of pump and pipeline within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 32, T. 54N, R. 1W, B.M., Bonner County to be used from Jan. 1 to Dec. 31 for domestic purposes (0.04 cfs) and for industrial purposes (1.00 cfs) within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 32, T. 54N, R. 1W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before August 23, 1976.

R. KEITH HIGGINSON
Director

Published in the Sandpoint
Daily Bee, Sandpoint, Idaho on
August 4 and August 11, 1976.

o.k.
8-5-76
P

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 96-7461 Priority July 26, 1976 Amount 0.44 cfs

THIS IS TO CERTIFY, that Ceda-Pine Veneers Inc.
of Samuels, Idaho, has complied with the terms and conditions of Permit
No. 96-7461 issued pursuant to Application for Permit dated July 26, 1976,
and has submitted proof to the Department of Water Resources on July 13, 1981,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.44 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Domestic</u>	from <u>January 1</u> to <u>December 31</u>	at <u>0.04</u> cfs and	<u>1.2</u> acre feet
<u>Industrial</u>	from <u>January 1</u> to <u>December 31</u>	at <u>0.40</u> cfs and	<u>133.7</u> acre feet
	from _____ to _____	at _____ cfs and	

(both dates inclusive)

Subject, however, to the condition that no more than 0.44 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
134.9 acre feet per year, said waters to be diverted within the (3 points) NW $\frac{1}{4}$ NE $\frac{1}{4}$, Section
32, Twp. 59N, Rge. 1W in the County of Bonner

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
59N	1W	32		X															

Total number of acres irrigated _____

Domestic use is for an office.
Industrial use is for a lumber plant.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 31 day of
January _____, 19 83.

Director

RECEIVED

DEC 9 1982

STATE OF IDAHO

Licensing

APPLICATION FOR AMENDMENT OF A PERMIT

Department of Water Resources

To change the point of diversion and/or the place of use.

Comes now Ceda-Pine Veneers Inc.

Phone 208-263-7527

of (address) General Delivery, Samuels, ID 83862

Director of the Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 96-7461, and requests that the permit and permit map be changed as follows:
(3 points)

1. Point of diversion: NW 1/4 NE 1/4, Section 32, Township 59N, Range 1W, B.M., County of Bonner. Other points of diversion:

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

Amount 0.04 for domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre feet per annum)

Amount 0.40 for industrial purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre feet per annum)

3. Place of use or land to be irrigated:

TWP	RGE	SEC	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
59N	1W	32		X															

Total number of acres to be irrigated =

4. a. Who owns the property at the point of diversion?
b. Who owns the land to be irrigated or the place of use?
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing:

Show 40-acre subdivisions, townships, ranges and ditches.

[illegible]

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Samuel Hahn, this 6 day of November, 19 82

Harold A. Mallory
(Signature)

Preliminary check by KC Fee = \$20.00

Received by LA Date 12-10-82 # 25326

Publication prepared by N/A Date

Published in

Publication dates

I, A. KENNETH DUNN, of the Department of Water Resources hereby
APPROVE the above Application for Amendment of Permit No. 96-7461.

Witness my hand this 3/ day of January, 19 83

Director

DZF

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 96-7461

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

MICROFILMED
1979

Identification No. 96-7461

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant GEDA-PINE VENEERS INC Phone: _____
post office address IDAHO VENEER COMPANY POST FALLS, ID 83854
2. Source of water supply GROUNDWATER which is a tributary of _____
3. a. Location of point of diversion is NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 32 Township 54N
Range 1W B.M. BONNER County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 0.04 for DOMESTIC purpose from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 1.00 for INDUSTRIAL purpose from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. ~~0.04~~ 1.00 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. PUMP WITH PIPELINE
TO PLACE OF USE

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 1.5 years.
b. Estimated construction cost is \$ _____.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 32 Township 54N
Range 1W B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water ONE.
(5) If water is to be used for other purposes describe: INDUSTRIAL USE-
BOILER AND CLEAN UP AROUND PLANT
ALSO FOR FIRE PROTECTION AND SPRINKLING LOGS

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. NONE

9. a. Who owns the property at the point of diversion APPLICANT

b. Who owns the land to be irrigated or place of use "

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

3/24/2010

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

PD
PLACE OF
USE

32

T-54N

R-1W

Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

application for permit to appropriate the public

Leonard A. Malloy
(Applicant)
President

Proposed Priority 7-26-76

Received by KK Date 7/26/76 Time 11:30 A

Preliminary check by RWA Fee \$ 25.00

Received by KK Date 7/26/76 4322

RWA Publication prepared by CP Date 7-30-76

Published in Sandpoint Daily Bee

Publication dates 8-4 & 8-11-76

Publication approved CP Date 9-1-76

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by RWA BDE

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-7461, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 81.

c. Other: A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 13 day of September 19 76.

R. Karl Hjort
Director

RECEIVED

AFFIDAVIT OF PUBLICATION

AUG 21 1976

State of Idaho,

ss.

Department of Water Resources
Northern District Office

County of Bonner,

Pete Thompson being first duly sworn on
oath deposes and says that he is publisher
of the Sandpoint Daily Bee, a daily news-
paper printed and published at Sandpoint,
in Bonner County, Idaho; that the said
Daily Bee has been continuously and un-
interruptedly published in said Bonner
County during a period of 12 months prior
to the first publication of the hereto at-
tached notice of publication in the case
of Water Permit

as it was published in the regular and en-
tire issue of the said paper for a period
of 2 consecutive weeks, commencing
on the 4 day of Aug, 1976
and ending on the 11 day of Aug, 1976 and that said notice was
published in said newspaper and not in
supplemental form.

Pete Thompson

Subscribed and sworn to before me this

27th day of Aug, 1976.

Adell M Thompson

Notary Public for Idaho,
Residing at Sandpoint, Idaho

NOTICE OF APPLICATION
FOR WATER PERMIT

is hereby given that
Coeur Pine Veneers, Inc., Idaho
Veneer Company, Post Falls,
Idaho has on July 26, 1976
submitted Application No. 96-7461
for a permit to appropriate
1.00 cubic feet per second of
water from a ground water
source by means of pump and
pipeline within the NW $\frac{1}{4}$ NE $\frac{1}{4}$,
Sec. 32, T. 54N, R. 1W, B.M.,
Bonner County to be used from
Jan. 1 to Dec. 31 for domestic
purposes (0.04 cfs) and for
industrial purposes (1.00 cfs)
within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 32,
T. 54N, R. 1W, B.M.

If issued, this permit will be
subject to all prior water rights.
Protests against the granting of
the permit must be filed with
the Idaho Department of Water
Resources, 4055 Government
Way, Coeur d'Alene, Idaho
83814, on or before August 23,
1976.

R. KEITH HIGGINSON
Director

Published in the Sandpoint
Daily Bee, Sandpoint, Idaho on
August 4 and August 11, 1976.

March 1, 1983

RE: Water Right License 96-7461

Ceda-Pine Veneers Inc.
c/o Leonard A. Malloy
Samuels, ID 83862

Dear Mr. Malloy:

Enclosed is a corrected copy of the above referenced water right license.

The copy we sent to you on February 16, 1983, had an error in the point of diversion location description. The section should be 32 rather than 31.

We apologize for any inconvenience this may have caused you.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:Kw
Enclosure

cc: Northern Region

February 16, 1983

RE: Permit No. 96-7461

Ceda-Pine Veneers Inc.
c/o Leonard A. Malloy
Samuels, ID 83862

Dear Mr. Malloy:

Enclosed herewith is a copy of your Water Right License issued on the above referenced permit along with a copy of your approved application for amendment. Also enclosed is Departmental Receipt No. 25326 in the amount of \$20.00.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosures

RECEIVED

DEC 9 1982

Department of Water Resources

CEDA-PINE VENEER, INC.

SAMUELS, IDAHO 83862

December 6, 1982

Mr. Jim Johnson
Water Distribution Supervisor
State of Idaho
Department of Water Resources
State Office, 450 W. State Street
Boise, Idaho 83720

Re: Permit #96-7461
Your Letter 11/19/82


Dear Mr. Johnson:

As per your request please find enclosed our Executed application for amendment of permit which shows a change in the amount of water required and a change in the location.

Also, attached is our check in the amount of \$20.00 for filing fee for the license.

Thank you very much.

Yours very truly,
CEDA-PINE VENEER, INC.


Leonard A. Malloy

LAM/nc

enclosure

11/19/82



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

November 19, 1982

RE: Permit No. 96-7461

Ceda-Pine Veneers Inc.
General Delivery
Samuels, ID 83862

Gentlemen:

A representative of this Department made an examination of the works covered by your Permit No. 96-7461 and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 0.44 cfs Source: groundwater

The maximum quantity diverted shall not exceed 134.9 acre feet
per year.

Point of diversion: (3 points) NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 32, Twp. 59N, Rge. 1W, Bonner
County

Beneficial use: Domestic use for an office and industrial use for a lumber
plant within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 32, Twp. 59N, Rge. 1W

Priority date established: July 26, 1976

In order for the Department to issue the above license, it will be necessary for you to amend the permit to correspond with the findings of the field examiner. We are enclosing a partially completed amendment form for your use in this matter.

Please sign the amendment application and return it to this office along with a \$20.00 filing fee within 30 days in order that we might issue your license as set forth above. If you do not concur with these findings or have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

96-7461

Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:	8-10-81	JK	263-7527- appt. any time
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

EXAMINATION

Date 1-26-81 Accompanied by MAINE Total Q measured 200 gpm ✓

If source is surface water, estimate total flow of source

Methods of measurement METER Meets Permit requirements? yes

Measurement calculations: MEASUREMENT 200 gpm 0.44 CFS Domestic 0.04 1.2 AF
 $\frac{1}{15} - \frac{1}{15}$ Log & sprinkling - 19 Rainbirds #20 with $\frac{1}{8}$ Noz. @ 80 PSI = $4.18 / 448.8 (19) = 0.18 CFS (245) 1.98 = 87.47 AF$
 $\frac{1}{15} - \frac{1}{15}$ Plant Operation 10 hrs/day, 245 days @ 0.44 cfs - 0.04 cfs (Domestic) - 0.18 (Sprinkler) = $245 (0.22) 1.9835 (10) = 44.55 AF$
 $\frac{1}{15} - \frac{1}{15}$ Plant Operation 52 wks / 5 days per yr - 10 hrs / day = 260 working days - 245 days (3.15 - $\frac{1}{15}$) = 5 days @ 10 hrs / day
 $5 \text{ days } (1.9835) 0.40 (10) = 1.65 AF \therefore 1.65 + 44.55 + 87.47 = 133.67 AF$

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
1	5					MUESCO	76719	sub
2	5							"
3	5							"

System Description An 8" x 60' well, an 8" x 49' well, an 8" x 50' well & with pumps & 3" & 1 1/2" pipelines to 120,000 gal storage tank then by pumps and pipeline to places of use.


*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS


USE	Irrigation requirement =		AFA/Acre	
	Q (cfs)	V (afa)	FROM	TO
Domestic ✓	0.04 ✓	1.2 ✓	1-1	12-31
Industrial ✓	0.40 ✓	133.67 ✓	1-1	12-31
Total	0.44 ✓	134.87		

Remarks

OK
Jhr
11-20-82



SCHEMATIC DIAGRAM OF SYSTEM



Point(s) of diversion: (3 Points) NWNE, SEC 32, T 59N, R 1W

Place(s) of Use


TWP.	RGE.	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
✓ 59N	1W	32		X															

Recommended Amendments:

- ☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Examiner's Signature: J King
 Checked by: [Signature]
 Approved by: [Signature]
 Date: 10-27-81
 Date: 10/28/81
 Date: 10/25/82

MICRO



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

August 18, 1981

Ceda-Pine Veneer, Inc.
General Delivery
Samuels, Id. 83854

RE: 96-7461

Gentlemen:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination, however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Very truly yours,

TOM D. KING
Senior Water Resource Asent

TDK/pms

cc IDWR - State Office

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 96-7461

Name(s) of Permit Holder: Ceda-Pine Veneer, Inc.

Post Office Address: General Delivery

Samuels, Idaho 83862 No. 208-263-7527

Source of Water: Well

Extent of Use:

☒ Domestic	<u>Office</u>	(number of households)
☐ Stockwater		(number and type of stock)
☐ Irrigation		(acres)
☒ Other	<u>Industrial</u>	

Measuring Device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

Access Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

7/10/81

Date

Leonard A. M. Miley
Signature of Permit Holder
Leonard A. M. Miley

Ceda-Pi Veneer, Inc.

General Delivery

Samuels, Idaho 83862

PLACE
TEN CENT
STAMP
HERE



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

CEDA-PINE VENEERS INC.
IDAHO VENEER CO.
POST FALLS, ID 83854

138378

JUNE 30, 1981

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 96-7461 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE SEPTEMBER 01, 1981. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. A REQUEST FOR EXTENSION OF TIME FORM IS ENCLOSED FOR YOUR CONVENIENCE. PLEASE NOTE THAT A FEE OF \$15.00 MUST BE SUBMITTED WITH THIS FORM.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENCLOSURES

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30
days after the completion or abandonment of the well.RECEIVED
NOV 1 1976
Department of Water Resources
Northwest District Office

1. WELL OWNER

Name L. Moller
Address C-D. Samuels
Owner's Permit No. 96-7461

7. WATER LEVEL

Static water level 24 feet below land surface
Flowing? ☐ Yes ☐ No G.P.M. flow _____
Temperature 42 ° F. Quality good
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning) _____

8. WELL TEST DATA

☒ Pump ☐ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped
<u>62</u>	<u>16'</u>	<u>2</u>

3. PROPOSED USE

☐ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type) _____
☐ Municipal ☒ Industrial ☐ Stock ☐ Waste Disposal or Injection

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 8 inches Total depth 5.1 feet
Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>250</u> inches	<u>8</u> inches	<u>1</u> feet	<u>50</u> feet

Was casing drive shoe used? ☐ Yes ☒ No
Was a packer or seal used? ☒ Yes ☐ No
Perforated? ☒ Yes ☐ NoHow perforated? ☐ Factory ☐ Knife ☒ Torch
Size of perforation 3/16 inches by 4 inches

Number	From	To
<u>28</u> perforations	<u>44</u> feet	<u>49</u> feet

Well screen installed? ☒ Yes ☐ No
Manufacturer's name Johanson
Type Stanless Model No. _____
Diameter 8 Slot size 20 Set from 44 feet to 49 feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feetGravel packed? ☐ Yes ☒ No Size of gravel _____
Placed from _____ feet to _____ feetSurface seal depth 18 Material used in seal ☒ Cement grout
☐ Pudding clay ☐ Well cuttingsSealing procedure used ☐ Sherry pit ☒ Temporary surface casing
☐ Overbore to seal depth

6. LOCATION OF WELL

Sketch map location must agree with written location. (96)

N				E
W				

Subdivision Name _____
Lot No. _____ Block No. _____
County Bonner
NW 1/4 NE 1/4 Sec. 32, T. 59 N. R. 1 E/W

10.

Work started 9-12-76 finished 10-15-76

11. DRILLERS CERTIFICATION

Firm Name Ref Pitts Drilling Firm No. 235
Address Box 106 Date 10-10-76
Signed by (Firm Official) Ref Pitts
and
(Operator) Ref Pitts

Reply - Bob

RECEIVED

INTER-DEPARTMENT MEMO — 1

FROM *Ken Knobloch*

OCT 18 1976

DATE *10/15/76*

TO *Bob Fleenor*

Department of Water Resources

SUBJECT

(96-7461)

*The legal description is obviously incorrect.
I suggest that we wait until the beneficial use
period is up in case something else may
be changed by the applicant*

Ken Knobloch

SIGNATURE

INTER-DEPARTMENT MEMO — 1

FROM Dick Link

TO Northern District

RECEIVED

DATE Sept. 29, 1976

OCT 1 1976

SUBJECT

Department of Water Resources
Northern District Office

Concerning the point of diversion of Permit 96-7461, Ceda-Pine Veneers, Inc. The Legal Description for the permit (NW $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 32 T54N, R1W) appears to be in error. The location given in the permit would put the point of diversion about $\frac{1}{2}$ mile off Cape Horn and under 800 feet of water in Pend Oreille Lake.
Deep well with floating construction plant 1CK

Dick Link
Hydro. Assistant in Drafting Room. SIGNATURE

INTER-DEPARTMENT MEMO — 1

FROM Dick Link, drafting room

DATE 10/19/76

TO Ken Knoblock

SUBJECT 96-7461

Bob Fleenor asked me to ask you if we could get the location (description) of the applicant, Ceda-Pine Veneers Inc. for the address in Post Falls. It may be that the description given in the permit is actually the description for their factory or whatever in Post Falls, but was incorrectly put down in the permit application.

Dick Link

SIGNATURE



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

October 20, 1980

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the Regional Office nearest to you.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL JR., P.E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

Northern Region Office
Rt. #5 Box 203, Government Way
Coeur d'Alene, Idaho 83814

Eastern Region Office
1515 Lincoln Road
Idaho Falls, Idaho 83401

Southern Region Office
1041 Blue Lake Boulevard North
Idaho Falls, Idaho 83301

Western Region Office
92 South Cole Road
Boise, Idaho 83705

September 13, 1976

Re: Permit No. 96-7461

Ceda-Pine Veneers Inc.
Idaho Veneer Company
Post Falls, ID 83854

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 96-7461. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

Enclosure: Copy of permit

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 96-7461 Cedar-Pine Veneers Inc

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) RMH 7-27-76

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant

(4) RMH 7-27-76

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no ☒

(8) _____

Groundwater levels:

_____ Declining, ☒ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) CP 9/1

Affidavit of Publication received(date) Aug. 31, 1976

(12) CP 7/30

Final date for protests AUGUST 23, 1976

Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes ☒ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

_____ Proposed Priority 7-26-76

_____ Reason for Reduction _____

☒ Measuring device required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District Northern By Bob Haynes Date 9-1-76

RECEIVED

August 25, 1976

Re: Application No. 96-7461 Claim No. 96-4167
" " 97-7082 " " 96-4168

Sandpoint Daily Bee
P.O. Box 579
Sandpoint, ID 83864

Gentlemen:

Could you please submit the affidavits of publication and bills in connection with the above referenced items. The legal notices were to have been published in your newspaper on August 4 and August 11, 1976.

Your assistance in this matter is appreciated.

Very truly yours,

Corda M. Patterson
Secretary

CP



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN DISTRICT

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

July 30, 1976

Re: Application No. 96-7461 Claim No. 96-4167
" " 97-7082 " " 96-4168

Sandpoint Daily Bee
P.O. Box 579
Sandpoint, ID 83864

Gentlemen:

Enclosed is a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to our office along with the publication bill. Your cooperation in this matter is appreciated.

Very truly yours,

ROBERT G. HAYNES, P.E.
District Supervisor

RGH:cp

Enc: Legal Notice(s)

Bill: 9-1-76.4

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Ceda-Pine Veneers, Inc.,
Idaho Veneer Company, Post Falls, Idaho
has on July 26, 1976 submitted Application No. 96-7461
for a permit to appropriate 1.00 cubic feet per second ~~and for the purpose of~~
of water from a ground water source
by means of pump and pipeline
within the NW 1/4, Sec. 32, T. 54N, R. 1W, B.M., Bonner County

to be used from Jan. 1 to Dec. 31 for domestic purposes (0.04 cfs) and
for industrial purposes (1.00 cfs)
within the NW 1/4, Sec. 32, T. 54N, R. 1W, B.M.

If issued, this permit will be subject to all prior water rights. Protests
against the granting of the permit must be filed with the Idaho Department of
Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before
August 23, 1976.

R. KEITH HIGGINSON
Director

Published in the Sandpoint Daily Bee, Sandpoint, Idaho
on August 4 and August 11, 1976

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Ceda-Pine Veneers, Inc., Idaho Veneer Company, Post Falls, Idaho has on July 26, 1976 submitted Application No. ~~796-7461~~ for a permit to appropriate 1.00 cubic feet per second of water from a ground water source by means of pump and pipeline within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 32, T. 54N, R. 1W, B.M., Bonner County to be used from Jan. 1 to Dec. 31 for domestic purposes (0.04 cfs) and for industrial purposes (1.00 cfs) within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 32, T. 54N, R. 1W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before August 23, 1976.

R. KEITH HIGGINSON
Director

Published in the Sandpoint Daily Bee, Sandpoint, Idaho on August 4 and August 11, 1976.

o.k.
8-5-76
P