

AFFIDAVIT OF PUBLICATION

State of Idaho,

ss.

County of Bonner,

Pete Thompson being first duly sworn on oath deposes and says that he is publisher of the Sandpoint Daily Bee, a daily newspaper printed and published at Sandpoint, in Bonner County, Idaho; that the said Daily Bee has been continuously and uninterruptedly published in said Bonner County during a period of 12 months prior to the first publication of the hereto attached notice of publication in the case of Water Permit

as it was published in the regular and entire issue of the said paper for a period of 2 consecutive weeks, commencing on the 21 day of April, 1976 and ending on the 28 day of April, 1976 and that said notice was published in said newspaper and not in supplemental form.

Pete Thompson

Subscribed and sworn to before me this

30 day of April, 1976.

Adel M Thompson

Notary Public for Idaho,
Residing at Sandpoint, Idaho


NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that Richard G. & or Denise W. Carboni, Star Route, Moyie Springs, Idaho have on April 16, 1976 submitted Application No. 96-7440 for a permit to appropriate 1.00 cubic feet per second of water from Unnamed Springs by means of pipeline within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 15, T. 58N, R. 1W, B.M., Bonner County to be used from Jan. 1 to Dec. 31 for domestic (0.04 cfs) and power generation purposes (1.00 cfs); and from April 1 to Nov. 1 for the irrigation of 20 acres (0.40 cfs) within the S $\frac{1}{2}$ NE $\frac{1}{4}$, N $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 15, T. 58N, R. 1W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before May 10, 1976.

R. KEITH HIGGINSON
Director

Published in the Sandpoint Daily Bee, Sandpoint, Idaho on April 21 and April 28, 1976.



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 96-7440 Priority April 16, 1976 Amount 0.06 cfs

THIS IS TO CERTIFY, that Richard G. &/or Denise W. Carboni
of Samuels, Idaho, has complied with the terms and conditions of Permit
No. 96-7440 issued pursuant to Application for Permit dated April 16, 1976,
and has submitted proof to the Department of Water Resources on May 18, 1981,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.06 cfs of water from springs,
tributary to sinks, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>April 1</u> to <u>November 1</u>	at <u>0.02</u> cfs and	<u>1.5</u> acre feet
Domestic (1 unit)	from <u>January 1</u> to <u>December 31</u>	at <u>0.04</u> cfs and	<u>1.2</u> acre feet
	from _____ to _____ at _____ cfs and _____		
(both dates inclusive)			

Subject, however, to the condition that no more than 0.06 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
2.7 acre feet per year, said waters to be diverted within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, SE $\frac{1}{4}$ NE $\frac{1}{4}$, Section 15,
Twp. 58N, Rge. 1W in the County of Bonner

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
58N	1W	15			1														1

Total number of acres irrigated 1

Actual acres irrigated = 0.5 acres.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 7th day of

March, 19 83.

Director

Identification No. 96-7440

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPROVED

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Richard G. &/or Denise W. Carboni Phone: _____
post office address Star Route, Moyie Springs, Idaho 83845 *(address not valid)*

2. Source of water supply Unnamed Springs which is a tributary of _____

3. a. Location of point of diversion is SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 15 Township 58N
Range 1W B.M. Bonner County; additional points of diversion if any: _____
SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 15, T. 58N, R. 1W, B.M.

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

Amount 0.04 for Domestic purpose from Jan. 1 to Dec. 31 (both dates inclusive)

Amount 0.40 for Irrigation purpose from April 1 to Nov. 1 (both dates inclusive)

Amount 1.00 for Power Gen. purpose from Jan. 1 to Dec. 31 (both dates inclusive)

5. Total quantity to be appropriated:

a. 1.00 cubic feet per second and/or

b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Pipeline & Pelton Wheel for Power purposes.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years.

b. Estimated construction cost is \$ _____.

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: S $\frac{1}{2}$ XX of NE $\frac{1}{4}$ of Section 15 Township 58N
Range 1W B.M.

(2) Amount of power to be generated: _____ hp under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water one.

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
58N	1W	15			10	4									3	3			20

Total number of acres to be irrigated 20

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

R1W

T
58
N



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Richard Leo Carter
(Applicant)

Proposed Priority 4-16-76

Received by DA Date 4-16-76 Time 10:15 AM

Preliminary check by DA Fee \$ 25.00

Receipted by CP Date 4-16-76 (Rec. #3992)

DA Publication prepared by CP Date 4-16-76

Published in Sandpoint Daily Bee

Publication dates 4-21 & 4-28-76

Publication approved YK Date 5-5-76

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DA DET

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-7440, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1981.

c. Other: A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 15 day of June, 19 76.

R. Keith Hiji
Director

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 96-7440

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,


WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

Individual Owner

RECEIVED

MAY 27 1976

AFFIDAVIT TO ESTABLISH RESIDENCE

Department of Water Resources
Northern District Office

I, Richard Geo Carroni of Boulder County of _____

State of Idaho, being duly sworn, do hereby certify that I am a bona fide resident of the State of Idaho.

/s/ Richard Geo Carroni

Subscribed and sworn to before me this 18 day of May, 19 76

/s/ Douglas P. Ward
Notary Public
Residence Sandpoint, Id.
My Commission expires June 4, 1979

NOTE: This permit is issued subject to the provisions of S. L. 1937, Ch. 142; am. 1957, Ch. 66. (Idaho Code, Sections 42-205 to 42-210).

Corporation or Association

AFFIDAVIT TO ESTABLISH RESIDENCE
OR QUALIFICATION TO DO BUSINESS UNDER THE LAWS OF
IDAHO...

I, _____ of _____ County of _____
State of Idaho, being first duly sworn, depose and say:

That I am the designated statutory agent of the _____,
that as such I am in charge of the registered office of the said _____,
as provided by Section 30-143, Idaho Code, at _____,
Idaho, wherein are kept the records provided by Section 30-144, Idaho Code, and
that _____ is a legal _____ qualified to do business
in the State of Idaho under the laws of the State of Idaho.

/s/ _____

Subscribed and sworn to before me this _____ day of _____, 19 _____

/s/ _____
Notary Public
Residence _____
My commission expires _____

NOTE: This permit is issued subject to the provisions of S. L. 1937, Ch. 142; am. 1947, Ch. 66, (Idaho Code, Sections 42-205 to 42-210).

AFFIDAVIT OF PUBLICATION

State of Idaho,

ss.

County of Bonner,

Pete Thompson being first duly sworn on oath deposes and says that he is publisher of the Sandpoint Daily Bee, a daily newspaper printed and published at Sandpoint, in Bonner County, Idaho; that the said Daily Bee has been continuously and uninterruptedly published in said Bonner County during a period of 12 months prior to the first publication of the hereto attached notice of publication in the case of Water Permit

as it was published in the regular and entire issue of the said paper for a period of 2 consecutive weeks, commencing on the 21 day of April, 1976 and ending on the 28 day of April, 1976 and that said notice was published in said newspaper and not in supplemental form.

Pete Thompson

Subscribed and sworn to before me this

30 day of April, 1976.

Adel M. Thompson

Notary Public for Idaho,
Residing at Sandpoint, Idaho

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that Richard G. & or Denise W. Carboni, Star Route, Moyie Springs, Idaho have on April 16, 1976 submitted Application No. 31-440 for a permit to appropriate 1.00 cubic feet per second of water from Unnamed Springs by means of pipeline within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 15, T. 58N, R. 1W, B.M., Bonner County to be used from Jan. 1 to Dec. 31 for domestic (0.04 cfs) and power generation purposes (1.00 cfs); and from April 1 to Nov. 1 for the irrigation of 20 acres (0.40 cfs) within the S $\frac{1}{2}$ NE $\frac{1}{4}$, N $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 15, T. 58N, R. 1W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before May 10, 1976.

R. KEITH HIGGINSON
Director

Published in the Sandpoint Daily Bee, Sandpoint, Idaho on April 21 and April 28, 1976.

March 29, 1983

RE: Permit No. 96-7440

Richard G. &/or Denise W. Carboni
Route #1, Box 93A
Samuels, ID 83862

Dear Mr. and Mrs. Carboni:

Enclosed herewith is a copy of the Water Right License issued on the above
referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

MICROFILMED
SERIALS
JUN 1 1983
FBI - BUTTE



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

February 4, 1983

RE: Permit No. 96-7440

Richard G. &/or Denise W. Carboni
Route #1, Box 93 A
Samuels, ID 83852

Dear Mr. and Mrs. Carboni:

A representative of this Department has made an examination of the works covered by your Permit No. 96-7440, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 0.06 cfs Source: springs

The maximum quantity diverted shall not exceed 2.7 acre feet
per year.

Point(s) of diversion: SW $\frac{1}{4}$ NE $\frac{1}{4}$, SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 15, Twp. 58N, Rge. 1W, Bonner
County

Beneficial use: Irrigation of one acres and domestic use for one unit within
the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 15, Twp. 58N, Rge. 1W (Actual irrigated acres = 0.5 acres)
SW

Priority date established: April 16, 1976

Conditions (if any):

If you do not concur with these findings please contact us within 10 days, otherwise
a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw


[illegible]

(Include distance from pump to measuring device, if applicable.)

Place(s) of Use

[illegible]

Date 1-27-83



UNCLASSIFIED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 967440.

Name(s) of Permit Holder: Richard and Denise CARBONI

Post Office Address: Rt. 1 Box 93-A Samuels Id

83322 Tel. No. 263-9624

Source of Water: Spring

Extent of Use:

- ☒ Domestic 1 (number of households)
- ☒ Stockwater 7 cows 6 goats (number and type of stock)
- ☐ Irrigation _____ (acres)
- ☐ Other _____

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

Access Port: Required? ☒ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

5-9-81

Denise M Carboni
e of Per



RECEIVED

MAY 18 1981

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

MICROFILMED

DEPARTMENT OF WATER RESOURCES

STATEHOUSE

BOISE, IDAHO 83720


RECEIVED

APR 7 1981

Department of Water Resources

AUTHORIZED TIME FOR
FORWARDING HAS EXPIRED

1976




per Bonner County
Assessor


Rt 1, Box 93A

Samuels, Id 83862

sent 4-13-81 NY



82



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

June 12, 1981

Mr. Richard Carboni
Rt. 1 Box 93A
Samuels, Id. 83862

RE: 96-7440

Dear Mr. Carboni:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination, however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Very truly yours,

TOM D. KING
Senior Water Resource Agent

TDK/fms

cc: - State Office

RECEIVED
JUN 15 1981
STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

CARBONI, RICHARD G. & DENISE W.
STAR RT.
MOYIE SPRINGS, ID 83845

138165

MARCH 31, 1981

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 96-7440 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JUNE 01, 1981. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. A REQUEST FOR EXTENSION OF TIME FORM IS ENCLOSED FOR YOUR CONVENIENCE. PLEASE NOTE THAT A FEE OF \$15.00 MUST BE SUBMITTED WITH THIS FORM.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENCLOSURE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Statehouse
Idaho 83720

PRESORTED
FIRST-CLASS



96-7440

returned
RECEIVED

AUG 4 1980


Richard G. &/or Denise W. Carboni
Star Route,
~~Moyie Springs, Idaho 83845~~

Department of Water Resources

Batch #1b

UNDELIVERABLE AS ADDRESS ~~UNKNOWN~~

[Faint, mostly illegible text, possibly a return address or administrative note]



SC

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 96-7440.

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,


WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

**INSTRUCTIONS FOR
ACCESS PORT INSTALLATION**

Purpose


The Department of Water Resources' examiners now have portable measuring devices to measure the flow of water in a pipe flowing full. However, for them to be able to use these devices you must install an access port in your pipeline. You, of course, may wish to install a permanent measuring device or have the flow of your system measured and certified by a professional engineer.

General Requirements

The access port shall be made by welding a 1½ inch welding coupling onto the supply pipe as shown on the attached figures. These welding couplings may be obtained at most plumbing supply dealers.

The access port must be installed at least 24 pipe diameters downstream from the pump, at least 9 pipe diameters downstream and at least 4 pipe diameters upstream from any flow restrictions such as reducers, elbows or control valves. Control valves should be located downstream from the access port. The above required distances may be reduced if straightening vanes are installed in the pipe.

The coupling must be installed perpendicular to the pipe axis and also so that the centerline of the port passes through the center of the pipe. The access should be installed on the side of the pipe, as shown in the following sketch, to eliminate the problem of air in the pipe interfering with the measuring device reading.



Specific Requirements

The type of access port necessary, between Figure 1 and Figure 2 on the back of this page, depends on whether you are willing to turn off your diversion system during the installation of the measuring device.

An access port constructed as shown on Figure 1, access port cold tap, is acceptable if you are willing to turn off your system during the installation of the measuring device. This installation should take no longer than thirty minutes.

An access port constructed as shown in Figure 2, access port hot tap, is necessary if you are not willing to turn your system off during the installation of the measuring device. The valve must be a 1½ inch gate valve with a clear opening of at least one inch. This hot tap can only be made on systems that have pressures less than 70 pounds per square inch. If your system pressure is greater than 70 pounds per square inch, then it must be turned off during the measuring device installation.

If you have questions about the access port, please contact the department's nearest regional office.




Figure 1

ACCESS PORT COLD TAP





Figure 2

ACCESS PORT HOT TAP





State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

July 28, 1980

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the Regional Office nearest to you.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL JR., P.E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

Northern Region Office
Rt. #5 Box 203, Government Way
Coeur d'Alene, Idaho 83814

Southern Region Office
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301

Eastern Region Office
1515 Lincoln Road
Idaho Falls, Idaho 83401

Western Region Office
92 South Cole Road
Boise, Idaho 83705



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

July 28, 1980

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the Regional Office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P.E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

Northern Region Office
Rt. #5 Box 203, Government Way
Coeur d'Alene, Idaho 83814

Eastern Region Office
1515 Lincoln Road
Idaho Falls, Idaho 83401

Southern Region Office
Blue Lake Boulevard North
Idaho Falls, Idaho 83301

Western Region Office
92 South Cole Road
Boise, Idaho 83705



June 15, 1976

Re: Permit No. 96-7440

Richard G. &/or Denise W. Carboni
Star Route
Moyle Springs, ID 83845

Dear Mr. and Mrs. Carboni:

Enclosed is a copy of your approved Application for Permit No. 96-7440 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosures

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 96-7440

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) RYA _____

In form to receipt

(2) _____

Send Copies to:

Idaho State Health Department

Idaho Fish and Game Department

Bureau of Land Management

(3) _____

Request Special Use Permit from U.S.F.S.

Request Easement from B.L.M.

Request Information from Applicant

(4) RYA _____

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) CP 5/5

Affidavit of Publication received(date) ?

(12) _____

Final date for protests May 10, 1976
Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or
applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve

Proposed Priority 416-76

Reason for Reduction _____

☒ Measuring device required

See attached sheet for other conditions of
approval

No special conditions for approval

(15) District Northern

By Bob Haynes

Date 6-9-76

RECEIVED
JUN 1 Deny
Department of Water Resources

May 13, 1976

Re: Application for Permit No. 96-7440

Mr. Richard G. Carboni
Star Route
Moyie Springs, ID 83845

Dear Mr. Carboni:

Since you have applied for 1.00 cubic feet per second of water to be used for power generation under the above referenced application, it is necessary that you complete and return the enclosed Affidavit of Residence form to our office.

Your application will be completed processing as soon as the enclosed form is returned to us. Thank you for your assistance in this matter.

Very truly yours,

ROBERT G. HAYNES, P.E.
District Supervisor

RGH:CP

Enclosure



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN DISTRICT

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

April 16, 1976

Re: Application No. 96-7440 - Richard G. &/or Denise W. Carboni

Sandpoint Daily Bee
P.O. Box 579
Sandpoint, ID 83864

Gentlemen:

Enclosed is a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to our office along with the publication bill. Your cooperation in this matter is appreciated.

Very truly yours,

ROBERT G. HAYNES, P.E.
District Supervisor

RGH:cp

Enc: Legal Notice(s)

Bill: 5-5-76, p

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Richard G. &/or Denise W. Carboni,
Star Route, Moyie Springs, Idaho
have ~~xxx~~ on April 16, 1976 submitted Application No. 96-7440
for a permit to appropriate 1.00 cubic feet per second ~~xxxxxx feet per second~~
of water from Unnamed Springs
by means of pipeline
within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 15, T. 58N, R. 1W, B.M., Bonner County
to be used from Jan. 1 to Dec. 31 for domestic (0.04 cfs) and power generation
~~xxx~~ purposes (1.00 cfs); and from April 1 to Nov. 1 for the irrigation of 20 acres
(0.40 cfs)
within the S $\frac{1}{2}$ NE $\frac{1}{4}$, N $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 15, T. 58N, R. 1W, B.M.

If issued, this permit will be subject to all prior water rights. Protests
against the granting of the permit must be filed with the Idaho Department of
Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before
May 10, 1976.

R. KEITH HIGGINSON
Director

Published in the Sandpoint Daily Bee, Sandpoint, Idaho
on April 21 and April 28, 1976

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that Richard G. & or Denise W. Carboni, Star Route, Moyie Springs, Idaho have on April 16, 1976 submitted Application No. 96-7440 for a permit to appropriate 1.00 cubic feet per second of water from Unnamed Springs by means of pipeline within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 15, T. 58N, R. 1W, B.M., Bonner County to be used from Jan. 1 to Dec. 31 for domestic (0.04 cfs) and power generation purposes (1.00 cfs); and from April 1 to Nov. 1 for the irrigation of 20 acres (0.40 cfs) within the S $\frac{1}{2}$ NE $\frac{1}{4}$, N $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 15, T. 58N, R. 1W, B.M.

OK
PJA

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d' Alene, Idaho 83814, on or before May 10, 1976.

R. KEITH HIGGINSON
Director

Published in the Sandpoint Daily Bee, Sandpoint, Idaho on April 21 and April 28, 1976.