


MICROFILMED



Mapped, edited, and published by the Geological Survey
Control by USGS and USC&GS

SCAL

#96 7357 Yergens

2797



MICROFILMED

Melder, Estate
Op. Fielden Pairer, Jr. - lease



Fielden Pairer, Jr.

scale (445)
= 19.80
 $\frac{16(44)}{19.80} = 39.57$
 $\frac{24(16)}{19.80} = 19.39$

27 28
28 33

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 96-7357 Priority January 13, 1975 Amount 0.45 cfs

THIS IS TO CERTIFY, that Douglas Yergens
of Blanchard, Idaho, has complied with the terms and conditions of Permit
No. 96-7357 issued pursuant to Application for Permit dated January 13, 1975,
and has submitted proof to the Department of Water Resources on January 15, 1980,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.45 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>March 15</u> to <u>November 15</u>	at <u>0.45</u> cfs and	<u>180.0</u> acre feet
Stockwater	from <u>January 1</u> to <u>December 31</u>	at <u>0.05</u> cfs and	<u>2.7</u> acre feet
Domestic (1 unit)	from <u>January 1</u> to <u>December 31</u>	at <u>0.04</u> cfs and	<u>1.2</u> acre feet

(both dates inclusive)

Subject, however, to the condition that no more than 0.45 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
183.9 acre feet per year, said waters to be diverted within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, Section 20, Twp.
54N, Rge. 5W in the County of Bonner

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
54N	5W	20			20												40		60

Total number of acres irrigated 60

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 31ST day of
October, 19 81.

Acting for the Director

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. **96-7357**

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,


WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

MICROFILMED

Identification No. 96-7357

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Douglas Yergens Phone: _____
post office address Box 495, Blanchard, Idaho
2. Source of water supply Ground water which is a tributary of _____
3. a. Location of point of diversion is SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 20 Township 54N
Range 5W B.M. Bonner County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 1.00 for Irrigation purpose from March 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.05 for Stockwater purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.04 for Domestic purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 1.00 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Well with pump and motor.

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 8-10 inches; proposed depth of well is 120 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ _____.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 20 Township 54N
Range 5W B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered 120

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water one.
(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
54N	5W	20			20											40			60

Total number of acres to be irrigated 60

c. Describe any other water rights used for the same purposes as described above. None


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Douglas J. Jorgensen
(Applicant)

Received by JP Date 1/13/75 Time 11:00 a
 Preliminary check by JP Fee \$ 25.00
 Receipted by JP Date 1/13/75 # 15174
 Publication prepared by CP Date 1-17-75
 Published in Priest River Times
 Publication dates 1-23 & 1-30-75
 Publication approved CP Date 2-3-75
 Priority reduced to _____ Reason _____

 Protests filed by: _____

 Copies of protests forwarded by _____
 Hearing held by _____ Date _____
 Recommended for approval denial by BDF

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-7357, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 19 80.
- c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 18 day of February 19 75.

R. Karl Higgins
 Director

Affidavit of Publication

STATE OF IDAHO
County of Bonner,

ss.

Marie Martin,

being duly sworn, says that She is the Co-Publisher of the PRIEST RIVER TIMES, a weekly newspaper printed and published at Priest River, Bonner County, Idaho, and has been continuously and uninterruptedly published in said County during a period of 78 consecutive weeks prior to the first publication of the annexed notice for publication, is a newspaper of general circulation made up of at least eight pages of at least seven columns each, printed from typematter or stereotyped forms of at least nineteen and three-fourths inches depth, has at least 1250 bona fide subscribers living within said Bonner County, and is published at regular weekly intervals. That the annexed is a true copy of the notice for publication in the case of

Notice of Application for Water Permit

as it was published in the regular and entire issue of said paper for a period of two consecutive weeks, commencing on the 23rd day of January, 1975, and

ending on the 30th day of January, 1975, and that said notice was published in said newspaper proper, and not in supplemental form.

Marie Martin

Subscribed and sworn to before me this

30th day of January, 1975

George P. Connolly
Notary Public for Idaho,

Residing at Priest River, Idaho.

RECEIVED
JAN 30 1975
IDAHO DEPARTMENT OF WATER RESOURCES

Department of Water Resources
Boise, Idaho 83725

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Douglas Yergens, Box 495, Blanchard, Idaho has on Jan. 13, 1975 submitted Application No. 96-7357 for a permit to appropriate 1.0 cubic feet per second of water from a ground water source by means of well, pump, and motor within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 20, T. 54N, R. 5W, B.M., Bonner County to be used from Jan. 1 to Dec. 31 for stockwater (0.05 cfs) and domestic purposes (0.04 cfs); and from March 15 to Nov. 15 for the irrigation of 60 acres (1.0 cfs) within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 20, T. 54N, R. 5W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 401 Front Ave., Coeur d'Alene, Idaho, 83814 on or before Feb. 10, 1975.

R. KEITH HIGGINSON,
Director.

Published in the Priest River Times, Priest River, Idaho on Jan. 23 and Jan. 30, 1975.

4-2t

MICROFILMED

AND DEPARTMENT OF WATER RESOURCES
WATER RIGHTS PROOF READING REPORT

01 WATER RIGHT NUMBER - 96-7357

02 OLD (D) NUMBER -

03001 - YERGENS

04001 - DOUGLAS FIRST NAME

ORIG. OWNER
05001 - C

06 ADD LINE 1 - P.O. BOX 495

07 ADD LINE 2 -

08 ADD LINE 3 -

09 CITY - BLANCHARD

10 STATE - ID 11 ZIP - 83804

12 STAGE - L LICENSE

13 STATUS -

SOURCE
14001 - GROUNDWATER

15001 - TRIBUTARY OF

16 DIVERSION MEANS - WELL & PUMP.

17 COUNTY - 17 BONNER

18 DIVERSION CAPACITY - .000

19 TOTAL DIVERSION RATE - .450

20 TOTAL DIVERSION VOLUME - 183.90

21 WATER DISTRICT -

TRACT						SEC		TWN	RNG	DIVERSION POINTS		STREAM INDEX FIELDS							
										LOT	RFLG								
22001 -	SWNE	23001 -	20	24001 -	54N	25001 -	05W	26001 -	27001 -										
						28001 -	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0

29 NON-IRRIGATION USE - S/120 RANGE.

USE CODE / USE	TWN	RNG	PLACE OF USE SEC	TRACT	ACRES	LOT
30001 - 01 IRRIGATION	31001 - 54N	32001 - 05W	33001 - 20	34001 - SWNE	35001 - 20	36001 -
30002 - 01 IRRIGATION	31002 - 54N	32002 - 05W	33002 - 20	34002 - NWSE	35002 - 40	36002 -
						TOTAL ACRES: 60

PERIOD FROM	PERIOD TO	USE CODE / USE	WATER USE	DIVERSION RATE	DIVERSION VOLUME
37001 - 0315	38001 - 1115	39001 - 01 IRRIGATION	40001 -	0.450	41001 - 180.00
37002 - 0101	38002 - 1231	39002 - 04 STOCKWATER	40002 -	0.050	41002 - 2.70
37003 - 0101	38003 - 1231	39003 - 43 DOMESTIC	40003 -	0.040	41003 - 1.20

42 DECREE PLAINTIFF NAME -

43. DECREE DEFENDANT NAME -

REMARKS
44001 -

APPROVAL CONDITIONS: 45001 -

46 OTHER RIGHTS FOR SAME USE -

D A T E S		D A T E S		F L A G S	
47	PRIORITY - 13-JAN-1975	55	LICENSE - 31-OCT-1981	63	TRANSFER/AMENDED
48	PROOF DUE - 1-FEB-1980	56	APPL RECEIVED	64	DLE/CAREY ACT
49	PROOF MADE - 1-JAN-1900	57	FIELD EXAM MADE	65	FLAG_1
50	APPROVE/DENIED- 18-FEB-1975	58	DECREE	66	FLAG_2
51	PROTESTED	59	START WORK	67	FLAG_3

WRR100
96-7357

IAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHTS PROOF READING REPORT

PAGE 2
3-FEB-1986 15:56:27

----- D A T E S ----- D A T E S ----- F L A G S -----

52 HEARING -
53 VERIFIED -
54 LAST UPDATE - 13-DEC-1985

60 ORDER SHOW CAUSE -
61 DATE_1 -
62 DATE_2 -



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

November 19, 1981

RE: Permit No. 96-7357

Douglas Yergens
Box 495
Blanchard, ID 83804

Dear Mr. Yergens:

Enclosed is a copy of the Water Right License issued on the above referenced Permit.

Please be advised that one of the conditions of your permit was that a measuring device be installed as part of your diversion works. That requirement has been waived with issuance of the enclosed license. However, in the event that water supply shortages become a problem installation of measuring devices may be required.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

Enclosure

RECEIVED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

October 14, 1981

RE: Permit No. 96-7397

Douglas Yergens
Box 495
Blanchard, ID 83806

Dear Mr. Yergens:

A representative of this Department has made an examination of the works covered by your Permit No. 96-7357, and has found the following:

Amount of water that can be recognized as beneficially used under Idaho law: 0.45 cfs Source: groundwater

The maximum quantity diverted shall not exceed 183.9 acre feet per year.

Point(s) of diversion: SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 20, Twp. 54N, Rge. 5W, Bonner County

Beneficial use: Irrigation of 60 acres, stockwater and domestic purposes within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 20, Twp. 54N, Rge. 5W

Priority date established: January 13, 1975

Conditions (if any):

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

MICROFILMED

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

SEP 28 1981
Department of Water Resources

96-7357

Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:	9-10-81	JK	437-3652 - To Call me
☐ Telephone call made: (List Telephone No. used)			See 96-0202-0203-2042C 2017-C
☐ Appointment scheduled for: (Date, time, location)	9-11-81		

EXAMINATION

Date 9-11-81 Accompanied by App Total Q measured 202 gpm
If source is surface water, estimate total flow of source -
Methods of measurement METER/Calc Meets Permit requirements? Yes

Measurement calculations: METER $202.9 \text{ PM} = 0.45 \text{ cfs}$ 448.8 $AF = 0.45 (1.9835) 245 = 218.68$ $60 \text{ AC} (3.0) = 180 \text{ AF}$	$ICF = 1728 \text{ in}$ $ICF = 62.4 \text{ lbs}$ $Atmos = 4.7$ $Static water = 85'$	$85(12) = 1020$ 1728 $88(10) 80\% = 704$ $2.33(425) + 85 = 1000$ 0.39 cfs	$0.59(624) = 36.83 + 4.7 = 41.5 \text{ PSI}$ $60 \text{ Buckner } 860 / 1/4 \times 3/2 @ 27 \text{ PSI}$ $10.7(60) = 1.4 \text{ cfs}$ 448.8 Booster #2
---	--	---	--

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	10					Badger	good	Subm.
#1 Booster	1	Red jacket	F-76	Unil				Domestic/stock
#2 Booster	30	415-R-9007-01-783	Cornell	20915-71				Irrigation

System Description 6" x 140' well with 10 HP sub pump to irrigation 300' x 150' x 8' pond with 30 HP booster for irrigation, and 1 HP pump to 1000 gal storage tank with 1 HP pump for domestic & stock

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

Irrigation requirement = 3.0 AFA/Acre

USE	Q (cfs)	V (afa)	FROM	TO
Irrigation	0.45 ✓	180.00 ✓	3-15	11-15
Domestic	0.04 ✓	1.2 ✓	1-1	12-31
Stock	0.05 ✓	2.7 ✓	1-1	12-31
Total	0.45 ✓	183.90 ✓		


Remarks Water is withdrawn from source at rate of 0.45 cfs for Domestic & stock, placed in storage then pumped into home & barn

Pond is constructed so that in irrigation could be completed by gravity flow - If well being pumped, irrigation running & no surface water being added to pond, pond would go dry. No measurement necessary on 30 HP pump.

Well irrigation water used only when insufficient water from primary source - Blanchard Creek


MICROFILMED

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: SW NE, Sec 20, T54N, 5W

Place(s) of Use

TWP.	RGE.	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
54N	5W	20			20											40			60
																			60

Recommended Amendments:

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Examiner's Signature

Checked by


Approved by

Date 9-21-81

Date 9/23/81

Date 10/5/81

MICROFILMED



#96 7357 Yergens
2797

MICROFILMED

Scale (145)
= 19.80
 $\frac{15.40}{19.80} = 39.59$
 $\frac{24(16)}{19.20} = 19.39$

Fielden Pairing, Jr.

WATER RIGHT NUMBER 96-7357

OWNER LAST NAME - YERGENS

FIRST NAME - DOUGLAS

ORIG OWNER -

ADDRESS LINE 1 - P.O. BOX 444

ADDRESS LINE 2 -

ADDRESS LINE 3 - 495

CITY - BLANCHARD

STATE - ID ZIP CODE - 83804

SOURCE - GROUNDWATER

TRIBUTARY OF -

STAGE - LICENSE

STATUS -

PRIORITY - 01-13-1975 COUNTY - BONNER

TOTAL DIV. RATE -

1.45 ~~1.0000~~ -CFS

TOTAL DIV. VOLUME - 183.9 .00 AFA TRFR/AMEND -

WATER DIST. -

DLE/CAREY ACT -

RIGHT BASIS -

DIVERSION POINT - SWNE 20 54N 05W LOT REDIV -

0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0

FROM - 03-15 TO - 11-15 USE - IRRIGATION

USE DIV. RATE - 1.45 ~~1.0000~~ CFS USE DIV. VOLUME - 180 .00 AFA

FROM - 01-01 TO - 12-31 USE - STOCKWATER

USE DIV. RATE - .0500 CFS USE DIV. VOLUME - 2.7 .00 AFA

FROM - 01-01 TO - 12-31 USE - DOMESTIC

USE DIV. RATE - .0400 CFS USE DIV. VOLUME - 1.2 .00 AFA

USE - IRRIGATION

PLACE OF USE - TWN 54N RNG 05W SEC 20 TRACT SWNE LOT AC 20 TRACT NWSE LOT AC 40

DECREE NAME -

DATE -

TOTAL ACRES 60

REMARKS -

NON IRRIG USE -

OTHER RIGHTS FOR SAME USE -

PROOF DUE - 02-01-1980 PERMIT/DENIED - 02-18-1975 PROTESTED -

HEARING -

OLD NO. -

PROOF MADE - P FLD EXAM - COND. OF APPROVAL 01 04 05 08A

DIVERSION MEANS - WELL & PUMP.

IDENT. NO. 96-7357

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG[illegible]

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
C. STEPHEN ALLRED
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

January 31, 1980

Mr. Douglas Yergens
Box 008
Blanchard, Idaho 83804

RE: 96-7357

Dear Mr. Yergens:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination, however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office.

Very truly yours,

TOM D. KING
Senior Water Resource Agent

TDK/fms

cc: IDNR - State Office

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 96-7397

Name(s) of Permit Holder: DOUGLAS R. VERGENS

Post Office Address: Box 008

BLANCHARD, IDAHO 83804 Tel. No. 208-437-3652

Source of Water: WELL

Extent of Use:

☒ Domestic	<u>1</u>	(number of households)
☒ Stockwater	<u>60 cattle</u>	(number and type of stock)
☒ Irrigation	<u>65</u>	(acres)
☐ Other		

Measuring Device:	Required?	☐ Yes ☐ No	Installed?	☒ Yes ☐ No
Access Port:	Required?	☒ Yes ☐ No	Installed?	☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

1-15-80
Date

Douglas R. Vergens
Signature of Permit Holder

Douglas R. Yergers
Box 008
Blanchard, Idaho 83804



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED

JAN 15 1980

Department of Water Resources
Northern District Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

YERGENS, DOUGLAS
P.O. BOX 495
BLANCHARD, ID 83804

101598

NOVEMBER 30, 1979

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 96-7357 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE FEBRUARY 01, 1980. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

August 15, 1979

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the Regional Office nearest to you.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosures

Northern Region Office
Rt. #5, Box 203 Government Way
Coeur d'Alene, Idaho 83814

Eastern Region Office
1515 Lincoln Street
Idaho Falls, Idaho 83401

Southern Region Office
1041 Blue Lake Blvd. North
Twin Falls, Idaho 83301

Western Region Office
92 S. Cole Road
Boise, Idaho 83705

MICROFILMED

February 18, 1975

Re: Permit No. 96-7357

Mr. Douglas Yergens
Box 495
Blanchard, Idaho 83804

Dear Mr. Yergens:

Enclosed is a copy of your approved Application for Permit No 96-7357 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosures

MICROFILMED

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 96-7357

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) SP 1/13/75

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant

(4) SP 1/13/75

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) SP 2/11/75

Critical groundwater area: yes _____ no ☒

(8) SP 2/11/75

Groundwater levels:

_____ Declining, ☒ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) CP 2/3

Affidavit of Publication received(date) JAN. 31, 1975

(12) CP 1/20

Final date for protests FEBRUARY 10, 1975

Protests received: yes _____ no ☒

(13) SP 2/11/75

All requested information received from agencies or applicant: yes ☒ no _____

(14) SP 2/11/75

Action recommended:

☒ Approve

_____ Deny

1/13/75 Proposed Priority

_____ Reason for Reduction

☒ Measuring device required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District Nathan

By [Signature] Date 2/11/75

MICROFILMED

RECEIVED

Department of Water Resources



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN DISTRICT

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Room 209
401 Front Avenue
Coeur d'Alene, Idaho 83814
(208) 667-6484

January 17, 1975

Re: Application No. 96-7357 - Douglas Yergens

Priest River Times
P.O. Box 398
Priest River, ID 83856

Gentlemen:

Enclosed is a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to our office along with the publication bill. Your cooperation in this matter is appreciated.

Very truly yours,

FRED EISENBARTH
Northern District Manager

FE:cp

Enc: Legal Notice(s)

BILL SUBMITTED 2-3-75.4

MICROFILMED

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Douglas Yergens,

Box 495, Blanchard, Idaho

has on Jan. 13, 1975 submitted Application No. 96-7357

for a permit to appropriate 1.0 cubic feet per second ~~acres feet per annum~~

of water from a ground water source

by means of well, pump, and motor

within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 20, T. 54N, R. 5W, B.M., Bonner County

to be used from Jan. 1 to Dec. 31 for stockwater (0.05 cfs) and domestic purposes
~~for~~ (0.04 cfs); and from March 15 to Nov. 15 for the irrigation of 60 acres
(1.0 cfs)

within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 20, T. 54N, R. 5W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 401 Front Ave., Coeur d'Alene, Idaho, 83814 on or before Feb. 10, 1975.

R. KEITH HIGGINSON

Director

Published in the Priest River Times, Priest River, Idaho

on Jan. 23 and Jan. 30, 1975

MICROFILMED

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Douglas Yergens, Box 495, Blanchard, Idaho has on Jan. 13, 1975 submitted Application No. 96-7357 for a permit to appropriate 1.0 cubic feet per second of water from a ground water source by means of well, pump, and motor within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 20, T. 54N, R. 5W, B.M., Bonner County to be used from Jan. 1 to Dec. 31 for stockwater (0.05 cfs) and domestic purposes (0.04 cfs); and from March 15 to Nov. 15 for the irrigation of 60 acres (1.0 cfs) within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 20, T. 54N, R. 5W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 401 Front Ave., Coeur d'Alene, Idaho, 83814 on or before Feb. 10, 1975.

R. KEITH HIGGINSON,
Director.

Published in the Priest River Times, Priest River, Idaho on Jan. 23 and Jan. 30, 1975.

4-2t

o.k.
1-24-75
P