

No Color
Documents
In File

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 96-7345 Priority December 6, 1974 Amount 0.14 cfs

THIS IS TO CERTIFY, that PEND OREILLE PINES ASSOCIATION
of Athol, Idaho, has complied with the terms and conditions of Permit
No. 96-7345 issued pursuant to Application for Permit dated November 11, 1974,
and has submitted proof to the Department of Water Resources on December 26, 1979,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.14 cfs of water from Pend Oreille Lake,
tributary to N/A, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Domestic (75 units)	from <u>January 1</u> to <u>December 31</u>	at <u>0.14</u> cfs and	<u>90</u> acre feet
	from _____ to _____	_____ cfs and	_____
	from _____ to _____	_____ cfs and	_____
(both dates inclusive)			

Subject, however, to the condition that no more than 0.14 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
90 acre feet per year, said waters to be diverted within the Government Lot 2, Sec. 36,
Twp. 54N, Rge. 2W, B.M. in the County of Kootenai

Description and location of place of use:

Twp.	Range	Sec.	NE¼				NW¼				SW¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
54N	2W	36		X						X	X				


Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 29 day of

August, 19 80


Director

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 96-7345
IN THE NAME PEND OREILLE PINES ASSN.

ORDER OF REINSTATEMENT

WHEREAS, on November 11, 1974, Pend Oreille Pines Association applied to the Department of Water Resources for a permit to appropriate 2.00 cubic feet per second of water from Pend Oreille Lake, to be diverted within Government Lot 2, Sec. 36, Twp. 54N, Rge. 2W B.M., Kootenai County, to be used for domestic purposes; and,

WHEREAS, on December 24, 1974, the Department approved said application and issued Permit No. 96-7345 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before December 1, 1979; and,

WHEREAS, on September 30, 1979, the Department notified the permit holder by certified mail that proof of beneficial use was due and instructed the permit holder as to the steps to be taken to make said proof; and,

WHEREAS, on December 6, 1979, the Department notified the permit holder that Permit No. 96-7345 had lapsed for failure to submit proof of beneficial use of water; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days from the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial on December 26, 1979;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 96-7345 be REINSTATED and the priority advanced to December 6, 1974.

Dated this 21st day of January, 1980.

L. Glen Saxton
L. GLEN SAXTON

Chief, Operations Bureau

MICROFILMED

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING }
DEVICE REQUIREMENT FOR PERMIT NO. 96-7345 }

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

MICROFILMED

Identification No. 96-7345

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Pend Oreille Pines Association Phone: 683-2406
post office address Route 1, Box 248, Athol, Idaho
2. Source of water supply Pend Oreille Lake which is a tributary of _____
3. a. Location of point of diversion is Gov't. Lot 2 ~~SW~~ of Section 36 Township 54N
Range 2W B.M. Kootenai County; additional points of diversion if any: _____
Better known as Lot A of Pend Oreille Pines Addition.
- b. If water is not consumed, it will be discharged into _____ at a point in _____ 1/4
of _____ 1/4 of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 2.0 for Domestic purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 2.0 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Pump, motor with pipeline leading
up to a 30,000 gallon storage tank.
- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ _____.
8. Description of proposed uses:
a. If water is **not** for irrigation: Gov't. Lots 2 and 3
SE NW
(1) Give the place of use of water: SW NE 1/4 of 36 Township 54N
Range 2W B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water 225.
(5) If water is to be used for other purposes describe: _____

MICROFILMED

[illegible]


c. Describe any other water rights used for the same purposes as described above. None

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert A. Sactor
(Applicant) Secy/Treas.
Pond Oreiller Pines Assn.

Proposed Priority 11-11-1974

Received by FE Date 11/11/74 Time 10:30 a
Preliminary check by FE Fee \$ 35.00
Receipted by FE Date 11/11/74 # 15129
Publication prepared by CP Date 11-15-74
Published in Coeur d'Alene Press
Publication dates 11-21 & 11-28-74
Publication approved CP Date 12-2-74
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by W B F

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-7345, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 19 79.
- c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 24 day of December 19 74.

R. Karl Hjort
Director

AFFIDAVIT OF PUBLICATION

NOTICE OF PUBLICATION FOR WATER PERMIT

Notice is hereby given that Pend Oreille Pines Association, Route 1, Box 248, Athol, Idaho has on Nov. 11, 1974 submitted Application No. 96-7345 for a permit to appropriate 2.0 cubic feet per second of water from Pend Oreille Lake by means of pump, motor, pipeline, and storage tank within Gov't. Lot 2, Sec. 36, T. 54N, R. 2W, B.M., Kootenai County (Lot A, Pend Oreille Pines Addition) to be used from Jan. 1 to Dec. 31 for domestic purposes for 225 families within the SE $\frac{1}{4}$ NW $\frac{1}{4}$, SW $\frac{1}{4}$ NE $\frac{1}{4}$, Gov't. Lots 2 and 3, Sec. 36, T. 54N, R. 2W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 401 Front Ave., Coeur d'Alene, Idaho, 83814 on or before Dec. 9, 1974.

R. KEITH HIGGINSON
Director

Legal No. 515
Nov. 21, 28, 1974

STATE OF IDAHO, } ss.
County of Kootenai,

Carol Nedge

being first duly sworn upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Notice of Application

of which the annexed is a printed copy, was published in the regular *Thurs* issue of said newspaper for *2* consecutive *weeks* commencing on the *21* day of *Nov*, 19*74*, and ending on the *28* day of *Nov*, 19*74*, and such publication was made as often during said period as said *daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Carol Nedge

Subscribed and sworn to before me this *30th* day of *November*, 19*74*.

Roberta Zandy

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

MICROFILMED

WATER RIGHTS WORK SHEET

IDENTIFICATION NUMBER 96-7345

RECORD 01 LAST NAME(40 char.)

FIRST NAME(20 char.) ORIG. OWNER

ACTION CODE

RECORD 02 ADDRESS LINE 1(30 char.)

LINE 2(30 char.)

RECORD 03 ADDRESS LINE 3(30 char.)

CITY(23)

STATE(2)

ZIP(5)

RECORD 04 SOURCE OF WATER(30 char.)

TRIBUTARY OF(30 char.)

RECORD 05

ACTION CODE

A. STAGE(1 char.)
(A,P,L,D,S,J OR BLANK)

B. STATUS(1 char.)
(D,L,R,C,A,I,F OR BLANK)

C. PRIORITY DATE(8 char.)

D. COUNTY OF P/D(2 char.)

E. TOTAL DIVERSION RATE(10 char.)

F. TOTAL DIVERSION VOLUME(10 char.)

G. TRANSFER/AMENDMENT(1 char.)
(P, T, A OR BLANK)

H. WATER DISTRICT NUMBER(3 char.)

I. DLE/CARFY ACT(1 char.)
(D, C OR BLANK)

J. RIGHT BASIS(1 char.)
(for adjudications only A, B, C, D, E, F OR BLANK)

RECORD 06

ACTION CODE

POINT OF DIVERSION(16 char.)

TRACT

SEC.

TWP.

RGE.

GOV'T. LOT

REDIV.



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

September 8, 1980

Pend Oreille Pines Assn.
Rt. 1, Box 248
Athol, Idaho 83801

Dear Sirs,

RE: License No. 96-7345

Enclosed is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JAN GROVER
Water Rights Supervisor

JG:mr
Enclosure

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

July 17, 1980

Pend Oreille Pines Assn.
Rt. 1, Box 248
Athol, Idaho 83801

Dear Sirs,

A representative of this Department has made an examination of the works covered by your Permit No. 96-7345, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 0.14 cfs Source: Pend Oreille Lake

The maximum quantity diverted shall not exceed 90.0 acre feet
per year.

Point(s) of diversion: Govt. Lot 2, Sec. 36, Twp. 54N, Rge. 2W, B.M.

Beneficial use: Domestic use within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$, Lot 3, &
NW $\frac{1}{4}$ SE $\frac{1}{4}$, Lot 2, Sec. 36, Twp. 54N, Rge. 2W.

Priority date established: December 6, 1974.

Conditions (if any):

If you do not concur with these findings please contact us within 10 days,
otherwise a water license will be issued as set forth above.

Sincerely,

JAN GROVER
JTM JOHNSON
Water Rights Supervisor

MICROFILMED

RESOURCES

Koof

96-7345

Department of Water Resources Permit No.

☐ Appointment letter mailed:

INITIALS

REMARKS

- | | | | |
|---|-----------------------------|-----------|---|
| ☐ Appointment letter mailed: | <u>1-31-80</u> | <u>JK</u> | |
| ☐ Telephone call made: | <u>~~1~~ 3-25-80</u> | <u>JK</u> | <u>683-2266 Cape Inn Rd 1st road</u> |
| (List Telephone No. used) | | | <u>toward Lake Stewart, Harold</u> |
| | <u>6-26-80</u> | <u>JK</u> | |
| ☐ Appointment scheduled for: | <u>3-26-80</u> | <u>JK</u> | <u>1:00 PM at Stewart's. Unable to make it.</u> |
| (Date, time, location) | <u>6-27-80</u> | <u>JK</u> | <u>1:00 PM at site</u> |

EXAMINATION

Date 6-27-80 Accompanied by Dr. Campus Stewart Total Q measured 63 gpm

If source is surface water, estimate total flow of source

Methods of measurement meter Meets Permit requirements? yes

Measurement calculations:

$10 \text{ gal in } 20 \text{ sec} : 30 \text{ gpm}$
 $10 \text{ gal in } 14 \text{ sec} : \underline{33 \text{ gpm}}$
 $\underline{63 \text{ gpm}}$
 $\frac{63 \text{ gpm}}{448.8} = 0.14 \text{ (1.98) } 365 = 101.15$

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
2	5	Redline				Sparkling	Good	Submersible
						Serial #	4255751	

System Description ~~Two pumps and a pipeline from lake to 20,000 gal storage tank~~
Two submersible pumps in lake with pipeline to 20,000 gal tank then to homes

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE

Donestis

Irrigation requirement =

AFA/Acre

Q (cfs)

V (afa)

FROM

TO

0.14

20. c

151

12-31

Total

Remarks 49

34 act on users / spoke w/ Cuyana & Haddad

16

10

75 Homes stubbed

MICROFILMED

MAP (Attach Aerial Photo)

SCHEMATIC DIAGRAM OF SYSTEM

Point(s) of diversion: 54N, 2W, 36, 942

Place(s) of Use

TWP.	RGE.	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
54N	2W	36			X					X	X					X			
											9					4			
											2					7			
											3					2			

Recommended Amendments:

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☒ None
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
- ☐ Other

Examiner's Signature [Signature]
Checked by Bob Thompson
Approved by RH

Date 6-27-80
Date 6/30/80
Date 7/15/80

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
C. STEPHEN ALLRED
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

January 31, 1980

Pend Oreille Pines Assn.
Rt. 1 Box 248
Athol, Idaho 83801

RE: 96-7345

Gentlemen:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination, however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office.

Very truly yours,

TOM D. KING
Senior Water Resource Agent

TDK/fms

cc: IDWR - State Office

MICROFILMED

DEPARTMENT OF WATER RESOURCES

Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 96-7345

Name(s) of Permit Holder: Pend Oreille Pines Assn.

Post Office Address: Rt. 1 Box 248 Athol, Idaho 83801

Tel. No. 683-2406

Source of Water: Lake Pend Oreille

Extent of Use: ☒ Domestic * 32 (number of households) 45
☐ Stockwater (number and type of stock)
☐ Irrigation (acres)
☒ Other TWO PUMPS IN LAKE, 20,000 GAL. RESERVOIR ABOVE LAKE, DISTRIBUTION LINES.

Measuring Device: Required? ☐ Yes ☒ No Installed? ☒ Yes ☐ No

Access Port: Required? ☒ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

DEC 15, 1974

Date

Robert L. Sauter

Signature of Permit Holder

* Plus many more stubs to property lines

MICROFILMED

RECEIVED


MAY 26 1979

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



Pend Oreille Power Basin
Rt 1, Box 248
Arhol, Id 83801



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

PEND OREILLE PINES ASSN.
RT. 1 BOX 248
ATHOL, ID

DECEMBER 05, 1979

DEAR PERMIT HOLDER:

YOU ARE HEREBY NOTIFIED THAT UNDER THE PROVISIONS OF SECTION 42-218A OF THE IDAHO CODE, PERMIT NO. 96-7345 HAS LAPSED SINCE YOU HAVE NOT NOTIFIED US THAT YOU HAVE COMPLETED THE PROJECT BY THE DATE REQUIRED ON YOUR PERMIT. YOU WERE PROVIDED FORMS FOR THAT PURPOSE IN OUR NOTICE TO YOU DATED SEPTEMBER 30, 1979.

YOUR PERMIT CANNOT BE REINSTATED UNLESS YOU SUBMIT THE PROOF OF BENEFICIAL USE AFFIDAVIT, ENCLOSED, OR SHOW OTHER REASONABLE CAUSE WHY THE PERMIT SHOULD BY REINSTATED WITHIN 60 DAYS FROM THE DATE OF THIS LAPSE NOTICE.

C. STEPHEN ALLRED
DIRECTOR

ENCLOSURE

CERTIFICATION OF MAILING
Hereby certified that the enclosed was
deposited in the mail at Boise, Idaho, on
December 6, 1979, for delivery to the
individual named above.
Rita Fleck

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 384-2215

PEND OREILLE PINES ASSN.
RT. 1 BOX 248
ATHOL, ID

101466

SEPTEMBER 30, 1979

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 96-7345 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE DECEMBER 01, 1979. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

June 19, 1979

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the Regional Office nearest to you.

Sincerely,

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosures

Northern Region Office
Rt. #5, Box 203 Government Way
Coeur d'Alene, Idaho 83814

Eastern Region Office
1515 Lincoln Street
Idaho Falls, Idaho 83401

Southern Region Office
1041 Blue Lake Blvd. North
Twin Falls, Idaho 83301

Western Region Office
92 S. Cole Road
Boise, Idaho 83705

MICROFILMED

December 27, 1974

Re: Permit No. 96-7345

**Pend Oreille Pines Association
Route 1 - Box 248
Athol, Idaho 83801**

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. **96-7345** . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosures

MICROFILMED

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -


Item Initial Date

Application No. 96-7345

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

- (1) EP 11/14/74 In form to receipt
- (2) EP 11/14/74 Send Copies to:
☒ Idaho State Health Department
☒ Idaho Fish and Game Department
☐ Bureau of Land Management
- (3) _____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant
- (4) EP 11/14/74 In form for advertising
- (5) _____ Platted on Map No. _____
- (6) _____ Located within Water District No. _____
- (7) _____ Critical groundwater area: yes _____ no _____
- (8) _____ Groundwater levels:
_____ Declining, _____ Stable, _____ Increasing
(comment) _____
- (9) _____ Other rights on the same place of use
- (10) _____ Comments: _____
- (11) CP 12/2 Affidavit of Publication received(date) DEC. 2, 1974
- (12) CP 11/15 Final date for protests DECEMBER 9, 1974
Protests received: yes _____ no ☒
- (13) EP 12/9/74 All requested information received from agencies or
applicant: yes ☒ no _____
- (14) EP 12/9/74 Action recommended:
☒ Approve _____ Deny _____
11/14/74 Proposed Priority
_____ Reason for Reduction _____
☒ Measuring device required
_____ See attached sheet for other conditions of
approval
☒ No special conditions for approval
- (15) District Nathan By Paul Cantabke Date 12/9/74

MICROFILMED



PANHANDLE HEALTH DISTRICT I

2195 Ironwood Court
Coeur d'Alene, Idaho 83814
November 20, 1974

Environmental Health
Vital Statistics
Home Health
Health Education
Family Planning
Well Child Conference
VD Clinics
Early and Periodic Screening
Immunizations

RECEIVED

NOV 22 1974

Department of Water Resources
Northern District Office

Fred Eisenbarth
Department of Water Administration
401 Front Avenue, Room 209
Coeur d'Alene, Idaho 83814

Re: Application No. 96-7345

Dear Mr. Eisenbarth:

The Panhandle Health District has no objection to the above application for Pend Oreille Pines Association, source of water supply the lake, located Gov't Lot 2, Section 36, Township 54 N, Range 2 W, B.M. in Kootenai County.

The actual point of diversion should be approved by the Health District prior to installing the pump and a motor with a pipeline leading to a 30,000 gallon storage tank, to insure compliance with all State Codes.

Sincerely,

PANHANDLE HEALTH DISTRICT I

Anthony P. Davis
an
Anthony P. Davis
Environmental Quality Specialist

APD:ah

MICROFILMED

November 18, 1974

Re: Application for Permit No. 96-7345 - Pend Oreille Pines Association

Mr. Anthony Davis
Panhandle Health District
P.O. Box 608
Coeur d'Alene, ID 83814

Dear Tony:

We are enclosing a copy of an application that may be of interest to your agency. Please review the application and if you have any comments, please submit them to our office as soon as possible. We normally complete the processing of an application within a four-week period and we are required to take final action shortly thereafter.

Feel free to contact us if we may be of any further assistance.

Very truly yours,

FRED EISENBARTH
Northern District Manager

FE:CP

Enclosure

MICROFILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN DISTRICT

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Room 209
401 Front Avenue
Coeur d'Alene, Idaho 83814
(208) 667-6484

November 15, 1974

Re: Application No. 95-7501 - Dwayne M. Coleman
" " 95-7502 - Chris M. Coelho
" " 96-7345 - Pend Oreille Pines Association

Coeur d'Alene Press
Second & Lakeside
Coeur d'Alene, ID 83814

Gentlemen:

Enclosed is a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to our office along with the publication bill. Your cooperation in this matter is appreciated.

Very truly yours,

FRED EISENBARTH
Northern District Manager

FE:cp

Enc: Legal Notice(s)

Bill Submitted 12-2-74 by CP

MICROFILMED

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Pend Oreille Pines Association,
Route 1, Box 248, Athol, Idaho
has on Nov. 11, 1974 submitted Application No. 96-7345
for a permit to appropriate 2.0 cubic feet per second ~~acres feet per annum~~
of water from Pend Oreille Lake
by means of pump, motor, pipeline, and storage tank
within ~~the~~ Gov't. Lot 2, Sec. 36, T.54N, R.2W, B.M., Kootenai County (Lot A,
Pend Oreille Pines Addition)

to be used from Jan. 1 to Dec. 31
for domestic purposes for 225 families

within the SE $\frac{1}{4}$ NW $\frac{1}{4}$, SW $\frac{1}{4}$ NE $\frac{1}{4}$, Gov't. Lots 2 and 3, Sec. 36, T. 54N, R. 2W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 401 Front Ave., Coeur d'Alene, Idaho, 83814 on or before Dec. 9, 1974.

R. KEITH HIGGINSON

Director

Published in the Coeur d'Alene Press, Coeur d'Alene, Idaho
on Nov. 21 and Nov. 28, 1974

MICROFILMED

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that
Pend Oreille Pines
Association, Route 1, Box 248,
Athol, Idaho has on Nov. 11,
1974 submitted Application No.
96-73451 for a permit to
appropriate 2.0 cubic feet per
second of water from Pend
Oreille Lake by means of
pump, motor, pipeline, and
storage tank within Gov't. Lot
2, Sec. 36, T. 54N, R. 2W, B.M.,
Kootenai County (Lot A, Pend
Oreille Pines Addition) to be
used from Jan. 1 to Dec. 31 for
domestic purposes for 225
families within the SE 1/4 NW 1/4,
SW 1/4 NE 1/4, Gov't. Lots 2 and 3,
Sec. 36, T. 54N, R. 2W, B.M.

If issued, this permit will be
subject to all prior water
rights. Protests against the
granting of the permit must be
filed with the Idaho Depart-
ment of Water Resources, 401
Front Ave., Coeur d'Alene,
Idaho, 83814 on or before Dec.
9, 1974.

R. KEITH HIGGINSON
Director

Legal No. 515
Nov. 21, 28, 1974

O.K.
11-25-74
CP