


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile


BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Werner E. Pauley
Jare A. Pauley
(Applicant)

96 JUL 7 2002



Range No 2 West of the Boise Merid.



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 96-7267 Priority March 18, 1974 Amount 0.55 cfs

THIS IS TO CERTIFY, that Werner E. &/or June A. Paulet
of Sandpoint, Idaho, has complied with the terms and conditions of Permit
No. 96-7267 issued pursuant to Application for Permit dated March 18, 1974,
and has submitted proof to the Department of Water Resources on March 12, 1979,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.55 cfs of water from Sand Creek,
tributary to Pend Oreille River, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>April 15</u> to <u>October 1</u>	at <u>0.55</u> cfs and	<u>199.6</u> acre feet
	from _____ to _____	_____ cfs and	_____
	from _____ to _____	_____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 0.55 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
199.6 acre feet per year, said waters to be diverted within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, Section 3, Twp.
57N, Rge. 2W in the County of Bonner

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
57N	2W	3			24					26									50
		3			20														20

Total number of acres irrigated 70

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 29th day of
April, 19 82.

Acting for the Director

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 96-7267

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

MICROFILMED

Identification No. 96-7267

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

APPROVED

1. Name of applicant Werner E. &/or June A. Paulet
post office address Route 1, Box 136, Sandpoint, Idaho 83864
2. Source of water supply Sand Creek which is a tributary of Pend Oreille River
3. a. Location of point of diversion is SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 3 Township 57N
Range 2W B.M. Bonner County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 1.0 for Irrigation purpose from April 15 to Oct. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 1.0 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Pump, buried plastic mainline,
portable sprinklers.

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 5,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
57N	2W	3		40	40					40									120

Total number of acres to be irrigated 120

c. Describe any other water rights used for the same purposes as described above. None


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Werner E. Paullett
X *Jane A. Paullett*
(Applicant)

56 7207

Received by CP Date 3-18-74 Time 1:00 pm
 Preliminary check by FE Fee \$ 25.00
 Receipted by FE Date 3-18-74 (#12399)
 Publication prepared by CP Date 3-22-74
 Published in Sandpoint News-Bulletin
 Publication dates 3-28 & 4-4-74
 Publication approved CP Date 4-15-74
 Priority reduced to _____ Reason _____

 Protests filed by: _____

 Copies of protests forwarded by _____
 Hearing held by _____ Date _____
 Recommended for approval denial by dr 3DF

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-7267, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 79.
- c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 24 day of April 19 74.


 Director

Identification No. 96-7267

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant WERNER E. JUNE A. PAULET
post office address Rt 1 BON 136 SANDPOINT IDAHO 83864
2. Source of water supply SAND CREEK which is a tributary of PEND D'OREILLE RIVER
3. a. Location of point of diversion is S&1 $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 3 Township 57
Range 2W B.M. _____ County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into NONE at a point in SW $\frac{1}{4}$
of NE $\frac{1}{4}$ of Section 3 Township 57 Range 2W B.M. _____
4. Water will be used for the following purposes:
Amount 1 for IRRIGATION purpose from APRIL 15 to OCT 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 1 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. PUMP BUILT BY PHOSPHOR
RAW LINE PORTABLE SPARKERS

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 5000.00
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
57	24	3		40	40				40										120

Total number of acres to be irrigated 120

c. Describe any other water rights used for the same purposes as described above.


9. a. Who owns the property at the point of diversion APPLICANT

b. Who owns the land to be irrigated or place of use APPLICANT

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Werner E. Paullet
(Applicant)
Jose A. Paullet

96 7267

Received by CP Date 3-18-74 Time 1:00 p.m.
Preliminary check by FE Fee \$ 25.00
Receipted by FE Date 3-18-74 # 12399
Publication prepared by CP Date 3-22-74
Published in Sandpoint News-Bulletin
Publication dates 3-28 & 4-4-74
Publication approved _____ Date _____
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:
- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
 - b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.
 - c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this _____ day of _____ 19____.

Director

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS -

Item	Initial	Date	
(1)	<u>EP</u>	<u>3/19/74</u>	Application No. <u>96-7267</u>
(2)			☒ Source ☒ Point of Diversion ☒ County ☒ Quantity of Water and Period of Use ☒ Description of Diverting Works ☒ Time required for B/U of water ☒ Place of Use or Acres Irrigated ☒ Map ☒ Signature ☒ Fee
(3)	<u>EP</u>	<u>3/19/74</u>	In form to receipt Send Copies to: ☐ Idaho State Health Department ☐ Idaho Fish and Game Department ☐ Bureau of Land Management
(4)			☐ Request Special Use Permit from U.S.F.S. ☐ Request Easement from B.L.M. ☐ Request Information from Applicant
(5)	<u>EP</u>	<u>3/19/74</u>	In form for advertising
(6)			Located within Water District No. _____
(7)			Critical groundwater area: yes _____ no _____
(8)			Groundwater levels: ____ Decline (comment) _____ ____ Stable (comment) _____ ____ Increasing (comment) _____
(9)			Comments: _____ _____
(10)	<u>ce</u>	<u>4/15</u>	Affidavit of Publication received (date) <u>April 11, 1974</u>
(11)	<u>ce</u>	<u>3/22</u>	Final date for protests <u>April 15, 1974</u> Protests received: yes _____ no <u>✓</u>
(12)			Date and Place of hearing _____ Decision reached at hearing _____ _____
(13)	<u>EP</u>	<u>4/15/74</u>	All requested information received from agencies or applicant yes <u>✓</u> no _____
(14)	<u>EP</u>	<u>4/15/74</u>	Action recommended: ☒ Approve Priority <u>3/18/74</u> ☐ Deny Reason for Reduction _____ ☒ Measuring device required ☐ See attached sheet for additional conditions of approval ☐ No additional conditions for approval
(15)	District <u>Northern</u>	By <u>Paul Campbell</u>	Date <u>APR 18 1974</u>

96 7267

Department of Water Administration

Affidavit of Publication

STATE OF IDAHO, }
County of Bonner, } ss.

L. E. Pietsch being first duly sworn on
oath deposes and says that he is Publisher
of The Sandpoint News-Bulletin, a weekly
newspaper printed and published at Sandpoint,
Bonner County, Idaho; that the said Sandpoint
News-Bulletin has been continuously and unin-
terruptedly published in said Bonner County
during a period of 18 months or 78 weeks
prior to the first publication of the hereto
attached notice for publication in the case of
Notice of Application For Water Permit,
submitted by Werner E. and June A.

Paulet, Route 1, Box 136, Sandpoint,
Idaho, No. 96-7267.

as it was published in the regular and entire issue
of the said paper for a period of two
consecutive weeks, commencing on the 28th
day of March, 1974, and end-
ing on the 4th day of April,
1974, and that said notice was published in said
newspaper, and not in supplemental form.

L. E. Pietsch

Subscribed and sworn to before me this

10th day of April, 1974.

Charles G. Smith

Notary Public for Idaho,
Residing at Sandpoint, Idaho.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that
Werner E. and June A. Paulet,
Route 1, Box 136, Sandpoint,
Idaho have on March 18, 1974
submitted Application No. 96-
7267 for a permit to appropriate
1.0 cubic feet per second of
water from Sand Creek by
means of pump, pipeline, and
sprinklers within the
SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 3, T. 57N, R.
2W, B.M., Bonner County to be
used from April 15 to Oct. 1 for
the irrigation of 120 acres within
the W $\frac{1}{2}$ NE $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec.
3, T. 57N, R. 2W, B.M.

If issued, this permit will be
subject to all prior water rights.
Protests against the granting of
the permit must be filed with
the Idaho Department of Water
Administration, 401 Front Ave.,
Coeur d'Alene, Idaho, 83814 on
or before April 15, 1974.

R. KEITH HIGGINSON
Director

Published in the Sandpoint
News-Bulletin, Sandpoint,
Idaho on March 28 and April 4,
1974. M28-A4

96 7267



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

May 20, 1982

RE: Permit No. 96-7267

Werner E. &/or June A. Paulet
Route #3, Box 236
Sandpoint, ID 83864

Dear Mr. and Mrs. Paulet:

Enclosed is a copy of the Water Right License issued on the above referenced Permit.

Please be advised that one of the conditions of your permit was that a measuring device be installed as part of your diversion works. That requirement has been waived with issuance of the enclosed license. However, in the event that water supply shortages become a problem installation of measuring devices may be required.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

Enclosure

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

March 22, 1982

RE: Permit No. 96-7007

Werner E. &/or June A. Paulet
Route #3, Box 236
Sandpoint, ID 83864

Dear Mr. and Mrs. Paulet:

A representative of this Department has made an examination of the works covered by your Permit No. 96-7267, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 0.55 cfs Source: Sand Creek

The maximum quantity diverted shall not exceed 199.6 acre feet per year.

Point(s) of diversion: SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 3, Twp. 57N, Rge. 2W, Bonner County

Beneficial use: Irrigation of 70 acres within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 3,
Gov. Lot 3 (SW $\frac{1}{4}$ NE $\frac{1}{4}$), Sec. 3, Twp. 57N, Rge. 2W

Priority date established: March 18, 1974

Conditions (if any):

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON

Water Distribution Supervisor

MICROFILMED

RESUME RECEIVED

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

SEP 2 1980

Department of Water Resources Department of Water Resources

96-7267

Permit No. _____

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☒ Appointment letter mailed:	6-80	JK	UTL
	8-20-80	JK	8-22-80 - 263-2530 - 8:00AM
☐ Telephone call made:			Sand Creek Angus Farms
(List Telephone No. used)			
☐ Appointment scheduled for:			
(Date, time, location)			

EXAMINATION

Date 8-22-80 Accompanied by Applicant ☒ Total Q measured 0.55 cfs
If source is surface water, estimate total flow of source _____
Methods of measurement Pressure ☒ Meets Permit requirements? ☒ yes

Measurement calculations: $35RB40 \times 1/16 \times 3/32 @ 40 \text{ PSI}$
 $(26)(40)(35)(7.03) = 246,050 \text{ ft}^3 = (0.55 \text{ cfs})(1.98)(183) = 199.29 \text{ AF}$
 $\frac{246,050}{448.8} = 548.2$
 $\frac{8.3(15)(7.03)}{[(2.33)(40)] + 2.7} = \frac{82.4}{113.2} = 0.727$
 $9. \frac{8.8(75)(80\%)}{10 \frac{8.8(40)(7.33)}{10}} = 93.2 \text{ cfs}$
 $70 \text{ acres}(3) = 210 \text{ AF}$
 $.55 \times 1.9835 \times 183 = 199.64 \checkmark \text{ OK}$

[illegible]

System Description Pump w/ 2" galv. pipe to 2" hose to 4" ~~the~~ buried main to 3" $\frac{1}{2}$ " laterals & 35 sprinkler heads.

**Code with map on reverse side. Disregard code if only one.*

RECOMMENDED AMOUNTS

USE	Q (cfs)	V (afa)	FROM	TO
1. Irrigation	0.55 ✓	199.64 ✓	4-15	10-1
Total	0.55 ✓	199.64 ✓		

Remarks 2" pipe from motor to 2" Fire" Hose to 4" buried Main -
Access Port located on 2" line - note I have no eqpt. to measure
a 2" line. Recommend Access Port Requirement Be stricken

No overlap found. $\frac{3}{82}$

MAP (Attach Aerial Photo)

GL4 GL3 GL2 GL1

GL5 GL6 GL7 GL8

20

26

3

P/O LONG SECTION

SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

1/0 Map or
diagram submitted
with this exam
RCI

181
MAP ATTACHED
Jui 2/2/82

Point(s) of diversion: SW NE, 3, 57 N, 2 W

Place(s) of Use

[illegible]

Total 70 Ac

Recommended Amendments:

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Examiner's Signature, *TKM*


Checked by Bob Harris

Approved by _____

Date 8-25-80

Date 8/26/80

Date 3/16/82



UNCLASSIFIED

Range No. 2 of the ...





State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

March 19, 1979

Werner E. &/or June A. Paulet
Route 1, Box 136
Sandpoint, ID 83864

*Rt 3, Box 236
Sandpoint, ID 83864*

Dear Mr. and Mrs. Paulet:

Re: Permit No. 96-7267

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our regional office in Coeur d'Alene.

Sincerely,

RITA FLECK
Water Rights

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

PROOF OF APPLICATION
OF WATER TO BENEFICIAL USE

APR 28 1979

Department of Water Resources

1. a) Name of permit holder Werner E or June A Paollet
b) Post office address Box 236 Sandpoint Idaho
2. Permit number 96-7267
3. Date of priority that you are prepared to establish April 24, 1974
4. a) Source from which water was appropriated Sand Creek, Tributary of Pend Oreille River
b) Location of the point of diversion: SW. 1/4 NE. 1/4, Section 3
Township 57 N, Range 2 W Boise Meridian. Other points of diversion: _____
5. a) The amount of water and use to which the water has been applied:
Amount 1.0 for irrigation purposes from April 15 to Oct 1 incl.
(cfs &/or acre-feet per annum) (month-day) (month-day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs &/or acre-feet per annum) (month-day) (month-day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs &/or acre-feet per annum) (month-day) (month-day)
b) Total amount appropriated _____ cfs and/or acre-feet per annum.
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: _____
6. If the means of diversion and conveyance are owned by someone other than the permit holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use:
Pump, buried plastic mainline, portable sprinklers
b) Describe the agreement of understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch):
15 hp. electric pump about 10 feet from bank of Sand Creek
4 in rubber hose in creek to pump, 2 in plastic hose from pump
to 4 in plastic main line
b) Describe the provision for making a measurement which you have at your point of diversion: (i.e., installed measuring device, access port, other)
Installation of access port to Department specification so they can
install their measuring device.

c) Give well driller's name and address and the date the well was completed: _____

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use:

9. Irrigation uses: describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision:

*using water for irrigating pasture land and
for the irrigating hay grounds*

T	R	SEC.	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
57N	2W	3		40	40					40									120

Total number of acres irrigated 120

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

March 9, 1979
(Date)

Werner E. Paulet
(Signature)
Jane A. Paulet

State of IDAHO)


County of BONNER) ss.

On this 9th day of March, 19 79, personally appeared before me the
signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.


Russell M. Yerkes
Notary Public Russell M. Yerkes
Residing at Sandpoint, Idaho

My commission expires 9-20-81

WERNER E. PAULET
RT. 3 BOX 236
SANDPOINT, IDA.
83864



Department of Water Resources
State house
Boise, Idaho
83720





State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

100698

CERTIFIED MAIL

January 30, 1979

Re: Permit No. 96-7267

Werner E. &/or June A. Paulet
Route 1, Box 136
Sandpoint, ID 83864

Dear Mr. and Mrs. Paulet:

One of the conditions of approval of your water Permit No. 96-7267 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before April 1, 1979. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise, the permit will lapse and be of no further force or effect.


RITA FLECK
Water Rights

Encl: Proof affidavit

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Satchel
Boise, Idaho 83720

PRESONIFIED
FIRST-CLASS



REASON CHECKED

Unclaimed _____
Addressee unknown _____
Insufficient Address _____
No such street _____ number _____
No such office in state _____
Do not remail in this envelope _____

RECEIVED

NOV 24 1978

Department of Water Resources

WERNER E. &/or JUNE A. PAULET
ROUTE 1, BOX 136
SANDPOINT ID 83864

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

Nov. 17, 1978

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition should be less restrictive and provide more flexibility to you in the development of your water right system. The specifications related to the size and location of the access port will be available upon request from the Department, as soon as the Department's measuring equipment is obtained.

If you have questions regarding this matter, please contact this office or our regional offices.

Sincerely,

L. Glen Saxton

L. GLEN SAXTON
Chief, Operations Bureau

LGS:JG:kw

Enclosure

MICROFILMED

April 24, 1974

Re: Permit No. 96-7267

Werner &/or June A. Paulet
Route 1, Box 136
Sandpoint, Idaho 83864

Dear Mr. & Mrs. Paulet:

Enclosed is a copy of your approved Application for Permit No. 96-7267 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF/bjg

Enclosures

96 7267

March 22, 1974

Re: Application No. 96-7267 - Werner E. & June A. Paulet
Claim No. 96-4114 - Mrs. Mildred Stansbury
" " 96-4115 - William N. Sherwood
" " 96-4116 - " " "

Sandpoint News-Bulletin
P.O. Box 218
Sandpoint, ID 83864

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

~~"I hereby certify that the foregoing account is just
and correct, that the amount claimed is legally due,
after allowing all just credits, and that no part of
the same has been paid."~~

(signature of claimant)

Very truly yours,

FRED EISENBARTH
Northern District Manager

Bill submitted 4-15-74 by CP

FE:CP

Enc: Legal Notices (4)

96 7267

ADVERTISING INSERTION ORDER

SANDPOINT NEWS-BULLETIN

COMPLETE COVERAGE OF THE SANDPOINT TRADE AREA

P.O. Box 218, Sandpoint, Idaho 83864

To Whom Billed:

Name Department of Water Administration

NO 11039

Address _____

3-28-74

DATE

Name of Advertiser _____

Ad No. _____ Ad Size: _____ x _____

Caption Notice of Application for
Water Permit

Insertion Dates: Mar. 28, Apr. 4

Copy:

Type of Advertising

- ☐ National Display
- ☐ Local Display
- ☐ Classified Display
- ☐ Classified
- ☐ Reader
- ☐ Card of Thanks
- ☒ Legal

☐ _____

Werner E. and June A. Paulet

No. 96-7267

Total Space	<u>33 lines</u>	x	<u>36¢</u>	=	\$ <u>11.52</u>
	(Cal. inches/Words)		(rate)		(Billing)

96 7267

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Werner E. and June A. Paulet,

Route 1, Box 136, Sandpoint, Idaho

~~have~~ on March 18, 1974 submitted Application No. 96-7267

for a permit to appropriate 1.0 cubic feet per second ~~acres feet per annum~~
of water from Sand Creek

by means of pump, pipeline, and sprinklers

within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 3, T. 57N, R. 2W, B.M., Bonner County

to be used from April 15 to Oct. 1

for the irrigation of 120 acres

within the W $\frac{1}{2}$ NE $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 3, T. 57N, R. 2W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 401 Front Ave., Coeur d'Alene, Idaho, 83814 on or before April 15, 1974.

R. KEITH HIGGINSON

Director

Published in the Sandpoint News-Bulletin, Sandpoint, Idaho

on March 28 and April 4, 1974

March 22, 1974

Re: Application for Permit No. 96-7267

Mr. Werner E. Paulet
Route 1, Box 136
Sandpoint, ID 83864

Dear Mr. Paulet:

We have begun processing your application for permit; however, we have taken the liberty of typing the form for clarification purposes and are returning it for your review and signature.

Please check all items on the application and if they are in order, please sign at the bottom of Page 3 and return it to our office.

Your assistance in this matter is appreciated, and if you should have any questions, feel free to contact our office.

Very truly yours,

FRED EISENBARTH
Northern District Manager

FE:CP

Enclosures

96 7267