

Diagram of System

N
56
L

Rge - 2W

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 96-7129 Priority Feb. 28, 1973 Amount 0.40 cfs

THIS IS TO CERTIFY, that RAY RAINERI
of Sandpoint, Idaho, has complied with the terms and conditions of Permit
No. 96-7129 issued pursuant to Application for Permit dated February 28, 1973,
and has submitted proof to the Department of Water Resources on November 19, 1973,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.40 cfs of water from a ground water source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>May 1</u> to <u>Oct. 31</u>	at <u>0.40</u> cfs and	<u>120 acre feet or</u>
	from _____ to _____	at _____ cfs and	<u>3.0 af per acre</u>
	from _____ to _____	at _____ cfs and	

(both dates inclusive)

Subject, however, to the condition that no more than 0.40 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
120 acre feet per year, said waters to be diverted within the SW $\frac{1}{4}$ NW $\frac{1}{4}$ of Sec. 22,
Twp. 56 N, Rge. 2 W, B. M. in the County of Bonner

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
56 N	2 W	22					30	10											40

Total number of acres irrigated 40

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 7 day of
January, 19 75.

MICROFILMED

Director

Identification No. 96-7129

Application No. _____

LICENSE ISSUED FOR .40 SEC. FT.
 LICENSE PAGE NO. _____

STATE OF IDAHO
 DEPARTMENT OF WATER ADMINISTRATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
 (TYPE OR PRINT IN INK)

1. Name of applicant Ray Raineri
 post office address P.O. Box 873 Sandpoint, Idaho 83864
2. Source of water supply Ground Water which is a tributary of _____
3. a. Location of point of diversion is S.W. $\frac{1}{4}$ of N.W. $\frac{1}{4}$ of Section 22 Township 56 N
 Range 2 W B.M. Bonner County; additional points of diversion if any: None
- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
 of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
 Amount 0.45 for Irrigation purpose from May 1 to Oct 31 (both dates inclusive)
(cfs or acre-feet per annum)
 Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
 Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
 a. 0.45 ~~4.46~~ cubic feet per second and/or
 b. _____ acre feet per annum.
6. Proposed diverting works:
 a. Description of ditches, flumes, pumps, headgates, etc. 7 1/2 HP pump & irrigation pipe
- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
 Period of year during which storage will occur _____ (Mo. Day) to _____ (Mo. Day) inclusive.
- c. Proposed well diameter is 8" inches; proposed depth of well is 100 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years.
 b. Estimated construction cost is \$ 4,500⁰⁰.
8. Description of proposed uses:
 a. If water is **not** for irrigation:
 (1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
 Range _____ B.M. _____
 (2) Amount of power to be generated: _____ hp under _____ feet of head.
 (3) List number of each kind of livestock to be watered _____

 (4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____
 (5) If water is to be used for other purposes describe: _____

96 7129

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

Total number of acres to be irrigated 40

9. a. Who owns the property at the point of diversion Ray Raineri
b. Who owns the land to be irrigated or place of use Ray Raineri
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

[illegible]

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

56 N Range 2 W B.M.

N	W	E	S	T	R	B	M	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	AA	AB	AC	AD	AE	AF	AG	AH	AI	AJ	AK	AL	AM	AN	AO	AP	AQ	AR	AS	AT	AU	AV	AW	AX	AY	AZ	BA	BB	BC	BD	BE	BF	BG	BH	BI	BJ	BK	BL	BM	BN	BO	BP	BQ	BR	BS	BT	BU	BV	BW	BX	BY	BZ	CA	CB	CC	CD	CE	CF	CG	CH	CI	CJ	CK	CL	CM	CN	CO	CP	CQ	CR	CS	CT	CU	CV	CW	CX	CY	CZ	DA	DB	DC	DD	DE	DF	DG	DH	DI	DJ	DK	DL	DM	DN	DO	DP	DQ	DR	DS	DT	DU	DV	DW	DX	DY	DZ	EA	EB	EC	ED	EE	EF	EG	EH	EI	EJ	EK	EL	EM	EN	EO	EP	EQ	ER	ES	ET	EU	EV	EW	EX	EY	EZ	FA	FB	FC	FD	FE	FF	FG	FH	FI	FJ	FK	FL	FM	FN	FO	FP	FQ	FR	FS	FT	FU	FV	FW	FX	FY	FZ	GA	GB	GC	GD	GE	GF	GG	GH	GI	GJ	GK	GL	GM	GN	GO	GP	GQ	GR	GS	GT	GU	GV	GW	GX	GY	GZ	HA	HB	HC	HD	HE	HF	HG	HH	HI	HJ	HK	HL	HM	HN	HO	HP	HQ	HR	HS	HT	HU	HV	HW	HX	HY	HZ	IA	IB	IC	ID	IE	IF	IG	IH	II	IJ	IK	IL	IM	IN	IO	IP	IQ	IR	IS	IT	IU	IV	IW	IX	IY	IZ	JA	JB	JC	JD	JE	JF	JG	JH	JI	JJ	JK	JL	JM	JN	JO	JP	JQ	JR	JS	JT	JU	JV	JW	JX	JY	JZ	KA	KB	KC	KD	KE	KF	KG	KH	KI	KJ	KK	KL	KM	KN	KO	KP	KQ	KR	KS	KT	KU	KV	KW	KX	KY	KZ	LA	LB	LC	LD	LE	LF	LG	LH	LI	LJ	LK	LL	LM	LN	LO	LP	LQ	LR	LS	LT	LU	LV	LW	LX	LY	LZ	MA	MB	MC	MD	ME	MF	MG	MH	MI	MJ	MK	ML	MM	MN	MO	MP	MQ	MR	MS	MT	MU	MV	MW	MX	MY	MZ	NA	NB	NC	ND	NE	NF	NG	NH	NI	NJ	NK	NL	NM	NN	NO	NP	NQ	NR	NS	NT	NU	NV	NW	NX	NY	NZ	OA	OB	OC	OD	OE	OF	OG	OH	OI	OJ	OK	OL	OM	ON	OO	OP	OQ	OR	OS	OT	OU	OV	OW	OX	OY	OZ	PA	PB	PC	PD	PE	PF	PG	PH	PI	PJ	PK	PL	PM	PN	PO	PP	PQ	PR	PS	PT	PU	PV	PW	PX	PY	PZ	QA	QB	QC	QD	QE	QF	QG	QH	QI	QJ	QK	QL	QM	QN	QO	QP	QQ	QR	QS	QT	QU	QV	QW	QX	QY	QZ	RA	RB	RC	RD	RE	RF	RG	RH	RI	RJ	RK	RL	RM	RN	RO	RP	RQ	RR	RS	RT	RU	RV	RW	RX	RY	RZ	SA	SB	SC	SD	SE	SF	SG	SH	SI	SJ	SK	SL	SM	SN	SO	SP	SQ	SR	SS	ST	SU	SV	SW	SX	SY	SZ	TA	TB	TC	TD	TE	TF	TG	TH	TI	TJ	TK	TL	TM	TN	TO	TP	TQ	TR	TS	TT	TU	TV	TW	TX	TY	TZ	UA	UB	UC	UD	UE	UF	UG	UH	UI	UJ	UK	UL	UM	UN	UO	UP	UQ	UR	US	UT	UU	UV	UW	UX	UY	UZ	VA	VB	VC	VD	VE	VF	VG	VH	VI	VJ	VK	VL	VM	VN	VO	VP	VQ	VR	VS	VT	VU	VV	VW	VX	VY	VZ	WA	WB	WC	WD	WE	WF	WG	WH	WI	WJ	WK	WL	WM	WN	WO	WP	WQ	WR	WS	WT	WU	WV	WW	WX	WY	WZ	XA	XB	XC	XD	XE	XF	XG	XH	XI	XJ	XK	XL	XM	XN	XO	XP	XQ	XR	XS	XT	XU	XV	XW	XX	XY	XZ	YA	YB	YC	YD	YE	YF	YG	YH	YI	YJ	YK	YL	YM	YN	YO	YP	YQ	YR	YS	YT	YU	YV	YW	YX	YY	YZ	ZA	ZB	ZC	ZD	ZE	ZF	ZG	ZH	ZI	ZJ	ZK	ZL	ZM	ZN	ZO	ZP	ZQ	ZR	ZS	ZT	ZU	ZV	ZW	ZX	ZY	ZZ

Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ray Riner
(Applicant)

Received by CL Date 2-28-73 Time 1:25 P
 Preliminary check by JB Fee \$ 25.00
 Receipted by JB Date 2/28/73 # 8560
 Publication prepared by cr Date 3-2-73
 Published in Sandpoint News-Bulletin
 Publication dates 3-8 & 3-15-73
 Publication approved CL Date 3-19-73
 Priority reduced to 2-28-73 Reason _____

 Protests filed by: _____

 Copies of protests forwarded by _____
 Hearing held by _____ Date _____
 Recommended for (approval) denial by DF

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-7129, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 74.
- c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 9th day of April 19 73.

R. Karl Higgins
 Director

BEFORE THE DEPARTMENT OF WATER ADMINISTRATION

OF THE

STATE OF IDAHO

IN THE MATTER OF REMOVAL OF THE MEASURING)
DEVICE REQUIREMENT FOR PERMIT NO. 96-7129)
IN THE NAME OF RAY RAINERI)

ORDER

WHEREAS, on February 28, 1973, Ray Raineri applied to the Department of Water Administration for a permit to appropriate 0.45 cubic feet per second of water from a ground water source to be diverted within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 22, Twp. 56N, Rge. 2W, B.M., Bonner County, to be used for irrigation purposes; and,


WHEREAS, on April 9, 1973, the Department approved said application and issued Permit No. 96-7129 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before May 1, 1974; and that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on December 3, 1973, the Department received the required proof of beneficial use along with a request that the measuring device requirement be removed from said permit; and,

WHEREAS, it has been determined by the Department that a measuring device is not required at this time for a determination of the quantity of water appropriated under said permit;

IT IS, THEREFORE, HEREBY ORDERED that the condition of approval that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works, be and is, REMOVED from Permit No. 96-7129.

Dated this 11 day of December, 1973.


R. KEITH HIGGINSON
Director

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS -

Item	Initial	Date	
(1)	<u>JB</u>	<u>2/28/73</u>	Application No. <u>96-7129</u> Name <u>Ray Raineri</u>
(2)	<u>JB</u>	<u>2/28/73</u>	Check: ☒ Signature ☒ Point of Diversion ☒ Quantity of Water and Period of Use ☒ Description of Diverting Works ☒ Time required for C/W and application of water to B/U ☒ Place of Use ☒ Map ☒ Fee
(3)			Send copies to: ☐ Idaho State Health Department ☐ Idaho Fish and Game Department ☐ Bureau of Land Management
(4)			☐ Request Special Use Permit from U.S.F.S. ☐ Request Easement from B.L.M.
(5)	<u>JB</u>	<u>2/28/73</u>	In form for advertising <u>OK</u>
(6)	<u>CL</u>	<u>3-19-73</u>	Affidavit of Publication received <u>MARCH 16, 1973</u>
(7)	<u>CL</u>	<u>3-2-73</u>	Final date for protests <u>MARCH 26, 1973</u> Protests received: yes _____ no <u>✓</u>
(8)			Date and Place of hearing _____ Decision reached at hearing _____
(9)			Located within Water District No. _____
(10)			Critical groundwater area: yes _____ no _____
(11)	<u>JB</u>	<u>3/29/73</u>	Groundwater levels: ☐ Decline (comment) _____ ☒ Stable (comment) _____ ☐ Increasing (comment) _____
(12)			Comments: _____
(13)	<u>JB</u>	<u>3/29/73</u>	Action recommended: ☒ Approve Priority <u>2/28/73</u> ☐ Deny Reason for Reduction _____ <u>JB</u> <u>3/29/73</u> See attached sheet for conditions of approval _____ No conditions for approval
(14)	<u>JB</u>	<u>3/29/73</u>	District <u>Northern</u> By <u>Paul E. [Signature]</u> Date <u>3/29/73</u> Title <u>Tech. II</u>

RECOMMENDEDCONDITIONS OF APPROVAL

☒ A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

☐ Measuring devices of a type approved by this Department shall be permanently installed and maintained at the point of diversion and the point of effluent discharge.

☐ Use of water under this permit is supplemental to all existing water rights with the same purpose and place of use.

☐ Maximum rate of diversion shall not exceed _____ c.f.s.

☐ Settling ponds shall be installed which are capable of reducing the silt load in the return water to such a level that the quality of the waters of _____ Creek will not be impaired for other beneficial uses.

☐ Return water shall be treated to insure that the effluent meets (interstate) (intrastate) stream water quality standards.

☐ Use of water under this permit is subject to control by the watermaster of State Water District No. _____, _____ River.

☐ The proposed well shall not be drilled within _____ feet of another well.

☐ The issuance of this permit in no way grants any right-of-way or easement across the land of another person.

☐ The permit shall not be assigned or sold without first securing the written approval of the Department of Water Administration.

☐ This permit cannot be assigned, mortgaged, or conveyed without complying with Section 42-208, Idaho Code.

☐ Other: _____

Affidavit of Publication

STATE OF IDAHO, }
County of Bonner, } ss.

L. E. Pietsch being first duly sworn on
oath deposes and says that he is Publisher
of The Sandpoint News-Bulletin, a weekly
newspaper printed and published at Sandpoint,
Bonner County, Idaho; that the said Sandpoint
News-Bulletin has been continuously and unin-
terruptedly published in said Bonner County
during a period of 18 months or 78 weeks
prior to the first publication of the hereto
attached notice for publication in the case of
Notice of Application For Water Permit,
submitted by Ray Raineri, P.O. Box 873,
Sandpoint, Idaho, Application No. 96-
7129.

as it was published in the regular and entire issue
of the said paper for a period of two
consecutive weeks, commencing on the 8th
day of March, 19 73, and end-
ing on the 15th day of March,
19 73, and that said notice was published in said
newspaper, and not in supplemental form.

L. E. Pietsch

Subscribed and sworn to before me this

15th day of March, 19 73.

Alvin Bonnell

Notary Public for Idaho,
Residing at Sandpoint, Idaho.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that
Ray Raineri, P. O. Box 873,
Sandpoint, Idaho has on Feb-
ruary 28, 1973 submitted Ap-
plication No. 96-7129 for a
permit to appropriate 0.446
cubic feet per second of wa-
ter from a ground water
source by means of pump
and pipe within the SW $\frac{1}{4}$ -
NW $\frac{1}{4}$, Sec. 22, T. 56N, R.
2W, B.M., Bonner County to
be used from May 1 to Oct.
31 for the irrigation of 40
acres within the W $\frac{1}{2}$ NW $\frac{1}{4}$,
Sec. 22, T. 56N, R. 2W, B.M.

If issued, this permit will
be subject to all prior water
rights. Protests against the
granting of the permit must
be filed with the Idaho De-
partment of Water Adminis-
tration, 401 Front Ave., Coeur
d'Alene, Idaho, 83814 on or
before March 26, 1973.

R. KEITH HIGGINSON
Director.

Published in the Sandpoint
News-Bulletin, Sandpoint,
Idaho on March 8 and March
15, 1973. M8-15

96 7129



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse
Boise, Idaho 83720
(208) 384-2215

January 8, 1975

Re: Permit No. 96-7129

Mr. Ray Raineri
Box 873
Sandpoint, Idaho 83864

Dear Mr. Raineri:

Enclosed herewith is a copy of the water license issued on the above referenced permit.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosure

MICROFILMED

WATER RESOURCE BOARD:

John F. Streiff
Chairman

Franklin Jones
Member

George L. Yost
Vice-Chairman

M. Reed Hansen
Member

Donald R. Kramer
Secretary

Scott W. Reed
Member

Edwin C. Schlender
Member

Joseph H. Nettleton
Member

December 23, 1974

Mr. Ray Raineri
Box 873
Sandpoint, Idaho 83864

Dear Mr. Raineri:

A representative of this Department has made an examination of the works covered by your Permit No. 96-7129 and has found the following:

Quantity of water diverted: 0.40 cfs

Amount of water that can be recognized as beneficially used under Idaho law: 0.40 cfs

The maximum quantity diverted shall not exceed 120 acre feet per year.

Beneficial use: For irrigation of 40 acres within the W¹/₄ NW¹/₄, Sec. 22, Twp. 56N, Rge. 2W

Point of diversion: SW¹/₄ NW¹/₄, Sec. 22, Twp. 56N, Rge. 2W, B.M.

Priority date established: February 28, 1973

If you do not concur with these findings, please advise us within 10 days; otherwise a license will be issued as set forth in this letter.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jr

MICROFILMED

Rge - 2W

[illegible]

Diagram of System

DATE OF EXAM 9/12/74

ACREAGE

Found 40 acres
Recommended 40 acres

Irrigation Requirement 3.0 Ac Ft/Ac

USE

Irrigation Q = .4 cfs c.f.s. V = 120 AF/Ann. from 5/1 to 10/31
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ☒

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no ☒

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured .4 cfs Method of measurement pressure gauge

Total Q recommended .4 cfs Meter No. _____ Type _____ Condition _____

Total V recommended 120 a.f./year

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None ☒

MEASUREMENT CALCULATION:

40 nozzles 5/32 40 lbs pressure
$$40 \text{ nozzles} \times 4.45 \text{ gpm/nozzle} \div 448.8 \text{ gpm/cfs} = \underline{\underline{.40 \text{ cfs}}}$$

SYSTEM DESCRIPTION:

Solarmobile pump & motor
7 1/2 hp
Model # 2822022

REMARKS:

Unit located south of house

Examiner's Signature [Signature] Date 9/12/74

Checked by [Signature] Date 9/18/74

Approved by _____ Date _____

December 12, 1973

Re: Permit No. 96-7129

Ray Raineri
P. O. Box 873
Sandpoint, Idaho 83864

Dear Mr. Raineri:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit. Enclosed you will find an Order which removes the measuring device requirement from this permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field exam, please contact our Northern District Office at 401 Front Ave., Room 209, Coeur d'Alene, Idaho.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR:JC
Enclosure

MICROFILMED

JB. 11/19/73

Identification No. _____

Permit No. 96-7129

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

RECEIVED

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

NOV 19 1973

Department of Water Administration
Northern District Office

1. a) Name of Permit Holder Ray Raineri
b) Post Office Address P.O. Box 873 Sandpoint, Idaho 83864

2. Permit Number 96-7129

3. Date of Priority that you are prepared to establish 2-28-1973

4. a) Source from which water was appropriated Groundwater

b) Location of the point of diversion: SW 1/4 SW 1/4, Section 22

Township 56N, Range 26W Boise Meridian, Other points of diversion: _____

5. a) The amount of water and use to which the water has been applied:

amount 0.45 cfs for Irrigation purposes from May 1 to Oct 31 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)

amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)

amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)

b) Total amount appropriated 0.45 cfs and/or acre feet per annum

c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Quantity was determined by pressure and nozzle size.

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:

a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____

b) Describe the agreement or understanding by which you take water from the works: _____

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 2 1/2 hp Berkeley Pump +
Motor Model # 632421-2 3600 RPM. 220V - 1 phase
40 sprinklers (5/32" dia. @ 4.45 gpm @ 40 lbs pressure)

b) Describe the type and size of measuring device which you have installed at your point of diversion: _____

Pressure guage throughout the system

c) Give well drillers name and address and date the well was completed Agua Drilling
Oct 1972

Exam type 12/12/73 by jc

MICROFILMED

11 Oct
Sept. 11, 1976

Carla M. Ricketts

On this 19TH day of NOVEMBER, 1983, personally appeared before me the

State of Texas)
County of Kootenai) ss.

11/19/73

Ray Lawrence
(Signature)

40 Total number of acres irrigated

[illegible]

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place

DEC 8 1973
Department of Water Administration

November 30, 1973

State of Idaho
Dept. of Water Administration

Permit # 96-7I29

Attn. : Mr. Fleenor

Dear Sir,

In my original application for permit dated February 28, 1973, I asked for 0.45 CFS for irrigation. After installing a pump in the well, and pressure gauges on the main line, I found that 178 gallons per minute was all the pump could deliver @ 40 lbs P.S. I. with 40 sprinkler heads with 5/32" jet, approximately 25 gallons per minute less than asked for in the permit.

Therefore, I am requesting the waiver of the need for a measuring device on this system. If there are any questions, please contact me.

Sincerely

Ray Raineri
Ray Raineri

RR/gr

MICROFILMED


MILNOR LIMITED

0 50 100 150 200 250
CAPACITY IN U.S. GALLONS PER MINUTE
C-5689 Issue Date 1-18-73 (Supersedes C-5689 Dated 1-4-71) 3600 NOMINAL R.P.M. MODEL 6S2ALL

	Bowl	Impeller
Material	C.I.	BRZ.
Part. No.	M-4039	M-4238
Mach. No.	M-4461	M-4238
Diameter	5-3/4" UNIT O.D.	3-15/16 x 4-17/32" FULL

Based on T- 3197 Test of Stage Pump.

Performance for MULTI Stage Pump.



6" MOTOR

HP	STG	DIM
30	12	FULL
25	11	FULL
20	10	FULL
15	8	3-15/16 x 4-7/16
10	5	FULL
7-1/2	4	3-15/16 x 4-7/16
5	3	3-15/16 x 4-7/16

0 50 100 150 200 250
CAPACITY IN U.S. GALLONS PER MINUTE
C-5607 Issue Date 3-19-73 (Supersedes C-5607 Dated 12-28-73) 3600 NOMINAL R.P.M. MODEL 6S2ALL

November 23, 1973

Re: Permit No. 96-7129

Ray Raineri
P. O. Box 873
Sandpoint, Idaho 83864

Dear Mr. Raineri:

We are in receipt of your affidavit submitted as proof of beneficial use for the above referenced permit. However, in reviewing that affidavit, you do not indicate that you have installed the measuring device as required by the condition of approval of your permit.

We cannot accept your proof unless you have installed the measuring device of a type approved by this Department. Therefore, we are herewith returning your proof affidavit.

We are enclosing a list of the types of measuring devices approved by this office. If you have any questions, please feel free to contact us.

Sincerely,

BOBBY D. FLEENOR
Assistant Director



BDF:JC
Enclosures

96-7129



BERKELEY PUMP COMPANY
SUBMERSIBLE TURBINE PUMPS
6" AND 7" BOWLS
PERFORMANCE CURVES

CURVE	2500
DATE	4-16-73
PAGE	2.01
SUPERSEDES	
Curve 2500	Page 2.01
Dated 9-1-71	



96-7129

C April 9, 1973

Re. Permit No.: 96-7129

O Ray Raineri
P. O. Box 873
Sandpoint, Idaho 83864

Dear Mr. Raineri:

P Enclosed is a copy of your approved Application for Permit No. 96-7129 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Y Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF: cd

Enclosures

96 7129

ADVERTISING INSERTION ORDER

SANDPOINT NEWS-BULLETIN

COMPLETE COVERAGE OF THE SANDPOINT TRADE AREA

P.O. Box 218, Sandpoint, Idaho 83864

To Whom Billed:

Name Department of Water Administration

Address _____

Name of Advertiser _____

Ad No. _____ Ad Size: _____ x _____

Caption Notice of Application for
Water Permit

Insertion Dates: Mar. 8, 15

Copy:

NO. 6153

DATE 3-8-73

Type of Advertising

- ☐ National Display
☐ Local Display
☐ Classified Display
☐ Classified
☐ Reader
☐ Card of Thanks
☒ Legal
☐ _____

Ray Raineri

No. 96-7129

I hereby certify that the foregoing amount is just and correct, that the amount claimed is legally due after allowing all just credits, and that no part of the same has been paid.
SANDPOINT NEWS-BULLETIN

Glynn Pratt

Total Space 33 lines x 36¢ = \$ 11.88
(Col. Inches/Words) (rate) (Billing)

March 2, 1973

Re: Application No. 96-7129 - Ray Raineri

Sandpoint News-Bulletin
P.O. Box 218
Sandpoint, ID 83864

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

96 7129

Very truly yours,

Fred Eisenbarth
Water Resource Supervisor
Northern District

Bill submitted 3-19-73 by d

FE:CR

Enc: Legal Notice

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Ray Raineri,
m P.O. Box 873, Sandpoint, Idaho
has on February 28, 1973 submitted Application No. 96-7129
for a permit to appropriate 0.446 cubic feet per second ~~acres feet per annum~~
of water from a ground water source
by means of pump and pipe
within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 22, T. 56N, R. 2W, B.M., Bonner County

to be used from May 1 to Oct 31
for the irrigation of 40 acres

within the W $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 22, T. 56N, R. 2W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 401 Front Ave., Coeur d'Alene, Idaho, 83814 on or before March 26, 1973.

R. KEITH HIGGINSON

Director

96 7129

Published in the Sandpoint News-Bulletin, Sandpoint, Idaho
on March 8 and March 15, 1973

March 2, 1973

Re: Application for Permit No. 96-7129

Ray Raineri
P.O. Box 873
Sandpoint, ID 83864

Dear Mr. Raineri:

Attached is your receipt No. 8560 in the amount of \$25 for the filing fee on the above referenced application, which was received in this office.

Very truly yours,

Fred Eisenbarth
Water Resource Supervisor
Northern District

FE:CR

Enc: Receipt

96 7129