

Page 24

57

A graph of a function on a Cartesian coordinate system. The x-axis is labeled from -2 to 4, and the y-axis is labeled from -2 to 4. The function is a smooth curve that starts at approximately (-2, -1.5), rises to a local maximum at (1, 2), falls to a local minimum at (3, -1), and then rises again, passing through (4, 2).

P.D.
4

12

Diagram of System

DATE _____

EXAMINATION RECORDS

by:


by:

by

by

Part of Sec. 12, Twp. 57N., R. 2W. B. M.


Scale 1" = 100'






o = 1/2" x 24" pipe set except as noted

I certify that this plat truly represents a survey of part of Gov't. Lot 1 of Sec. 12, Twp. 57N., R. 2W. B. M. in Bonner County, Idaho.

Survey completed February 28, 1968



1" x 24" pipe, 1 foot
below road surface
for Sec. Cor.



96 7044

State of Idaho
Department of Water Administration
LICENSE OF WATER RIGHT

License of Water Right No. 96-7044 Priority Feb. 2, 1970 Amount 0.08 cfs

THIS IS TO CERTIFY, that JOSEPH E. HAMM
of San Gabriel, California, has complied with the terms and conditions of Permit
No. 96-7044 issued pursuant to Application for Permit dated February 2, 1970,
and has submitted proof to the Department of Water Administration on August 24, 1971,
that he has applied water to a beneficial use; an examination by the Department indicates that the
works have a capacity of 0.08 cfs, and that the water has in fact been applied to a
beneficial use; a right to the use of water from Lake Pend Orielle
tributary of _____, is hereby confirmed in the following amounts:
Amount 0.08 cfs for Irrigation from July 1 to Sept. 15 (both dates inclusive)
Amount _____ for _____ from _____ to _____ (both dates inclusive)
Amount _____ for _____ from _____ to _____ (both dates inclusive)
Subject, however, to the condition that no more than 0.08 cfs of water be diverted at
any one time, said waters to be diverted within the _____

NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 12, Twp. 57 N, Rge. 2 W, B.M.

in the county of Bonner; and that the amount of water so diverted and to which such
right is entitled and confirmed is for the purposes aforesaid and is limited to the amount which can
actually be beneficially used and shall not exceed One acre feet per year ~~or~~
~~one foot per acre~~

Description and location of place of use:

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
57 N	2 W	12	4																4

Total number of acres irrigated 4

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands
or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 12 day of
September, 19 73.


Director

96 7044

Identification No. 96-7044

Application No. _____

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

APPLICATION FOR PERMIT

APPROVED

LICENSE ISSUED FOR 0.08 SEC. FT.
LICENSE P: _____

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant JOSEPH E HAMM
post office address 338 N. GERONA AVE. SAN GABRIEL, CALIF. 91775
2. Source of water supply LAKE PEND ORIELLE which is a tributary of _____
3. a. Location of point of diversion is N.E $\frac{1}{4}$ of N.E $\frac{1}{4}$ of Section 12 Township 57 N
Range 2 WBM B.M. BONNER County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into SAME at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 1 Acre ft for IRRIGATION purpose from 7/1 to 9/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. _____ cubic feet per second and/or
b. ONE acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. FLINT & WALLING SER. 101
HIGH HEAD CENTRIFICAL PUMP, CONTINUOUS PIPING SYSTEM,
RAIN BIRD TYPE OR OTHER SPRINKLERS. 17 G.P.M. AT 50
LB'S.
b. Height of storage dam NONE feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 25 years same
b. Estimated construction cost is \$ 200.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____
(5) If water is to be used for other purposes describe: _____

96-7044

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS AC
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
57N	2W	12	5																5

Total number of acres to be irrigated 5

c. Describe any other water rights used for the same purposes.


9. a. Who owns the property at the point of diversion APPLICANT

b. Who owns the land to be irrigated or place of use APPLICANT

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks DOMESTIC WATER OBTAINED PRESENTLY FROM THE CITY OF SANDPOINT IS SUPPLIED THROUGH OLD WOODEN MAINS OF INADEQUATE SIZE. THE PRESSURE AT OUR PROPERTY IS REDUCED DURING SUMMER TO LESS THAN 10 LBS. MANY INTERRUPTIONS IN SERVICE DUE TO BREAKAGE OF LINES. FARM CROPS SUFFER BECAUSE OF INADEQUATE IRRIGATION. THERE IS NO HOPE FOR RECTIFYING THE SITUATION OTHER THAN OBTAINING WATER FROM LAKE PEND ORIELLE FOR IRRIGATION

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Joseph J. Hamm
(Applicant)

96-7044

Received by lf Date 2-2-70 Time 8:00 am
Preliminary check by 0 Fee \$ 10⁰⁰
Receipted by g Date 2-2-70
Publication prepared by du Date 2-10-70
Published in Landpoint News - Bulletin
Publication dates 2-19-26-70
Publication approved du Date 3-2-70
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by du

APPROVED

ACTION OF STATE RECLAMATION ENGINEER

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-7044, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 1975.
- c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this 13th day of March 19 70.

P. Kirk Higgs
State Reclamation Engineer

DEPARTMENT OF RECLAMATION

STAFF ANALYSIS

Application No. <u>96-7044</u>	Name <u>Joseph E. Hamm</u>
Source <u>Lake Pend Orielle</u>	
Point of Diversion <u>NE$\frac{1}{4}$NE$\frac{1}{4}$ Sec. 12, T. 57 N., R. 2 W., B.M., Bonner County</u>	
Quantity <u>1 acre ft.</u>	Use <u>irrigation</u> Period <u>July 1 - September 15</u>
Quantity _____	Use _____ Period _____
Quantity _____	Use _____ Period _____
Well Size _____	Diameter _____ Proposed Depth _____ Feet
Use <u>5 acres</u>	
Date Forwarded <u>2/4</u>	Date Returned <u>2-13-70</u> Received by <u>Davis</u>

RECOMMENDATIONS: LOCATED ON NORTH SIDE OF LAKE
@ 1 MILE EAST OF SAND POINT - NO PARTICULAR
PROBLEMS IN AREA

Qty. 1 AF Use 50- Period 3-15/11-15 AF AFA _____

Qty. _____ Use _____ Period _____ AF _____ AFA _____

Qty. _____ Use _____ Period _____ AF _____ AFA _____

ACTION: Approved X Denied _____

Conditions of approval or reason for denial: _____

Investigation _____ By [Signature] Title ASSIST STATE REC.
ENGR
 Date 2-11-70

96-7044

Affidavit of Publication

STATE OF IDAHO, }
County of Bonner, } ss.

L. E. Pietsch being first duly sworn on
oath deposes and says that he is Publisher
of The Sandpoint News-Bulletin, a weekly
newspaper printed and published at Sandpoint,
Bonner County, Idaho; that the said Sandpoint
News-Bulletin has been continuously and unin-
terruptedly published in said Bonner County
during a period of 18 months or 78 weeks
prior to the first publication of the hereto
attached notice for publication in the case of
Notice of Application for Permit
to Appropriate the Public Waters
of the State of Idaho; Joseph
E. Hamm

as it was published in the regular and entire issue
of the said paper for a period of Two
consecutive weeks, commencing on the 19th
day of February, 19 70, and end-
ing on the 26th day of February,
1970, and that said notice was published in said
newspaper, and not in supplemental form.

L. E. Pietsch

Subscribed and sworn to before me this

26th day of February, 1970.

Alvin Small

Notary Public for Idaho,
Residing at Sandpoint, Idaho.

NOTICE OF APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF IDAHO

Notice is hereby given that Joseph E. Hamm, 338 N. Gerona Ave., San Gabriel, Calif., has on February 2, 1970, submitted Application No. 96-7044 to appropriate the public waters of Lake Pend Oreille. The proposed use is for irrigation from July 1 to September 15.

The application proposes a maximum diversion and appropriation of one acre feet of water to be diverted by pump and piping system within the NE $\frac{1}{4}$ NE $\frac{1}{4}$ of Sec. 12, T. 57N, R. 2W, B.M., Bonner County and is to be used within the NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 12, T. 57N, R. 2W, B.M., for the irrigation of 5 acres.

Any permit issued pursuant to this application will be subject to ALL PRIOR WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest against this application must be filed with the Idaho Department of Reclamation on or before March 9, 1970.

R. KEITH HIGGINSON,
State Reclamation
Engineer.

Published in the Sandpoint
News-Bulletin, Sandpoint, Idaho,
on February 19 and February
26, 1970.

F19-26

96-7044

September 12, 1973

Re: Permit No. 96-7044

Joseph E. Hamm
338 N. Gerona Ave.
San Gabriel, California 91775

Dear Mr. Hamm:

Enclosed herewith is a copy of the Water License issued on the above referenced permit.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

bjg

Enclosure

96 7044

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
NORTHERN DISTRICT OFFICE



Cecil D. Andrus
Governor
R. Keith Higginson
Director

401 Front Ave., Rm. 209
Coeur D'Alene, Idaho 83814
(208) 667-6484

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection
Geothermal Resources

August 27, 1973

Mr. Joseph E. Hamm
338 N. Gerona Ave.
San Gabriel, California 91775

Dear Mr. Hamm:

A representative of this Department has made an examination of the works covered by your Permit No. 96-7044 and has found the following:

Quantity of water diverted: 0.08 cfs

Amount of water that can be recognized as beneficially used under Idaho law: 0.08 cfs

The maximum quantity diverted shall not exceed 1 acre feet per year.

Beneficial use: Irrigation of 4 acres within the NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 12, Twp. 57 N, Rge. 2 W, B.M.

Point of diversion: NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 12, Twp. 57 N, Rge. 2 W, B.M.

Source: Lake Pend Orielle

Priority date established: February 2, 1970

If you do not concur with these findings, please advise us within 10 days; otherwise, a license will be issued as set forth above.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF/bjg

96 7044

Box 127 Kootenai, Idaho

July 22, 1973

Gentlemen:

Re Permit No. 96-7044

This is to let you know that the additional water lines to cover the remote areas of our property have been completed. Your field representative who surveyed the facilities last year undoubtedly will want to recheck this work before issuance of a license. If so please assure him that we will cooperate with him any time he can drop by. We are here any week day & usually on Sunday.

Sincerely yours

Joseph J. Hume

RECEIVED

JUL 24 1973

Department of Water Administration

96 7044

DEPARTMENT OF WATER ADMINISTRATION
FIELD REPORT

1. Name of permit holder Joseph E. Hamm
Post office address 338 North Gerona Avenue Phone _____
San Gabriel, California 91775
Person to contact _____ Phone _____

2. Source of water supply: Groundwater ☐ Surface water ☒ Lake Pend Oreille
(name spring, stream, etc.)
Tributary to _____

3. Water will be used for the following purposes:

Amount 1 af c.f.s. for Irrigation
_____ AF/Annum (nature of use)

Period of Use: from July 1 to September 15
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
_____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
_____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses: _____

Permit No. 96-7044
Examination for B/U

4. Total amount to be appropriated:

Max Rate of Diversion 1 af cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:

Township 57 N/S, Range 2 E/W, B.M., Section 12, Subdivision NE 1/4 NE 1/4, Bonner
County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4, _____
County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4, _____
County

Other Points of Diversions: _____

Description of diverting works: Flint and Walling Ser. 101 High head centrifugal pump,
continuous pipeing system, rain bird type or other sprinklers, garden hose

Measuring device required: yes ☐ no ☒

6. Lands to be irrigated or place of use.

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
57N	2W	12	5																5

Page 20

T


P.D.
4

57

12

N

Diagram of System



DATE

EXAMINATION RECORDS

by:

by:

by:

by:

DATE OF EXAM 8/29/72

ACREAGE
Found 4.0
Recommended 4.0

Irrigation Requirement 3.0 Ac Ft/Ac

USE
Irrigation Q = .08 c.f.s. V = 1 AF AF/Ann. from 7/1 to 9/15
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ☒

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no ☒

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured .08 cfs Method of measurement pressure gage

Total Q recommended .08 cfs Meter No. _____ Type _____ Condition _____

Total V recommended 1 AF/season

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None ☒

MEASUREMENT CALCULATION:

Rain 51" d 5/32" nozzle 12
1 1/4" discharge plastic pipe 40 lbs pressure
Can run approx. 9 sprinklers at a time at 38 gals per min.

SYSTEM DESCRIPTION:

F + W Water System Pump & Motor
Size: Motor 569 3/4 H.P.
Size: Pumps 569

REMARKS:

Irrigation of 4 acres of lawn, garden and
berries

Examiner's Signature Fred E. Eberhardt Date 8/29/72

Checked by _____ Date _____

Approved by _____ Date _____


Identification No. _____

Permit No. _____

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

RECEIVED
Aug 24-71
AUG 24 1971



1. a) Name of Permit Holder JOSEPH E. HAMM
b) Post Office Address 338 N. GERONA AVE., SAN GABRIEL, CALIF 91755
2. Permit Number 96-7044
3. Date of Priority that you are prepared to establish 7/1/70
4. a) Source from which water was appropriated LAKE PENDORIELLE
b) Location of the point of diversion: N.E. 1/4 of N.E. 1/4, Section 12
Township 57 N, Range 2 W.D.M. Boise Meridian, Other points of diversion: _____

5. a) The amount of water and use to which the water has been applied:

LESS THAN
amount 1 ACRE FT. for IRRIGATION purposes from 7/1 to 9/15 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)

amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)

amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)

b) Total amount appropriated ONE cfs and/or acre feet per annum

c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: PUMP CAPACITY X HOURS OF FLOW
PUMP IS 17 G.P.M. AT 50 LBS HEAD

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:

a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____

b) Describe the agreement or understanding by which you take water from the works: _____

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) FLINT & WALLING SER. 101
HIGH HEAD CENTRIFUGAL PUMP, CONTINUOUS PIPING SYSTEM,
RAIN BIRD TYPE OR OTHER SPRINKLERS, GARDEN HOSE

b) Describe the type and size of measuring device which you have installed at your point of diversion: _____

THERE IS NO MEASURING DEVICE OTHER THAN PUMP CAPACITY

c) Give well drillers name and address and date the well was completed _____

96 7044

Exam typed 9-28-71

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use HOMER

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision:

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
57N	2W	12	5																5

Total number of acres irrigated 5

10. Remarks: FOR SECURITY REASONS THE PUMP AND LOWER SECTION OF PIPE ARE REMOVED WHEN LAKE LEVEL IS LOWERED USUALLY IN OCTOBER. PUMP & PIPING IS REINSTALLED WHEN LAKE LEVEL REACHES SUMMER POOL LEVEL USUALLY BY JULY 1ST

The above information is a true statement of the extent to which the above numbered permit has been developed.

8/23/71
(Date)

Joseph E. Hammer
(Signature)

State of IDAHO)
County of BONNER) ss.

On this 23rd day of August, 19 71, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Kenneth D. Galt
Notary Public residing at SANDPOINT, IDAHO

My commission expires November 6, 1974

September 16, 1971

Re: Permit No. 96-7044

Mr. Joseph E. Hamm
838 No. Gerona Ave.
San Gabriel, California 91775

Dear Mr. Hamm:

We acknowledge receipt of your affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative from this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system. The examination will take place during the summer months.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM:DR

96 7044

Box 127
Rostenai, Idaho
Aug. 22, 1971

Mr. Donald W. McElwren
appropriation Supervisor
Idaho Dept. of Water Administration

Dear Sir: Re. Permit No. 96-7044

In scheduling a field examination regarding the above captioned permit, it may be important that we leave our place here at Rostenai Bay and return to California about the end of the first week of October. The pump is stored for the winter in a log structure where it could be examined if arrangements were made to obtain the key from our neighbor J. Haiseth. The key to the storage building will be left with the Haiseths for this purpose.

We return to Rostenai about the tenth of May to spend the summer.

Thank you for your courtesy

Joe E. Hamm

96 7044

July 14, 1971

Re: Permit No. 96-7044

Mr. Joseph E. Hamm
Box 127
Kootenai, Idaho 83840

Dear Mr. Hamm:

Enclosed please find a Proof of Application of Water to Beneficial Use form for your use in submitting the required proof in connection with the above referenced permit.

Upon receipt of your completed proof affidavit, the Department will schedule a field examination which must be made before a license can be issued. If we may be of any assistance in this matter, please contact us.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM:DR

Enc: Proof affidavit

96 7044

Box 127,
Kootenai, Idaho
May 28, 1971

Department of Reclamation

State of Idaho
Dept. of Reclamation
Statehouse, Annex 2
Boise Idaho

Re Permit No. 96-7044

Dear Sir: attention C. Stephen Allen
Rep. State Reclamation Eng.

The pumping equipment and piping
system was installed last spring. Water
from Lake Pend Orielle was used for irrigation
during the summer as approved.

Will you kindly indicate to me the kind
of "proof of construction of works and application
of water to beneficial use" will be satisfactory to
your office?

Yours truly
Joseph H. Harnum

96 7044

March 17, 1970

Re: Permit No. 96-7044

Mr. Joseph E. Hamm
338 N. Gerona Ave.
San Gabriel, California 91775

Dear Mr. Hamm:

We enclose a copy of your approved application for permit 96-7044 in which we direct your attention to the limitations and conditions as given on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

C. Stephen Allred, ~~Assistant~~ Deputy
State Reclamation Engineer

CSA:kh

Enclosures: Copy of permit
Receipt No. 4140 for \$10

96-7044

February 10, 1970

Re: Application for Permit No. 96-7044 - Joseph E. Hamm

Sandpoint News-Bulletin
415 North 2nd Ave.
Sandpoint, Idaho 83864

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid.

(Signature of the claimant)

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:DR
Enc: Legal notice

*Bill submitted
3-2-70
dw*

96-7044

NOTICE OF APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF IDAHO

Notice is hereby given that Joseph E. Hamm, 338 N. Gerona Ave.,

San Gabriel, Calif.,

has on February 2, 1970,

submitted Application No. 96-7044 to appropriate the public waters of

Lake Pend Orielle

The proposed ~~uses/for~~ use is for irrigation from July 1 to September 15

The application proposes a maximum diversion and appropriation of one

~~four/acre/feet/second/~~ acre feet of water to be diverted by pump and piping

and system

within the NE¹/₄NE¹/₄ of Sec. 12,

T. 57N, R. 2W, B.M., Bonner County

and is to be used within the NE¹/₄NE¹/₄, Sec. 12, T. 57N, R. 2W, B.M., for

the irrigation of 5 acres

Any permit issued pursuant to this application will be subject to ALL PRIOR WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest against this application must be filed with the Idaho Department of Reclamation on or before March 9, 1970.

R. KEITH HIGGINSON

State Reclamation Engineer

Published in the Sandpoint News-Bulletin, Sandpoint, Idaho,

on February 19 and February 26, 1970.

[Handwritten signature]

96-7044

January 12, 1970

C
O
P
Y

Mr. Joseph E. Hamm
338 North Gerona Avenue
San Gabriel, California 91775

Dear Mr. Hamm:

Your letter of December 27, 1969, to Kenneth T. Coffman, Project Engineer of the U. S. Army Corps of Engineers, has been referred to this office for reply.

You should be advised that a right to withdraw water from Lake Pend Oreille can be obtained by filing application with this office using the enclosed application form. If you need assistance in completing the application, please contact this office and we will be happy to assist you.

Once the application is received, a notice of your proposed appropriation will be published in a local county newspaper and if no objection is filed, approval will be given. If you have any questions, please let me know.

Very truly yours,

R. KEITH HIGGINSON
State Reclamation Engineer

RKH/jib

Enclosure

96 7044

U. S. ARMY ENGINEER PROJECT OFFICE, ALBENI FALLS DAM

ADDRESS REPLY TO
PROJECT ENGINEER
(NOT TO INDIVIDUALS)

CORPS OF ENGINEERS
P. O. BOX 336 B/D
NEWPORT, WASHINGTON

RECEIVED

JAN 10 1970

Department of Reclamation

REFER TO

Mr. R. Keith Higginson
State Reclamation Engineer
Department of Reclamation
State House - Annex 2
Boise, Idaho 83707

8 January 1970

Dear Mr. Higginson:

Per our telephone conversation this date, I am forwarding to you the inclosed letter from Joseph E. Hamm for reply.

Very truly yours,


K. T. COFFMAN
Project Engineer

1 Incl
ltr dtd 12/27/69

96 7044

Coffman

338 North Gerona Avenue
San Gabriel, California 91775

December 27, 1969

RECEIVED

Department of Reclamation

Mr. Kenneth T. Coffman
Project Engineer
Albeni Falls Dam
P.O. Box 396
Newport, Washington

Subject: Water Rights

Dear Mr. Coffman:

We are desirous of withdrawing water from Lake Pend Orielle to irrigate fruit and other garden crops cultivated commercially on our lake front property at 200 Garden Lane, Kootenai Bay, Idaho. The water supply from the Sandpoint system has been wholly inadequate both in terms of volume and dependability.

Use of lake water would be primarily during summer pool level (approx. June to October 11th).


The property is indicated on the plot map attached.

Will you please indicate the procedure to be followed to obtain authorization.

We wish to purchase a pump locally at least adequate to supply two "Rainbird" type sprinklers simultaneously but await approval regarding water use. This means the purchase must be made before returning to Kootenai Bay about May 1st.

Your early reply will be very much appreciated.

Yours truly,


JOS. E. HAMM

96 7044

Box 127, Nootenai
Idaho, 83840



EISENHOWER USA

State of Idaho
Dept. of Water Administration
Statehouse - Annex 2
Boise

96 7044


Idaho 83707

Part of Sec. 12, Twp. 57N., R. 2W. B. M.

Scale 1" = 100'






1" x 24" pipe, 1 foot below road surface for Sec. Cor.



o = 1/2" x 24" pipe set except as noted

I certify that this plat truly represents a survey of part of Gov't. Lot 1 of Sec. 12, Twp. 57N., R. 2W. B. M. in Bonner County, Idaho.

Survey completed February 28, 1968



LAKE PEND OREILLE

96 7044

San Gabriel Calif.
Jan. 1870

RECEIVED

JAN 23 1870

Department of Pardonation

Dear Mr. Aggison:

Thank you for your prompt
attention to my request for me of
Lake Tread Orville Water.

The application was inadvertently
missing from your letter. Please
send one to me and it will receive
my immediate attention

Thanks

Geo. E. Hamner

96 7044

App. & Instr. sent 1-20-70
jkh