


20' Public Alley



Scale 1"=20'
Dec 8, 1967

96-7021

AFFIDAVIT **PUBLICATION—COEUR**
(WEEKLY)

D'ALENE PRESS

JAN 13 1969

Department of Reclamation

STATE OF IDAHO,

County of Kootenai,

ss.

644

Callie Painter

being first duly sworn,
deposes and says:

That affiant is now, and at all times herein mentioned has been, a citizen of the United States and a resident of Kootenai County, State of Idaho, over the age of 21 years and not a party to, nor interested in the event of, the above entitled matter, and the printer (principal clerk) of the "Coeur d'Alene Press", during all of the times herein mentioned being a legal daily newspaper, of Coeur d'Alene, Kootenai County, Idaho, as defined by Idaho Code Sec. 60-106 to Sec. 60-108 both inclusive, and Chapter 121 Idaho Session Laws of 1949, and acts amendatory thereof and correlated thereto, and qualified thereunder to publish to the same effect as a weekly

newspaper on Wednesdays; and that the

*Notice of Application for Water
City of Athol -*

of which a printed copy is annexed hereto, was published in all the regular Wednesday

weekly issues of said newspaper for *two* consecutive weeks, commencing

on the *2* day of *January*, 196*8*, and ending on the

9 day of *January*, 196*8*.

Callie Painter

Subscribed and sworn to, before me, this *9* day of *January*,

196*8*.

Patrick King

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that City of Athol, c/o Carol J. Fiscus, Athol, Idaho has on November 15, 1968 applied for permit under application No. 96-7021 to divert 41 cubic feet per second of water from a groundwater source. Water will be diverted by pump and well within the SE 1/4 SW 1/4, Sec. 9, T. 53 N., R. 3 W., B.M., Kootenai County and is to be used from January 1 to December 31 for domestic purposes in the vicinity of the City of Athol. Any protest against this

application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation
Engineer

Jan. 2, 9, 1969

DEPUTY	
WATER RIGHTS	
APPROP	
DIST	
ADJ	
INVESTIGATION	
WILLS	
RECORDS	
ACCOUNTING	
FILE	
RETURN TO	
RECORD	

96-7021

State of Idaho
Department of Water Administration
LICENSE OF WATER RIGHT

License of Water Right No. 96-7021 Priority 11-15-68 Amount .38 cfs

THIS IS TO CERTIFY, that City of Athol
of Athol, Idaho, has complied with the terms and conditions of Permit
No. 96-7021 issued pursuant to Application for Permit dated November 15, 1968,
and has submitted proof to the Department of Water Administration on December 22, 1969,
that he has applied water to a beneficial use; an examination by the Department indicates that the
works have a capacity of .38 cfs, and that the water has in fact been applied to a
beneficial use; a right to the use of water from a ground water source
tributary of , is hereby confirmed in the following amounts:

Amount .38 cfs for Municipal from Jan. 1 to Dec. 31 (both dates inclusive)

Amount for from to (both dates inclusive)

Amount for from to (both dates inclusive)

Subject, however, to the condition that no more than .38 cfs of water be diverted at
any one time, said waters to be diverted within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 9, T. 53N, R. 3W, B.M.

in the county of Kootenai; and that the amount of water so diverted and to which such
right is entitled and confirmed is for the purposes aforesaid and is limited to the amount which can
actually be beneficially used and shall not exceed 122.5 acre feet per year or
 acre feet per acre.


Description and location of place of use:

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
53 N	3 W	9																	

Total number of acres irrigated

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands
or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 17th day of
June, 1971.


Director

96 7021

Identification No. 96-7021
Application No. _____

LICENSE ISSUED FOR .38 SEC. FT.
LICENSE PAGE NO. _____

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant CITY OF ATHOL, IDAHO
post office address c/o Carol J. Fiscus, Clerk, Athol, Idaho 83801
2. Source of water supply Well which is a tributary of ~~Underground River from~~
~~Pond Oroville Lake~~
3. a. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 9 Township 53N
Range 3 W B.M. Kootenai County; additional points of diversion if any: _____
More Specific Description of Location - Lot #6, Block 5, Bennett's Second Addition,
City of Athol, Idaho.
b. If water is not consumed, Pumping is discontinued it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount .41 ~~for~~ for Domestic purpose from (Year Round) to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated: (Approx.)
a. 185 Gal. per Minute cubic feet per second and/or (It is estimated that the pump pumps
approx. 12 hours per day during heavy
b. 41 cfs acre feet per annum. usage months (summer).
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. _____
Pump: 30 HP, 440 volt, 3 phase, 60 cycle Sta-Rite Submersible Pump

Tank
b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity 55,000 Gal. acre feet, materials used in storage dam: Steel
Period of year during which storage will occur Year Round to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 12" inches; proposed depth of well is 410 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
Already
is Completed One year. off.
b. Estimated construction cost is \$ 12,280.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. City of Athol, Idaho
(2) Amount of power to be generated: N/A hp under N/A feet of head.
(3) List number of each kind of livestock to be watered N/A

(4) Name of municipality to be served CITY OF ATHOL, IDAHO, or number of families to be
supplied with domestic water Approx. 65 Residences
(5) If water is to be used for other purposes describe: N/A

96-7021

10. Remarks This new well was necessary to furnish to City of Athol with water. Due to the draw-down of Pond Orellle Lake during the winter months the past two years, the water table is lowered in Athol to the point where the City's 30 HP pump could not be used in the old well. During these months the City depended on a smaller pump which did not adequately supply the City. Due to this reason, a deeper well was drilled.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

b. Who owns the land to be irrigated or place of use

9. a. Who owns the property at the point of diversion — City of Athol

well which was hand dug approx. 50 years ago. This well was purchased from a private individual, Sam Yates. Possibly water rights were issued this individual.


c. Describe any other water rights used for the same purposes. Unknown - The City owns another

Total number of acres to be irrigated.

[illegible]

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

City of Arden
(Applicant) by: Carl J. Francis, Clerk.

96-7021

11-15-68

Received by ly Date 11-15-68 Time 9:00 AM

Preliminary check by WLC Fee \$ 10.00 11-18-68

Received by ly Date 11-20-68

Publication prepared by WLC Date 12-23-68

Published in Record & Alaska News

Publication dates 1-2-69 to 1-2-69

Publication approved WLC Date 12-30-68

Priority reduced to _____ Reason _____

Protests filed by: James - 1-20-69

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by ME

ACTION OF STATE RECLAMATION ENGINEER

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-7021, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 19 70.

c. Other: This permit is supplemental to all prior rights.

The applicant shall permanently install a measuring device of a type approved by the department as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 23rd day of January, 19 69.


State Reclamation Engineer

[Signature]

20' Public Alley

COPY

Scale 1"=20'
Dec 8, 1967



96-7021

Identification No. _____

Permit No. 96-7021

**STATE OF IDAHO
DEPARTMENT OF RECLAMATION**

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

*Received
12-23-69
JWS*

1. a) Name of Permit Holder CITY OF ATHOL, IDAHO
 b) Post Office Address ATHOL, IDAHO 83801
2. Permit Number 96-7021
3. Date of Priority that you are prepared to establish October 18, 1968
4. a) Source from which water was appropriated Well ✓
 b) Location of the point of diversion: SE 1/4 SW 1/4, Section 9
Township 53N, Range 3W ✓ Boise Meridian, Other points of diversion:

5. a) The amount of water and use to which the water has been applied:
 amount .41 cfs for Domestic purposes from Jan. 1 to Dec. 31 incl.
 (cfs and/or acre feet per annum) (Month-Day) (Month-Day)
 amount _____ for _____ purposes from _____ to _____ incl.
 (cfs and/or acre feet per annum) (Month-Day) (Month-Day)
 amount _____ for _____ purposes from _____ to _____ incl.
 (cfs and/or acre feet per annum) (Month-Day) (Month-Day)
 b) Total amount appropriated .41 cfs ✓ cfs and/or acre feet per annum
 c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Calculated by State of Idaho Dept. of Reclamation per letter dated 11/8/68 signed by Donald W. McEldowney - based on 185 gal. per minute.

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
 a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____

 b) Describe the agreement or understanding by which you take water from the works: _____

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 30 HP, 440V, 3 Phase, 60 cycle Sta-Rite Submersible Pump (capacity 185 gal. per minute). Casing is 12"

- b) Describe the type and size of measuring device which you have installed at your point of diversion: _____
The City of Athol has been financially unable to install a meter as yet. Price quotes received were from \$393. for a 4" meter to almost \$700. for a 6" meter. The council felt this was prohibitive during 1969.
 c) Give well drillers name and address and date the well was completed E.A. Holman Well Driller, S. 601 Pines Road, Spokane, Washington.
Well Completed February, 1968.

*Exam typed
2-11-70
JWS*

96-7021

W.D.

12-13-1979

Public residing at Hayden Lake

State of Idaho)
County of Kootenai) ss.

12-22-69

1
(and of James) City Clerk
(Signature)

Total number of acres irrigated

[illegible]

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivi-

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use _____
Supplies domestic water for entire City of Alhul - approximately 65/70 residences

AFFIDAVIT PUBLICATION—COEUR D'ALENE PRESS
(WEEKLY)

RECEIVED
JAN 13 1969

STATE OF IDAHO,

County of Kootenai,

ss.

64
Callie Poyntner

being first duly sworn,
deposes and says:

That affiant is now, and at all times herein mentioned has been, a citizen of the United States and a resident of Kootenai County, State of Idaho, over the age of 21 years and not a party to, nor interested in the event of, the above entitled matter, and the printer (principal clerk) of the "Coeur d'Alene Press", during all of the times herein mentioned being a legal daily newspaper, of Coeur d'Alene, Kootenai County, Idaho, as defined by Idaho Code Sec. 60-106 to Sec. 60-108 both inclusive, and Chapter 121 Idaho Session Laws of 1949, and acts amendatory thereof and correlated thereto, and qualified thereunder to publish to the same effect as a weekly

newspaper on Wednesdays; and that the

Notice of Application for Water
City of Athol -

of which a printed copy is annexed hereto, was published in all the regular Wednesday weekly issues of said newspaper for four consecutive weeks, commencing

on the 2 day of January, 1968, and ending on the
9 day of January, 1968.

Callie Poyntner

Subscribed and sworn to, before me, this 9 day of January,

1968.

E. Patrick King

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

Department of Fish and Game

NOTICE OF
APPLICATION
FOR WATER

Notice is hereby given that City of Athol, c/o Carol J. Fiscus, Athol, Idaho has on November 15, 1968 applied for permit under application No. 96-7021 to divert .41 cubic feet per second of water from a groundwater source. Water will be diverted by pump and well within the SE1/4SW1/4, Sec. 9, T. 53 N., R. 3 W., B.M., Kootenai County and is to be used from January 1 to December 31 for domestic purposes in the vicinity of the City of Athol.

Any person wishing to file with the Department of Fish and Game within ten days from the last date of publication of this notice,

R. KEITH HENDERSON
State Reclamation
Engineer

Jan. 2, 9, 1969

96-7021

LICENSING DATA ANALYSIS

- Permit No. 96-2021
- Name license is to be issued in City of Athol
Assignment required - Yes ☐ No ☒
- Date of first receipt 11-15-68 Date proof due 2-1-70 Made 12-23-69
- Priority ☐ Late proof - Yes ☐ No ☒
- Source Groundwater tributary ☐
- Point of diversion:
Twp. 53 N/S, Rge. 3 E/W B.M., Sec. 9, SE $\frac{1}{4}$ SW $\frac{1}{4}$
Twp. N/S, Rge. E/W, B.M., Sec. , $\frac{1}{4}$ $\frac{1}{4}$
Twp. N/S, Rge. E/W, B.M., Sec. , $\frac{1}{4}$ $\frac{1}{4}$
Amendment required - Yes ☐ No ☐
- Beneficial use for license:
Amt. .38 for Municipal from Jan to 31 Dec AF 122.5 Aft
Amt. for from to AF
Amt. for from to AF
Amount not to exceed at any one time .38 c.f.s. or 122.5 acre feet per season or acre feet per acre
Amendment required - Yes ☐ No ☒
- Permitted Amount: .41 c.f.s. Volume for season AF
- Measured Amount: .38 Reason for reduction Maximum output of system
- Description and location of place of use:

Twp	Rge	Sec	NE 160				NW 160				SW 160				SE 160				Total
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
53N	3W	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	✓
City of Athol																			

Total No. of acres

Supplemental acreage - Yes ☐ No ☒

Total permitted acres

Amendment required - Yes ☐ No ☒

11. Remarks: Municipal water use only 67 users

12. Measuring device required - Yes ☒ No ☐

13. Type of letter required: Fee ☐ Notice ☒

14. Analysis by JE Parker Date 2 Nov 70 Checked by Day Date 3-1-71

1202 95

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE

REPORT OF EXAMINER

PERMIT NO. 96-2071

REPORT ON PROOF OF b/u - City of Athol, Athol, Idaho

67 water users
Motor was installed in June
3 water users in the largest water,
55,000 gal storage tank
Sta-Rite Pump
Model 190 P6R4
Ser: 68
Continuous Duty Motor Franklin
Model: MP6 R4H
440 Vs 441 Amps
3 Pk 60°
3450 RPM
Ser: E 68
30 H.P.

North of July 3,330,600 gals.

170 gal/min Micrometer is installed
100 gal / 35 sec.

96 7021

6" line going to tank
they change a lot
rate of usage.

Amendments
☒ None
☐ P.D.
☐ Place of use

Subdiv.

recommended

Found domestic water supply 67 water users

Acres =

325.850

Volume

39,962,200 = 122.5 AF/year

Q recommended

38 cfs

Q measured

38 cfs

9

P. 33

38 cfs

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE, IDAHO
REPORT OF EXAMINER

Permit No. 96-7021

This proof is for b/u - .41 cfs

In Water District No.

1. Name of applicant City of Athol, J. Fiscus, Clerk, Athol, Idaho 83801

2. Source of water supply: ground-water

3. Location of point of diversion: Is in the Chadwick **SE 1/4 SW 1/4 of Section 9

T. 53 N. R. 3 W. County of Kootenai

4. Describe works as they exist, giving dimensions and capacities of same:

Pump: 30 HP, 440 volt, 3 phase, 60 cycle Sta-Rite Submersible Pump

PROOF - same, capacity - 185 gpm, casing is 12"

MEASURING DEVICE - City of Athol has been financially unable to install a meter

as yet. Price quotes received were from \$393.00 for a 4" meter to almost \$700.00

for a 6" meter. The council felt this was prohibitive during 1969.

5. Water is used for: domestic, City of Athol

6. State whether or not water has been turned into works of diversion:

7. List legal subdivisions of lands to be irrigated. If proof is for beneficial use, give exact number

of acres under cultivation in each forty-acre tract. (Describe manner and place of use if other

than irrigation):

City of Athol

Mr. Humphrey was present for exam

P.D. is correct.

$3,330,600 \times 12 = 39,967,200 \text{ gals/year}$

(Submit map on attached plat, showing location and details of above description.)

8. What large stream would the water here appropriated finally reach?

Remarks: ** More specific description of location of p.d. -- Lot #6, Block 5,

Bennett's Second Addition, City of Athol, Idaho.

PROOF - Supplies domestic water for entire City of Athol - approx. 65/70 residences.

This well furnishes water for 67 water users in the city of Athol. There

was a meter installed which measured 170 gal per min. $\frac{170}{450} = .38 \text{ cfs}$

There is a 55,000 gal. storage tank. There are no large

water users. Records show 3,330,600 gals were used in the

month of July 70.

This examination was made on the

27

day of

Aug

1970

(Signed)

[Signature]

Examiner.

7021

Permit No. 96-7021

Examination for b/u - City of Athol

County Kootenai

Quantity: .41 cfs Sec. 9 T. 53N R. 3W

Source: ground-water

P.D.: SE $\frac{1}{4}$ SW $\frac{1}{4}$ - Lot #6, Block 5, Bennett's
Second Addition, City of Athol, Idaho
Use: domestic - City of Athol

Extensions:

Protests:

Completion of Work:

~~Other Rights~~

Filed: 11-15-68 Made: 12-23-69

Due: 2-1-70 Priority: 11-15-68

INSTRUCTIONS TO EXAMINERS

1. Always carefully note the location of the point of diversion and accurately plat same.
2. When proof is for beneficial use, carefully check up the number of acres actually irrigated in each forty and accurately plat same.
3. Make a map showing the correct location of streams and ditches, and the irrigated lands, and any adjacent permanent landmarks, such as towns, lakes, large streams and public roads.
4. If any unusual conditions are discovered, make plain statement of them under remarks.
5. Always see the holder, if possible, and go over the whole ground with him and make your report only upon actual existing facts and conditions.
6. Give general characteristics of soils, topography, and crops raised.

96-7021

Examinee should contact:

Joe Humphrey
Athol, Idaho

683-2218

June 18, 1971

Re: License No. 96-7021 - City of Athol

City of Athol
c/o Carol J. Fiscus, Clerk
Athol, Idaho 83801

Dear Ms. Fiscus:

Please find enclosed the above referenced license.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF:CR

Enclosure

96 7021

CITY OF ATHOL

June 10, 1970

Re: Permit No. 96-7021 - City of Athol

Mr. C. Stephen Allred, Deputy
State Reclamation Engineer
Dept. of Reclamation
Statehouse
Boise, Idaho 83707

Dear Mr. Allred:

This is to advise that the McCrometer MC0100 measuring device has been installed in our well and is in operation.

Your examiner should contact Mr. Joe Humphrey, who lives in Athol, when he is ready to examine the system. Mr. Humphrey's phone number is: 683-2218. If Mr. Humphrey cannot be reached you may have the examiner call me at: 683-2251 during working hours, or 683-2352 evenings.

Please advise if there is anything further we must do in order to secure the license.

Sincerely,

(Mrs.) Carol J. Fiscus

CITY OF ATHOL, IDAHO
Carol J. Fiscus, City Clerk

96 7021

February 11, 1970

Re: Permit No. 96-7021 - City of Athol

C
O
P
Y

Mrs. Carol J. Fiscus
City Clerk
CITY OF ATHOL
Athol, Idaho 83801

Dear Mrs. Fiscus:

We are in receipt of your letter of February 6, 1970. This is to advise that the McCrometer Model MC 0100 measuring device is satisfactory and meets the requirements of the Department.

We acknowledge receipt of the affidavit submitted as proof of beneficial use for permit No. 96-7021. Before a license can be issued, a field examination must be made by a representative from this Department.

We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system. If someone other than you should be contacted by the examiner, please advise.

If we may be of assistance at any time, please feel free to contact us.

Very truly yours,

C. STEPHEN ALLRED, Deputy
State Reclamation Engineer

CSA:DR

Enc: Specification sheets

96-7021

CITY OF ATHOL, IDAHO

February 6, 1970

RECEIVED

Mr. C. Stephen Allred, Deputy
State Reclamation Engineer
Dept. of Reclamation
Statehouse
Boise, Idaho 83707

*OK with Ker-
X RD*

Dear Mr. Allred:

The Mayor & City Council of Athol have received specifications and price quotes on several different measuring devices and after consideration favor the McCrometer Model MC 0100, for which I am enclosing copies of the specifications.

Please advise if this measuring device will be satisfactory and meet the Dept. of Reclamation's requirements. If so we will proceed with the purchase and installation.

This meter requires 2 - 4" dresser type couplings for installation. It has straight reading six digit totalizer in gallons or cubic feet.

Sincerely,

CITY OF ATHOL, IDAHO

Carol J. Fiscus
(Mrs.) Carol J. Fiscus
City Clerk

Enc.

P.S. Please return the enclosed specification sheets with your reply.

96-7021

December 29, 1969

Re: Permit No. 96-7021

City of Athol
% Carol J. Fiscus, Clerk
Athol, Idaho 83801

Gentlemen:

We are in receipt of your affidavit submitted as proof of beneficial use for permit 96-7021. However, in reviewing that affidavit, it appears that you have failed to install the measuring device as required by the conditions of approval of your permit and by Section 42-701 of the Idaho Code.

We cannot accept your proof and issue a license unless you have installed a measuring device of a type approved by the Department. We will hold your affidavit until you can supply us with information as to the type of measuring device installed. You should be aware that failure to install the device and supply information as to the type of device installed may result in the loss of your permit. We will withhold action regarding your permit until June 15, 1970.

We are enclosing a list of the type of devices approved by the Department of Reclamation. If you have any questions, please contact us.

Very truly yours,

C. STEPHEN ALLRED, Deputy
State Reclamation Engineer

CSA:DR
Enc: Information letter

96-7021

INSTRUCTIONS TO DELIVERING EMPLOYEE



Show to whom, date, and
address where delivered



Deliver ONLY
to addressee

(Additional charges required for these services)

RECEIPT

Received the numbered article described below.

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE *(Must always be filled in)*

CERTIFIED NO.

1

Card J. J. J. J. J.

21421

INSURED NO.

2

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

DATE DELIVERED

SHOW WHERE DELIVERED *(only if requested)*

12-03-69

3

96-7021

**POST OFFICE DEPARTMENT
OFFICIAL BUSINESS**

PENALTY FOR PRIVATE USE TO AVOID
PAYMENT OF POSTAGE \$300

POSTMARK OF
DELIVERED OFFICE

**DEC
8
1969**

USPO

INSTRUCTIONS: Show name and address below and complete instructions on other side, where applicable. Moisten gummed ends, attach and hold firmly to back of article. Print on front of article **RETURN RECEIPT REQUESTED.**

**RETURN
TO**

NAME OF SENDER

STREET AND NO. OR P.O. BOX

POST OFFICE, STATE, AND ZIP CODE

December 1, 1969

Re: Permit No. 96-7021


City of Athol
% Carol J. Fiscus, Clerk
Athol, Idaho 83801

Gentlemen:

One of the conditions of the approval of your permit
96-7021 was that proof of application of the water to
beneficial use be submitted to this office on or before _____
February 1, 19⁷⁰.

Enclosed is an affidavit form which must be used to submit
this proof. You may request an extension of time provided the
delay is for reasonable cause as indicated in Section 42-204, ICA.

Either the proof or a request for extension must be received
by this department on or before the above mentioned date, otherwise
the permit will lapse and be of no further force or effect.


State Reclamation Engineer

Enclosure: Proof form
dr

CERTIFIED MAIL #21421

Form 5

96-7021

February 13, 1969

Re: Application No. 96-7021

City of Athol
Athol,
Idaho

Attention: Mrs. Carol J. Fiscus, Clerk

Gentlemen:

In answer to your letter of February 13, 1969 regarding measuring devices, please be advised that we require a device in order to measure the rate of production and the volume of water produced.

There are annumber of suitable commercial devices, although most municipalities prefer some form of in-line displacement metering system. Any reputable pump company or engineering firm could assist you in choosing one to meet your requirements.

If we can be of further assistance kindly let us know.

Very truly yours,

Dean R. Schmaible
Reclamation Engineering Administrator

DRS:ks

96-7021

February 13, 1969

Re: Application No. 96-7021

City of Athol
Athol,
Idaho

Attention: Mrs. Carol J. Fiscus, Clerk

Gentlemen:

In answer to your letter of February 13, 1969 regarding measuring devices, please be advised that we require a device in order to measure the volume of water produced.

There are a number of suitable commercial devices, although most municipalities prefer some form of in-line displacement metering system. Any reputable pump company or engineering firm could assist you in choosing one to meet your requirements.

If we can be of further assistance, kindly let us know.

Very truly yours,

Dean R. Snaible
Reclamation Engineering Administrator

DRS:ks

96-7021

CITY OF ATHOL

February 13, 1969

Department of Reclamation

Mr. C. Stephen Allred, Assistant
State Reclamation Engineer
State of Idaho
Dept. of Reclamation
Statehouse
Boise, Idaho 83707

Dear Mr. Allred:

Thank you for your letter of January 28, 1969, together with the approved application for permit 96-7021.

Under the limitations and conditions portion of this permit it states:

"The applicant shall permanently install a measuring device of a type approved by the department as part of the diverting works."

We would like a little further explanation regarding this. Do you mean a meter to measure water pumped from the well or a measuring device to measure the amount of water in the well. We have the latter.

Sincerely,

CITY OF ATHOL, IDAHO

Carol J. Fiscus

(Mrs.) Carol J. Fiscus, Clerk

P. S. If it is a meter-type device, please advise specifications or numbers, if possible, as to what is approved by the Dept. of Reclamation.

96-7021

January 28, 1969

Re: Permit No. 96-7021

City of Athol
c/o Carol J. Fiscus, Clerk
Athol, Idaho 83801

Dear Mrs. Fiscus:

We enclose a copy of your approved application for permit 96-7021
in which we direct your attention to the limitations and conditions as given
on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

C. Stephen Allred, Assistant
State Reclamation Engineer

CSA:kh

Enclosures: Copy of application
Receipt No. 2341 for \$10.
2 informational letters

96-7021

LEGAL

NOTICE OF
APPLICATION
FOR WATER

Notice is hereby given that City of Athol, c/o Carol J. Fiscus, Athol, Idaho has on November 15, 1968 applied for permit under application No. 96-7021 to divert 41 cubic feet per second of water from a groundwater source. Water will be diverted by pump and well within the SE 1/4 SW 1/4, Sec. 9, T. 53 N., R. 3 W., B.M., Kootenai County and is to be used from January 1 to December 31 for domestic purposes in the vicinity of the City of Athol. Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation
Engineer

Jan. 29, 1969

December 23, 1968

Re: Application No. 96-7021 - City of Athol

Coeur d'Alene Press
Second and Lakeside
Coeur d'Alene, Idaho

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish on the dates please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation, along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of same has been paid.

Signature of Claimant

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:tg
Enc: legal notice

96-7021

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that City of Athol, c/o Carol J. Fiscus, Athol,
Idaho has on November 15, 1968

applied for permit under application No. 96-7021 to divert ~~40 cfs~~
.41 cubic feet per second ~~acre feet~~ of water from

a groundwater source. Water will be diverted by
pump and well within the

SE 1/4 SW 1/4, Sec. 9, T. 53 N., R. 3 W., B. M., Kootenai County

and is to be used from January 1 to December 31

for domestic purposes

in the ~~vicinity~~ vicinity of the City of Athol

Any protest against this application must be filed with the Department of
Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the Coeur d'Alene, Press, Coeur d'Alene, Idaho,
on ~~1/10/69~~ January 2 and January 9, 1969.

96-7021

RECEIVED

NOV 15 1968

CITY OF ATHOL, IDAHO

November 13, 1968

Department of Reclamation

Mr. Donald W. McEldowney	
Appropriation Examiner	
Department of Reclamation	
Statehouse - Annex 2	
Boise, Idaho 83707	

Mr. Donald W. McEldowney
Appropriation Examiner
Department of Reclamation
Statehouse - Annex 2
Boise, Idaho 83707

Dear Mr. McEldowney:

I am returning the corrected Application for Permit form together with City of Athol check No. 143 in the amount of \$10.00 to cover the filing fee.

I trust this application can now be processed, however, if there is anything I overlooked, please advise.

Sincerely,

CITY OF ATHOL, IDAHO

Carol J. Fiscus

Carol J. Fiscus, Clerk

Enc. - Appl. for Permit
Check No. 143 (S.F.)

96-7021

96-7021-

October 10, 1968

City of Athol
Athol, Idaho 83801

Gentlemen:

It has been brought to our attention that on or about
February 13, 1968, you had a well drilled. The
well is reported to be located at a point in the SE 1/4
SW 1/4, Sec. 9, T. 53 N, R. 3 E B. M. for
municipal use.

A search of our records has failed to find your applica-
tion or approved permit. Under existing Idaho Statutes,
Sections 42-226, 42-229, and 42-230 of the Idaho Code, you are
required to file and obtain an approved permit before you
divert waters from a subterranean source, with the exception of
domestic wells which are defined under Section 42-111 of the Idaho
Code.

If we have overlooked your permit, please advise the
Department as to your permit number. However, if you have not
yet filled out an application for permit, please use the instruc-
tions and the blank application form which we have enclosed.

We will be very happy to assist you with any questions you
might have.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:ks

Enclosure: Application for permit forms

96-7021