

Affidavit of Publication

STATE OF IDAHO, }
County of Bonner, } ss.

L. E. Pietsch being first duly sworn on
oath deposes and says that he is Publisher
of The Sandpoint News-Bulletin, a weekly
newspaper printed and published at Sandpoint,
Bonner County, Idaho; that the said Sandpoint
News-Bulletin has been continuously and unin-
terruptedly published in said Bonner County
during a period of 18 months or 78 weeks
prior to the first publication of the hereto
attached notice for publication in the case of

Notice of Application for Water;

Applicant, Marjorie L. Cheatham

as it was published in the regular and entire issue
of the said paper for a period of two
consecutive weeks, commencing on the 9th
day of May, 1968, and end-
ing on the 16th day of May,
1968, and that said notice was published in said
newspaper, and not in supplemental form.

L. E. Pietsch

Subscribed and sworn to before me this

24th day of May, 1968.

Glynn Powell

Notary Public for Idaho,
Residing at Sandpoint, Idaho.

RECEIVED
MAY 27 1968
Department of Reclamation

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Mar-
jorie L. Cheatham, Star Route,
Sandpoint, Idaho has on April 19,
1968 applied for permit to divert
0.50 cubic feet per second of
water from an unnamed stream,
tributary of Garfield Bay under ap-
plication No. 96-7007. Water will
be diverted by a pump within
the SE 1/4 NW 1/4, sec. 22, T. 56 N,
R. 1 W, B.M., Bonner County and
is to be used from May 1 to
October 1 for irrigation and fire
protection in the SE 1/4 NW 1/4, sec.
22, T. 56 N, R. 1 W, B.M.

Any protest against this applica-
tion must be filed with the De-
partment of Reclamation within
ten days from the last date of
publication of this notice.

R. KEITH HIGGINSON,
State Reclamation Engineer.

Published in the Sandpoint News-
Bulletin, Sandpoint, Idaho, on May
9 and May 16.
M9-16

96-7007

[illegible]

State of Idaho
Department of Water Administration

LICENSE OF WATER RIGHT

License of Water Right No. 96-7007 Priority 4-21-68 Amount .02 cfs

THIS IS TO CERTIFY, that Marjorie L. Cheatham
of Sandpoint, Idaho, has complied with the terms and conditions of Permit
No. 96-7007 issued pursuant to Application for Permit dated April 19, 1968,
and has submitted proof to the Department of Water Administration on September 3, 1969,
that he has applied water to a beneficial use; an examination by the Department indicates that the
works have a capacity of .02 cfs, and that the water has in fact been applied to a
beneficial use; a right to the use of water from Unnamed Stream
tributary of Garfield Bay, is hereby confirmed in the following amounts:
Amount .02 cfs for Irrigation from March 15 to Nov. 15 (both dates inclusive)
Amount _____ for _____ from _____ to _____ (both dates inclusive)
Amount _____ for _____ from _____ to _____ (both dates inclusive)
Subject, however, to the condition that no more than .02 cfs of water be diverted at
any one time, said waters to be diverted within the SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 22, T. 56N, R. 1W, B.M.
in the county of Bonner; and that the amount of water so diverted and to which such
right is entitled and confirmed is for the purposes aforesaid and is limited to the amount which can
actually be beneficially used and shall not exceed 3 acre feet per year or _____
3 acre feet per acre.

Description and location of place of use:

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
56N	1 W	22								1									1

Total number of acres irrigated 1

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands
or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 21st day of

June, 19 71.


Director

96-7007

Identification No. 96-7007
Application No. 42455

LICENSE ISSUED FOR .02 SEC. FT.
LICENSE PAGE NO. _____

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho

1. Name of applicant Marjorie L. Cheatham
post office address Star Route, Sandpoint, Idaho 83864
2. Source of water supply Unnamed Stream which is a tributary of Into Garfield Bay
3. a. Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 22 Township 56N
Range 1 W B.M. Bonner County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into Stream at a point in SE $\frac{1}{4}$
of NW $\frac{1}{4}$ of Section 22 Township 56N Range 2 W B.M.
4. Quantity to be appropriated:
a. 0.50 (allow 0.02 /c.f.s.) cubic feet per second and/or
b. _____ acre feet per annum will be stored.
5. Water will be used for the following purposes:
Irrigation purpose from May 1 to Oct 1 (both dates inclusive)
Fire Protection purpose from _____ to _____ (both dates inclusive)
_____ purpose from _____ to _____ (both dates inclusive)
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. None except Pump
suction

b. Height of storage dam None feet; active reservoir capacity None acre feet; total reservoir
capacity None acre feet; materials used in storage dam: _____

c. Proposed well diameter is None inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 1/2 years.
b. Estimated construction cost is \$ less than \$500.00
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: Fire Protection

96-7007

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

1

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes none


a. Who owns the property at the point of diversion Robert Klatt

b. Who owns the land to be irrigated or place of use Marjorie Cheatham

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing Easement from Klatt

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Margie L. Cheatham
(Applicant)

96-7007

Received by Date 4-19-68 Time 9:00am
Preliminary check by Fee \$ 10.00
Received by Date 4-19-68
Publication prepared by Date 5-2-68
Published in
Publication dates 5-9-68 to 5-16-68
Publication approved Date 5-2-68
Priority reduced to Reason
Protests filed by:
Copies of protests forwarded by
Hearing held by Date
Recommended for approval denial by Date

APPROVED

ACTION OF STATE RECLAMATION ENGINEER

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-7007, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 69.

c. Other: Maximum rate of diversion shall not exceed 0.02 c.f.s.

2. Denial of said application is for the following reasons:

Witness my hand this 19 day of August, 19 68.

State Reclamation Engineer

RECEIVED

SEP 3 1969

Identification No. _____

Permit No. 96-7007

Department of Reclamation

STATE OF IDAHO

DEPARTMENT OF RECLAMATION

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder Marjorie L. Cheatham
b) Post Office Address Star Route, Sandpoint, Idaho 83864
2. Permit Number 96-7007
3. Date of Priority that you are prepared to establish Apr. 19, 1968
4. a) Source from which water was appropriated Unnamed Stream which is a tributary into Garfield Bay
b) Location of the point of diversion: SE 1/4 NW 1/4, Section 22
Township 56N, Range 1 W Bonner Base Meridian, Other points of diversion:
5. a) The amount of water and use to which the water has been applied:
amount 28,798 S.C.F. Irrigation purposes from 5/1/68 to 10/1/68 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 28,798 cfs and/or acre feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: H. F. Horn, Field Supervisor, Washington Gas Light Co. - Capacity of Pump, 2 1/4" Bore, 2 3/4" Stroke, 71 RPM
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: None except pump suction
b) Describe the agreement or understanding by which you take water from the works: Easement from Robert Klatt, property owner at point of diversion
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) Double Acting Positive Displacement pump 2 1/4" bore by 2 3/4" stroke running 71 strokes per minute.
b) Describe the type and size of measuring device which you have installed at your point of diversion: Calculated
c) Give well drillers name and address and date the well was completed _____

Exam Typed
11-5-69
gms

96-7007

Affidavit of Publication

STATE OF IDAHO, }
County of Bonner, } ss.

L. E. Pietsch being first duly sworn on
oath deposes and says that he is Publisher
of The Sandpoint News-Bulletin, a weekly
newspaper printed and published at Sandpoint,
Bonner County, Idaho; that the said Sandpoint
News-Bulletin has been continuously and unin-
terruptedly published in said Bonner County
during a period of 18 months or 78 weeks
prior to the first publication of the hereto
attached notice for publication in the case of

Notice of Application for Water;

Applicant, Marjorie L. Cheatham

as it was published in the regular and entire issue
of the said paper for a period of two
consecutive weeks, commencing on the 9th
day of May, 1968, and end-
ing on the 16th day of May,
1968, and that said notice was published in said
newspaper, and not in supplemental form.

L. E. Pietsch

Subscribed and sworn to before me this

24th day of May, 1968.

Alyce Goss

Notary Public for Idaho,
Residing at Sandpoint, Idaho.

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Mar-
jorie L. Cheatham, Star Route,
Sandpoint, Idaho has on April 19,
1968 applied for permit to divert
0.50 cubic feet per second of
water from an unnamed stream,
tributary of Garfield Bay under ap-
plication No. 96-7007. Water will
be diverted by a pump within
the SE 1/4, sec. 22, T. 58 N.,
R. 1 W, B.M., Bonner County and
is to be used from May 1 to
October 1 for irrigation and fire
protection in the SE 1/4, sec.
22, T. 58 N., R. 1 W, B.M.

Any protest against this applica-
tion must be filed with the De-
partment of Reclamation within
ten days from the last date of
publication of this notice.

R. KEITH HIGGINSON,

State Reclamation Engineer.

Published in the Sandpoint News-
Bulletin, Sandpoint, Idaho, on May
9 and May 18.

MS-16

96-7007

STATEMENT

SANDPOINT NEWS-BULLETIN

COMPLETE COVERAGE OF THE SANDPOINT TRADE AREA

Sandpoint, Idaho

May 31, 1968

State of Idaho
Department of Reclamation
107 State House
Boise, Idaho 83701

1968

May 9 27-line legal "Application for
Permit No. 96-7007"
Marjorie L. Cheatham
Two Issues

6.75

I hereby certify that the foregoing account
is just and correct, that the amount claimed is
legally due after allowing all just credits, and
that no part of the same has been paid.

SANDPOINT NEWS-BULLETIN

By Phyllis Pratt

96-7007

LICENSING DATA ANALYSIS

- Permit No. 96-7007
- Name license is to be issued in Marjorie L. Chentham
Assignment required - Yes ☐ No ☒
- Date of first receipt 4-19-68 Date proof due 9-1-69 Made 9-3-69
- Priority 4-21-68 Late proof - Yes ☒ No ☐
- Source unnamed stream tributary Garfield Bay
- Point of diversion:
Twp. 56 N/S, Rge. 4 E/W, B.M., Sec. 22, SE $\frac{1}{4}$ NW $\frac{1}{4}$
Twp. N/S, Rge. E/W, B.M., Sec. , $\frac{1}{4}$ $\frac{1}{4}$
Twp. N/S, Rge. E/W, B.M., Sec. , $\frac{1}{4}$ $\frac{1}{4}$
Amendment required - Yes ☐ No ☒
- Beneficial use for license:
Amt. .02 for irrigation from April ^{Mar 15} to Nov 15 AF 3
Amt. for from to AF
Amt. for from to AF
Amount not to exceed at any one time .02 c.f.s. or 3 Acft acre feet per season or 3 acre feet per acre
Amendment required - Yes ☐ No ☐
- Permitted Amount: .02 c.f.s. Volume for season AF
- Measured Amount: .02 Season for reduction
- Description and location of place of use:

Twp	Rge	Sec	NE 160				NW 160				SW 160				SE 160				Total
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
56	4W	22							1										1

Total No. of acres 1

Supplemental acreage - Yes ☐ No ☒

Total permitted acres 1

Amendment required - Yes ☐ No ☒

11. Remarks: irrigation
Domestic only no fire protection

12. Measuring device required - Yes ☐ No ☒

13. Type of letter required: Fee ☐ Notice ☒

14. Analysis by JE Boeker Date 3 Nov 70 Checked by D Date 5-71

96-7007

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE, IDAHO
REPORT OF EXAMINER

Permit No. ~~MAXXXXX~~ 96-7007

This proof is for (allow 0.02 cfs) PROOF - 28,789 cfs In Water District No. _____
per annum

1. Name of applicant Marjorie L. Cheatham, Star Route, Sandpoint, Idaho 83864

2. Source of water supply: Unnamed stream, tributary of Garfield Bay

3. Location of point of diversion: Is in the SE $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 22

T. 56 N R. 2 W County of Bonner

4. Describe works as they exist, giving dimensions and capacities of same:

PERMIT - none except pump suction.

PROOF - double acting positive displacement pump 2 $\frac{1}{2}$ " bore by 2-3/4" stroke running 71 strokes per minute.

5. Water is used for: irrigation & fire protection (PROOF - no fire protection mentioned)

6. State whether or not water has been turned into works of diversion:

7. List legal subdivisions of lands to be irrigated. If proof is for beneficial use, give exact number of acres under cultivation in each forty-acre tract. (Describe manner and place of use if other than irrigation):

56 N - 1 W, Sec. 22 SE $\frac{1}{4}$ NW $\frac{1}{4}$ 1 acre

(Submit map on attached plat, showing location and details of above description.)

8. What large stream would the water here appropriated finally reach?

Remarks: This water is used to irrigate approx 1 acre of lawn and garden. they operate 2 spray type sprinklers. It was impossible to measure; therefore, I recommend the max. of .02 cfs

The only fire protection is what comes from a garden hose

This examination was made on the 1st day of Sept, 1970

(Signed) Fred E. Eversett Examiner.

96-7007

Permit No. 96-7007

Examination for b/u - Marjorie L. Cheatham

County Bonner

Quantity: 0.02 cfs Sec. 22 T. 56N R. 2W

Source: unnamed stream, tributary of Garfield Bay

P.D.: SE 1/4 NW 1/4

Use: irrigation & fire protection

Extension:

Pretest:

Completion of Work:

Other Rights:

Filed: 4-19-68 Made: 9-3-69
Due: 9-1-69 Priority: 4-21-68

Index

ps

INSTRUCTIONS TO EXAMINERS

1. Always carefully note the location of the point of diversion and accurately plat same.
2. When proof is for beneficial use, carefully check up the number of acres actually irrigated in each forty and accurately plat same.
3. Make a map showing the correct location of streams and ditches, and the irrigated lands, and any adjacent permanent landmarks, such as towns, lakes, large streams and public roads.
4. If any unusual conditions are discovered, make plain statement of them under remarks.
5. Always see the holder, if possible, and go over the whole ground with him and make your report only upon actual existing facts and conditions.
6. Give general characteristics of soils, topography, and crops raised.

96-7007

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE

REPORT OF EXAMINER

PERMIT NO. 96-7007

REPORT ON PROOF OF Marjorie L. Cheatham

runs 2 sprinklers to irrigate approx 1 acre of lawn + garden

Master Alternating Current Motor;

Ser. TJ6282

Style 25340

3/4 H.P.

Meyers & Bros. Piston Pump.

Ser. 3063

1 1/4" intake 1" discharge plastic pipe

1" plastic pipe runs underground up the hill. There are several outlets which can run 2 sprinklers. These are spray sprinklers and it was impossible to measure. Therefore allow the max. of 102 c.f.s.

96-7007

June 21, 1971

Re: License No. 96-7007 - Marjorie L. Cheatham

Marjorie L. Cheatham
Star Route
Sandpoint, Idaho 83864

Dear Ms. Cheatham:

Please find enclosed the above referenced license.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF:CR

Enclosure

96-7007

September 25, 1969

Re: Permit No. 96-7007

Mrs. Marjorie Cheatham
Star Route
Sandpoint, Idaho 83864

Dear Mrs. Cheatham:

We acknowledge receipt of your affidavit submitted as proof of beneficial use ~~██████████~~ for permit 96-7007.

Before a license can be issued a field examination must be made by a representative from this department.

We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system. If someone other than you should be contacted by the examiner, please advise.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:DR

*Exam
Made*

Sept. 21, 1969

Department of Reclamation
Statehouse - Annex 2
Boise, Idaho

Re: Permit Nol 96-7007

Dear Sir:

Upon my return from leave I received your letter of September 5th.

In checking the correctness of my affidavit submitted as proof of beneficial use I find I did mistype the place of the use. It should have read SE $\frac{1}{4}$ of the NW $\frac{1}{4}$. The original application was correct.

Very truly yours,

Marjorie L. Cheatham
Marjorie L. Cheatham

DON SAMUELSON
GOVERNOR



R. KEITH HIGGINSON
State Reclamation Engineer

STATE OF IDAHO

DEPARTMENT OF RECLAMATION
STATEHOUSE - ANNEX 2
BOISE, IDAHO 83707

September 5, 1969

Re: Permit No. 96-7007

Mrs. Marjorie L. Cheatham
Star Route
Sandpoint, Idaho 83864

Dear Mrs. Cheatham:

We are in receipt of the affidavit submitted as proof of beneficial use for the above referenced permit. However, there is a discrepancy between the proof form and the original permit. The permit lists the place of use as being within the SE $\frac{1}{4}$ of the NW $\frac{1}{4}$ whereas the proof form lists the place of use as being within the SE $\frac{1}{4}$ of the NE $\frac{1}{4}$. Would you please advise us of the correct land list? If the proof form is indeed correct, you will be required to submit an application for amendment to the Department.

As the proof form was two days late, you will find enclosed an order of reinstatement which reduces your priority to April 21, 1968.

Your prompt attention to the above matter will be appreciated.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:DR

Enc: Order of Reinstatement

*need copy
for file*

96-7007

BEFORE THE STATE RECLAMATION ENGINEER
OF THE
STATE OF IDAHO

IN THE MATTER OF REINSTATEMENT OF PERMIT NO.)
96-7007 in the name of MARJORIE L. CHEATHAM)

ORDER OF REINSTATEMENT

WHEREAS, on April 19, 1968, Marjorie L. Cheatham, applied to the Department of Reclamation for a permit to appropriate .02 cubic feet per second of water from an unnamed stream to be diverted in the SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 22, T. 56N, R. 1W, B.M., Bonner County, Idaho, for irrigation and fire protection purposes in Sec. 22, T. 56 N, R. 1 W, B.M.; and,

WHEREAS, on August 19, 1968, the Department of Reclamation approved the application subject to the condition that the maximum rate of diversion shall not exceed .02 c.f.s. and that proof of the application of water to beneficial use be submitted to the Department on or before September 1, 1969; and,

WHEREAS, on June 30, 1969, the Department of Reclamation notified the permit holder by certified mail that she was required to submit proof of the application of the water to beneficial use and was instructed as to the steps to be taken to make that proof; and,

WHEREAS, the required proof was not received on September 1, 1969; and,

WHEREAS, on September 1, 1969, Permit No. 96-7007 lapsed; and,

WHEREAS, on September 3, 1969, the Department of Reclamation received the required proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within 60 days from the date of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why the permit should be reinstated;

THEREFORE, IT IS HEREBY ORDERED that Permit No. 96-7007 be REINSTATED and the priority reduced to April 21, 1968.

Dated this 9TH day of SEPTEMBER, 1969.


R. KEITH HIGGINSON
State Reclamation Engineer

96-7007

AFTER FIVE DAYS RETURN TO
DEPARTMENT OF RECLAMATION
STATEHOUSE - ANNEX 2
BOISE, IDAHO 83707



UNCLAIMED

Mrs. Marjorie L. Cheatham

~~Star Route~~

~~Sandpoint Idaho~~ 83864

CERTIFIED MAIL
NO. 21130
RETURN RECEIPT REQUESTED

96-7607

1st Notice 7-2-69
Relian 7-2-69

forwarded by
regular
mail.
4-10-69



June 30, 1969

Re: Permit No. 96-7007

Mrs. Marjorie L. Cheatham
Star Route
Sandpoint, Idaho 83864

Dear Mrs. Cheatham:

One of the conditions of the approval of your permit
96-7007 was that proof of application of the water to
beneficial use be submitted to this office on or before _____
September 1, 1969.

Enclosed is an affidavit form which must be used to submit
this proof. You may request an extension of time provided the
delay is for reasonable cause as indicated in Section 42-204, ICA.

Either the proof or a request for extension must be received
by this department on or before the above mentioned date, otherwise
the permit will lapse and be of no further force or effect.

R. Keith Higgins

State Reclamation Engineer

RKH:tg

Enclosure: Proof form

August 22, 1968

Re: Permit No. 96-7007

**Marjorie L. Cheatham
Star Route
Sandpoint, Idaho 83864**

Dear Mrs. Cheatham:

We enclose a copy of your approved application for permit 96-7007
in which we direct your attention to the limitations and conditions as given
on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

**C. Stephen Allred, Assistant
State Reclamation Engineer**

CSA:kh

**Enclosures: Copy of application
Receipt No. 799 for \$10.00**

96-7007

RECEIVED
AUG 7 1968

Sandpoint, Idaho
August 5, 1968

Department of Reclamation

Department of Reclamation
Statehouse
Boise, Idaho

Attention: Mr. Donald W. McEldowney

Re: Application for Permitt No. 96-7007

Dear Sir:

I did not realize that when submitting my application for a water right that I had requested water in excess of the normal maximum legal rate of diversion. I had sought assistance in the preparation of the application since I did not understand all the terms and questions.

Upon my return from an extended leave I secured the advice of a local engineer and he gave me the following information:

Double acting positive displacement pump (old).

2 $\frac{1}{4}$ " bore by 2 $\frac{3}{4}$ " stroke running 71 strokes per minute equals .013 cu. ft. per second. It is capable of pumping a larger quantity.

If a permit for .02 cubic feet per second is allowed to this I am agreeable. Later on it will no doubt be necessary to install a new pump which would carry the maximum capacity.

I regret the delay in submitting this information.

Very truly yours,

Marjorie L. Cheatham
Marjorie L. Cheatham

96-7007

July 24, 1968

Re: Application No. 96-7007

Marjorie L. Cheatman
Star Route
Sandpoint, Idaho 83864

Dear Mrs. Cheatman:

As of this date we haven't received a reply to our June 24, 1968 letter, a copy of which is enclosed.

Until we hear from you we are unable to process the application; therefore, if you have not replied within 20 days of the date of this letter the department will process your application for a lesser amount of water. This amount will be approximately .02 cubic feet per second.

Please contact us if we may be of further assistance.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:ks

Enclosure

96-7007

June 24, 1968

Re: Application for Permit No. 96-7007

Marjorie L. Cheatman
Star Route
Sandpoint, Idaho 83864

Dear Mrs. Cheatman:

The department is ready to take final action on your application for permit; however, it is noted that you have requested water in excess of the normal maximum legal rate of diversion. Idaho Statutes state that the maximum rate of diversion for irrigation is .02 cubic feet per second per irrigated acre.

We realize that for a 1 acre piece of ground it would be extremely hard to irrigate with this small quantity of water. Therefore, if you would give us some justification and a request for an excessive amount of water we could possibly consider approving some quantity between the maximum legal rate and that which you have asked. The capacity of the pump you are installing would assist us in determining how much water we can allow.

Your prompt attention to this matter is appreciated.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:ks

96-7007

May 2, 1968

Re: Application for Permit No. 96-7007
Marjorie L. Cheatham

Sandpoint News-Bulletin
Sandpoint,
Idaho 83864

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you can not publish the notice on the proposed dates please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation, along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of same has been paid.

(Do not certify letter)
Signature of claimant

Very truly yours,

Donald W. McElldowney
Appropriation Examiner

DWM:ks

Enclosure: legal notice

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Marjorie L. Cheatham, Star Route, Sandpoint,

Idaho has on April 19, 1968
applied for permit to divert ~~sq/yr~~ 0.50 cubic feet per second ~~ac/yr~~ ac/yr
of water from an unnamed stream, tributary of Garfield Bay
under application No. 96-7007. Water will be diverted by a pump
within the SE1/4NW1/4, sec. 22, T. 56 N.
R. 1 W., B.M., Bonner County
and is to be used from May 1 to October 1 for irrigation and fire
protection
in the SE1/4NW1/4, sec. 22, T. 56 N., R. 1 W., B.M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the Sandpoint News-Bulletin, Sandpoint, Idaho
on May 9 and May 16.

96-7007

24