




MIDPOINT 24 ML
NAPLES 2 MI.
FEB 1 1997

PARADISE
1-12-97



MICROFILMED
FEB 12 1992

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

COMMENCEMENT OF WORKS

Madrienne

Permit No. 98-7560

Name(s) of Permit Holder(s): Atkins Gary + Madrienne

Post Office Address: 51st Route #1 BOX 301
Naples, Idaho 83847 Tel. No. 262-3393

☐ I hereby certify that construction of diversion works for the above referenced permit began on 12 April 1982 (date). I understand that I must

continue to develop the water system with due diligence to maintain a valid permit. I have been using it for 2 years and 1/2 now

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:
FEB 12 1992

*Note: A financing difficulty is not an acceptable reason.

Date

Signature of Permit Holder

1 Oct 1983 Gary B Atkins

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 98-07560

Priority: July 1, 1983

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.9 AF

This is to certify, that GARY ATKINS
MADRIENNE ATKINS

HCR 01 BOX 301
NAPLES ID 83847

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 10, 1983; and has submitted Proof of Beneficial Use on August 22, 1988. An examination indicates that the works have a diversion capacity of .040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.02 CFS	1.5 AF
STOCKWATER	01/01 to 12/31	0.02 CFS	0.4 AF
	Totals	0.04 CFS	1.9 AF

LOCATION OF POINT(S) OF DIVERSION:

SESE, Sec. 20, Township 61N, Range 01E
BOUNDARY County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
61N	01E	20	SESE	0.5		0.5

Total number of acres irrigated: 0.5

PLACE OF USE: STOCKWATER, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Two points of diversion within the SESE, S20, T61N, R1E.

RECORDED
FEB 10 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 98-07560

CONDITIONS/REMARKS:

6. Stockwater use is for 12 cattle and chickens.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 9TH
day of JANUARY, 19 92.

Acting for


R. Keith Higginson, Director

FEB 12 1992

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 98-7560 IN THE)
NAME OF GARY AND MADRIENNE ATKINS) ORDER OF REINSTATEMENT
_____)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before August 1, 1988; and,

WHEREAS, the Department has notified the permit holders by certified mail that proof was due and instructed the permit holders of the steps to be taken to submit the proof of beneficial use; and,

WHEREAS, the Department has notified the permit holders that the permit lapsed for failure of the permit holders to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holders have provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on August 22, 1988;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 98-7560 be REINSTATED and the priority advanced to July 1, 1983.

Dated this 6th day of October, 1988.


L. GLEN SAXTON
Chief, Operations Bureau

RECEIVED

DEC 27 1988

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

JUN 10 1983

APPROVED

To appropriate the public waters of the State of Idaho

Department of Water Resources
Northern District Office1. Name of applicant GARY ATKINS & MADRIANNE ATKINS Phone 267 3393Post office address SR 1 Box 301 NADLES ID 838472. Source of water supply GROUND WATER which is a tributary of _____3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 20 Township 61NRange 1E B.M. BOUNDARY County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .04 for DOMESTIC purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)Amount .02 for STOCK WATER purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)Amount .06 for IRRIGATION purposes from 3/31 to 11/1 (both dates inclusive)
(cfs or acre-feet per annum)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .12 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 2 WELLS, PUMP, PIPE

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)c. Proposed well diameter is 36" inches; proposed depth of well is 28 feet.7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:(1) Give the place of use of water: SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 20 Township 61NRange 1E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 50 ASSORTED(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 1.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE 1/4			NW 1/4			SE 1/4			SW 1/4			NE 1/2			NW 1/2			SE 1/2			SW 1/2			TOTALS
			NE 1/4	NW 1/4	SE 1/4	NE 1/4	NW 1/4	SE 1/4	NE 1/4	NW 1/4	SE 1/4	NE 1/4	NW 1/4	SE 1/4	NE 1/4	NW 1/4	SE 1/4	NE 1/4	NW 1/4	SE 1/4	NE 1/4	NW 1/4	SE 1/4	NE 1/4	NW 1/4	SE 1/4	
61N	1E	20																									3
																											3
TOTALS																											

Total number of acres to be irrigated


3

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion APPLICANT
- b. Who owns the land to be irrigated or place of use APPLICANT
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale 2 inches equal 1 mile.

MICROFILMED

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Gary B. Atkins
(Applicant)

MICROFILMED

Received by pr Date 6/10/83 Time 12:30pm.
Preliminary check by pr Fee \$ 30.00
Received by pr Date 6/10/83 (27195)
Publication prepared by pr Date 6/22/83
Published in Bonanza Ferry Herald
Publication dates 6/83 - 6/30/83
Publication approved pr Date 7/27/83
Protests filed by: pr
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by pr

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 98-7560, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

August 1, 19 88.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 11 day of August, 1983.

D. Allen Saylor
Chief, Operations Bureau

THE FOLLOWING APPLICATION(S) FOR A RIGHT TO USE
The following application(s) have been filed to appropriate
public waters of the State of Idaho:

98-7557

ELLER, RUTH A. &/or DAN K.
O. BOX 1253, BONNERS FERRY, ID 83805
Source: GROUNDWATER
Date Filed: 06/08/1983
Version Pt: NWSE Sec 23 T 63N R 01E
Use: IRRIGATION (0.04 CFS)
STOCKWATER (0.02 CFS)
DOMESTIC (0.04 CFS)
NWSE Sec 23 T 63N R 01E FOR 2 ACRES

98-7558

SESE, RICHARD
AR RT. 1, MOYIE SPRINGS, ID 83845
Source: GROUNDWATER
Date Filed: 06/09/1983
Version Pt: NWSE Sec 15 T 61N R 03E
Use: IRRIGATION (0.04 CFS)
STOCKWATER (0.04 CFS)
DOMESTIC (0.04 CFS)
NWSE Sec 15 T 61N R 03E FOR 2 ACRES

98-7559

WCOMBE, L. RAYMOND &/or SALLY
O. BOX 485AB, BONNERS FERRY, ID 83805
Source: GROUNDWATER
Date Filed: 06/10/1983
Version Pt: SWSW Sec 13 T 61N R 01E
Use: IRRIGATION (0.04 CFS)
DOMESTIC (0.04 CFS)
SWSW Sec 13 T 61N R 01E FOR 2 ACRES

98-7560

KINS, GARY &/or MADRIONNE
AR RT. 1 BOX 301, NAPLES, ID 83847
Source: GROUNDWATER
Date Filed: 06/10/1983
Version Pt: SESE Sec 20 T 61N R 01E
Use: IRRIGATION (0.06 CFS)
STOCKWATER (0.02 CFS)
DOMESTIC (0.04 CFS)
SESE Sec 20 T 61N R 01E FOR 3 ACRES

98-7561

PHENSON, HAROLD &/or LIZ
O. BOX 522, BONNERS FERRY, ID 83805
Source: TRAIL CREEK trib. to DEEP CREEK
Date Filed: 06/13/1983
Version Pt: SENE Sec 07 T 60N R 01E
Use: IRRIGATION (0.18 CFS)
STOCKWATER (0.02 CFS)
SENE Sec 07 T 60N R 01E FOR 20 ACRES

98-7562

IZ, KAREN A. &/or GUS G.
AR RT. 2 BOX 146 C, BONNERS FERRY, ID 83805
Source: SPRINGS trib. to ROUND PRAIRIE CREEK
Date Filed: 06/14/1983
Version Pt: SWNE Sec 34 T 65N R 01E
Use: IRRIGATION (0.12 CFS)
DOMESTIC (0.04 CFS)
FIRE PROTECTION (0.20 CFS)
SWNE SENE Sec 34 T 65N R 01E FOR 6 ACRES

98-7563

ONNOR, JOHN &/or LISA
BOX 473, BONNERS FERRY, ID 83805
Source: GROUNDWATER
Date Filed: 06/14/1983
Version Pt: SWSE Sec 07 T 62N R 02E
Use: IRRIGATION (0.01 CFS)
STOCKWATER (0.01 CFS)
DOMESTIC (0.01 CFS)
SWSE Sec 07 T 62N R 02E FOR 7 ACRES

98-7564

ONNOR, JOHN &/or LISA
BOX 473, BONNERS FERRY, ID 83805
Source: SPRINGS trib. to FRY CREEK
Date Filed: 06/14/1983
Version Pt: SWSE Sec 07 T 62N R 02E
Use: IRRIGATION (0.01 CFS)
STOCKWATER (0.01 CFS)
DOMESTIC (0.01 CFS)
WSE Sec 07 T 62N R 02E FOR 7 ACRES

Each permit(s) will be subject to all prior water rights
which must be filed with the Director, Dept. of Water
Resources, 4055 Gov't. Way, Coeur d'Alene, Id. 83814 on or
before JULY 11, 1983.

KEN DUNN, Dir.

publication June 23, 1983

publication June 30, 1983-dwr

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO }
County of Boundary } ss.

Alice Winn, bkpr for Pete Thompson being
first duly sworn upon his oath, deposes and says that he is the publisher (or foreman
Publisher

of The Bonners Ferry Herald, a newspaper of general circulation, published weekly,
Bonners Ferry, Boundary County, State of Idaho; that the said Bonners Ferry Herald has
been continuously and uninterruptedly published in said Boundary County during a period
of 18 months or 78 weeks prior to the first publication of the hereto attached notice; that

the advertisement of Noticed of Application for Water Right
98-7557, 7558, 7559, 7560, 7561, 7562, 7563, 7564

Notice for Publication, a printed copy of which is attached hereto was published in said
newspaper and not in a supplement thereof for 2 consecutive issues, com-
mencing with the issue dated June 23, 1983, and ending with the
issue dated June 30, 1983.

Subscribed and sworn to before me this 13th day of July, 1983.
Notary Public in and for the County of Boundary, State of Idaho
residing at Bonners Ferry, Idaho.

January 10, 1992

GARY ATKINS
MADRIENNE ATKINS
HCR 01 BOX 301
NAPLES ID 83847

RE: WATER RIGHT NO. 98-07560

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:blm

Enclosure

RECEIVED

FEB 12 1992

November 14, 1991

GARY ATKINS
MADRIENNE ATKINS
HCR 01 BOX 301
NAPLES ID 83847

RE: WATER RIGHT NO. 98-07560

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

FEB 12 1992

LICENSE REVIEW CHECKLIST

Permit No. 98-7560

Name/Address change? ok ✓

Priority date Advance? yes no ✓

Memo to advance

Order to reinstate needed? yes no ✓

Total cfs Limited by fee 04

Limited by capacity

Total volume Limited by flow

Chart checked for AF rate/ac ✓ 3.0

Capacity Actual measurement checked

Theoretical checked

If greater than permit, check for other rts

Source Changed? yes no ✓

If so, is memo needed to clarify?

P/D Verify with map ✓ permit ✓

More than one per 1/4 ? Remember remark

Check p/d overlap

Uses Check irrigation period of use w/ chart 3/15-11/15

P/U Verify with map ✓ permit ✓

> 5 acres irrigated, run overlap

Remarks More than one p/d in 1/4

Description of non-irrig uses ✓

Special overlap condition

Conditions -

Measuring device /
W.Master control /
Overlap /
Water quality /
Other /

Dates/Misc. -

Water Dist /
App Rec'd /
Proof Rec'd /

Comments/Changes to Examiner's Recommendations:

Domestic use is for irrig of lawn & garden only - This use is
already listed as irrig - domestic dropped from licensing.

License 30 10-day ✓ 30-day

Date 11/13/91 Review time 5 min.

FEB 12 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

JUN 28 1991

A. GENERAL INFORMATION

Permit No. 98-07560

1. Owner: Gary & Madrienne Atkins Phone No. 267-3393
Current Address: HCR 01 Box 301 Naples ID 83847

2. Accompanied by: Gary Atkins EXAM. DATE: 7/31/90
Address: Same Phone No. Same

Relationship to Permit Holder: _____

3. Source: Groundwater tributary to _____


B. OVERLAP REVIEW

1. Other water rights with same place of use: None (potable water is hauled in)
_____ ☐ Copies Attached

2. Other water rights with same point of diversion: None
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



RECORDED

FEB 12 1992

Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

2 wells. Well #1 is 15 feet deep and is used as a back-up only. Well #2 is 28 feet deep and has a buried pipe to pressure tank and home. There is only one pump. Domestic is only non-potable household use Brinkley water is hauled. Irrigation of $\frac{1}{4}$ acre garden is by lawn sprinklers ($2\frac{5}{32}$ " at ~~45~~ 45 psi).

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Inaccessible #1		1 hp			
# 2		Non p.			

**Code to correspond with No. on map and aerial photo*

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination

[illegible]

Do not use this space

D. FLOW MEASUREMENTS *None*

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$2,532' @ 45 : (4.68) 2 = 9.36 \text{ gpm} = 1 \text{ home L \& G}$$

$$= 0.02 \text{ cfs} \quad 12 \text{ head Stock}$$

$$+ \text{chickens}$$

2. Alternate Method for Checking Purposes:

$$\frac{(1)(8.8)(60\%)}{(2.31)(45 \text{ psi}) + 15'} = \frac{5.28}{118.95} = 0.04 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{1/2 \times 3.0 = 1.5 \text{ AFA}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{0.02 \times 214 \times 1.9835 = 8.5 \text{ AF}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{1.5 \text{ AFA}}$$

2. Volume Calculations for Other Uses:

$$1 \text{ home} \\ 12 \text{ head Stock + chickens} = \underline{.4 \text{ AFA}}$$

RECEIVED

FEB 12 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
	From To	Q (cfs)	V (afa)
Domestic	1-1 12-31	0.04 cfs	0.6 afa
Irrigation	3-1 12-31	0.02 cfs	1.5 afa
Stock water	1-1 12-31	0.02 cfs	0.4 afa
Totals:		0.04 cfs	2.5 afa

2. Recommended Amendments

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above
☒ Add P.D. as reflected above
☐ Add P.U. as reflected above
☒ None
☐ Other


J. AUTHENTICATION

Field Examiner's Name Theresa J. Bright
 Signature Theresa J. Bright
 Certification Date 4/16/90
 Field Report Preparation Date 8/6/90

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



FEB 12 1992
 IDAHO DEPARTMENT OF WATER RESOURCES





RECEIVED
FEB 12 1992

Please note that correct spelling of wife's name

Form 204-p
6/82

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

COMMENCEMENT OF WORKS

Madrienne

Permit No. 98-7560

Name(s) of Permit Holder(s): Atkins, Gary + Madrienne

Post Office Address: 5126 Route #1 Box 301

Naples, Idaho 83847 Tel. No. 267-3393

☐ I hereby certify that construction of diversion works for the above referenced permit began on 12 April 1982. I understand that I must

continue to develop the water system with due diligence to maintain a valid permit. I have been licensed for 2 year and 1/2 now


☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason "beyond my control":

*Note: A financing difficulty is not an acceptable reason.

Date

Signature of Permit Holder

1 FEB 1983 Gary B. Atkins



MAILED
FEB 12 1992



RECEIVED
OCT 5 1983
Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

November 4, 1988

Mr. Gary Atkins
HCR 01 Box 301
Naples, Id. 83847

Re: 98-7560

Dear Permitholder:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

TDK/pms

Em.

MICROFILMED

DEC 27 1988

Celebrate
IDAHO
1890 • CENTENNIAL • 1990

RECEIVED

AUG 22 1988

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by JS
Sent to region _____

No there.

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 98-7560

Name(s) of Permit Holder: Gary & Madrienne Atkins

Post Office Address: HCR-01 Box 301 Naples, Id. 83847

Telephone No. 267-3393

Source of Water: Well

Extent of Use:

Domestic 1 (number of households) Stockwater 12 cattle & chickens (number and type of stock)

Irrigation _____ (acres) Other/Remark We have a garden that

is about 1/4 acre but we don't have enough water to use all the time.

Total rate and/or volume for which proof is submitted .04 cfs ? acre-feet

Show the date water was first diverted and beneficially used under this permit: June 10, 1983

Measuring Device: Required? Yes ☒ No
Installed? Yes ☒ No

Fee enclosed \$ -0-
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes ☒ No
Installed? Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

Gary Atkins (Name) _____ (Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Aug 9, 1988
Date

Madrienne Atkins
Signature of Permit Holder (and title, if appropriate)

DEC 27 1988

To: File 98-7560

From: Groundwater Protection

Date: 9/1/88

Drilling Permit: ☒ Not Applicable
☐ Found and in file
☐ Not Found

Well Drillers Report:
☒ Not found, due to reported age of well
probably not available
☐ Found and is in file
☒ Not found

Follow-up ☐ Request from permit holder the well
drillers report and/or the name of the
well driller.
☐ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.

One well reported 36" X 15 feet
One well " 48" X 28 feet.

The 28' well ~~may have~~ was
probably hand dug? May not
be legal per rules & regs?

jm

MicroFILMED

DEC 27 1988

To _____

Date _____ Time _____

WHILE YOU WERE OUT

Larry Atkins

of _____

Phone *267-3393* *added*

Telephoned	☐	Please call	☐
Called to see you	☐	Will call again	☐
Wants to see you	☐	Returned your call	☐

Message *98-7560*

will submit proof

Operator

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

August 16, 1988

GARY ATKINS
MADRIONNE ATKINS
STAR RT. 1 BOX 301
NAPLES, ID 83847

LAPSE NOTICE

RE: PERMIT NO. 98-07560

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced water permit has lapsed. This office did not receive either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time. You were provided the proper form in our proof due notice to you dated July 31, 1988.

Your permit cannot be reinstated unless you submit proof of beneficial use or submit an extension of time request showing reasonable cause for delay. Either the completed proof of beneficial use submittal (including the examination fee or a completed field examination report) or the extension request form together with the \$15 fee must be received by this lapse notice or the permit will no longer be of any force of effect.

A proof of beneficial use form and a request for extension of time form are again enclosed for your use. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a governmental agency or by litigation which might bring title to the water in question.

L. Glen Saxton
Chief, Operations Bureau

Enclosures

LGS:RF

MICROFILMED

DEC 27 1988

CERTIFICATION OF MAILING

I hereby certify that on 8/17/88
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

Heidi Miller

13898X
CERTIFIED MAIL
May 31, 1988

ATKINS, GARY & MADRIONNE
STAR RT. 1 BOX 301
NAPLES, ID 83847

PROOF DUE NOTICE

RE: Permit No. 98-7560

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

MICROFILMED

DEC 27 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

ATKINS, GARY & MADRIONNE
STAR RT. 1 BOX 301
NAPLES, ID 83847

AUGUST 30, 1983

RE: PERMIT NO. 98-7560

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: AB

APPLICATION NUMBER: 98-7060

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 7-11-83
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 7/15/83
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
6/10/83 Date of priority recommended.
☒ Special conditions of approval or cover letter. _____

By: RyH Date: 7/29/83

STATE OFFICE REVIEW:

SLW/H17 26
☐ See attached sheet for more information.
By: Joey Date: 8/9/83

RECEIVED
AUG 05 1983

Department of Water Resources

MICROFILMED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX

98-2560-

ATKINS, GARY &/or MADRIONNE

STAR RT. 1 BOX 301, NAPLES, ID 83847

Source: GROUNDWATER

Date Filed: 06/10/1983

Diversion Pt: SESE Sec 20 T 61N R 01E

Use: IRRIGATION	(0.06 CFS)
STOCKWATER	(0.02 CFS)
DOMESTIC	(0.04 CFS)

In: SESE Sec 20 T 61N R 01E FOR 3 ACRES

RECEIVED