

10. Other water rights on these lands _____
11. Other water right diverted from same p.d. _____

12. Diversion and Delivery System Diagram: Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached
☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks _____
no stake nor fence area

15. Recommended Amendments
☐ Change P.D. as reflected above
☐ Change P.U. as reflected above
☐ Add P.D. as reflected above
☒ None
☐ Other

16. Examiner's/Consultant's Signature _____ Date *8/7/85*
IDWR Director's Authorization to Conduct _____
Beneficial Use Examination _____
Date _____

MICKKUTLUND
CONSULTANT SEAL
SEP 28 1989

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 98-07558

Priority: June 9, 1983

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.07 CFS
3.6 AF

This is to certify, that RICHARD REESE
HCR 62 BOX 148

MOYIE SPRINGS, ID 83845 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated June 9, 1983; and
has submitted Proof of Beneficial Use on September 26, 1983. An examination indicates
that the works have a diversion capacity of .070 cfs of water from:

SPRING

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	0.03 CFS	3.0 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF
	Totals	0.07 CFS	3.6 AF

LOCATION OF POINT(S) OF DIVERSION:

SENWSE , Sec. 15, Township 61N, Range 03E
BOUNDARY County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
61N	03E	15	NWSE	1		1
Total number of acres irrigated:						1

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

RECORDED

SEP 28 1983


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 98-07558

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 8TH
day of AUGUST, 19 89.

Acting for


R. Keith Higginson, Director

SEP 26 1989

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT**APPROVED**RECEIVED
JUN 9 1983

To appropriate the public waters of the State of Idaho

Department of Water Resources, Northern District Office
Applicant RICHARD REESE Phone 267 7340
Post office address BR 1 MOYIE SPRINGS ID 838452. Source of water supply (ARTESIAN WELL) GROUND WATER/SPRING which is a tributary of KOOTENAI3. Location of point of diversion is NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 15 Township 61NRange 3E B.M. Boundary County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .04 for DOMESTIC purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)Amount .04 for STOCKWATER purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)Amount .04 for IRRIGATION purposes from 3/31 to 11/1 (both dates inclusive)
(cfs or acre-feet per annum)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .12 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. CASING, PUMP, PIPE

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)c. Proposed well diameter is 24 inches; proposed depth of well is 10 feet.7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 15 Township 61N
Range 3E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 200 ASSORTED(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 2.

(5) If water is to be used for other purposes describe: _____

RECEIVED

[illegible]

2

Who owns the property at the point of diversion

APPLICANT

b. Who owns the land to be irrigated or place of use

APPLICANT

applicant to make this filing.

PROPERTIES UNDER 1 OWNERSHIP

1 lot May BE SOLD to 3rd Party

NOTE: VISING SUPPLIERS (ARABIAN)

SPRING / STREAM STARTS NEARBY

Proposed Priority 6/9/1983

Received by _____ Date 4/9/83 Time 12:30 PM
Preliminary check by _____ Fee \$ 30.00
Received by _____ Date 6/16/83 (27181)
Publication prepared by PMS Date 6/22/83
Published in Bureau of Army Herald
Publication dates 6/23-6/30/83
Publication approved _____ Date 7/17/83
Protests filed by: _____
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval _____ by _____
denial _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 98-7558, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 1988.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 11th day of August, 1983.

A. Alan Saylor
Chief, Operations Bureau

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

98-7557

MILLER, RUTH A. &/or DAN K.
P.O. BOX 1253, BONNERS FERRY, ID 83805
Source: GROUNDWATER
Date Filed: 06/08/1983
Diversion Pt: NWSE Sec 23 T 63N R 01E
Use: IRRIGATION (0.04 CFS)
STOCKWATER (0.02 CFS)
DOMESTIC (0.04 CFS)
In: NWSE Sec 23 T 63N R 01E FOR 2 ACRES

98-7558

REESE, RICHARD
STAR RT. 1, MOYIE SPRINGS, ID 83845
Source: GROUNDWATER
Date Filed: 06/09/1983
Diversion Pt: NWSE Sec 15 T 61N R 03E
Use: IRRIGATION (0.04 CFS)
STOCKWATER (0.04 CFS)
DOMESTIC (0.04 CFS)
In: NWSE Sec 15 T 61N R 03E FOR 2 ACRES

98-7559

NEWCOMBE, L. RAYMOND &/or SALLY
RT. 1 BOX 485AB, BONNERS FERRY, ID 83805
Source: GROUNDWATER
Date Filed: 06/10/1983
Diversion Pt: SWSW Sec 13 T 61N R 01E
Use: IRRIGATION (0.04 CFS)
DOMESTIC (0.04 CFS)
In: SWSW Sec 13 T 61N R 01E FOR 2 ACRES

98-7560

ATKINS, GARY &/or MADRIONNE
STAR RT. 1 BOX 301, NAPLES, ID 83847
Source: GROUNDWATER
Date Filed: 06/10/1983
Diversion Pt: SESE Sec 20 T 61N R 01E
Use: IRRIGATION (0.06 CFS)
STOCKWATER (0.02 CFS)
DOMESTIC (0.04 CFS)
In: SESE Sec 20 T 61N R 01E FOR 3 ACRES

98-7561

STEPHENSON, HAROLD &/or LIZ
P.O. BOX 522, BONNERS FERRY, ID 83805
Source: TRAIL CREEK trib. to DEEP CREEK
Date Filed: 06/13/1983
Diversion Pt: SENE Sec 07 T 60N R 01E
Use: IRRIGATION (0.18 CFS)
STOCKWATER (0.02 CFS)
In: SENE Sec 07 T 60N R 01E FOR 20 ACRES

98-7562

METZ, KAREN A. &/or GUS G.
STAR RT. 2 BOX 146 C, BONNERS FERRY, ID 83805
Source: SPRINGS trib. to ROUND PRAIRIE CREEK
Date Filed: 06/14/1983
Diversion Pt: SWNE Sec 34 T 65N R 01E
Use: IRRIGATION (0.12 CFS)
DOMESTIC (0.04 CFS)
FIRE PROTECTION (0.20 CFS)
In: SWNE SENE Sec 34 T 65N R 01E FOR 6 ACRES

98-7563

O CONNOR, JOHN &/or LISA
P.O. BOX 473, BONNERS FERRY, ID 83805
Source: GROUNDWATER
Date Filed: 06/14/1983
Diversion Pt: SWSE Sec 07 T 62N R 02E
Use: IRRIGATION (0.01 CFS)
STOCKWATER (0.01 CFS)
DOMESTIC (0.01 CFS)
In: SWSE Sec 07 T 62N R 02E FOR 7 ACRES

98-7564

O CONNOR, JOHN &/or LISA
P.O. BOX 473, BONNERS FERRY, ID 83805
Source: SPRINGS trib. to FRY CREEK
Date Filed: 06/14/1983
Diversion Pt: SWSE Sec 07 T 62N R 02E
Use: IRRIGATION (0.01 CFS)
STOCKWATER (0.01 CFS)
DOMESTIC (0.01 CFS)
In: SWSE Sec 07 T 62N R 02E FOR 7 ACRES

The permit(s) will be subject to all prior water rights
Protests must be filed with the Director, Dept. of Water
Resources, 4055 Gov't. Way, Coeur d'Alene, Id. 83814 on or
before JULY 11, 1983.

KEN DUNN, Dir.

First publication June 23, 1983

Final publication June 30, 1983-dwr

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO }
County of Boundary } ss.

Alice Winn, bkpr for Pete Thompson

first duly sworn upon his oath, deposes and says that he is the publisher (or for want of a
Publisher

of The Bonners Ferry Herald, a newspaper of general circulation, published weekly at Bonners Ferry, Boundary County, State of Idaho; that the said Bonners Ferry Herald has been continuously and uninterruptedly published in said Boundary County during a period of 18 months or 78 weeks prior to the first publication of the hereto attached notice; that

the advertisement of Noticed of Application for Water Right
98-7557, 7558, 7559, 7560, 7561, 7562, 7563, 7564

a _____

Notice for Publication, a printed copy of which is attached hereto was published in said newspaper and not in a supplement thereof for 2 consecutive issues, commencing with the issue dated June 23, 1983, and ending with the issue dated June 30, 1983.

Subscribed and sworn to before me this 13th day of July, 1983

Printed Name
Notary Public in and for the County of Boundary, State of Idaho,
residing at Bonners Ferry, Idaho.

RECEIVED

RECEIVED
JUL 13 1983
Department of Water Resources
Boundary County Office

August 9, 1989

RICHARD REESE
HCR 62 BOX 148
MOYIE SPRINGS, ID 83845

RE: PERMIT NO. 98-07558

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

SEP 28 1989

April 17, 1989

RICHARD REESE
HCR 62 BOX 148
MOYIE SPRINGS, ID 83845

RE: PERMIT NO. 98-07558

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MAIL ROOM

SEP 28 1989

POINT OF DIVERSION OVERLAP REVIEW

WR-NUMBER	TWP	RNG	SC	TRACT	LT	#SOURCE	#NAME
				1\4 1\4 1\4			
9807558	61N	03E	15	NW SE		GROUNDWATER	REESE, RICHARD
9807433	<i>Permit</i>					SPRING	TONNER, LEE

NOT REFILED

SEP 28 1989

SEP 13 1985

Department of Water Resources

Permit No. 98-7558

Phone No. 267-7340

1. Owner: RICHARD REESE Phone No. 267-7340
Current Address: HCR 62 Box 148 MOYIE SP. ID. 83845
2. Accompanied by: MR. REESE EXAM. DATE: 8/7/85
Address: _____ Phone No. _____
Relationship to Permit Holder: SON
3. Source: SPRING tributary to SINKS

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		UNK			PUMP HOUSE NAILED SHUT

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

- 5. System Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)**

36"X10' CMP INSTALLED VERTICALLY IN DRY STREAM BED
PUMP & PIPELINE TO HOME AND 3 FROST FREE SPIGOTS

6.	Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
	<i>non</i>						

7. Measurements *see Home 16* ☐ Additional data/computation sheets attached

NO STOCK NO PENS NO FENCES


8. Point(s) of Diversion: _____ Indicate Method of Determination *MAP*

[illegible]

9. Place(s) of Use: Irrigation - give acres served by system at time of exam.
Indicate Method of Determination MAD

[illegible]

10. Other water rights on these lands none
11. Other water right diverted from same p.d. none
12. Diversion and Delivery System Diagram: Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached
- ☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks no 8 bank on Federal AEA

15. Recommended Amendments
- ☐ Change P.D. as reflected above
- ☐ Change P.U. as reflected above
- ☐ Add P.D. as reflected above
- ☐ Add P.U. as reflected above
- ☒ None
- ☐ Other
16. Examiners/Consultant's Signature [Signature] Date 8/7/85
- Consultant's License Number _____
- IDWR Director's Authorization to Conduct _____
- Beneficial Use Examination _____
- Date _____

CONSULTANT SEAL

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

SEP 10 1985

98-7558
Permit No.

Department of Water Resources

1. **Measurement Calculations**

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

ONE HOME 0.04
ONE ALRE 0.03

- b) Volume Calculations for Irrigation:

$$\begin{aligned} V_{I.R.} &= (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{3}{3} \\ V_{D.R.} &= [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) = 1.9835 \times 216 \times 0.03 = 12.8 \\ V &= \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \frac{3}{3} \end{aligned}$$

- c) Volume Calculations for Other Uses:

ONE HOME 0.6
NO STOCK

2. **Overlap Review**

- a) Other water rights with same place of use: none
- b) Other water rights with same point of diversion: none
- c) Analysis:

RECORDED
SEP 20 1985

3.	Permit No.	98-7558	Amount	0.07	App. Date		Date Proof Submitted		System Capacity	
----	------------	---------	--------	------	-----------	--	----------------------	--	-----------------	--

Address: AGR 62 B7148 MOYIE SPRINGS, ID 83845

6. Beneficial Use	Period of Use From To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
-------------------	-----------------------------	------------------------------	--------------------------

9.0 40.0 12-21 1-1 (1) 20

Allowable Maximums: 0.07 3.6

No.	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County
			NW. SE	15	61N	3E		BONNIE

[illegible][illegible][illegible]


Examiner's Signature *Marking 0 oil* Date *2/5/85*

Approved in State Office by Reyane H. Lanting Date 3/16/89

Date 3/16/89
 Date 9/9/85
 Date 2/5/84

SEP 28 1989

[illegible]



by the Geological Survey

SCALE 1:24 000


Methods from aerial
checked 1965

1 American datum
coordinate system,
te system,


Mercator grid ticks,

lected fence lines

not been established



UTM GRID AND 1965 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET



CONTOUR INTERVAL 40 FEET
PRESENT 20-FOOT CONTOURS
THIS IS MEAN SEA LEVEL

SEP 26 1989

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR WASHINGTON, D.C.
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

OCTOBER 18, 1983

RICHARD REESE
HCR 62 BOX 148
MOYIE SPRINGS ID 83845

RE: Permit No. 98-7558

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 667-6484 or in person at our office.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

FILED

SEP 28 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 98-7558

Name(s) of Permit Holder(s): Richard Reese

Post Office Address: HCR 62 BOX 148

MAVIE SPRINGS, ID 83845

Telephone 67-2340

☒ I hereby certify that construction of diversion works for the above referenced permit began on JAN 1978 (date)

I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

21 Sept. 83
Date

[Signature]
Signature of Permit Holder

PLACE
STAMP
HERE

MICROFILMED

SEP 28 1989



RECEIVED

SEP 26 1983

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 98-7558.

Name(s) of Permit Holder: Richard Reese

Post Office Address: HCR 62 Box 148

Moyle Springs, Id 83845 Tel. No. 208-267-2340

Source of Water: Spring

Extent of Use:

☒ Domestic	<u>4</u>	(number of households)
☒ Stockwater	<u>100</u>	(number and type of stock)
☐ Irrigation		(acres)
☐ Other		

Measuring Device:	Required?	☐ Yes ☒ No	Installed?	☐ Yes ☒ No
Access Port:	Required?	☐ Yes ☒ No	Installed?	☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

21 Sept. 83
Date

[Signature]
Signature of Permit Holder

PLACE
TEN CENT
STAMP
HERE



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

REESE, RICHARD
STAR RT. 1
MOYIE SPRINGS, ID 83845

AUGUST 30, 1983

RE: PERMIT NO. 98-7558

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

RECEIVED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

98-2558-

REESE, RICHARD

STAR RT. 1, MOYIE SPRINGS, ID 83845

Source: GROUNDWATER

Date Filed: 06/09/1983

Diversion Pt: NWSE Sec 15 T 61N R 03E

Use: IRRIGATION	(0.04 CFS)
STOCKWATER	(0.04 CFS)
DOMESTIC	(0.04 CFS)

In: NWSE Sec 15 T 61N R 03E FOR 2 ACRES

RECEIVED
JUN 10 1983
FBI