


10. Other water rights on these lands 98-7215-15 STANDBY FOR WELL

11. Other water right diverted from same p.d. *none*

12. Diversion and Delivery System Diagram: Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.




13. ☒ Photo of Diversion & System Attached ☐ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks

15. Recommended Amendments
☐ Change P.D. as reflected above
☐ Change P.U. as reflected above
16. Examiner's/Consultant's Signature *W. J. King* Date *7/17/85*
Consultant's License Number _____
IDWR Director's Authorization to Conduct _____
Beneficial Use Examination _____

CONSULTANT SEAL

RECORDED
APR 20 1990
Date



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 98-07547

Priority: May 26, 1983

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.04 CFS
7.4 AF

This is to certify, that ROYAL SHIELDS
P.O. BOX 964

SANDPOINT, ID 83864 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated May 26, 1983; and
has submitted Proof of Beneficial Use on September 23, 1983. An examination indicates
that the works have a diversion capacity of .070 cfs of water from a **GROUNDWATER**
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.02 CFS	0.2 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	7.2 AF
	Totals	0.04 CFS	7.4 AF

LOCATION OF POINT(S) OF DIVERSION:

SENW , Sec. 15, Township 60N, Range 01W
BOUNDARY County

PLACE OF USE: STOCKWATER

TWN RGE SEC

60N 01W 15 NWNE NENW

PLACE OF USE: DOMESTIC, same as STOCKWATER use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The combined annual volume of water under this right & Right 98-7215 shall not exceed 7.4 afa.
6. Stockwater use is for 15 head; domestic use is for 6 homes.

MICROFILMED


APR 20 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 98-07547

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 19TH
day of APRIL, 1990.

Acting for 
R. Keith Higginson, Director

MICROFILMED

APR 20 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Royal Skulitz Phone 267 3602
Post office address Box 964 Sandpoint
2. Source of water supply well which is a tributary of _____
3. Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 15 Township 60 N
Range 1W B.M. Boundary County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

2 min Amount 0.04 for Domestic purposes from all year to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.02 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.02 for Stock purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

ALLOW 0.04 cfs JJ 8/11/1983 993 cfs

a. 0.04 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 3/4 hp pump to a 2000 gallon storage tank and a 2 hp from tank to homes thru a two inch line

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 30 inches; proposed depth of well is 140 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years JK-5-26-83 (minimum 1 year - maximum 5 years). in use July 1980

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 15 Township 60 N
and NW NE 15 60 N
Range 1W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 5 horses 15 cattle

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 9.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

MICROFILMS

[illegible]

Total number of acres to be irrigated

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion

b. Who owns the land to be irrigated or place of use

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

applicant to make this filing.

10. Remarks 100' E the north

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Sec 15 township 60N Range 1W

usage

in all

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Royal Shields
(Applicant)

(Applicant)

SECRET

MICROFILMED

Received by RAH Date 5/26/83 Time Noon
Preliminary check by JK Fee \$ 30.00
Received by JK Date 30.00 (07037)
Publication prepared by JK Date 6/1/83
Published in Idaho News Service
Publication dates 6/9 - 6/16/83
Publication approved JK Date 7/24/83
Protests filed by: None
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by RAH

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 98-7547, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 84.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 17th day of August, 1983.

J. Mun Sauton
Chief, Operations Bureau

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

98-7547

SHIELDS, ROYAL

P.O. BOX 964, SANDPOINT, ID 83864

Source: GROUNDWATER

Date Filed: 05/26/1983

Diversion Pt: SENW Sec 15 T 60N R 01W

Use: DOMESTIC
STOCK

In: NENW NWNE Sec 15 T 60N R 01W

(0.02 CFS)
(0.02 CFS)

98-7548

HOLMES, RAY

STAR RT. 2 BOX 216, BONNERS FERRY, ID 83805

Source: UNNAMED STREAM trib. to FRY CREEK

Date Filed: 05/26/1983

Diversion Pt: SESE Sec 06 T 62N R 02E

Use: WILDLIFE STORAGE

(15.0 AF)

WILDLIFE FROM STORAGE

(15.0 AF)

RECREATION STORAGE

(15.0 AF)

RECREATION FROM STORAGE

(15.0 AF)

FIRE PROT. STORAGE

(15.0 AF)

FIRE PROT. FROM STORAGE

(15.0 AF)

In: SESE Sec 06 T 62N R 02W

98-7549

MILLER, TONY

RT. 1 BOX 345, BONNERS FERRY, ID 83805

Source: GROUNDWATER

Date Filed: 05/27/1983

Diversion Pt: NWSW Sec 28 T 62N R 02E

Use: STOCKWATER

(0.04 CFS)

DOMESTIC

(0.02 CFS)

In: NWSW Sec 28 T 62N R 02E

98-7550

KANE, SUSANNE M.

P.O. BOX 675, BONNERS FERRY, ID 83805

Source: GROUNDWATER

Date Filed: 05/31/1983

Diversion Pt: SENE Sec 14 T 63N R 02E

Use: IRRIGATION

(0.14 CFS)

STOCKWATER

(0.02 CFS)

DOMESTIC

(0.04 CFS)

In: SENE Sec 14 T 63N R 02E FOR 7 ACRES

98-7551

HUGHES, KEN &/or VIRGINIA

STAR RT. 1 BOX 146, BONNERS FERRY, ID 83805

Source: TROUT CREEK trib. to KOOTENAI RIVER

Date Filed: 05/31/1983

Diversion Pt: SESE Sec 02 T 63N R 01W

Use: IRRIGATION

(0.02 CFS)

DOMESTIC

(0.04 CFS)

In: SESE Sec 02 T 63N R 01W FOR 1 ACRES

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4055 Gov't. Way, Coeur d'Alene, Id. 83814 on or before JUNE 27, 1983.

KEN DUNN, Dir.

First publication June 9, 1983

Final publication June 16, 1983-dwr

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO }
County of Boundary } ss.

Alice Winn, bkpr. for Pete Thompson being
first duly sworn upon his oath, deposes and says that he is the publisher (or foreman)

Publisher
of The Bonners Ferry Herald, a newspaper of general circulation, published weekly at
Bonners Ferry, Boundary County, State of Idaho; that the said Bonners Ferry Herald has
been continuously and uninterruptedly published in said Boundary County during a period
of 18 months or 78 weeks prior to the first publication of the hereto attached notice; that

the advertisement of Notice of application for Water Right

98-7547, 7548, 7549, 7550, 7551

a _____

Notice for Publication, a printed copy of which is attached hereto was published in said
newspaper and not in a supplement thereof for 2 consecutive issues, com-
mencing with the issue dated June 9, 1983, and ending with the
issue dated June 16, 1983.

Subscribed and sworn to before me this 29th day of June, 1983.

Alice Winn
Jody Lane
Notary Public and for the County of Boundary, State of Idaho,
residing at Bonners Ferry, Idaho.

April 19, 1990

ROYAL SHIELDS
P.O. BOX 964
SANDPOINT, ID 83864

RE: PERMIT NO. 98-07547

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

APR 20 1990

March 7, 1990

ROYAL SHIELDS
P.O. BOX 964
SANDPOINT, ID 83864

RE: PERMIT NO. 98-07547

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MicroFILMED

APR 20 1990

RECEIVED

AUG 26 1985

Department of Water Resources

Permit No. 98-7547

Phone No. _____

1. Owner: ROYAL SHIELDS Phone No. _____
Current Address: POB964 SANDPOINT ID. 83864
2. Accompanied by: ROBERT STOREY EXAM. DATE: 7/17/85
Address: LINK Phone No. _____
Relationship to Permit Holder: WATER USER
3. Source: GW tributary to _____

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		3/4			SUBMERSIBLE
BOOSTER		2			SUBMERSIBLE

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

- 5. System Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)**

30" x 40' WELL WITH PUMP TO 2000 gal BARRIED TANK
THEN 2 HP TO HOMES IN 2" MAIN

6.	Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
	NONE						

7. Measurements 8.8 (3/4) 80% ☐ Additional data/computation sheets attached

Measurements $8.8(3/4) 80\%$
 $\frac{2.33(20) + 3.7}{2} = 0.07 \text{ cfs}$

640 mE3 0.02 cfs

MISC STOCK 2 HORSES NO MAJOR STOCK 0.02 cfs

8. Point(s) of Diversion: Indicate Method of Determination *uuo*


[illegible]

9. Place(s) of Use: Irrigation - give acres served by system at time of exam.
Indicate Method of Determination *MAP*

[illegible]

10. Other water rights on these lands 98-7215-15 5744108V FOREWELL
11. Other water right diverted from same p.d. none

12. Diversion and Delivery System Diagram: Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached
☐ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks _____

15. Recommended Amendments
☐ Change P.D. as reflected above
☐ Change P.U. as reflected above
☐ Add P.D. as reflected above
☐ Add P.U. as reflected above
☐ None
☐ Other

16. Examiner's/Consultant's Signature [Signature] Date 7/17/85
Consultant's License Number _____

IDWR Director's Authorization to Conduct
Beneficial Use Examination _____

CONSULTANT SEAL

Date

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED

AUG 26 1985

98-7547
Permit No.

1. Measurement Calculations

Department of Water Resources

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

SEE 219A #7

- b) Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

- c) Volume Calculations for Other Uses:

$0.02(1.9835) 365 = 14.5 \text{ AF}$

6 ACRES @ 1.2 = 7.2 AF

MISC STOCK 0.2 AF

2. Overlap Review

- a) Other water rights with same place of use: 98-7215

- b) Other water rights with same point of diversion: None

- c) Analysis: 98-7215 STANDBY SYSTEM

MICROFILMED

APR 20 1990

RECOMMENDED AMOUNTS

3.	Permit No.	98-7547	Priority		Amount	0.00	App. Date		Date Proof Submitted		System Capacity	0.07
----	------------	---------	----------	--	--------	------	-----------	--	----------------------	--	-----------------	------


4. Permit Holder: Royal Airfields
Address: Box 961 Sandpoint, ID 83861
5. Source: GW tributary to _____

- | Beneficial Use | Period of Use
From To | Rate of Diversion
Q (cfs) | Annual Volume
V (af) |
|---------------------------|--------------------------|------------------------------|-------------------------|
| Stock | 1-1 / 12-31 | 0.02 | 0.2 |
| Dom | 1-1 / 12-31 | 0.02 | 7.2 |
| 7. Point(s) of Diversion: | | | |
| Allowable Maximums: | | 0.02 | 7.2 |

No.	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County
			SE NW	15	60N	1W		Boulevard

- [illegible]

9. Recommended Conditions/Remarks: _____
10. Recommended Amendments
- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
- ☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other
11. Examiner's Signature *[Signature]*
- Checked in Regional Office by *Bob Flynn*
- Approved in State Office by _____
- Date 8/19/85
- Date 8/21/85
- Date _____
- APR 20 1990
- RECEIVED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

OCTOBER 18, 1983

ROYAL SHIELDS
BOX 964
SAND POINT ID 83864

RE: Permit No. 98-7547

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 667-6484 or in person at our office.

Sincerely,

/S/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 98-7547.

Name(s) of Permit Holder:

Royal Shields

Post Office Address:

Box 964

Sandyvale Id.

83864

Tel. No. 263 7729

Source of Water:

well

Extent of Use:

☒ Domestic

6

(number of households)

☒ Stockwater

Cattle & horses

(number and type of stock) 10

☐ Irrigation

(acres)

☐ Other

Measuring Device:

Required?

☐ Yes

☒ No

Installed?

☐ Yes

☐ No

Access Port:

Required?

☐ Yes

☒ No

Installed?

☐ Yes

☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.


9-15-83

Date

Royal Shields

Signature of Permit Holder

Royal
Box 964
Landpoint Ida 83864



MICROFILMED
RECEIVED
SEP 22 1983
Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

SHIELDS, ROYAL
P.O. BOX 964
SANDPOINT, ID 83864

AUGUST 30, 1983

RE: PERMIT NO. 98-7547

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE POSTCARD THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JD

APPLICATION NUMBER: 98-9547

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.

Field check by: _____

Date: _____

Comments: _____

☐ Yes ☒ No Field check required.

☐ Yes ☒ No Critical groundwater area.

☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____

☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____

- ☒ Yes ☐ No* In form for advertising.
Final date for protests: 6/27/83 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 7/15/83 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
5-26-83 ✓ 5/29/83 Date of priority recommended.
Special conditions of approval or cover letter. _____

MICROFILMED

By: PSH Date: 7/29/83

TELE OFFICE REVIEW:

SLW/LWB return receipt

- ☐ See attached sheet for more information.

By: SLW Date: 8/9/83

RECEIVED
AUG 05 1983
Department of Water Resources

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

98-2542

SHIELDS, ROYAL

P.O. BOX 964, SANDPOINT, ID 83864

Source: GROUNDWATER

Date Filed: 05/26/1983

Diversion Pt: SENW Sec 15 T 60N R 01W

Use: DOMESTIC (0.02 CFS)
STOCK (0.02 CFS)

In: NENW NWNE Sec 15 T 60N R 01W

*charged on
computer
6/9/83*

MICROFILMED