

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 28 1991

A. GENERAL INFORMATION

Permit No. Department of Water Resources

1. Owner: Steven R. / Janice A Moyer

Phone No. 267-3789

Current Address: HRC 1 Box 243, Naples

ID 83847

2. Accompanied by: Steve Moyer

EXAM. DATE: 7/31/90

Address: Same

Phone No. _____

Relationship to Permit Holder: _____

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: None

☐ Copies Attached

2. Other water rights with same point of diversion: None

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

FEB 12 1992

Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Aerial Photo Attached N/A
(required for irrigation of 10 acres or more).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

Photo of home did not develop

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT

1. WELL OWNER Name: <u>Steve Moyer</u> Address: <u>Naples</u> Owner's Permit No. _____	7. WATER LEVEL Static water level <u>260</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed in _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug Temperature <u>9F</u> Quality _____ Describe artesian or temperature zones below _____																																
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☒ Pump ☐ Bailer ☐ Air ☐ Other <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> <tr> <td><u>8</u></td> <td><u>287</u></td> <td><u>2</u></td> </tr> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>8</u>	<u>287</u>	<u>2</u>																										
Discharge G.P.M.	Pumping Level	Hours Pumped																															
<u>8</u>	<u>287</u>	<u>2</u>																															
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection (specify type) _____ ☐ Other _____	9. LITHOLOGIC LOG <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr> <td><u>6</u></td> <td><u>0</u></td> <td><u>35</u></td> <td><u>sand fine</u></td> <td>☒</td> <td>☐</td> </tr> <tr> <td><u>6</u></td> <td><u>35</u></td> <td><u>250</u></td> <td><u>blue clay</u></td> <td>☐</td> <td>☒</td> </tr> <tr> <td><u>6</u></td> <td><u>250</u></td> <td><u>297</u></td> <td><u>fine sand</u></td> <td>☒</td> <td>☐</td> </tr> </tbody> </table>	Bore Diam.	Depth		Material	Water		From	To	Yes	No	<u>6</u>	<u>0</u>	<u>35</u>	<u>sand fine</u>	☒	☐	<u>6</u>	<u>35</u>	<u>250</u>	<u>blue clay</u>	☐	☒	<u>6</u>	<u>250</u>	<u>297</u>	<u>fine sand</u>	☒	☐				
Bore Diam.	Depth		Material	Water																													
	From	To		Yes	No																												
<u>6</u>	<u>0</u>	<u>35</u>	<u>sand fine</u>	☒	☐																												
<u>6</u>	<u>35</u>	<u>250</u>	<u>blue clay</u>	☐	☒																												
<u>6</u>	<u>250</u>	<u>297</u>	<u>fine sand</u>	☒	☐																												
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☒ Cable ☐ Dug ☐ Other _____	RECEIVED JAN 27 1986 Department of Water Resources RECEIVED FEB 5 1986 Department of Water Resources																																
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>.250</u> inches</td> <td><u>6</u> inches</td> <td><u>1</u> feet</td> <td><u>287</u> feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☒ Yes ☐ No Manufacturer's name <u>COOK</u> Type <u>stainless</u> Model No. _____ Diameter <u>6</u> Slot size <u>20</u> Set from <u>287</u> feet to <u>297</u> feet Diameter _____ Slot size <u>8</u> Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>18</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Puddling clay ☐ Sealing procedure used: ☐ Slurry pit ☒ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port <u>pitless</u>		Thickness	Diameter	From	To	<u>.250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>287</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet
Thickness		Diameter	From	To																													
<u>.250</u> inches		<u>6</u> inches	<u>1</u> feet	<u>287</u> feet																													
_____ inches	_____ inches	_____ feet	_____ feet																														
_____ inches	_____ inches	_____ feet	_____ feet																														
_____ inches	_____ inches	_____ feet	_____ feet																														
Number	From	To																															
_____ perforations	_____ feet	_____ feet																															
_____ perforations	_____ feet	_____ feet																															
_____ perforations	_____ feet	_____ feet																															
6. LOCATION OF WELL Sketch map location <u>must</u> agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>SW</u> boundary <u>NE</u> <u>1/4</u> Sec. <u>6</u> T. <u>60</u> N. R. <u>1</u> E.	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Bob Pitts & Sons</u> Firm No <u>235</u> Address <u>4775 bly.</u> Date <u>12-27-85</u> Signed by (Firm Official) <u>Lyle Pitts</u> and (Operator) <u>Dale Pitts</u>																																
10. Work started <u>12-9-85</u> finished <u>12-27-85</u>																																	

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

OCT 17 1988

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 98-07539

Priority: May 18, 1983

Maximum Diversion Rate:

0.08 CFS

Maximum Diversion Volume:

9.8 AF

This is to certify, that STEVEN R MOYER
JANICE A MOYER

HCR 01 BOX 243A
NAPLES ID 83847

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 18, 1983; and has submitted Proof of Beneficial Use on July 13, 1988. An examination indicates that the works have a diversion capacity of .080 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.04 CFS	9.0 AF
STOCKWATER	01/01 to 12/31	0.02 CFS	0.2 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.08 CFS	9.8 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNE , Sec. 6, Township 60N, Range 01E
BOUNDARY County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
60N	01E	6	SWNE	3		3

Total number of acres irrigated: 3

PLACE OF USE: STOCKWATER, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

RECORDED

FEB 12 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 98-07539

CONDITIONS/REMARKS:

5. Two points of diversion located within the SWNE, S6, T60N, R1E.
6. Stockwater use is for 10 range cattle; domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 9th day of JANUARY, 1992

Acting for

R. Keith Higginson, Director

RECEIVED

FEB 12 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant STEVEN R. and/or JANICE A. MOYER Phone 267-3789
Post office address STAR RT, NAPER, ID, 83847
2. Source of water supply Groundwater ^(2 wells) which is a tributary of _____
3. Location of point of diversion is SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 6 Township 60N
Range 1E B.M. Boundary County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .04 for DOMESTIC purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .04 for STOCKWATER purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .12 for IRRIGATION purposes from 3/31 to 11/1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .20 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELLS (2), PUMP, PIPE ETC
HOLDING TANK

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) 3/1 (Month/Day) 25

c. Proposed well diameter is 12" inches; proposed depth of well is 60 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 6 Township 60N
Range 1E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 29 ASSAETED

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 1.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated **6**

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion APPLICANT

b. Who owns the land to be irrigated or place of use 21

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks:

Table 1 The mean values of the variables measured in the study

.....

1

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

MICROFILMED

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Steven R. Moyer
(Applicant)

MICROFILMED

Proposed Priority 5-18-83
Received by RWH Date 5/18/83 Time Noon
Preliminary check by JH Fee \$ 30.00
Received by JH Date 5/18/83 (26759)
Publication prepared by KK Date 5/19/83
Published in Bonner Ferry Herald
Publication dates 5/26 - 6/2/83
Publication approved JB Date 6/23/83
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by JB RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 98-7539, and said application is hereby Approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 88.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 20 day of July, 1983.

David R. Tutthill

Acting For L. GLEN SAXTON, Chief Operations Bureau

NOTICE OF APPLICATION FOR WATER RIGHT

The following applications have been filed to appropriate the public waters of the State of Idaho:

96-8196

LOVRICH, NICHOLAS P. &/or KATHERINE
N.E. 1060 B STREET, PULLMAN, WA 99163
Source: JERU CREEK trib. to PACK RIVER
Date Filed: 05/09/1983
Diversion Pt: SWSE Sec 21 T 60N R 02W
Use: DOMESTIC (0.04 CFS)
In: SWSE Sec 21 T 60N R 02W

98-7510

ALLEN, HAROLD &/or MARIE
RT. 1, BONNERS FERRY, ID 83805
Source: GROUNDWATER
Date Filed: 04/18/1983
Use: IRRIGATION (0.04 CFS)
STOCKWATER (0.02 CFS)
DOMESTIC (0.04 CFS)
In: NESE Sec 03 T 61N R 01E FOR 2 ACRES

98-7532

HOLLOWAY, HAROLD E.
HACKEDORN, PHYLLIS I.
STAR RT. 2 BOX 217, BONNERS FERRY, ID 83805
Source: GROUNDWATER
Date Filed: 05/11/1983
Diversion Pt: SESE Sec 06 T 62N R 02E
Use: IRRIGATION (0.02 CFS)
STOCKWATER (0.02 CFS)
DOMESTIC (0.04 CFS)
In: SESE Sec 06 T 62N R 02E FOR 2 ACRES

98-7533

REGEHR, GARY
STAR RT. 1, NAPLES, ID 83847
Source: TWENTYMILE CREEK trib. to DEEP CREEK
Date Filed: 04/19/1983
Diversion Pt: SWSE Sec 32 T 61N R 01E
Use: IRRIGATION (0.20 CFS)
STOCKWATER (0.04 CFS)
RECREATION STORAGE (1.2 AF)
DIVERSION TO STORAGE (0.76 CFS)
In: SWSE Sec 32 T 61N R 01E FOR 10 ACRES

98-7534

REGEHR, GARY
STAR RT. 1, NAPLES, ID 83847
Source: GROUNDWATER
Date Filed: 04/19/1983
Diversion Pt: NWSE Sec 32 T 61N R 01E
Use: STOCKWATER (0.04 CFS)
In: NWSE Sec 32 T 61N R 01E

98-7535

TURNER, PHILIP &/or IDA
STAR RT. 1 BOX 95A, BONNERS FERRY, ID 83805
Source: HALL CREEK trib. to KOOTENAI RIVER
Date Filed: 05/06/1983
Diversion Pt: NWNW Sec 30 T 65N R 01E
Use: IRRIGATION (0.20 CFS)
In: SWNW Sec 30 T 65N R 01E FOR 10 ACRES

98-7536

SUNNY ACRES WATER SYSTEM
STAR RT. 3 BOX 228, BONNERS FERRY, ID 83805
Source: GROUNDWATER
Date Filed: 05/12/1983
Use: IRRIGATION (0.04 CFS)
STOCKWATER (0.02 CFS)
DOMESTIC (0.10 CFS)
In: NWSW Sec 09 T 62N R 02E FOR 3 ACRES

98-7537

MYERS, ROGER &/or PEGGY
STAR RT. 1, PORTHILL, ID 83853
Source: MISSION CREEK trib. to KOOTENAI RIVER
Date Filed: 05/17/1983
Diversion Pt: SENW Sec 18 T 64N R 01E
Use: IRRIGATION (1.94 CFS)
STOCKWATER (0.02 CFS)
DOMESTIC (0.04 CFS)
In: NWNW SWNW SENW NWSW Sec 18 T 64N R 01E FOR 160 ACRES

NOTICE OF APPLICATION FOR WATER RIGHT

The following applications have been filed to appropriate the public waters of the State of Idaho:

96-8196

LOVRICH, NICHOLAS P. &/or KATHERINE
N.E. 1060 B STREET, PULLMAN, WA 99163
Source: JERU CREEK trib. to PACK RIVER
Date Filed: 05/09/1983
Diversion Pt: SWSE Sec 21 T 60N R 02W
Use: DOMESTIC (0.04 CFS)
In: SWSE Sec 21 T 60N R 02W

98-7510

ALLEN, HAROLD &/or MARIE
RT. 1, BONNERS FERRY, ID 83805
Source: GROUNDWATER
Date Filed: 04/18/1983
Use: IRRIGATION (0.04 CFS)
STOCKWATER (0.02 CFS)
DOMESTIC (0.04 CFS)
In: NESE Sec 03 T 61N R 01E FOR 2 ACRES

98-7532

HOLLOWAY, HAROLD E.
HACKEDORN, PHYLLIS I.
STAR RT. 2 BOX 217, BONNERS FERRY, ID 83805
Source: GROUNDWATER
Date Filed: 05/11/1983
Diversion Pt: SESE Sec 06 T 62N R 02E
Use: IRRIGATION (0.02 CFS)
STOCKWATER (0.02 CFS)
DOMESTIC (0.04 CFS)
In: SESE Sec 06 T 62N R 02E FOR 2 ACRES

98-7533

REGEHR, GARY
STAR RT. 1, NAPLES, ID 83847
Source: TWENTYMILE CREEK trib. to DEEP CREEK
Date Filed: 04/19/1983
Diversion Pt: SWSE Sec 32 T 61N R 01E
Use: IRRIGATION (0.20 CFS)
STOCKWATER (0.04 CFS)
RECREATION STORAGE (1.2 AF)
DIVERSION TO STORAGE (0.76 CFS)
In: SWSE Sec 32 T 61N R 01E FOR 10 ACRES

98-7534

REGEHR, GARY
STAR RT. 1, NAPLES, ID 83847
Source: GROUNDWATER
Date Filed: 04/19/1983
Diversion Pt: NWSE Sec 32 T 61N R 01E
Use: STOCKWATER (0.04 CFS)
In: NWSE Sec 32 T 61N R 01E

98-7535

TURNER, PHILIP &/or IDA
STAR RT. 1 BOX 95A, BONNERS FERRY, ID 83805
Source: HALL CREEK trib. to KOOTENAI RIVER
Date Filed: 05/06/1983
Diversion Pt: NWNW Sec 30 T 65N R 01E
Use: IRRIGATION (0.20 CFS)
In: SWNW Sec 30 T 65N R 01E FOR 10 ACRES

98-7536

SUNNY ACRES WATER SYSTEM
STAR RT. 3 BOX 228, BONNERS FERRY, ID 83805
Source: GROUNDWATER
Date Filed: 05/12/1983
Use: IRRIGATION (0.04 CFS)
STOCKWATER (0.02 CFS)
DOMESTIC (0.10 CFS)
In: NWSW Sec 09 T 62N R 02E FOR 3 ACRES

98-7537

MYERS, ROGER &/or PEGGY
STAR RT. 1, PORTHILL, ID 83853
Source: MISSION CREEK trib. to KOOTENAI RIVER
Date Filed: 05/17/1983
Diversion Pt: SENW Sec 18 T 64N R 01E
Use: IRRIGATION (1.94 CFS)
STOCKWATER (0.02 CFS)
DOMESTIC (0.04 CFS)
In: NWNW SWNW SENW NWSW Sec 18 T 64N R 01E FOR 160 ACRES

98-7538

TANNER, FORREST

STAR RT. 2, BONNERS FERRY, ID 83805

Source: MOYIE RIVER trib to KOOTENAI RIVER

Date Filed: 05/17/1983

Diversion Pt: SWSW Sec 35 T 65N R 02E

Use: IRRIGATION (0.06 CFS)

FIRE PROTECTION (0.20 CFS)

In: SESW Sec 35 T 65N R 02E FOR 2 ACRES

98-7539

MOYER, STEVEN R. &/or JANICE A.

STAR RT., NAPLES, ID 83847

Source: GROUNDWATER

Date Filed: 05/18/1983

Diversion Pt: SWNE Sec 06 T 60N R 01E

Use: IRRIGATION (0.12 CFS)

STOCKWATER (0.04 CFS)

DOMESTIC (0.04 CFS)

In: SWNE Sec 06 T 60N R 01E FOR 6 ACRES

The permits will be subject to all prior water rights.
Protests must be filed with the Director, Dept. of Water
Resources, 4055 Gov't. Way, Coeur d'Alene, Id. 83814 on or
before JUNE 13, 1983.

KEN DUNN, Dir.

First publication May 26, 1983

Final publication June 2, 1983-dwr

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO }
County of Boundary } ss.

Alice Winn, bkpr for Pete Thompson being
first duly sworn upon his oath, deposes and says that he is the publisher (or foreman)

Publisher

of The Bonners Ferry Herald, a newspaper of general circulation, published weekly at Bonners Ferry, Boundary County, State of Idaho; that the said Bonners Ferry Herald has been continuously and uninterruptedly published in said Boundary County during a period of 18 months or 78 weeks prior to the first publication of the hereto attached notice; that

the advertisement of Notice of Application for Water Right

96-8196, 7510, 7532, 7533, 7534, 7535, 7536, 7537, 7538, 7539

a

Notice for Publication, a printed copy of which is attached hereto was published in said newspaper and not in a supplement thereof for 2 consecutive issues, commencing with the issue dated May 26, 1983, and ending with the issue June 2, 1983.

Subscribed and sworn to before me this 13th day of June, 1983

Jody Lane
Notary Public in and for the County of Boundary, State of Idaho,
residing at Bonners Ferry, Idaho.

RECORDED

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO }
County of Boundary } ss.

Alice Winn, bkpr for Pete Thompson being
first duly sworn upon his oath, deposes and says that he is the publisher (or foreman)

Publisher

of The Bonners Ferry Herald, a newspaper of general circulation, published weekly at Bonners Ferry, Boundary County, State of Idaho; that the said Bonners Ferry Herald has been continuously and uninterruptedly published in said Boundary County during a period of 18 months or 78 weeks prior to the first publication of the hereto attached notice; that

the advertisement of Notice of Application for Water Right

96-8196, 7510, 7532, 7533, 7534, 7535, 7536, 7537, 7538, 7539

a

Notice for Publication, a printed copy of which is attached hereto was published in said newspaper and not in a supplement thereof for 2 consecutive issues, commencing with the issue dated May 25, 1983, and ending with the issue dated June 2, 1983.

Subscribed and sworn to before me this 13th day of June, 1983.

Opdy Lane
Notary Public in and for the County of Boundary, State of Idaho,
residing at Bonners Ferry, Idaho.

January 10, 1992

STEVEN R MOYER
JANICE A MOYER
HCR 01 BOX 243A
NAPLES ID 83847

RE: WATER RIGHT NO. 98-07539

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:blm

Enclosure

RECEIVED

FEB 12 1992

October 16, 1991

STEVEN R MOYER
JANICE A MOYER
HCR 01 BOX 243A
NAPLES ID 83847

RE: WATER RIGHT NO. 98-07539

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

RECEIVED

FEB 12 1992

LICENSE REVIEW CHECKLIST

Permit No. 98-7539

Name/Address change? ok ☒

Priority date Advance? yes no ☒

Memo to advance
Order to reinstate needed? yes no ☒

Total cfs Limited by fee ☒ OK

Limited by capacity

Total volume Limited by flow

Chart checked for AF rate/ac 3.0

Capacity Actual measurement checked

Theoretical checked

If greater than permit, check for other rts

Source Changed? yes no ☒

If so, is memo needed to clarify?

P/D Verify with map ☒ permit ☒

More than one per 44? Remember remark

Check p/d overlap N/A

Uses Check irrigation period of use w/ chart 3/15-11/12

P/U Verify with map ☒ permit ☒
> 5 acres irrigated, run overlap N/A

Remarks More than one p/d in 44
Description of non-irrig uses
Special overlap condition

Conditions -

Measuring device
W.Master control
Overlap
Water quality
Other

Dates/Misc. -

Water Dist
App Rec'd
Proof Rec'd

CHECK FOR ADJ. CLAIM Needed according to proof filed
Filed - needs amended
Add'l fee required
Not filed -
Not needed

MICROFILMED

Comments/Changes to Examiner's Recommendations:

FEB 12 1992

License 10-day ☒ 30-day

Back of field report signed?

Reviewer J. Curtis Date 10/7/91 Review time 6 min.

SENIOR AGENT REVIEW

Check List
for
Beneficial Use Field Report

Permit 98-07539

☒ **A. GENERAL INFORMATION**

- ☒ 1. Name and address are most current available. (Check BU statement)
☒ 2. Exam Date
☒ 3. Source (Check Permit)

☒ **B. OVERLAP REVIEW**

- ☒ 1. & 2. (Rule 5,1,4)

☒ **C. SYSTEM DESCRIPTION**

- ☒ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
☒ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
Photo of pd and/or pu or explanation
☒ 3. Word Picture (Rule 5,1,3 / 5,1,4)
☒ 4. Diversion (Rule 5,1,3)
☒ 5. Compare with USGS Map/Land Survey Maps/Aerial Photos/Permit.
Government Lot ?
Method of determination
☒ 6. Compare USGS/Land Survey? Aerial Photos/Permit.
Method of determination,
Irrigation (Rule 5,1,8),

☒ **D. FLOW MEASUREMENTS** Check math (Rule 5,1,13 / 5,1,14)

☒ **E. FLOW CALCULATIONS** Check math (Rule 5,1,13 / 5,1,14)

☒ **F. OPTIONAL**

☒ **G. VOLUME CALCULATIONS**

- Three significant figures/not less than 0.10 (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

☒ **H. REMARKS AND OVERLAP ANALYSES**

- ☒ All actual uses listed (Rule 5,1,2):
☒ All unused, permitted uses listed (Rule 5,1,2):
☒ Overlaps (Rule 5,1,4):
☒ Return flows (Rule 5,1,5):
☒ Conditions (Rule 5,1,6).

☒ **I. RECOMMENDATIONS**

- ☒ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
☒ 2. Compare permit to exam for amendments (Rule 5,1,16)

☒ **J. AUTHENTICATION**

Name, Signature, Certification Date, Exam Date.

☒ **WELL INSPECTION REPORT**

Check with permit and well log for discrepancies

Signature Tom D. King
Tom D. King Sr. Water Resource Agent

Date 5/2/91

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 28 1991

A. GENERAL INFORMATION

1. Owner: Steven R. / Janice A Moyer
Current Address: HRC 1 Box 243, Naples
2. Accompanied by: Steve Moyer
Address: Same
Relationship to Permit Holder: _____
3. Source: Ground water tributary to _____

Permit No. Department of Water Resources
Phone No. 267-3789
ID 83847
EXAM. DATE: 7/31/90
Phone No. _____

B. OVERLAP REVIEW


1. Other water rights with same place of use: None

☐ Copies Attached
2. Other water rights with same point of diversion: None

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

FEB 12 1992

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached N/A
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

Photo of home did not develop

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 28 1991

A. GENERAL INFORMATION

Department of Water Resources
Permit No. 217-789


1. Owner: Steven R. / Tanya A. M.
Current Address: _____
2. Accompanied by: 90
Address: _____
Relationship to F: _____
3. Source: Ground

B. OVERLAP REVIEW

1. Other water rights _____
ies Attached _____
2. Other water rights _____
am's Attached _____

C. SYSTEM DESCR

1. Diversion System _____
size/ditch size/pipe _____
Indicate weir _____



Scale: 1" = NTS

FEB 12 1992

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Aerial Photo Attached N/A
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

Photo of home did not develop

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Two wells. One shallow, provides stockwater and irrigates 1 acre of pasture with a 1/3 hp hand pump and 1/2" vinyl hose with 2, 5/32" lawn sprinklers. Second well provides domestic water and irrigates 2 acres with 1/2 inch vinyl hose and 8, 5/32" sprinklers at 30psi. ~~There is only enough water to operate 2 at any one time.~~ There is another well that has silted-in and is no longer in use

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
C-1 inaccessible		1/3			
C-2 Submersible		1			

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	NE		6	60N	1E	Boundary	Map
		SW	NE		6	60N	1E	Boundary	Map

6. Place(s) of Use:

Indicate Method of Determination Map

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
60N	1E	6			DS 3														3

FEB 12 1992

Do not use this space

D. FLOW MEASUREMENTS /

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pitot gage						

2. Measurements:

30 psi

$$E.2 / (C-1) \frac{.3(8.8)70\%}{2.5(30)+5} = 0.02 \text{ cfs} - \text{TDK}$$

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$C-1 \& C-2 \ 2 \ (5/32" @ 30 \text{ psi}; 3.85) = \cancel{15.4} \frac{7.7}{448.8} = 0.02 \text{ cfs} \ (8 \div 2) \text{ (each)}$$

2. Alternate Method for Checking Purposes:

$$C-1 \ \frac{(1/3)(8.8)(60)}{(2.31)(30)+5} = \frac{1.76}{74.3} = 0.02 \text{ cfs} \quad C-2 \ \frac{(1)(8.8)(70)}{(2.31)(30)+260} = \frac{6.16}{329.3} = 0.02 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 3 \times 3.0 = 9.0 \text{ afa}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.04 \times 214 \times 1.9835 = 17.0$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 9.0 \text{ afa}$$

2. Volume Calculations for Other Uses:

$$210 \text{ stock} = 0.2 \text{ afa}$$

$$1 \text{ home} = .6 \text{ afa}$$

FEB 12 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

The drilled well is deeper than the 25 feet mentioned on the application (that was the well that has silted-in). However, since the source is still groundwater and the well was brought into use during the construction period specifically to replace the 25 ft well, this exam also represents the water use from the drilled well.

The permit holder claimed to be irrigating 6 acres and indeed about that much appeared to ~~be~~ possibly be, however there doesn't appear to be enough water available to irrigate more than 3 acres on a regular basis.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1-1	12-31	0.02 cfs	0.6 afa
Stock water	1-1	12-31	0.02	0.2 afa
Irrigation	3-31	11-1	0.04	9.0 afa
Totals:				9.8 afa

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Theresa J. Bright

Signature


Theresa J. Bright

Certification Date

4/16/90

Field Report Preparation Date


8/6/90



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

FEB 12 1992



NAME: STEVEN MOYER
PD: T60N, R1E, SEC.6, SWNE
PU: SAME
SOURCE: GROUNDWATER

PERMIT NUMBER: 98-07539
MAP: # 35
AC/IRR: 6
QUAD: B-58

FILED
FEB 12 1992

State of Idaho
Department Of Water Resources
WELL INSPECTION FORM

If well is associated with water right, provide WR Permit No. 9807539

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description of Well Location:

Twp. 60 N, Rge. 1E Sec. 6, SW $\frac{1}{4}$ NE $\frac{1}{4}$ Gov. Lot _____

2. Owner: Steve Moyer

Address: HCR 1 Box 243, Naples

City Naples, State ID 83847

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐

4. Access Port: Y ☒ N ☐

Pressure Gauge: Y ☐ N ☒

Flowing: Y ☐ N ☒

Static Water Level: 260

Casing Diameter: 6"

Temperature: ?

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Y ☐ N ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks : well log attached

MICROFILMED

FEB 12 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 98-1539
Name(s) of Permit Holder(s): Moyer Steven R. + Janice A.
Post Office Address: Spa Route Box 243A
Naples, ID 83847 Tel. No. 267-3789

☒ I hereby certify that construction of diversion works for the above referenced permit began on 5/1/84. I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting ¹⁹⁹² works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

5/12/84
Date

Steven R. Moyer
Signature of Permit Holder

Steve Moyer

ST. RT Box 243-A

Naples, Id. 83847



RECEIVED

MAY 14 1984



MICROFILMED

FEB 12 1992

IDAHO DEPARTMENT OF WATER RESOURCES

STATEHOUSE

Department of Water Resources

BOISE, IDAHO 83720



State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

October 17, 1988

RECEIVED

OCT 20 1988

Department of Water Resources

Mr. Steven Moyer
HCR01 Box 243A
Naples, Id. 83847

Re: 98-7539

Dear Permitholder:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

TDK/pms

MICROFILMED

FEB 12 1992

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 98-2539

Date: 8-18-1988

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
Y Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

9-21-88

Source of Water:

Y Surface water
Y Groundwater
Y 1. well log in file 1 in file. Other well hand dug
N/A 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	+
No. of days late	_____	=
Priority date	_____	+
NEW PRIORITY DATE	_____	=

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

JUL 13 1988

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by DE
Sent to region _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 98-7539 ✓
Name(s) of Permit Holder: STEVEN R. + JANICE A. MOYER ✓
Post Office Address: HCR-01 BOX 243A, NAPLES, ID. 83847
Telephone No. (208) 267-3789

Source of Water: groundwater - 2 wells ✓

Extent of Use:
Domestic 1 ✓ (number of households) Stockwater 12 cattle horses ✓ (number and type of stock)
Irrigation 6 ✓ (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 0.20 ✓ cfs ~~2.00~~ acre-feet

Show the date water was first diverted and beneficially used under this permit: 8/1/83 ✓

Measuring Device: Required? Yes X No
Installed? Yes X No
Fee enclosed \$ \$50.00 -
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes X No
Installed? Yes X No

Person to contact to accompany the Department representative during the field examination:

(Name) _____ (Telephone Number) _____
(Address) _____
OCT 17 1988

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date 7/5/88
Signature of Permit Holder (and title, if appropriate) Steven R. Moyer ✓



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

REC

SEP 21 1988

Department of Water Resources
CECIL D. ANDRUS

GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

September 12, 1988

Steven R. and Janice A. Moyer
HCR-01, Box 243A
Naples, ID 83847

RE: Permit No. 98-7539

Dear Permit Holder:

The department received your Proof of Beneficial Use form, however, before completing processing, additional information is needed.

If you have a well driller's report, please send a copy to the department. If you do not have one, please let me know who drilled the well and when it was drilled.

Please remit the requested information by October 12, 1988 to keep your permit in good standing.

If you have any questions, feel free to call me.

Sincerely,

RITA FLECK
Secretary/Records Manager

c: N. Region

Here is the well driller's report for our deep well you requested. Our shallow well was hand dug.

MICROFILMED

Steve Moyer

OCT 17 1988


SEP 21 1988

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER					Department of Water Resources 7. WATER LEVEL						
Name <u>Steve Moyer</u>					Static water level <u>260</u> feet below land surface.						
Address <u>Naples</u>					Flowing? ☐ Yes ☒ No G.P.M. flow _____						
Owner's Permit No. _____					Artesian closed-in pressure _____ p.s.i.						
					Controlled by: ☐ Valve ☐ Cap ☐ Plug						
					Temperature ____ °F. Quality _____ Describe artesian or temperature zones below.						
2. NATURE OF WORK					8. WELL TEST DATA						
☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)					☒ Pump ☐ Bailer ☐ Air ☐ Other _____						
					Discharge G.P.M. <u>5</u>			Pumping Level <u>287</u>		Hours Pumped <u>2</u>	
3. PROPOSED USE					9. LITHOLOGIC LOG						
☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type) _____											
4. METHOD DRILLED											
☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☒ Cable ☐ Dug ☐ Other _____											
5. WELL CONSTRUCTION											
Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____											
Thickness <u>.250</u> inches Diameter <u>6</u> inches + <u>1</u> feet From <u>287</u> feet To _____ feet											
_____ inches _____ inches _____ feet _____ feet											
_____ inches _____ inches _____ feet _____ feet											
_____ inches _____ inches _____ feet _____ feet											
Was casing drive shoe used? ☒ Yes ☐ No											
Was a packer or seal used? ☐ Yes ☒ No											
Perforated? ☐ Yes ☒ No											
How perforated? ☐ Factory ☐ Knife ☐ Torch											
Size of perforation _____ inches by _____ inches											
Number _____ From _____ To _____											
_____ perforations _____ feet _____ feet											
_____ perforations _____ feet _____ feet											
_____ perforations _____ feet _____ feet											
Well screen installed? ☒ Yes ☐ No											
Manufacturer's name <u>Cook</u>											
Type <u>Stainless</u> Model No. _____											
Diameter <u>6</u> Slot size <u>#4</u> Set from <u>287</u> feet to <u>297</u> feet											
Diameter _____ Slot size <u>#8</u> Set from _____ feet to _____ feet											
Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____											
Placed from _____ feet to _____ feet											
Surface seal depth <u>18</u> Material used in seal: ☐ Cement grout											
☒ Bentonite ☐ Puddling clay ☐											
Sealing procedure used: ☐ Slurry pit ☒ Temp. surface casing											
☐ Overbore to seal depth											
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent											
Weld											
☐ Cemented between strata											
Describe access port <u>pitless</u>											
6. LOCATION OF WELL					10.						
Sketch map location must agree with written location.					Work started <u>12-9-85</u> finished <u>12-27-85</u>						
N W E S boundary											
Subdivision Name _____											
Lot No. _____ Block No. _____											
County <u>Brevard</u>											
<u>NE</u> ¼ Sec. <u>6</u> , T. <u>100</u> N., R. <u>1</u> E.W.											
11. DRILLERS CERTIFICATION											
I/We certify that all minimum well construction standards were complied with at the time the rig was removed.											
Firm Name <u>Bob Pitts & Sons</u> Firm No. <u>235</u>											
Address <u>4775 bly.</u> Date <u>12-27-85</u>											
Signed by (Firm Official) <u>[Signature]</u>											
and											
(Operator) <u>[Signature]</u>											

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT

Steve & Jan MOYER
HCRO 1 Box 243 A
Naples, ID 83847



ATTN:
Rita Fleck

State of Idaho
Dept. of Water Resources
1301 N. Orchard St.
Statehouse Mail
Boise, Idaho 83720

September 12, 1988

Steven R. and Janice A. Moyer
HCR-01, Box 243A
Naples, ID 83847

RE: Permit No. 98-7539

Dear Permit Holder:

The department received your Proof of Beneficial Use form, however, before completing processing, additional information is needed.

If you have a well driller's report, please send a copy to the department. If you do not have one, please let me know who drilled the well and when it was drilled.

Please remit the requested information by October 12, 1988 to keep your permit in good standing.

If you have any questions, feel free to call me.

Sincerely,

RITA FLECK
Secretary/Records Manager

c: N. Region

RECORDED

OCT 17 1988

To: File 98-7539

From: Groundwater Protection

Date: 9/9/88

Drilling Permit: ☒ Not Applicable
☐ Found and in file
☐ Not Found

Well Drillers Report:

? ☐ Not found, due to reported age of well
☐ probably not available
☒ Found and is in file
☐ Not found

Follow-up

☒ Request from permit holder the well
drillers report and/or the name of the
well driller.
☐ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.

*Application is for 2 wells. -
One well log for 1985 is for neither
of the wells shown on application*

*I would request logs from
owner - he may not have
any?*

MICROFILMED

OCT 17 1988

138970
CERTIFIED MAIL
May 31, 1988

MOYER, STEVEN R. & JANICE A.
STAR RT.
NAPLES, ID 83847

PROOF DUE NOTICE

RE: Permit No. 98-7539

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

MAILED 30

OCT 17 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

MOYER, STEVEN R. & JANICE A.
STAR RT.
NAPLES, ID 83847

AUGUST 02, 1983

RE: PERMIT NO. 98-7539

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: F

APPLICATION NUMBER: 98-1539

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____

- ☒ Yes ☐ No* In form for advertising.
☐ Yes ☒ No Final date for protests: 6/13/83 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 6/83 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 5-18-83 Date of priority recommended.
✓ Special conditions of approval or cover letter. _____

RECEIVED

JUL 15 1983

By: SLB

Date: 7-11-83

STATE OFFICE REVIEW:

return receipt

Department of Water Resources

- ☐ See attached sheet for more information.

By: [Signature]

Date: 7/15/83

MICROFILMED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

MOYER, STEVEN R. &/or JANICE A.

STAR RT., NAPLES, ID 83847

Source: GROUNDWATER

Date Filed: 05/18/1983

Diversion Pt: SWNE Sec 06 T 60N R 01E

Use: IRRIGATION	(0.12 CFS)
STOCKWATER	(0.04 CFS)
DOMESTIC	(0.04 CFS)

In: SWNE Sec 06 T 60N R 01E FOR 6 ACRES

MICROFILMED