

NOTICE OF APPLICATION FOR WATER RIGHT

The following applications have been filed to appropriate the public waters of the State of Idaho:

98-7514

SPRINGETT, GREGORY K.
STAR RT. 1 BOX 154, BONNERS FERRY, ID 83805
Source: CLARK CREEK trib. to KOOTENAI RIVER
Date Filed: 04/01/1983
Diversion Pt: SWSW Sec 36 T 63N R 01W
Use: IRRIGATION (0.10 CFS)
STOCKWATER (0.04 CFS)
DOMESTIC (0.04 CFS)
In: SWSW Sec 36 T 63N R 01W NWNW Sec 01 T 62N R 01W
FOR 4 ACRES

98-7515

WEE-4
P.O. BOX 1009, BONNERS FERRY, ID 83805
Source: SPRING trib. to KOOTENAI RIVER
Date Filed: 04/22/1983
Diversion Pt: SWNE Sec 25 T 65N R 01W
Use: STOCKWATER (0.02 CFS)
DOMESTIC (0.04 CFS)
In: SWNE Sec 25 T 65N R 01W

98-7516

HEATH, RAY &/or TOM
P.O. BOX 1009, BONNERS FERRY, ID 83805
Source: SPRING trib. to KOOTENAI RIVER
Date Filed: 04/22/1983
Diversion Pt: SESW Sec 25 T 65N R 01W
Use: STOCKWATER (0.02 CFS)
DOMESTIC (0.04 CFS)
In: SESW Sec 25 T 65N R 01W

98-7517

HEATH, RAY &/or TOM
P.O. BOX 1009, BONNERS FERRY, ID 83805
Source: UNNAMED STREAM trib. to KOOTENAI RIVER
Date Filed: 04/22/1983
Diversion Pt: NWSW Sec 25 T 65N R 01W
Use: IRRIGATION (0.20 CFS)
DOMESTIC (0.04 CFS)
In: NWSW Sec 25 T 65N R 01W FOR 15 ACRES

98-7518

HEATH, RAY &/or TOM
P.O. BOX 1009, BONNERS FERRY, ID 83805
Source: UNNAMED STREAM trib. to KOOTENAI RIVER
Date Filed: 04/22/1983
Diversion Pt: NESW Sec 25 T 65N R 01W
Use: STOCKWATER (0.02 CFS)
DOMESTIC (0.04 CFS)
In: NESW Sec 25 T 65N R 01W

98-7519

WEE-4
P.O. BOX 1009, BONNERS FERRY, ID 83805
Source: UNNAMED STREAM trib. to KOOTENAI RIVER
Date Filed: 04/22/1983
Diversion Pt: SWNW Sec 25 T 65N R 01W
Use: STOCKWATER (0.02 CFS)
DOMESTIC (0.04 CFS)
In: SWNW Sec 25 T 65N R 01W

98-7521

ARMSTRONG, BYNG E.
P.O. BOX 1311, BONNERS FERRY, ID 83805
Source: UNNAMED STREAM trib. to MOYIE RIVER
Date Filed: 04/26/1983
Diversion Pt: SENE Sec 35 T 65N R 02E
Use: IRRIGATION (0.14 CFS)
STOCKWATER (0.02 CFS)
DOMESTIC (0.04 CFS)
In: SENE Sec 35 T 65N R 02E FOR 9 ACRES

98-7522

SCHNURER, ROBERT L.
STAR RT. 2, BONNERS FERRY, ID 83805
Source: SPRINGS trib. to SINKS
Date Filed: 04/26/1983
Diversion Pt: SESW NWSE Sec 32 T 63N R 02E
Use: IRRIGATION (0.10 CFS)
STOCKWATER (0.06 CFS)
DOMESTIC (0.04 CFS)
In: E½SW Sec 32 T 63N R 02E FOR 20 ACRES

98-7523

TUCKER, A.J.
RT. 1, BONNERS FERRY, ID 83805
Source: GROUNDWATER
Date Filed: 04/27/1983
Diversion Pt: NWSW Sec 12 T 61N R 01E
Use: IRRIGATION (0.06 CFS)
DOMESTIC (0.02 CFS)
In: NWSW Sec 12 T 61N R 01E FOR 4 ACRES

The permits will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4055 Gov't. Way, Coeur d'Alene, Id. 83814 on or before MAY 23, 1983.

KEN DUNN, Dir.

First publication May 5, 1983

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO }
County of Boundary } ss.

Alice Winn, bkpr for Pete Thompson
first duly sworn upon his oath, deposes and says that he is the publisher (or former publisher) of The Bonners Ferry Herald, a newspaper of general circulation, published weekly in Bonners Ferry, Boundary County, State of Idaho; that the said Bonners Ferry Herald has been continuously and uninterruptedly published in said Boundary County during a period of 18 months or 78 weeks prior to the first publication of the hereto attached notice; that

the advertisement of Notice of Application for Water Right
98-7514, 98-7515, 98-7516, 98-7517, 98-7518, 98-7519,
98-7521, 98-7522, 98-7523

Notice for Publication, a printed copy of which is attached hereto was published in said newspaper and not in a supplement thereof for 2 consecutive issues, commencing with the issue dated May 5, 1983, and ending with the issue dated May 12, 1983.

subscribed and sworn to before me this 18th day of May, 1983.

Notary Public in and for the County of Boundary, State of Idaho
residing at Bonners Ferry, Idaho.

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 28 1991

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: Robert L Schnuerle
Current Address: HRC 61 Box 215 Bonnerr's Ferry ID 83805
2. Accompanied by: Mrs. Schnuerle
Address: Same
Relationship to Permit Holder: Wife
3. Source: Spring tributary to Sinks

Permit No. 9807522
Phone No. 267-8983
EXAM. DATE: 8/1/90
Phone No. Same

B. OVERLAP REVIEW

1. Other water rights with same place of use: None
☐ Copies Attached
2. Other water rights with same point of diversion: None
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (Place of Use)
(required for all but single household domestic groundwater, and stockwater).
- ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

RECEIVED

NOV 22 1991





Mapped, edited, and published by the Geological Survey
Control by USGS, USC&GS, and U.S. Forest Service
Topography by photogrammetric methods from aerial
photographs taken 1963. Field checked 1965

Polyconic projection. 1927 North American datum
10,000-foot grid based on Idaho coordinate system,
west zone

BONNERS FERRY
2781 III NE

NOV 22 1991



CON

October 14, 1977

Robert L. Schnuerle
Star Rt 2
Bonners Ferry, Id 83805

Dear Mr Schnuerle,

We are herewith returning your check #92-95 and Application for Permit for clarification and additional fee.

Under item 4, you have applied for 0.03 cfs for domestic use; however, under item 5, you have applied for 5 cfs (approximately 2,250 gpm). Please clarify this item before refiling.

Filing fees are based on the amount of water diverted.

0.00 cfs to 0.20 cfs	= \$10.00
0.21 cfs to 1.00 cfs	= \$25.00
1.01 cfs to 2.00 cfs	= \$35.00
2.01 cfs to 3.00 cfs	= \$45.00
3.01 cfs to 4.00 cfs	= \$55.00
4.01 cfs to 5.00 cfs	= \$65.00

If we may be of any further assistance, please do not hesitate to contact us.

Sincerely,

TOM KING
Senior Water Resource Agent

TK:ab

Enclosure

MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 98-07522

Priority: April 26, 1983

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:¹

3.8 AF

This is to certify, that ROBERT L SCHNURLE

HCR 61 BOX 215

BONNERS FERRY ID 83805

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 26, 1983; and has submitted Proof of Beneficial Use on June 15, 1988. An examination indicates that the works have a diversion capacity of .040 cfs of water from:

SPRING

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.01 CFS	3.0 AF
STOCKWATER	01/01 to 12/31	0.02 CFS	0.2 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.04 CFS	3.8 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSE , Sec. 32, Township 63N, Range 02E
BOUNDARY County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
63N	02E	32	NESW	1		1

Total number of acres irrigated: 1

PLACE OF USE: STOCKWATER, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.

MAINTAINED

NOV 22 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 98-07522

CONDITIONS/REMARKS:

4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Stockwater use is for 10 range cattle; domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 23RD day of OCTOBER, 1991.

Acting for


R. Keith Higginson, Director

NOV 22 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant ROBERT L SCHNUERLE Phone 267-8983Post office address STAR ROUTE 2 BONNERS FERRY ID 838052. Source of water supply SPRINGS which is a tributary of SINKS3. Location of point of diversion is SE NW $\frac{1}{4}$ of SW SE $\frac{1}{4}$ of Section 32 32 Township 63 N 63 NRange 2E B.M. BOUNDARY County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .04 for DOMESTIC purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)Amount .06 for STOCKWATER purposes from 1/1 to 12/31 (both dates inclusive).
(cfs or acre-feet per annum)Amount .10 for IRRIGATION purposes from 3/31 to 11/1 (both dates inclusive)
(cfs or acre-feet per annum)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .20 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. SPRING BASIN, PIPE,
STORAGE TANK (1000 GALLONS) (DOMESTIC USE)b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial

use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation: NE SW 32 63 N
(1) Give the place of use of water: SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 32 Township 63 NRange 2E B.M. 2E

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 200 ASSORTED(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water 2

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated **20**

c. Describe any other water rights used for the same purposes as described above. *NONE*


9. a. Who owns the property at the point of diversion ① USFS
 b. Who owns the land to be irrigated or place of use ② APPLICANT
APPLICANT
 c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

applicant to make this filing USFS SPECIAL USE PERMIT 2700-5
granted 3/1/74

10. Remarks Enclosed please find original application which
contained errors.

Can the previous date be used?

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

MICROFILMED

KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert L. Schumaker
(Applicant)

MICROFILMED

Proposed Priority 4/26/83

Received by mm Date 4/26/83 Time 12:30 PM

Preliminary check by JK Fee \$ 30.00

Receipted by mm Date 4/27/83 (26611)

Publication prepared by mm Date 4/28/83

Published in Boone Ferry Herald

Publication dates 5/5+12/83

Publication approved RYA Date 5/27/83

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by RYA RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 98-7522, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 88.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 16th day of June, 1983.

J. Glen Sayton
Chief, Operations Bureau

THE FOLLOWING APPLICATIONS HAVE BEEN FILED TO APPROPRIATE
THE PUBLIC WATERS OF THE STATE OF IDAHO:

98-7514

SPRINGETT, GREGORY K.
STAR RT. 1 BOX 154, BONNERS FERRY, ID 83805
Source: CLARK CREEK trib. to KOOTENAI RIVER
Date Filed: 04/01/1983
Diversion Pt: SWSW Sec 36 T 63N R 01W
Use: IRRIGATION (0.10 CFS)
STOCKWATER (0.04 CFS)
DOMESTIC (0.04 CFS)
In: SWSW Sec 36 T 63N R 01W NWNW Sec 01 T 62N R 01W
FOR 4 ACRES

98-7515

WEE-4
P.O. BOX 1009, BONNERS FERRY, ID 83805
Source: SPRING trib. to KOOTENAI RIVER
Date Filed: 04/22/1983
Diversion Pt: SWNE Sec 25 T 65N R 01W
Use: STOCKWATER (0.02 CFS)
DOMESTIC (0.04 CFS)
In: SWNE Sec 25 T 65N R 01W

98-7516

HEATH, RAY &/or TOM
P.O. BOX 1009, BONNERS FERRY, ID 83805
Source: SPRING trib. to KOOTENAI RIVER
Date Filed: 04/22/1983
Diversion Pt: SESW Sec 25 T 65N R 01W
Use: STOCKWATER (0.02 CFS)
DOMESTIC (0.04 CFS)
In: SESW Sec 25 T 65N R 01W

98-7517

HEATH, RAY &/or TOM
P.O. BOX 1009, BONNERS FERRY, ID 83805
Source: UNNAMED STREAM trib. to KOOTENAI RIVER
Date Filed: 04/22/1983
Diversion Pt: NWSW Sec 25 T 65N R 01W
Use: IRRIGATION (0.20 CFS)
DOMESTIC (0.04 CFS)
In: NWSW Sec 25 T 65N R 01W FOR 15 ACRES

98-7518

HEATH, RAY &/or TOM
P.O. BOX 1009, BONNERS FERRY, ID 83805
Source: UNNAMED STREAM trib. to KOOTENAI RIVER
Date Filed: 04/22/1983
Diversion Pt: NESW Sec 25 T 65N R 01W
Use: STOCKWATER (0.02 CFS)
DOMESTIC (0.04 CFS)
In: NESW Sec 25 T 65N R 01W

98-7519

WEE-4
P.O. BOX 1009, BONNERS FERRY, ID 83805
Source: UNNAMED STREAM trib. to KOOTENAI RIVER
Date Filed: 04/22/1983
Diversion Pt: SWNW Sec 25 T 65N R 01W
Use: STOCKWATER (0.02 CFS)
DOMESTIC (0.04 CFS)
In: SWNW Sec 25 T 65N R 01W

98-7521

ARMSTRONG, BYNG E.
P.O. BOX 1311, BONNERS FERRY, ID 83805
Source: UNNAMED STREAM trib. to MOYIE RIVER
Date Filed: 04/26/1983
Diversion Pt: SENE Sec 35 T 65N R 02E
Use: IRRIGATION (0.14 CFS)
STOCKWATER (0.02 CFS)
DOMESTIC (0.04 CFS)
In: SENE Sec 35 T 65N R 02E FOR 9 ACRES

98-7522

SCHNURLE, ROBERT L.
STAR RT. 2, BONNERS FERRY, ID 83805
Source: SPRINGS trib. to SINKS
Date Filed: 04/26/1983
Diversion Pt: SESW NWSE Sec 32 T 63N R 02E
Use: IRRIGATION (0.10 CFS)
STOCKWATER (0.06 CFS)
DOMESTIC (0.04 CFS)
In: E $\frac{1}{2}$ SW Sec 32 T 63N R 02E FOR 20 ACRES

98-7523

TUCKER, A.J.
RT. 1, BONNERS FERRY, ID 83805
Source: GROUNDWATER
Date Filed: 04/27/1983
Diversion Pt: NWSW Sec 12 T 61N R 01E
Use: IRRIGATION (0.06 CFS)
DOMESTIC (0.02 CFS)
In: NWSW Sec 12 T 61N R 01E FOR 4 ACRES

The permits will be subject to all prior water rights.
Protests must be filed with the Director, Dept. of Water
Resources, 4055 Gov't. Way, Coeur d'Alene, Id. 83814 on or
before MAY 23, 1983.

KEN DUNN, Dir.

Filed: May 5, 1983

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO }
County of Boundary } ss.

Alice Winn, bkpr for Pete Thompson
first duly sworn upon his oath, deposes and says that he is the publisher (or former
Publisher

The Bonners Ferry Herald, a newspaper of general circulation, published weekly
Bonners Ferry, Boundary County, State of Idaho; that the said Bonners Ferry Herald
has been continuously and uninterruptedly published in said Boundary County during a period
of 18 months or 78 weeks prior to the first publication of the hereto attached notice; that

the advertisement of Notice of Application for Water Right
98-7514, 98-7515, 98-7516, 98-7517, 98-7518, 98-7519,
98-7521, 98-7522, 98-7523

notice for Publication, a printed copy of which is attached hereto was published in a
newspaper and not in a supplement thereof for 2 consecutive issues, co-
terminating with the issue dated May 5, 1983, and ending with
issue dated May 12, 1983.

subscribed and sworn to before me this 18th day of May, 1983.

Notary Public in and for the County of Boundary, State of Idaho,
residing at Bonners Ferry, Idaho.

RECORDED

October 24, 1991

ROBERT L SCHNUERLE
HCR 61 BOX 215
BONNERS FERRY ID 83805

RE: WATER RIGHT NO. 98-07522

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

RECEIVED
NOV 22 1991

October 4, 1991

ROBERT L SCHNUERLE
HCR 61 BOX 215
BONNERS FERRY ID 83805

RE: WATER RIGHT NO. 98-07522

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

NOV 22 1991

SENIOR AGENT REVIEW

Check List
for
Beneficial Use Field Report

Permit 98-07522

A. GENERAL INFORMATION

- ✓
✓
✓
TOK ✓
1. Name and address are most current available. (Check BU statement)
2. Exam Date
3. Source (Check Permit)

B. OVERLAP REVIEW

- ✓
1. & 2. (Rule 5,1,4)

C. SYSTEM DESCRIPTION

- ✓
✓
✓
✓
✓
TOK ✓
✓
TOK ✓
✓
TOK ✓
1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
Photo of pd and/or pu or explanation
3. Word Picture (Rule 5,1,3 / 5,1,4)
4. Diversion (Rule 5,1,3)
5. Compare with USGS Map/Land Survey Maps/Aerial Photos/Permit.
Government Lot ?
Method of determination
6. Compare USGS/Land Survey? Aerial Photos/Permit.
Method of determination,
Irrigation (Rule 5,1,8),

D. FLOW MEASUREMENTS Check math (Rule 5,1,13 / 5,1,14)

E. FLOW CALCULATIONS Check math (Rule 5,1,13 / 5,1,14)

F. OPTIONAL

G. VOLUME CALCULATIONS

- ✓
TOK ✓
Three significant figures/not less than 0.10 (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

H. REMARKS AND OVERLAP ANALYSES

- ✓
✓
✓
✓
✓
1. All actual uses listed (Rule 5,1,2):
All unused, permitted uses listed (Rule 5,1,2):
Overlaps (Rule 5,1,4):
Return flows (Rule 5,1,5):
Conditions (Rule 5,1,6).

I. RECOMMENDATIONS

- TOK ✓
TOK ✓
1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
2. Compare permit to exam for amendments (Rule 5,1,16)

J. AUTHENTICATION

✓
Name, Signature, Certification Date, Exam Date.

WELL INSPECTION REPORT

✓
Check with permit and well log for discrepancies

Signature Tom D. King
Tom D. King Sr. Water Resource Agent

Date 4/29/91

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 28 1991

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: Robert L Schnuerle
Current Address: HRC 61 Box 215 Bannock Ferry ID 83805
2. Accompanied by: Mrs. Schnuerle
Address: Same
Relationship to Permit Holder: Wife
3. Source: Spring tributary to Sinks

Permit No. 9807522
Phone No. 267-8983
EXAM. DATE: 8/1/90
Phone No. Same

B. OVERLAP REVIEW

1. Other water rights with same place of use: None
☐ Copies Attached
2. Other water rights with same point of diversion: None
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (Place of Use)
(required for all but single household domestic groundwater, and stockwater).

NOV 22 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 23 1991

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 9807522

1. Owner: Robert J. Schaeferle

Current Address

83805

2. Accompanied by

1/90

Address: _____

26

Relationship to

3. Source: Spr

B. OVERLAP REVIEW

1. Other water right

Copies Attached

2. Other water right


Id Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System
size/ditch size/

212/445 ND

ents. Indicate weir



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

☒ Photo of Diversion and System Attached (Place of use)
(required for all but single household domestic groundwater, and stockwater).

NOV 22 1991

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Spring, located on National Forest Land, is piped to 1000 gallon holding tank and then to home. There is also a 1 1/4 inch pvc overflow pipe which carries water to one 5/32" sprinkler. Stockwater is provided by 1/2 inch vinyl hose from house. Overflow line was temporarily clogged At time of exam

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Gravity					

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**


Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		Nw	Nw	SE	32	63N	R 2E	Boundary	Map

6. **Place(s) of Use:**

Indicate Method of Determination Map

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
63N	2E	32									DS								1

NOV 22 1991





Mapped, edited, and published by the Geological Survey

Control by USGS, USC&GS, and U.S. Forest Service

Topography by photogrammetric methods from aerial photographs taken 1963. Field checked 1965

Polyconic projection. 1927 North American datum
10,000-foot grid based on Idaho coordinate system,
west

NOV 22 1991



CON

(BONNERS FERRY)
2781 III NE

Do not use this space

D. FLOW MEASUREMENTS *None*

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
<i>Pitot Gage</i>						

2. Measurements:

Pitot Gage @ 45 psi

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

1 home

2. Alternate Method for Checking Purposes: *1 Sprinkler (5/32) @ 45 psi = 4.68 gpm = 0.01 cfs*
< 10 Head Stock: 0.02 cfs

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1 \times 3.0 = 3 \text{ Afa}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.01 \times 214 \times 1.9835 = 4.24$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 4.24 \text{ afa}$ *30 afa*

2. Volume Calculations for Other Uses:

1 Home .6 af
< 10 head Stock : 0.2
0.2 Afa

NOV 22 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Spring in SESW Apparently not developed. ~~Yriga~~
Irrigation is limited to lawn & garden of about
1 acre. Only one house is provided with water.
Irrigation does not occur in SESW.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1-1	12-31	0.02 cfs	0.6 AFA
Irrigation	~~3~~ 4-1	11-1	0.01 cfs	~~3.42~~ 3.0af
Stockwater	1-1	12-31	0.02 cfs	0.2af TB
Totals:			0.04 cfs	~~3.0 AFA~~ 3.8afa TB

2. Recommended Amendments

- ☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name Theresa J. Bright
 Signature Theresa J. Bright
 Certification Date 4/16/90
 Field Report Preparation Date 8/7/90



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED

NOV 22 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS


Permit No. 98-7522
Name(s) of Permit Holder(s): Robert L. Schumelle
Post Office Address: Star Rt. 2 Bonnets Ferry, Idaho
83805 Tel. No. 267-8983

- ☐ I hereby certify that construction of diversion works for the above referenced permit began on 6 June 1974 (date) and that I must continue to develop the water system with due diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is
not an acceptable reason.

8/3/83 Robert L. Schumelle
Date Signature of Permit Holder

Robert Sch...
Star Route 2
Bonanza, Tenn...
8-205



RECEIVED
AUG 22 1991



RECEIVED
AUG 9 1983

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

October 17, 1988

RECEIVED
OCT 20 1988

Mr. Robert L. Schnuerle
HCR 61 Box 215
Bonners Ferry, Id. 83805

Department of Water Resources

Re: 98-7522

Dear Permitholder:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

TDK/pms

RECEIVED
NOV 22 1991

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 98-7522

Date: 9/30/88

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
Y Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

Y Surface water
_____ Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
_____ Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A

Priority Calculation:

Date proof received _____

Date proof due _____

No. of days late _____

Priority date _____

NEW PRIORITY DATE _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

Form 2
03/86

RECEIVED

JUN 20 1988

RECEIVED

JUN 15 1988

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by AK
Sent to region _____

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources
Northern District Office

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 98-7522

Name(s) of Permit Holder: Robert L. Schnuerle

Post Office Address: HCR 61 Box 215

Bonniers Ferry, Id. 83805

Telephone No. 267-8983

Source of Water: Spring

Extent of Use:

Domestic 1 (number of households) Stockwater _____ (number and type of stock)

Irrigation 5 ~~20~~ (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted ~~2.20~~ 0.04 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 1975 (July)

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No
Fee enclosed \$ N/A
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

Applicant

(Name)

(Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

6/15/88

Date

Robert L. Schnuerle

Signature of Permit Holder (and title, if appropriate)

OCT 17 1988

138600
CERTIFIED MAIL
April 30, 1988

SCHNUERLE, ROBERT L.
STAR RT. 2
BONNERS FERRY, ID 83805

PROOF DUE NOTICE

RE: Permit No. 98-7522

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

RECEIVED

OCT 17 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

SCHNURLE, ROBERT L.
STAR RT. 2
BONNERS FERRY, ID 83805

JULY 06, 1983

RE: PERMIT NO. 98-7522

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JK

APPLICATION NUMBER: 98-1522

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☒ U.S. Bureau of Land Management.
☒ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 5-23-83
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 5/22/83 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
✓ 4/26/83 Date of priority recommended.
Special conditions of approval or cover letter. _____

MICROFILMED

By: PLA

Date: 5/31/83

STATE OFFICE REVIEW:

- return receipt
3LW/47 26 04
☐ See attached sheet for more information.
By: Keep Date: 6/16/83

RECEIVED

JUN 14 1983

Department of Water Resources

POINT OF DIVERSION AND STREAM INDEX INFORMATION

DEC 1970

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

98-7522-

SCHNURLE, ROBERT L.

STAR RT. 2, BONNERS FERRY, ID 83805

Source: SPRINGS trib. to SINKS

Date Filed: 04/26/1983

Diversion Pt: SESW NWSE Sec 32 T 63N R 02E

Use: IRRIGATION	(0.10 CFS)
STOCKWATER	(0.06 CFS)
DOMESTIC	(0.04 CFS)

In: $E\frac{1}{2}$ SW Sec 32 T 63N R 02E FOR 20 ACRES

UNRECORDED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor
A. Kenneth Dunn
~~Executive Director~~
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

April 29, 1983

U. S. Forest Service
Supervisor's Office
1201 Ironwood Drive
Coeur d'Alene, Id. 83814

Re: 98-7522

Gentlemen:

Enclosed is a recent filing with this Department that may be of
interest to you.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Supervisor

pms

Enc. - Appln.

MICROFILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director April 27, 1983

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

Mr. Robert L. Schnuerle
Star Rt. 2
Bonners Ferry, Id. 83805

Dear Mr. Schnuerle:

Since your original application was not accepted by this Department in 1977, your priority date is temporarily set at 4/26/83, which is the date of receipt of the completed application.

If you have any questions, please contact me at this office.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

Identification No. _____

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Robert A. Schnuerle Phone: _____
post office address Star Rt. 2 Bonners Ferry, Idaho 83805

2. Source of water supply Spring which is a tributary of _____

3. a. Location of point of diversion is NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 32 Township T63N
Range R2E B.M. Boundary County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

Amount 0.30 for domestic purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.30 cubic feet per second and/or

b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 500 feet 1 1/4 inch plastic pipe from spring to 1,000 gallon storage tank. From tank 1 inch plastic pipe to house (all gravity system)

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is already completed. One yr. or less

b. Estimated construction cost is \$ 1500.00

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 32 Township T63N
Range R2E B.M. _____

(2) Amount of power to be generated: _____ hp under _____ feet of head

(3) List number of each kind of livestock to be watered Horses (8) Cows (12)

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 1

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated_____

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion P. S. Forest Service
b. Who owns the land to be irrigated or place of use Robert L. Schmechel
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing He pays the Forest Service an easement fee 1% of every year.

10. Remarks

REPORT

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert L. Schumacher
(Applicant)

P *11-10-77* *norm*
SW *10-26-77* *HOTH*
\$ *10-13-77* *norm*

Received by _____ Date 10-13-77 Time norm

Preliminary check by _____ Fee \$ _____

Receipted by _____ Date _____

Publication prepared by _____ Date _____

Published in _____

Publication dates _____

Publication approved _____ Date _____

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.

c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this _____ day of _____ 19____.

Director

November 15, 1977

Robert L Schnuerle
Star Rt 2
Bonners Ferry, Id 83805

Dear Mr Schnuerle,

We are herewith returning your check No. 92-95 for \$10.00 and your Application for Permit.

We seem to be having a communication problem. In my previous letters, I have attempted to point out that you may apply for 0.30 cfs, the filing fee for which is \$25.00; or you may apply for 0.04 cfs and the fee would be \$10.00.

One of the criteria for establishing a water right, according to the Idaho State Code, is all water diverted for that right be put to a beneficial use. An amount of 0.04 cfs is normally considered to be adequate for one household (including water for lawn, garden and household animals). The Department would, therefore, probably not approve an application for a greater amount unless it could be shown to the satisfaction of the Director that the higher rate of diversion is necessary.

I have tried to contact you by phone but have been unable to do so. Perhaps it would be best if before refiling your application you contact me at my office 667-6484. I would be very happy to aid you in the speedy filing of your application.

Sincerely,

TOM KING
Senior Water Resource Agent

TK:ab

Enclosure

MICROFILMED

October 27, 1977

Robert L. Schnuerle
Star Rt 2
Bonners Ferry, Id 83805

Dear Mr. Schuerle,

We are herewith returning your check #92-95 in the amount of \$25.00 and Application for Permit for additional information and clarification.

Under item 4, you may apply for 0.30 cfs; however, the Department might possibly take the position that you could not beneficially use the quantity you specify, which equates to approximately 150 gallons per minute. I would suggest that you use 0.04 cfs, which is equal to approximately 18 gallons per minute. The filing fee for this amount of water would be \$10.00 as I stated in my previous letter.

You have indicated under item 9a that the US Forest Service owns the property from which you are diverting the water. This makes it necessary to complete item 9c. Under item 9c, please describe the arrangement, if any, you have made with the Forest Service to divert the water. If none, please do state. If you have not made arrangements with the Forest Service, I would like to caution you that your water right could be in jeopardy if the Forest Service should decide to do something different with their water.

If we may be of any further assistance, please do not hesitate to contact us.

Sincerely,

DOM KING
Senior Water Resource Agent

TK:ab

Enclosure

MICROFILMED

October 14, 1977

Robert L. Schnuerle
Star Rt 2
Bonners Ferry, Id 83805

Dear Mr. Schnuerle,

We are herewith returning your check #92-95 and Application for Permit for clarification and additional fee.

Under item 4, you have applied for 0.03 cfs for domestic use; however, under item 5, you have applied for 5 cfs (approximately 2,250 gpm). Please clarify this item before refiling.

Filing fees are based on the amount of water diverted.

0.00 cfs to 0.20 cfs	= \$10.00
0.21 cfs to 1.00 cfs	= \$25.00
1.01 cfs to 2.00 cfs	= \$35.00
2.01 cfs to 3.00 cfs	= \$45.00
3.01 cfs to 4.00 cfs	= \$55.00
4.01 cfs to 5.00 cfs	= \$65.00

If we may be of any further assistance, please do not hesitate to contact us.

Sincerely,

TOM KING
Senior Water Resource Agent

TK:ab

Enclosure

UNRECORDED

They say that the
third time's a charm!!!
Let's hope this
time does it



File:
Schuyler

We've got the service . . .

