

27 27
26 27

RECEIVED

U.S.A.

DAN TREES

DIRECTOR

DIKORAR

Franklin

LA SE 76

MEYER

HOBBARD

RIEDLHOFF

DIRECTOR

July 95

FALLAT


RECEIVED

26 27
53 34

37
34

26
25

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Keith Greeneaux
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 28 1991
Department of Water Resources

A. GENERAL INFORMATION


Keith Arceneaux c/o Charles Phipps
1. Owner: *Keith Arceneaux* Permit No. *98-07509*
Current Address: *SR 261 Box 173, Bonners Ferry, ID 83805* Phone No. *267-7929*
2. Accompanied by: *Mrs. Phipps* EXAM. DATE: *6/18/90*
Address: *Same* Phone No. *267-7929*
Relationship to Permit Holder: *Spouse*
3. Source: *Groundwater* tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: *NONE* ☐ Copies Attached
2. Other water rights with same point of diversion: *NONE* ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. Diversion System Diagram: Indicate all major components size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram



Scale: 1" = *NTS*



2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).



Keith Areneaux
PD: NW SE S.27 T6SN R2E
PU: SE NE of the same
STOCK
DOMESTIC

98-7509
MAP#: 37
QUAD:

RECEIVED

NOV 22 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Keith Arceneaux Phone _____

Post office address S.R. 2, Box 173 Bonners Ferry, ID. 83805

2. Source of water supply ground water which is a tributary of _____

→ 3. Location of point of diversion is NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 27 Township 65 N
Range 2 E B.M. Boundary County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

→ 0.09 Amount .08 for domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .02 for stock water purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

→ 0.08 a. .08 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 6' x 4' x 4' hole with 3/4" pipe outlet running 600' to house

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

→ c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

→ (1) Give the place of use of water: SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 27 Township 65 N

Range 2 E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 10 goats - 25 chickens

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 2

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. _____

9. a. Who owns the property at the point of diversion Lloyd T. Kresley

b. Who owns the land to be irrigated or place of use Keith Arceneaux

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing I have verbal permission from

Lloyd T. Kresley through a third party - Ky
Norquist of Eastport, Id. - Mr. Norquist is caretaker

10. Remarks for Mr. Kresley. Mr. Kresley is currently

in a hospital on the east coast in poor health.

Mr. Kresley's address is: (Kresley holds water rights)

P.O. Box 1114 Ph. 605 348 3025

Rapid City, S.D. 57709


Mr. Norquist's wife works at the Eastport Cafe

Address P.O. Box 2 Eastport 83805 Ph. 2613797

I didn't quite understand question #7. I would like to
rig up the system as soon as possible and have the
permit for the max. 5 years — I am currently
hauling water to my residence.

MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Keith Greeneaux
(Applicant)

MICROFILMED

Received by RMH JK Date 4/4/83 Time 12:45 PM
Preliminary check by _____ Fee \$ _____
Receipted by _____ Date _____
Publication prepared by _____ Date _____
Published in _____
Publication dates _____
Publication approved _____ Date _____
Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by _____


ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:
 - a. SUBJECT TO ALL PRIOR WATER RIGHTS.
 - b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
 - c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
 - d. Other: _____

MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Keith Giceneaux
(Applicant)

MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 98-07509

Priority: May 12, 1983

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.04 CFS
1.2 AF

This is to certify, that KEITH ARCENEUX
HCR 61 BOX 173

BONNERS FERRY ID 83805 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 18, 1983; and has submitted Proof of Beneficial Use on July 25, 1988. An examination indicates that the works have a diversion capacity of .040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
<u>LOCATION OF POINT(S) OF DIVERSION:</u>		SENE, Sec. 27, Township 65N, Range 02E BOUNDARY County	

PLACE OF USE: DOMESTIC
TWN RGE SEC


65N 02E 27 SENE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
6. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 21ST day of OCTOBER, 1991.

Acting for


R. Keith Higginson, Director

NOV 22 1991

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 98-07509 IN THE)
NAME OF KEITH ARCENEUX) ORDER OF REINSTATEMENT
_____)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before July 1, 1988; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,

WHEREAS, the Department notified the permit holder that the permit lapsed for failure of the permit holder to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,


WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on July 25, 1988;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 98-07509 be REINSTATED and the priority advanced to May 12, 1983.

Dated this 26th day of July, 1988.

MICROFILMED

JUL 29 1988


L. GLEN SAXTON
Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Keith Arceneaux Phone _____

Post office address S.R. 2 Box 173 Bonners Ferry, ID. 83805

2. Source of water supply ground water which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 27 Township 65 N

Range 2 E B.M. Boundary County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .08 for domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .02 for stock water purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .08 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 6'x4'x4' hole with 3/4" pipe outlet running 600' to house

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation: 5 1/2

(1) Give the place of use of water: SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 27 Township 65 N

Range 2 E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 10 goats - 25 chickens

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 2

(5) If water is to be used for other purposes describe: _____

MICROFILMED

permit for the max. 5 years — I am currently hauling water to my residence.

~~Mr. Norquist's wife works at the Eastport Cafe~~

Rapid City, S.D. 57709

P.O. Box 1114

Ph. 605 348 3025

Mr. Kresley's address is: (Kresley holds water rights)

~~in a hospital on the east coast in poor health.~~

10. Remarks	for Mr. Kresley. Mr. Kresley is currently
-------------	---

Norgvist of Eastport, Id. - Mr. Norgvist is caretaker

Lloyd T. Kresley through a third party - Ky

applicant to make this filing I have verbal permission from

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

b. Who owns the land to be irrigated or place of use
Keith Arceneaux

9. a. Who owns the property at the point of diversion
Lloyd T. Kresley

c. Describe any other water rights used for the same purposes as described above.

Total number of acres to be irrigated

TWP	RANGE	SEC.	NE				NW				SE				SW				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

21 22
23 24

04 20 11 12

01 20 11 12

01 20 11 12

01 20 11 12

27

24

25

SCHEDULE C

The land referred to in this policy is situated in the State of Idaho
County of Boundary

and is described as follows:

The South Half of the Southeast Quarter of the Northeast Quarter
of Section 27, Township 65 North, Range 2 East, Boise Meridian,
Boundary County, Idaho.

MICROFILMED

**First American Title Co.
1211 Cody St.
P. O. Box 1206
Bonners Ferry, ID. 83806
208-267-3212**

[illegible]

1. **THE**
 2. **THE**
 3. **THE**
 4. **THE**
 5. **THE**
 6. **THE**
 7. **THE**
 8. **THE**
 9. **THE**
 10. **THE**
 11. **THE**
 12. **THE**
 13. **THE**
 14. **THE**
 15. **THE**
 16. **THE**
 17. **THE**
 18. **THE**
 19. **THE**
 20. **THE**
 21. **THE**
 22. **THE**
 23. **THE**
 24. **THE**
 25. **THE**
 26. **THE**
 27. **THE**
 28. **THE**
 29. **THE**
 30. **THE**
 31. **THE**
 32. **THE**
 33. **THE**
 34. **THE**
 35. **THE**
 36. **THE**
 37. **THE**
 38. **THE**
 39. **THE**
 40. **THE**
 41. **THE**
 42. **THE**
 43. **THE**
 44. **THE**
 45. **THE**
 46. **THE**
 47. **THE**
 48. **THE**
 49. **THE**
 50. **THE**
 51. **THE**
 52. **THE**
 53. **THE**
 54. **THE**
 55. **THE**
 56. **THE**
 57. **THE**
 58. **THE**
 59. **THE**
 60. **THE**
 61. **THE**
 62. **THE**
 63. **THE**
 64. **THE**
 65. **THE**
 66. **THE**
 67. **THE**
 68. **THE**
 69. **THE**
 70. **THE**
 71. **THE**
 72. **THE**
 73. **THE**
 74. **THE**
 75. **THE**
 76. **THE**
 77. **THE**
 78. **THE**
 79. **THE**
 80. **THE**
 81. **THE**
 82. **THE**
 83. **THE**
 84. **THE**
 85. **THE**
 86. **THE**
 87. **THE**
 88. **THE**
 89. **THE**
 90. **THE**
 91. **THE**
 92. **THE**
 93. **THE**
 94. **THE**
 95. **THE**
 96. **THE**
 97. **THE**
 98. **THE**
 99. **THE**
 100. **THE**

Keith Arceneaux
(Applicant)

NOTICE OF APPLICATION FOR WATER RIGHT

The following applications have been filed to appropriate the public waters of the State of Idaho:

98-7506

WELCH, LAWRENCE &/or JEAN
STAR RT. 1, NAPLES, ID 83847
Source: GROUNDWATER
Date Filed: 04/14/1983
Diversion Pt: SWSW Sec 31 T 61N R 01E
Use: IRRIGATION (0.06 CFS)
DOMESTIC (0.06 CFS)
In: NWSW Sec 31 T 61N R 01E FOR 12 ACRES

98-7507

HARREL, DOROTHY HAYNES
RT. 1, NAPLES, ID 83847
Source: GROUNDWATER
Date Filed: 04/14/1983
Diversion Pt: SWNE Sec 10 T 61N R 01E
Use: IRRIGATION (0.12 CFS)
STOCKWATER (0.06 CFS)
DOMESTIC (0.02 CFS)
In: SWNE Sec 10 T 61N R 01E FOR 10 ACRES

98-7508

FLOWER, LELAND T. &/or JOYCE E.
STAR RT. N. 25930 SEASONS RD., RATHDRUM, ID 83858
Source: GROUNDWATER
Date Filed: 04/18/1983
Diversion Pt: NESE Sec 06 T 60N R 01E
Use: IRRIGATION (0.02 CFS)
STOCKWATER (0.04 CFS)
DOMESTIC (0.02 CFS)
In: NESE Sec 06 T 60N R 01E FOR 1 ACRES

98-7509

ARCENEUX, KEITH
STAR RT. 2 BOX 173, BONNERS FERRY, ID 83805
Source: GROUNDWATER
Date Filed: 03/25/1983
Diversion Pt: NWSE Sec 27 T 6SN R 02E
Use: STOCKWATER (0.02 CFS)
DOMESTIC (0.08 CFS)
In: SENE Sec 27 T 6SN R 02E

98-7510

ALLEN, HAROLD &/or MARIE
RT. 1, BONNERS FERRY, ID 83805
Source: GROUNDWATER
Date Filed: 04/18/1983
0.04 CFS)
In: NESE Sec 03 T 61N R 01E FOR 2 ACRES

98-7511

WEDEL, HAROLD
STAR RT. 3 BOX 60, BONNERS FERRY, ID 83805
Source: BANE CREEK trib. to FLEMING CREEK
SPRING trib. to BANE CREEK
Date Filed: 04/18/1983
Diversion Pt: SENW SWNW Sec 12 T 62N R 01E
Use: IRRIGATION (2.60 CFS)
IRRIGATION STORAGE (16.0 AF)
IRRIGATION FROM STORAGE (16.0 AF)
STOCKWATER (0.03 CFS)
STOCKWATER STORAGE (1.5 AF)
STOCKWATER FROM STORAGE (1.5 AF)
In: SWNW SENW NWSW SWSW Sec 12 T 62N R 01E SENE
Sec 11 T 62N R 01E FOR 130 ACRES

98-7512

PERCIWALL, LYNN &/or JAN-ANDERS
P.O. BOX 1221, BONNERS FERRY, ID 83805
Source: GROUNDWATER
Date Filed: 04/07/1983
Diversion Pt: NESE Sec 25 T 61N R 01W
Use: IRRIGATION (0.03 CFS)
STOCKWATER (0.01 CFS)
DOMESTIC (0.02 CFS)
In: NESE Sec 25 T 61N R 01W FOR 2 ACRES

98-7513

BENNETT, GERALD J. &/or CAROL A.
ST. RT. 1, BOX 247, NAPLES, ID 83847
Source: GROUNDWATER
Date Filed: 04/20/1983
Diversion Pt: NENW Sec 06 T 60N R 01E
Use: DOMESTIC (0.02 CFS)
In: NENW Sec 06 T 60N R 01E

The permits will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4055 Gov't. Way, Coeur d'Alene, Id. 83814 on or before MAY 16, 1983.

KEN DUNN, Dir.

First publication April 28, 1983
Final publication May 5, 1983-dwr

AFFIDAVIT OF PUBLICATION

TATE OF IDAHO }
ounty of Boundary } ss.

Alice Winn, bkpr for Pete Thompson bel
irst duly sworn upon his oath, deposes and says that he is the publisher (or foreman
Publisher

f The Bonners Ferry Herald, a newspaper of general circulation, published weekly :
onnners Ferry, Boundary County, State of Idaho; that the said Bonners Ferry Herald ha
een continuously and uninterruptedly published in said Boundary County during a perio
f 18 months or 78 weeks prior to the first publication of the hereto attached notice; th

ie advertisement of Notice of application for water righ
98-7506, 7507, 7508, 7509, 7510, 7511, 7512, 7513

otice for Publication, a printed copy of which is attached hereto was published in sa
wspaper and not in a supplement thereof for 2 consecutive issues, con
encing with the issue dated April 28, 1983, and ending with th
ue dated May 5, 1983

bscribed and sworn to before me this 11th day of May, 1983

Notary Public in and for the County of Boundary, State of Idaho
residing at Bonners Ferry, Idaho.

MICROFILMED

October 22, 1991

KEITH ARCENEUX
HCR 61 BOX 173
BONNERS FERRY ID 83805

RE: WATER RIGHT NO. 98-07509

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

NOV 22 1991

August 23, 1991

KEITH ARCENEUX
HCR 61 BOX 173
BONNERS FERRY, ID 83805

RE: WATER RIGHT NO. 98-07509

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

NOV 22 1991

LICENSE REVIEW CHECKLIST

Permit No. 98-7509

Name/Address change? ok ☒

Priority date Advance? yes no ☒

Memo to advance
Order to reinstate needed? yes no ☒

Total cfs Limited by fee .04

Limited by capacity

Total volume Limited by flow

Chart checked for AF rate/ac N/A

Capacity Actual measurement checked

Theoretical checked

If greater than permit, check for other rts

Source Changed? yes no ☒

If so, is memo needed to clarify?

P/D Verify with map ☒ permit ☒

More than one per 1/4? Remember remark

Check p/d overlap N/A

Uses Check irrigation period of use w/ chart N/A

P/U Verify with map ☒ permit ☒

> 5 acres irrigated, run overlap N/A

Remarks More than one p/d in 1/4

Description of non-irrig uses ☒

Special overlap condition

Conditions -

Measuring device
W.Master control
Overlap
Water quality
Other

Dates/Misc. -

Water Dist
App Rec'd
Proof Rec'd

CHECK FOR ADJ. CLAIM

Needed according to proof filed

Filed - needs amended

Add'l fee required

Not filed -

Not needed

Comments/Changes to Examiner's Recommendations:

License 10-day ☒ 30-day

Back of field report signed?

Reviewer [Signature] Date 8/24/91 Review time 5 min.

NOV 2 1991

SENIOR AGENT REVIEW

Check List
for
Beneficial Use Field Report

Permit 98-07509

TDK ✓
✓
✓
A. GENERAL INFORMATION

1. Name and address are most current available. (Check BU statement)
2. Exam Date
3. Source (Check Permit)

✓
B. OVERLAP REVIEW

1. & 2. (Rule 5,1,4)

✓
✓
✓
✓
✓
✓
✓
✓
C. SYSTEM DESCRIPTION

1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
Photo of pd and/or pu or explanation
3. Word Picture (Rule 5,1,3 / 5,1,4)
4. Diversion (Rule 5,1,3)
5. Compare with USGS Map/Land Survey Maps/Aerial Photos/Permit.
Government Lot ?
Method of determination
6. Compare USGS/Land Survey? Aerial Photos/Permit.
Method of determination,
Irrigation (Rule 5,1,8),

✓
D. FLOW MEASUREMENTS Check math (Rule 5,1,13 / 5,1,14)

✓
E. FLOW CALCULATIONS Check math (Rule 5,1,13 / 5,1,14)

✓
F. OPTIONAL

TDK ✓
G. VOLUME CALCULATIONS

- Three significant figures/not less than 0.10 (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

✓
✓
✓
✓
H. REMARKS AND OVERLAP ANALYSES

- All actual uses listed (Rule 5,1,2):
All unused, permitted uses listed (Rule 5,1,2):
Overlaps (Rule 5,1,4):
Return flows (Rule 5,1,5):
Conditions (Rule 5,1,6).

TDK ✓
✓
I. RECOMMENDATIONS

1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
2. Compare permit to exam for amendments (Rule 5,1,16)

✓
J. AUTHENTICATION

Name, Signature, Certification Date, Exam Date.

✓
WELL INSPECTION REPORT

Check with permit and well log for discrepancies

Signature Tom D. King
Tom D. King Sr. Water Resource Agent

Date 3/20/91

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

JUN 23 1991

BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Keith Arceneaux, c/o Charles Phipps
1. Owner: *Keith Arceneaux* Permit No. *98-0-7509*
Current Address: *Box 173, Bannock Ferry, ID 83805* Phone No. *267-7929*
2. Accompanied by: *Mrs. Phipps* EXAM. DATE: *6/18/90*
Address: *Same* Phone No. *267-7929*
Relationship to Permit Holder: *Spouse*
3. Source: *Groundwater* tributary to _____

B. OVERLAP REVIEW


1. Other water rights with same place of use: *NONE*

☐ Copies Attached
2. Other water rights with same point of diversion: *NONE*

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. Diversion System Diagram: Indicate all major component size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram



Scale: 1" = *NTS*



2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
- ☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).



Keith Areneaux
PD: NW SE S.27 T6SN R2E
PU: SE NE of the same
STOCK
DOMESTIC

98-7509
MAP #: 37
QUAD:

NOV 22 1991

Do not use this space

D. FLOW MEASUREMENTS

None

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

0.04 cfs 1 Home & Garden

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

1 home & Garden
1.2 af

AGS 22 ADM

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



Field Report Preparation Date

Certification Date

Signature

Field Examiner's Name

J. AUTHENTICATION

☐ Change P.U. as reflected above

☒ Change P.D. as reflected above

2. Recommended Amendments

Totals:☐ None☐ Add P.U. as reflected above

☐ Add P.D. as reflected above

Beneficial Use

1. Recommended Amounts

1. RECOMMENDATIONS

Period of Use From To

Rate of Diversion
Q (cts)

Annual Volume
V (afa)

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Stockwater is permitted but not developed
?D is in SE of NE (as is Ru) sec 27 T 65N R 2E
New Owners are Charles Phipps, H 2R 61,
Bonners Ferry, ID 83805

State of Idaho
Department Of Water Resources
WELL INSPECTION FORM

If well is associated with water right, provide WR Permit No. 98-07509

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description of Well Location:

Twp. 65 N, Rge. 2E Sec. 27, NW $\frac{1}{4}$ SE $\frac{1}{4}$ Gov. Lot _____

2. Owner: Charles Phipps

Address: HCR 61, Box 173, Bonners Ferry ID 83805,
City _____, State _____

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐

4. Access Port:	Y ☒ N ☐	Static Water Level:	<u>110</u>
Pressure Gauge:	Y ☐ N ☒	Casing Diameter:	<u>6"</u>
Flowing:	Y ☐ N ☒	Temperature:	_____

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Y ☐ N ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks : _____

NOV 22 1991



State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

August 11, 1988

Mr. Keith Arceneaux
HCR 61 Box 173
Bonners Ferry, Id. 83805

Re: 98-7509

Dear Mr. Arceneaux:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

TDK/pms

NOV 22 1991



July 26, 1988

Keith Acreneaux
HCr 61 Box 173
Bonners Ferry, ID 83805

Dear Mr. Acreneaux:

Re: Permit No. 98-07509

Returned is your check No. 1700 in the amount of \$15 (92-55/1231) submitted in connection with the above referenced water right. No fee is required for the proof submittal with a diversion rate of less than about 18 gpm (0.04 cfs).

Also, the department acknowledges receipt of the proof submitted for this permit. I'm forwarding a copy to the region as a signal that the field inspection needs to be completed. Enclosed is a reinstatement order advancing the priority, since the proof was received after the proof due date.

If you have any questions concerning this matter, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Encl.

c: region
Fiscal Sec.

MICROFILMED

JUL 29 1988

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by 10/26/88
Sent to region 10/26/88

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 98-07509
Name(s) of Permit Holder: Keith + Cinda Arceneaux
Post Office Address: HCR 61 Box 173 Bonners Ferry, ID. 83805
Telephone No. (208) 267-2562

Source of Water: ground well

Extent of Use:

Domestic 1 (number of households) Stockwater _____ (number and type of stock)

Irrigation _____ (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 9gpm cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 8-87

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No Fee enclosed \$ _____
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Keith Arceneaux 208 267 2562
(Name) (Telephone Number)

HCR 61 Box 173 Bonners Ferry, Id. 83805
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

July 22 1988
Date

Keith Arceneaux
Signature of Permit Holder (and title, if appropriate)

JUL 29 1988

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 98-7509

Date: 7-26-1988

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
Y Address change _____ If yes, prepare a data entry
Y Proof received timely
Y Reinstated

Source of Water:

Y Surface water
Y Groundwater
Y 1. well log in file
Y 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

Y/A Is a measuring device or access port required?
Y/A Has one been installed?
Y Waiver or modification of measuring device requested

Remarks: Proof acceptable
Reinstate
Return Check

Y Priority Calculation:
Date proof received July 25 _____
Date proof due July 1 + _____
No. of days late = 24
Priority date Apr. 18, 83 + 108
NEW PRIORITY DATE May 12, 1983 = 132

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

FROM

Joh Beal

DATE

7/26/88

TO

File - Rite F

SUBJECT


98-7509

98-87-N-4

Drilling Permit was Approved
for #10 (single For Don/St.) WR
Should not exceed unless other
A90 is paid

MICROFILMED

JUL 29 1988



SIGNATURE

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Keith & Cinda Arceneaux</u> Address <u>Bonnors Ferry, Idaho</u> Owner's Permit No. <u>98-87-N-4</u>	7. WATER LEVEL Static water level <u>110</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ °F. Quality _____ Describe artesian or temperature zones below.																																																																												
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☐ Pump ☐ Bailer ☒ Air ☐ Other _____ <table><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr><tr><td><u>Est. 8 GPM's</u></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>Est. 8 GPM's</u>																																																																								
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																											
<u>Est. 8 GPM's</u>																																																																													
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr><tr><td>8"</td><td>0</td><td>2</td><td>Top Soil</td><td></td><td></td></tr><tr><td></td><td>2</td><td>32</td><td>Gravel, sand, Boulders</td><td></td><td></td></tr><tr><td></td><td>32</td><td>98</td><td>sand, Gravel some clay</td><td></td><td></td></tr><tr><td></td><td>98</td><td>100</td><td>Boulder</td><td></td><td></td></tr><tr><td></td><td>100</td><td>110</td><td>Clay</td><td></td><td></td></tr><tr><td></td><td>110</td><td>113</td><td>Boulder Hard</td><td></td><td></td></tr><tr><td></td><td>113</td><td>133</td><td>Decomposed</td><td></td><td></td></tr><tr><td></td><td>133</td><td>138</td><td>Med. Shale</td><td></td><td></td></tr><tr><td></td><td>138</td><td>220</td><td>Med. Shale</td><td></td><td></td></tr><tr><td></td><td>220</td><td>245</td><td>Soft Broken shale</td><td></td><td>☒</td></tr><tr><td></td><td>245</td><td>255</td><td>Hard Shale</td><td></td><td></td></tr></table>	Bore Diam.	Depth		Material	Water		From	To	Yes	No	8"	0	2	Top Soil				2	32	Gravel, sand, Boulders				32	98	sand, Gravel some clay				98	100	Boulder				100	110	Clay				110	113	Boulder Hard				113	133	Decomposed				133	138	Med. Shale				138	220	Med. Shale				220	245	Soft Broken shale		☒		245	255	Hard Shale		
Bore Diam.	Depth		Material	Water																																																																									
	From	To		Yes	No																																																																								
8"	0	2	Top Soil																																																																										
	2	32	Gravel, sand, Boulders																																																																										
	32	98	sand, Gravel some clay																																																																										
	98	100	Boulder																																																																										
	100	110	Clay																																																																										
	110	113	Boulder Hard																																																																										
	113	133	Decomposed																																																																										
	133	138	Med. Shale																																																																										
	138	220	Med. Shale																																																																										
	220	245	Soft Broken shale		☒																																																																								
	245	255	Hard Shale																																																																										
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	RECEIVED OCT 21 1987 Department of Water Resources RECEIVED OCT 9 1987 Department of Water Resources Northern District Office																																																																												
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☒ Other <u>PVC</u> <table><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr><tr><td><u>250</u> inches</td><td><u>6"</u> inches</td><td><u>2</u> feet</td><td><u>138</u> feet</td></tr><tr><td><u>160 PSI</u> inches</td><td><u>4"</u> inches</td><td><u>130</u> feet</td><td><u>250</u> feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr></table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☐ Torch ☒ Drill Size of perforation _____ inches by _____ inches <table><tr><th>Number</th><th>From</th><th>To</th></tr><tr><td><u>320</u> perforations</td><td><u>210</u> feet</td><td><u>250</u> feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr></table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>18+</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☒ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☒ Solvent Weld ☐ Cemented between strata Describe access port _____		Thickness	Diameter	From	To	<u>250</u> inches	<u>6"</u> inches	<u>2</u> feet	<u>138</u> feet	<u>160 PSI</u> inches	<u>4"</u> inches	<u>130</u> feet	<u>250</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	<u>320</u> perforations	<u>210</u> feet	<u>250</u> feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet																																																
Thickness		Diameter	From	To																																																																									
<u>250</u> inches		<u>6"</u> inches	<u>2</u> feet	<u>138</u> feet																																																																									
<u>160 PSI</u> inches	<u>4"</u> inches	<u>130</u> feet	<u>250</u> feet																																																																										
_____ inches	_____ inches	_____ feet	_____ feet																																																																										
Number	From	To																																																																											
<u>320</u> perforations	<u>210</u> feet	<u>250</u> feet																																																																											
_____ perforations	_____ feet	_____ feet																																																																											
_____ perforations	_____ feet	_____ feet																																																																											
6. LOCATION OF WELL Sketch map location <u>must</u> agree with written location. N W E S Boundary Subdivision Name <u>MILWAUKEE</u> Lot No. _____ Block No. _____ County <u>Boundary</u> <u>SE 1/4 NE 1/4 Sec. 27, T. 65 N, R. 2 E W.</u>	10. Work started <u>8-24-87</u> finished <u>8-26-87</u>																																																																												
	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. AQUA Drilling & Exploration Inc. Firm No. <u>163</u> Address <u>P.O. Box 225 CDA, ID</u> Date <u>8-27-87</u> Signed by (Firm Official) <u>Scott M. Braun</u> and (Operator) <u>Scott M. Braun</u>																																																																												

Drilling Permit No. 98-87-N-4
Water Permit No. _____
Injection Permit No. _____

State of Idaho
Department of Water Resources

DRILLING PERMIT

RECEIVED

AUG 27 1987

(Authorizing Construction of a Well)*

Department of Water Resources

1. Applicant Keith S. & Cinda M. Arceneaux
2. Address HER 61 Box 173 Bonners Ferry, ID. 83805

☒ Well Owner ☐ Well Operator ☐ Other, specify _____

3. Water right permit no. _____; Injection well permit no. _____

4. Proposed well location SE 1/4 SW 1/4 NE 1/4, or Gov't lot No. _____,
Sec. 27, Twp. 65N, Rge. 2E, County Burnley,
Lot, block and subdivision _____

5. Proposed use of well: (Check all that apply)

☒ Domestic ☐ Stockwater ☐ Monitoring
☐ Irrigation ☐ Industrial ☐ Municipal
☐ Injection ☐ Other, Specify _____

6. Well construction information:

☒ New well ☐ Deepen ☐ Replace

Proposed surface diameter 6" Proposed depth _____

Anticipated bottom hole temperature: _____

☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212°F or more (Geothermal well)

7. Anticipated construction start date 8-24-87

8. Well Driller (if known) AQUA DRILLING & REPAIR INC 163

Address PO Box 225 CDA ID 83410

Date _____ Applicant's signature Keith Arceneaux

Title Owner

ACTION OF IDWR

(X) Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. The permit holder or his representative shall notify the Department ten (10) days prior to the start of construction unless good cause for later notification can be shown.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.

SPECIFIC CONDITIONS:

Dated this 24th day of August, 19 87.

Signed

Title

REGIONAL SUPERVISOR

Received by Am Fee 40.00 Date 8/24/87

Receipt No. 41682 Construction start date 11/1/87

Construction start extension to

Extension approved by

8861 6 2 70r

RECEIVED

DRILLING PERMITS

mm/dd/yy

NUMBER 98-87-N-004

DATE WELL LOG RECEIVED 04/14/88

LAST NAME ARCENCOWX

FIRST NAME KEITH S. & CINDA M.

ADDRESS HCR 61 BOX 173

CITY BONNERS FERRY STATE ID ZIP 83805

TELEPHONE NO

WATER RIGHT NUMBER 98-07509 INJECTION WELL NO

QTRQTR SENE GOVT LOT LOT&BLOCK SUBDIVISION

SECTION 27 TWP 65N RGE 02E COUNTY BOUNDARY

USE 43 DESCRIBE USE DOM

NEW, DEEPEMED OR REPLACED (N,D,R) N

HOT (Y OR N) N

DRILLER NUMBER 163 DRILLER NAME BRAUN

CONDITIONS (Y OR N) N

COMMENTS

mm/dd/yy

mm/dd/yy

FEE\$ 10

APPROVAL DATE 08/24/87

EXTENSION DATE

/ /

EDIT

:<D>:DRILPERM

:Rec: 654/2109

:

:NumCaps

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

July 11, 1988

KEITH ARCENEUX
STAR RT. 2 BOX 173
BONNERS FERRY, ID 83805

LAPSE NOTICE

RE: PERMIT NO. 98-07509

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced water permit has lapsed. This office did not receive either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time. You were provided the proper form in our proof due notice to you dated April 30, 1988.

Your permit cannot be reinstated unless you submit proof of beneficial use or submit an extension of time request showing reasonable cause for delay. Either the completed proof of beneficial use submittal (including the examination fee or a completed field examination report) or the extension request form together with the \$15 fee must be received by this lapse notice or the permit will no longer be of any force of effect.

A proof of beneficial use form and a request for extension of time form are again enclosed for your use. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a governmental agency or by litigation which might bring title to the water in question.

L. Glen Saxton
Chief, Operations Bureau

Enclosures

LGS:RF

CERTIFICATION OF MAILING

I hereby certify that on 7/15/88
a copy of this notice was
deposited in the United States mail,
postage paid, addressed to the
individual(s) named above.

Heidi Miller

RECEIVED

JUL 29 1988

138591
CERTIFIED MAIL
April 30, 1988

ARCENEUX, KEITH
STAR RT. 2 BOX 173
BONNERS FERRY, ID 83805

PROOF DUE NOTICE

RE: Permit No. 98-7509

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

RECORDED

JUL 29 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

ARCENEUX, KEITH
STAR RT. 2 BOX 173
BONNERS FERRY, ID 83805

JULY 06, 1983

RE: PERMIT NO. 98-7509

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: RJA APPLICATION NUMBER: 98-7509

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____

- ☒ Yes ☐ No* In form for advertising.
Final date for protests: 5-16-83 ✓
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 5/16/83 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
✓ 4-18-83 Date of priority recommended.
Special conditions of approval or cover letter. _____

MICROFILMED

By: RJA Date: 5/23/83
STATE OFFICE REVIEW: return receipt

SLW/LH
By: RJA Date: 6/15/83
See attached sheet for more information.
RECEIVED
JUN 14 1983
Department of Water Resources

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

98-2509_

ARCENEUX, KEITH

STAR RT. 2 BOX 173, BONNERS FERRY, ID 83805

Source: GROUNDWATER

Date Filed: 03/25/1983

Diversion Pt: NWSE Sec 27 T 65N R 02E

Use: STOCKWATER	(0.02 CFS)
DOMESTIC	(0.08 CFS)

In: SENE Sec 27 T 65N R 02E

MICROFILMED



STATE OF IDAHO DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

A. Kenneth Dunn
Director

Suite No. 9
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

April 6, 1983

Mr. Keith Arceneaux
Star Rt. 2 Box 173
Bonners Ferry, Id. 83805

Dear Mr. Arceneaux:

I am returning your Application for Permit along with your Check No. 92-55. I am sorry to have to return them again, but the legal descriptions do not agree with your map.

I suggest you obtain some assistance to complete the application correctly. The Boundary County Planning and Zoning Department would be happy to help you.

If you have any questions, please contact me at this office.

Sincerely,

LAWRENCE D. BEARD
Senior Water Resource Analyst

LDB/pms

Enc. - Check
Application

Dear Sir

*Sorry again. Hope this
information will be sufficient*

RECEIVED
APR 13 1983

Department of Water Resources
Northern District Office



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director April 6, 1983

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

Mr. Keith Arceneaux
Star Rt. 2 Box 173
Bonners Ferry, Id. 83805

Dear Mr. Arceneaux:

I am returning your Application for Permit along with your Check No. 92-55. I am sorry to have to return them again, but the legal descriptions do not agree with your map.

I suggest you obtain some assistance to complete the application correctly. The Boundary County Planning and Zoning Department would be happy to help you.

If you have any questions, please contact me at this office.

Sincerely,

LAWRENCE D. BEARD
Senior Water Resource Analyst

LDB/pms

Enc. - Check
Application

RECEIVED
APR 11 1983
IDAHO DEPT. OF WATER RESOURCES



STATE OF IDAHO DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

A. Kenneth Dunn
Director

Suite No. 9
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

March 29, 1983

Mr. Keith Arceneaux
Star Rt. 2 Box 173
Bonners Ferry, Id. 83805

Dear Mr. Arceneaux:

I am returning your Check No. 92-55 in the amount of \$30.00 and your Application for Permit to allow you to complete Item Nos. 3 and 8a4.

You should also consider reducing the rate of diversion listed in Item Nos. 4 and 5a; 0.20 cfs (90 gallons per minute) seems a little excessive for only two homes. The Department may not approve an application for two family domestic with a diversion rate in excess of 0.08 cfs (40 gallons per minute). You should also probably add stockwater with a diversion rate of 0.02 cfs.

There is also a little confusion on your map in Item No. 11. Sections 17 and 26 do not border on each other.

If you need any assistance, please contact me at this office.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

Enc. - Check
Application

Dear Sir,
I'm sorry about the insufficient data
I really don't have much of an idea
about how fast the water will flow, but
I'm sure it will probably be much less
than the .08 (40 gal/min). I'll only have
about 5-8 lbs. of pressure coming out of a 3/4"
line.

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Keith Arceneaux Phone: _____

Post office address S.R. 2, Box 173 Bonners Ferry, ID 83805

2. Source of water supply ground water which is a tributary of _____

→ 3. Location of point of diversion is NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 27 Township 65 N
Range 2 E B.M. Boundary County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

→ Amount .08 for domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .02 for stock water purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

→ a. .08 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 6" x 6" pipe with 3/4" pipe outlet running 600' to house

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

→ c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year – maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

→ (1) Give the place of use of water: SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 27 Township 65 N
Range 2 E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 10 goats 25 chickens

(4) Name of municipality to be served _____ number of families to be supplied with domestic water 2

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above: _____

9. a. Who owns the property at the point of diversion Lloyd T. Kresley

b. Who owns the land to be irrigated or place of use Keith Arceneaux

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing I have verbal permission from

Lloyd T. Kresley through a third party - Ky
Norquist of Eastport, Id. - Mr. Norquist is caretaker

10. Remarks for Mr. Kresley. Mr. Kresley is currently
in a hospital on the east coast in poor health.
Mr. Kresley's address is: (Kresley holds water rights)

P.O. Box 1114

Ph. 605 342 3025


Rapid City, S.D. 57709

Mr. Norquist's wife works at the Eastport Cafe

Address P.O. Box 2 Eastport 83805 Ph. 208 3797

I didn't quite understand question #7. I would like to
rig up the system as soon as possible and have the
permit for the max. 5 years. — I am currently
hauling water to my residence.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Keith Greenleaf
(Applicant)

Received by RMA JK Date 4/4/83 Time 12:15 PM
Preliminary check by _____ Fee \$ _____
Receipted by _____ Date _____
Publication prepared by _____ Date _____
Published in _____
Publication dates _____
Publication approved _____ Date _____
Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director
March 29, 1983

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

Mr. Keith Arceneaux
Star Rt. 2 Box 173
Bonners Ferry, Id. 83805

Dear Mr. Arceneaux:

I am returning your Check No. 92-55 in the amount of \$30.00 and your Application for Permit to allow you to complete Item Nos. 3, and 4a4.

You should also consider reducing the rate of diversion listed in Item Nos. 4 and 5a; 0.20 cfs (90 gallons per minute) seems a little excessive for only two homes. The Department may not approve an application for two family domestic with a diversion rate in excess of 0.08 cfs (40 gallons per minute). You should also probably add stockwater with a diversion rate of 0.02 cfs.

There is also a little confusion on your map in Item No. 11. Sections 17 and 26 do not border on each other.

If you need any assistance, please contact me at this office.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

Enc. - Check
Application

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Keith Arceneaux Phone _____

Post office address S.R. 2 Box 173 Bonners Ferry, ID. 83805

2. Source of water supply ground water which is a tributary of _____

→ 3. Location of point of diversion is _____ ¼ of _____ ¼ of Section _____ Township _____

Range _____ B.M. Boundary County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

→ Amount .20 for domestic purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

→ a. .20 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 6'x4'x4' hole with 3/4" pipe outlet running 600' to house

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

→ c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year – maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

→ (1) Give the place of use of water: _____ ¼ of _____ ¼ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.


(3) List number of each kind of livestock to be watered 10 goats - 25 chickens

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 2.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



NOTED

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Keith Greeneaux
(Applicant)

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. _____

9. a. Who owns the property at the point of diversion Lloyd T. Kresley

b. Who owns the land to be irrigated or place of use Keith Arceneaux

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing I have verbal permission from

Lloyd T. Kresley through a third party - Ky
Norquist of Eastport, Id. - Mr. Norquist is caretaker

10. Remarks for Mr. Kresley. Mr. Kresley is currently

in a hospital on the east coast in poor health.

Mr. Kresley's address is: (Kresley holds water rights)

P.O. Box 1114 P.H. 605 348 3025

Rapid City, S.D. 57709

Mr. Norquist's wife works at the Eastport Cafe

Address P.O. Box 2 Eastport 83805 Ph. 2613797

I didn't quite understand question #7. I would like to
rig up the system as soon as possible and have the
permit for the max. 5 years — I am currently
hauling water to my residence.

Received by JK Date 3-25-83 Time noon

Preliminary check by _____ Fee \$ _____

Receipted by _____ Date _____

Publication prepared by _____ Date _____

Published in _____

Publication dates _____

Publication approved _____ Date _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

RECEIVED

MAR 17 1985

Keith Arceneaux
S.R. 2 Box 173
Bonners Ferry, ID.
83805

Dear Sir,
Department of Water Resources
Northern District Office

I am inquiring about the necessary permit or necessary paperwork to tap into an underground spring on my neighbors property. I have oral permission from...

Mr. Lloyd J. Kresley

P.O. Box 1114

Rapid City, S.D. 57709

through a third party - Ky Norquist of Eastport Idaho, who is caretaker for Mr. Kresley.

The spring is about 300 ft. west of my property. I want to dig about a 6' x 4' x 4' hole and place a 3/4" line to divert some water to my house for a gravity flow system.

Mr. Kresley has the water rights for this spring.

Please send a permit or information.

Sincerely,

Keith Arceneaux

(over)

MICROFILMED

P.S. Mr. Kresley is currently in a hospital on the east coast. If you would have to get in touch with him - The caretaker's wife works at the Eastport Café (208 267-2068)

MICROFILMED