

RECEIVED
JUN 26 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT

Department of Water Resources

Yes No
(☒) () B/U Acknowledgement Letter Sent _____ (INITIAL & DATE)
() (☒) Aerial Photo Date Requested _____ by _____
(☒) () Quad Sheet
(☒) () GL Plat
() () Copies of overlapping License Field Report Claim
() () Photo PD/PU
() () Correspondence (Date) _____
() () Other (List) _____

EXAM COMPLETED BY Tom Dutton DATE 6/27/88
SR AGENT REVIEW _____ JK DATE 5/88
REGIONAL MANAGER REVIEW _____ DATE 6/89
ENTERED ON COMPUTER BY _____ DATE 6/16/89
PRELIMINARY OVERLAP REVIEW BY JK King DATE 2-88
(☒) NO OVERLAP FOUND

NO WELLS FOUND-AVG. STATIC SURROUNDING WATER LEVEL = 50'



Hand
dug well
Point
diversion of

MICROFILMED
APR 02 1990

98-7424

3	2	1	4	3	2	1	4	3	2
3917	3925	3933	3940	3947	3954	3961	3968	3975	3982

Sec. 3.
36.56


Sec. 2.
638.00

Sec. 1
633.44

Sec. 11.
640

MICROFILMED

APR 02 1990



SPRINGS) 11 NW
 1:24000
 0 1 MILE
 0 1000 4000 5000 6000 7000 FEET
 0 1 KILOMETER

VERVAL 40 FEET
 ENT 20-FOOT CONTOURS
 AN SEA LEVEL



QUADRANGLE LOCATION

ROAD CLASSIFICATION

Medium-duty ——— Light-duty ———
 Unimproved dirt =====

MEADOW CREEK, IDAHO

PERMIT HOLDER JAMES MAXFIELD PERMIT # 98-7424

P D TWP 62N RGE 2E SEC 2 NW NW

P/U TWP 62N RGE 2E SEC 2 NW NW

UNRECORDED


APR 02 1990

SOURCE GROUNDWATER TRIBUTARY TO _____

MAP PLOT 35 IRR. ACRES 0 USGS QUAD A-59 B-9 SCALE _____

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.



MICROFILMED

APR 02 1990

Inspected by _____ Date _____

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 98-07424

Priority: June 4, 1982

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume:¹ 2.4 AF

This is to certify, that JAMES MAXFIELD
HCR 62 BOX 9

MOYIE SPRINGS, ID 83845 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 4, 1982; and has submitted Proof of Beneficial Use on June 25, 1987. An examination indicates that the works have a diversion capacity of .040 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	2.4 AF

LOCATION OF POINT(S) OF DIVERSION: LOT 4(NWNW), Sec. 2, Township 62N, Range 02E
BOUNDARY County

PLACE OF USE: DOMESTIC

TWN RGE SEC

62N 02E 2 LOT 4(NWNW)


CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 2 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 28TH day of NOVEMBER, 1989

MICROFILMED

APR 02 1990


R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant JAMES MAXFIELD Phone _____
Post office address STAR ROUTE 1 BOX 9, MOYIE SPRINGS, ID 83845
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 2 Township 62N
Range 2E B.M. BOUNDARY County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.08 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.04 for IRRIGATION purposes from MAR 15 to NOV 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.12 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL & PUMP

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 3 inches; proposed depth of well is 150 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 2 Township 62N

Range 2E B.M.


(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 2.

(5) If water is to be used for other purposes describe: _____

RECORDED



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

James Masfield
(Applicant)

Proposed Priority 6/4/1982

Received by KK Date 6/4/82 Time 1:30 P
Preliminary check by st Fee \$ 30.00
Receipted by KK Date 6/4/82 # 21337
Publication prepared by ms Date 6/4/82
Published in Bonnes Ferry Herald
Publication dates 6.17-24/82
Publication approved ms Date 7/6/82
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by ms KK

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 98-7424, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 87.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 22nd day of July, 1982.

J. Glen Gayton
Chief, Operations Bureau

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

98-7423

MAXFIELD, JAMES

STAR RT. 1 BOX 9, MOYIE SPRINGS, ID 83845

Source: DRY CREEK tributary to MOYIE RIVER

Date Filed: 06/04/1982

Amount: 0.10 CFS

Diversion Point: SESE Sec 34 T 63N R 02E, BOUNDARY Co.

Use: IRRIGATION (0.10 CFS) from 03/15 to 11/15

Place of Use: NWNW Sec 02 T 62N R 02E FOR 5 ACRES

Diversion Means: GRAVITY FLOW PIPELINE.

98-7424

MAXFIELD, JAMES

STAR RT. 1, BOX 9, MOYIE SPRINGS, ID 83845

Source: GROUNDWATER

Date Filed: 06/04/1982

Amount: 0.12 CFS

Diversion Point: NWNW Sec 02 T 62N R 02E BOUNDARY Co.

Use: IRRIGATION (0.04 CFS) from 03/15 to 11/15

DOMESTIC (0.08 CFS) from 01/01 to 12/31

Place of Use: NWNW Sec 02 T 62N R 02E FOR 2 ACRES

Diversion Means: WELL AND PUMP.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id, 83814 on or before **JULY 6, 1982.**

A. KENNETH DUNN, Director

First publication: June 17, 1982

Final publication: June 24, 1982-idwr

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

98-7423

MAXFIELD, JAMES

STAR RT. 1 BOX 9, MOYIE SPRINGS, ID 83845

Source: DRY CREEK tributary to MOYIE RIVER

Date Filed: 06/04/1982

Amount: 0.10 CFS

Diversion Point: SESE Sec 34 T 63N R 02E, BOUNDARY Co.

Use: IRRIGATION (0.10 CFS) from 03/15 to 11/15

Place of Use: NWNW Sec 02 T 62N R 02E FOR 5 ACRES

Diversion Means: GRAVITY FLOW PIPELINE.

98-7424

MAXFIELD, JAMES

STAR RT. 1, BOX 9, MOYIE SPRINGS, ID 83845

Source: GROUNDWATER

Date Filed: 06/04/1982

Amount: 0.12 CFS

Diversion Point: NWNW Sec 02 T 62N R 02E BOUNDARY Co.

Use: IRRIGATION (0.04 CFS) from 03/15 to 11/15

DOMESTIC (0.08 CFS) from 01/01 to 12/31

Place of Use: NWNW Sec 02 T 62N R 02E FOR 2 ACRES

Diversion Means: WELL AND PUMP.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id, 83814 on or before JULY 6, 1982.

A. KENNETH DUNN, Director

First publication June 17, 1982

Final publication June 24, 1982-idwr

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO }
County of Boundary } ss.

Luana Van Hook, bkpr for Pete Thompson being
first duly sworn upon his oath, deposes and says that he is the publisher (or foreman)

Publisher
of The Bonners Ferry Herald, a newspaper of general circulation, published weekly at
Bonners Ferry, Boundary County, State of Idaho; that the said Bonners Ferry Herald has
been continuously and uninterruptedly published in said Boundary County during a period
of 18 months or 78 weeks prior to the first publication of the hereto attached notice; that

the advertisement of Notice of Application
#98-7423 and 7424

a Maxfield

Notice for Publication, a printed copy of which is attached hereto was published in said
newspaper and not in a supplement thereof for 2 consecutive issues, com-
mencing with the issue dated June 17, 1982, and ending with the
issue dated June 24, 1982.

Subscribed and sworn to before me this 28th day of June, 1982.

Judy Lane
Notary Public in and for the County of Boundary, State of Idaho,
residing at Bonners Ferry, Idaho.

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO }
County of Boundary } ss.

~~Luana Van Hook, clerk for Pate Thompson~~ being
first duly sworn upon his oath, deposes and says that he is the publisher (or foreman)

~~Publisher~~
of The Bonners Ferry Herald, a newspaper of general circulation, published weekly at Bonners Ferry, Boundary County, State of Idaho; that the said Bonners Ferry Herald has been continuously and uninterruptedly published in said Boundary County during a period of 18 months or 78 weeks prior to the first publication of the hereto attached notice; that

the advertisement of _____

Notice of Application

~~98-7423 and 7424~~

a _____

Maxfield

Notice for Publication, a printed copy of which is attached hereto was published in said newspaper and not in a supplement thereof for _____ consecutive issues, commencing with the issue dated _____, 19____, and ending with the issue dated _____, 19____.

June 17

82

June 24, 19 82

Subscribed and sworn to before me this 28th day of June, 1982

Jody Lane
Notary Public in and for the County of Boundary, State of Idaho,
residing at Bonners Ferry, Idaho.

November 28, 1989

JAMES MAXFIELD
HCR 62 BOX 9
MOYIE SPRINGS, ID 83845

RE: PERMIT NO. 98-07424

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

APR 02 1990

October 26, 1989

JAMES MAXFIELD
HCR 62 BOX 9
MOYIE SPRINGS, ID 83845

RE: PERMIT NO. 98-07424

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED

APR 02 1990

POINT OF DIVERSION OVERLAP REVIEW

WR-NUMBER	TWP	RNG	SC	TRACT	LT	#SOURCE	#NAME
				1\4 1\4 1\4			
9807424	62N	02E	2	NW NW		GROUNDWATER	MAXFIELD, JAMES
9807580						GROUNDWATER	SCHUSTER, GEORGE

ENCLOSURE

APR 02 1980

RECEIVED
JUN 26 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT

Department of Water Resources

PERMIT 98-7424

Yes No
(☒) () B/U Acknowledgement Letter Sent _____ (INITIAL & DATE)
() (☒) Aerial Photo Date Requested _____ by _____
(☒) () Quad Sheet
(☒) () GL Plat
() () Copies of overlapping License Field Report Claim
() () Photo PD/PU
() () Correspondence (Date) _____
() () Other (List) _____

EXAM COMPLETED BY John Deaton DATE 6/27/88
SR AGENT REVIEW _____ JK DATE 8/88
REGIONAL MANAGER REVIEW _____ DJK DATE 6/89
ENTERED ON COMPUTER BY _____ DATE 6/16/89
PRELIMINARY OVERLAP REVIEW BY John Deaton DATE 2-88
(☒) NO OVERLAP FOUND

NO WELL LOG FOUND-AVG. STATIC SURROUNDING WATER LEVEL = 55'

Hand
dug well
point of
diversion

MICROFILMED
APR 02 1990

98-7424

3	2	1	4	3	2	1	4	3	2
3917	3925	3933	3941	3949	3957	3965	3973	3981	3989

Sec. 3.
36.56

Sec 2.
63.27

Sec 1
62.94

S. 6. 1/2 Sec. 36

Sec. 2.
64.5

MICROFILMED

APR 02 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: James Maxfield Permit No. 98-7424
Current Address: HKR 62 Box 9, Moyie Springs, Id 87845 Phone No. 262-2618
2. Accompanied by: James Maxfield EXAM. DATE: 6/21/88
Address: SAME Phone No. Same
Relationship to Permit Holder: Same
3. Source: Shallow well tributary to ground water

B. OVERLAP REVIEW

1. Other water rights with same place of use: ~~None~~ 98-74243 JK ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

Department of Water Resources

2. ☐ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and place(s) of use (required). (required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	4		NW	NW	2	62N	2E	Boundary	MAP

6. **Place(s) of Use:**


Indicate Method of Determination MAP

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
62N	2E	2						0											
								64											

Do not use this space

RECEIVED

APR 02 1990



SPRINGS) 11 NW
1:24000
0 1 MILE
0 4000 5000 6000 7000 FEET
0 1 KILOMETER

VERVAL 40 FEET
ENT 20-FOOT CONTOURS
AN SEA LEVEL



ROAD CLASSIFICATION
Medium-duty ——— Light-duty ———
Unimproved dirt ———

MEADOW CREEK, IDAHO

PERMIT HOLDER JAMES MAXFIELD PERMIT # 98-7424

P D TWP 62N RGE 2E SEC 2 NW NW

P/U TWP 62N RGE 2E SEC 2 NW NW

UNRECORDED

APR 02 1990

SOURCE GROUNDWATER TRIBUTARY TO

MAP PLOT 35 IRR. ACRES 0 USGS QUAD A-598-9 SCALE

Do not use this space

D. FLOW MEASUREMENTS


NONE

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:



E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2 HOME; DOMESTIC

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

2 HOME = 2.4 afa

APR 02 1990

H. REMARKS AND OVERLAP REVIEW ANALYSIS

This well also used to irrigate garden covered by
per # 98-7423 when or if the creek goes dry.
This garden is ~~XXXX~~ > 1 acre.

NOT TO EXCEED 3.0 AFD/AFS WHEN Cons. w/98-7423

I. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1/1	12/31	.04 cfs	2.4 afa
Totals:			.04	2.4 JK

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name Louis Sukoraty
Signature [Signature]
Certification Date 5/15/88
Field Report Preparation Date 6/27/88



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

JDM 7/28/89

MICROFILMED
APR 02 1990

State of Idaho
Department of Water Resources
WELL INSPECTION FORM

This form should be completed by the examiner when conducting a field examination to determine the extent of beneficial use of water from a well or whenever a well is inspected for other reasons. The form should be forwarded to Groundwater Protection Section in the State Office upon completion.

1. Legal Description of well location. Twp. 62N, Rge. 2E,
Sec. 2, Qtr./Qtr. NNNW or Lot _____
2. Owner James Maxfield
Address HCR 62 Box 9, City Mojave Springs, State ID
3. Approx. date of well construction 1982
Well Driller NONE HAND DUG BY OWNER
4. Casing: Diameter ≈ 4" Condition Good
5. Casing length above land surface 2'
6. Well depth (ft) 16' Flowing NO Temp. —
Access port —
7. Condition of piping and valving good
8. Evidence of well seal NO
9. Shut in pressure or static water level 12'
10. Evidence of leakage around the casing NO
11. Does well need repair NO
12. Comments This is a shallow well

REPROFILMED


APR 02 1990 (OVER)

RECEIVED
JUNE 6 1989

Groundwater Resources

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.



MICROFILMED

APR 02 1990

Inspected by _____

Date _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 98-7424
Name(s) of Permit Holder(s): James Maxfield
Post Office Address: Star route 1 Box 9
Moyle Springs Id. Tel. No. _____

☒ I hereby certify that construction of diversion works for the above referenced permit began on July 25, 1983 (date) and I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control:

*Note: A financing difficulty is not an acceptable reason.


July 28, 83
Date

James E. Maxfield
Signature of Permit Holder

James E McField

Star 1 box 9

Moyle Springs Id 83845



Surrey 1890s



83845
UNRECORDED

APR 02 1990

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN W. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 765-4639

AUGUST 11, 1987

JAMES MAXFIELD
HCR 62 BOX 9
MOYIE SPRINGS, ID 83845

RE: Permit No. 98-7424

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone or in person.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MICROFILMED

APR 02 1990

RECEIVED

JUN 25 1987

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only
Fee Received 2
Date 6/23/87
Receipt # —
Receipt by —
Reviewed by —
Sent to region 7-14-87

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 98-1424

Name(s) of Permit Holder: JAMES MAXFIELD

Post Office Address: HER 62 BOX 9, MOXIE SPRINGS, ID. 83845

Telephone No. 208 267-2618

Source of Water: GW

Extent of Use:

Domestic 2 (number of households) Stockwater _____ (number and type of stock)

Irrigation _____ (acres) Other/Remark _____

1 1/4" PIPE FOR HAND PUMP & PISTON PUMP

Total rate and/or volume for which proof is submitted 0.04 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: _____

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Fee enclosed \$ —0—
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

SAME

(Name)

(Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

AUG 25 1987

6-23-87
Date

X James J. Maxfield
Signature of Permit Holder (and title, if appropriate)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
APRIL 30, 1987

138499

MAXFIELD, JAMES
STAR RT. 1 BOX 9
MOYIE SPRINGS, ID 83845

PROOF DUE NOTICE

RE: PERMIT NO. 98-7424

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF THE ABOVE REFERENCED WATER PERMIT WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JULY 1, 1987. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST.) ENCLOSED IS A FORM WHICH WHEN ACCOMPANIED BY THE LICENSE EXAMINATION FEE OR A COMPLETED FIELD EXAMINATION REPORT PREPARED BY A CERTIFIED WATER RIGHT EXAMINER MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER AN ACCEPTABLE PROOF OF BENEFICIAL USE SUBMITTAL OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

MICROFILMED

ENCLOSURES

AUG 25 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

MAXFIELD, JAMES
STAR RT. 1 BOX 9
MOYIE SPRINGS, ID 83845

AUGUST 03, 1982

RE: PERMIT NO. 98-7424

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: TK

APPLICATION NUMBER: 98-7424

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 7/14/82
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 7/1/82
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ Date of priority recommended. 6/17/82
☒ Special conditions of approval or cover letter. _____

By: SLW/LIZ


Date: 7/12/82

STATE OFFICE REVIEW:

- ☐ See attached sheet for more information.

By: SLW/LIZ

Date: 7/20/82



POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

MAXFIELD, JAMES

STAR RT. 1 BOX 9, MOYIE SPRINGS, ID 83845

Source: GROUNDWATER

Date Filed: 06/04/1982

Amount: 0.12 CFS

Diversion Point: NMNM Sec 02 T 62N R 02E, BOUNDARY Co.

Use: IRRIGATION	(0.04 CFS)	from 03/15 to 11/15
DOMESTIC	(0.08 CFS)	from 01/01 to 12/31

Place of Use: NMNM Sec 02 T 62N R 02E FOR 2 ACRES

Diversion Means: WELL AND PUMP.