



98-7418

PERMIT # 98-7418

INITIALS



75-7418

Domestic $\rightarrow$




98-7418

NOT RECORDED

APR 02 1990

Domestic





MICROFILMED

APR 02 1990

TWP 60 N, RGE 1E SEC 7, 5, 6, NE, NW
 EXAM DATE 6 / 11 / 87 MAP # B-57 PERMIT # 98-7418

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Sec 7 Twp 60 N Rg 1 E B M

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x Donald C. Lund
(Applicant)

Ruby E. Lund

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 98-07418

Priority: April 5, 1982

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.15 CFS
14.4 AF

This is to certify, that DONALD C. LUND
RUBY E. LUND

HCR 01 BOX 213
NAPLES, ID 838470000

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 5, 1982; and has submitted Proof of Beneficial Use on March 9, 1987. An examination indicates that the works have a diversion capacity of .150 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.08 CFS	12.0 AF
DOMESTIC	01/01 to 12/31	0.10 CFS	2.4 AF
	Totals	0.15 CFS	14.4 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNE , Sec. 7, Township 60N, Range 01E
BOUNDARY County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
60N	01E	7	NENW	4		4

Total number of acres irrigated: 4

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 4 homes.

MICROFILMED

APR 04 1990

kw

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 98-07418

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 8TH
day of JANUARY, 1990.

Acting for Norman C Young
R. Keith Higginson, Director

MICROFILMED

APR 02 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Donald C + Ruby E. Lord Phone 267-5369
Post office address Star Route Naples, Idaho 83847
2. Source of water supply Well which is a tributary of _____
3. Location of point of diversion is SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 7 Township 60N
Range 1E B.M. Boundary County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.10 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.08 for Irrigation purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.18 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well, pump & pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. ~~Proposed~~ well diameter is 4 ft. inches; ~~proposed~~ depth of well is 16 ft. feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 7 Township 60N
Range 1E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 4.

(5) If water is to be used for other purposes describe: domestic & irrigation

RECEIVED
MAY 11 1978
WATER RESOURCES
DIVISION

[illegible]

71

NONE

Donatelli & Ruby E Tunnel


Donald E. Roberts, friend

applicant to make this filing.

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There is no handwriting or other markings on the paper.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Sec 7 Twp 60 N R 1 E B M



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

RECORDED

x Donald C. Lund
(Applicant)
Ruby E. Lund

RECEIVED

D. Allen Saylor
Chief, Operations Bureau

Witness my hand this 27 day of May, 19 82.

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 98-7418, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 87.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other:

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by RL Date 4/5/82 Time 1:00 pm
Preliminary check by JB Fee \$ 30.00
Received by JB Date 4/6/82 (201910)
Publication prepared by JB Date 4/8/82
Published in Idaho Farm Journal
Publication dates 4/15 + 22/82
Publication approved JB Date 4/14/82
Protests filed by: none
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by JB

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

98-7418
LUND, DONALD C. &/or RUBY E.
STAR RT., NAPLES, ID 83847
Source: GROUNDWATER
Date Filed: 03/26/1982
Amount: 0.18 CFS

Diversion Point: SWNE Sec 07 T 60N R 01E, BOUNDARY Co.
Use: IRRIGATION (0.08 CFS) from 03/15 to 11/15
DOMESTIC (0.10 CFS) from 01/01 to 12/31
Place of Use: NENW Sec 07 T 60N R 01E FOR 4 ACRES
Diversion Means: WELL, PUMP AND PIPELINE.

JOHNSON, L. G. 98-7419

821 HASTINGS ST., COEUR D'ALENE, ID 83814
Source: BUZZARD CREEK tributary to MOYIE RIVER
Date Filed: 04/05/1982
Amount: 0.16 CFS

Diversion Point: SWNW Sec 14 T 64N R 02E, BOUNDARY Co.

Use: IRRIGATION (0.06 CFS) from 03/15 to 11/15
DOMESTIC (0.10 CFS) from 01/01 to 12/31
Place of Use: NWSW Sec 14 T 64N R 02E FOR 5 ACRES
Diversion Means: GRAVITY FLOW PIPELINE AND FLOW IRRIGATION.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id, 83814 on or before MAY 3, 1982.

A. KENNETH DUNN, Director
First publication April 15, 1982
Final publication April 22, 1982-idwr

AFFIDAVIT OF PUBLICATION

of IDAHO } ss.
of Boundary }

I, Van Hook, bkpr for Pete Thompson being
y sworn upon his oath, deposes and says that he is the publisher (or foreman)
Publisher

Bonniers Ferry Herald, a newspaper of general circulation, published weekly at
Ferry, Boundary County, State of Idaho; that the said Bonniers Ferry Herald has
continuously and uninterruptedly published in said Boundary County during a period
months or 78 weeks prior to the first publication of the hereto attached notice; that

vertisement of Notice of Application for Water Right

98-7418 Lund

98-7419 Johnson

for Publication, a printed copy of which is attached hereto was published in said
aper and not in a supplement thereof for 2 consecutive issues, com-
ng with the issuance of April 15, 1982, and ending with the
dated April 22, 1982

10 day of April, 1982
Notary Public and for the County of Boundary, State of Idaho,
residing at Bonniers Ferry, Idaho.

January 9, 1990

DONALD C. LUND
RUBY E. LUND
HCR 01 BOX 213
NAPLES, ID 838470000

RE: PERMIT NO. 98-07418

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

APR 02 1990

November 28, 1989

DONALD C. LUND
RUBY E. LUND
HCR 01 BOX 213
NAPLES, ID 838470000

RE: PERMIT NO. 98-07418

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

APR 02 1990

POINT OF DIVERSION OVERLAP REVIEW

WR-NUMBER	TWP	RNG	SC	TRACT	LT	#SOURCE	#NAME
				1\4 1\4 1\4			
9807418	60N	01E	7	SW NE		GROUNDWATER	LUND, DONALD C
9804287						TROUT CREEK	BURLINGTON NOR
9807088						TRAIL CREEK	LUND, DONALD C

MICROFILMED

APR 02 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

98-7418
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

RECEIVED

JUL 07 1987

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Department of Water Resources

Overlap Review PD Index 7/5/87 Initial and Date
PU Index 7/8/87 Initial and date
Overlap ? Yes _____ No X

Aerial Photo

Required ? Yes _____ No X
Attached ? Yes _____ No _____
Reason for absence of aerial photo _____

Scheduling Letter sent? _____ (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☐ Photographs of Point of Diversion and Place of Use
- ☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Jennifer Argenas 6-17-87 (Signature of examiner and date)
Exam Reviewed by Senior Water Resource Agent R 6/87 (Initial and date)
Exam Reviewed by Manager of Regional Office PJA 6/30/87 (Initial and date)
Exam Date Entered in Computer 6/30/87 (Initial and date)
Exam sent to State Office 7/1/87 (Initial and date)
Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

DEPARTMENT OF S

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PERMIT # 98-7418

INITIALS

APR 02 1990

APR 02 1990



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

A. Kenneth Dunn
Director

Suite No. 9
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 765-4639

June 12, 1987

RECEIVED
JUL 07 1987

Department of Water Resources

RECEIVED
JUN 17 1987
Department of Water Resources
Northern District Office

Mr. Donald Lund
HCR 01 Box 213
Naples, Id. 83847

Re: 98-7418

Dear Mr. Lund:

During the on-site examination of your water system, I was unable to answer the following questions:

Is your pump a submersible one? yes

What horsepower is it? 2

Are there presently four homes on the system? 3

To facilitate the licensing process, please answer the preceeding questions and return this letter as quickly as possible. If you have any questions, or if it is more convenient to call, please contact me at 765-4639.

Sincerely,

Jennifer Argraves

JENNIFER ARGRAVES
Water Rights Examiner


JA/pms

*The other lot that is to have water is not sold.
The water is piped to this lot.*

Ruby E Lund

MICROFILMED

APR 02 1990



TWP 60 N, RGE 1E SEC 7, 5, 6, NE NW
 EXAM DATE 6 / 11 / 87 MAP # B-57 PERMIT # 98-7418

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

RECEIVED
JUL 07 1987

A. GENERAL INFORMATION

Permit No. 98-7418

1. Owner: Donald C. & Ruby E. Lund

Phone No. 267-5369

Current Address: HCR 01 Box 213, Naples, Idaho 83847

2. Accompanied by: _____

EXAM. DATE: 6-11-87

Address: _____

Phone No. _____

Relationship to Permit Holder: _____

3. Source: Ground water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: OVERLAPS CANCELED - NONE - 4/22/87 - K

☐ Copies Attached

2. Other water rights with same point of diversion: NONE - 4/22/87 - K

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

Diagram area with grid lines and a large 'X' mark.

MICROFILMED

APR 02 1990

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

From 2 hp submersible pump to domestic, one of which no home exist but water is piped to the lot Each with lawn and garden & this is the 1st. $\approx 44\%$ total

☐ See Remarks on page 4 for continuation[illegible]

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

[illegible]

Indicate Method of Determination

6. Place(s) of Use:

[illegible] $|a|$

Do not use this space

APR 02 1990

RENTAL

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$Q_{\text{pump}} = \frac{8.8 (.75) (2)}{2.3(20) + 40} = .15 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

$$Q_{\text{4 Households}} = .10 \text{ cfs} \quad Q_{\text{1 Irr}} = .08 \text{ via permit} \quad Q = .18 \text{ cfs Total via permit}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{4}{3.0} \times 12 \text{ AF}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \frac{.08}{245} \times 39 \text{ AF}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 12 \text{ AF}$$

2. Volume Calculations for Other Uses:

$$V_{4 \text{ Dom}} = .6(4) = 2.4 \text{ AF}$$

APR 02 1990

MICROFILMED

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use		Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (ata)
From	To	From	To		
4 Domestic	1-1	12-31		.10	2.4
15 Irrigation	3-15	11-15		.08	12
Totals:				.15	14.4

2. Recommended Amendments


- ☐ Change P.D. as reflected above
☐ Add P.D. as reflected above
☐ Change P.U. as reflected above
☐ Add P.U. as reflected above
☒ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name Jennifer Arguaves
 Signature Jennifer Arguaves
 Certification Date 5/15/87
 Field Report Preparation Date _____

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

2014 6/6/89



MICROFILMED
 APR 02 1990

June 12, 1987

Mr. Donald Lund
HCR 01 Box 213
Naples, Id. 83847

Re: 98-7418

Dear Mr. Lund:

During the on-site examination of your water system, I was unable to answer the following questions:

Is your pump a submersible one? _____

What horsepower is it? _____

Are there presently four homes on the system? _____

To facilitate the licensing process, please answer the preceeding questions and return this letter as quickly as possible. If you have any questions, or if it is more convenient to call, please contact me at 765-4639.

Sincerely,

JENNIFER ARGRAVES
Water Rights Examiner

JA/pms

MICROFILMED

APR 02 1990

COPY

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 765-4639

APRIL 6, 1987

DONALD LUND
HCRO1 BOX 213
NAPLES, ID 83847

RE: Permit No. 98-7418

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone or in person.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MICROFILMED

APR 02 1990

RECEIVED
MAR 09 1987

STATE OF IDAHO

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

For Office Use Only

Fee Received \$50.00

Date 3-9-87

Receipt # 41536

Receipt by [initials]

Reviewed by [initials]

Sent to region

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 98-7418

Name(s) of Permit Holder: Donald C + Ruby E Lund

Post Office Address: HCR 01 Box 213 Naples Id. 83847

Telephone No. 208-267-5369

Source of Water: Well

Extent of Use:

Domestic 4 (number of households) Stockwater (number and type of stock)

Irrigation Gardens + lawns (acres) Other/Remark

Total rate and/or volume for which proof is submitted 0.68 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: May 27th 1982

Measuring Device: Required? Yes No
Installed? Yes No

Fee enclosed \$ 50.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes No
Installed? Yes No

Person to contact to accompany the Department representative during the field examination:

Ruby E Lund
(Name)

208-267-5369
(Telephone Number)

HCR-01 Box 213 Naples, Id. 83847
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

March 4, 1987
Date

Ruby E Lund
Signature of Permit Holder (and title, if appropriate)

APR 14 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 98-7418
Name(s) of Permit Holder(s): Donald & Ruby Lund
Post Office Address: Star Route
Appleton Idaho 83847 Tel. No. 267-5369

- ☐ I hereby certify that construction of diversion works for the above referenced permit began on June 1, 1981 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is
not an acceptable reason.

July 3, 1982
Date

Ruby E Lund
Signature of Permit Holder

Donal Lund
Star Route
Naples, ID 83847

USA 13c



Crazy Horse

Department of Water Resources

JUL 8 1982




RECEIVED

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

DON & RUBY LUND
HCR-01, Box 213
Naples, ID 83847



State of Idaho
Dept of Water Resources
State House
Boise
Idaho 83720



APR 14 1987

att.
Reta Fleck

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
FEBRUARY 28, 1987

LUND, DONALD C. & RUBY E.
STAR RT.
NAPLES, ID 83847

138833

PROOF DUE NOTICE

RE: PERMIT NO. 98-7418

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF THE ABOVE REFERENCED WATER PERMIT WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MAY 1, 1987. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST.) ENCLOSED IS A FORM WHICH WHEN ACCOMPANIED BY THE LICENSE EXAMINATION FEE OR A COMPLETED FIELD EXAMINATION REPORT PREPARED BY A CERTIFIED WATER RIGHT EXAMINER MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER AN ACCEPTABLE PROOF OF BENEFICIAL USE SUBMITTAL OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,


RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

APR 14 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

LUND, DONALD C. & RUBY E.
STAR RT.
NAPLES, ID 83847

JUNE 08, 1982

RE: PERMIT NO. 98-7418

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

ENCLOSURE

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: LB

APPLICATION NUMBER: 9874/8

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____

- ☒ Yes ☐ No* In form for advertising.
Final date for protests: 5/3/82 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 5/10/82 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
5/15/82 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: BAH Date: 5/14/82

STATE OFFICE REVIEW:

return receipt w/ cover letter

SLW/L12 26

- ☐ See attached sheet for more information.

By: Tolson Date: 5/24/82

RECEIVED
MAY 24 1982

98-7418-

LUND, DONALD C. &/or RUBY E.

STAR RT., NAPLES, ID 83847

Source: GROUNDWATER

Date Filed: 03/26/1982

Amount: 0.18 CFS

Diversion Point: SWNE Sec 07 T 60N R 01E, BOUNDARY Co.

Use: IRRIGATION	(0.08 CFS)	from 03/15 to 11/15
DOMESTIC	(0.10 CFS)	from 01/01 to 12/31

Place of Use: NENW Sec 07 T 60N R 01E FOR 4 ACRES

Diversion Means: WELL, PUMP AND PIPELINE.

MICROFILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor
A. Kenneth Dunn
~~C. Stephen Wilford~~
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

March 30, 1982

Mr. and Mrs. Donald Lund
Star Route
Naples, Id. 83847

Dear Mr. and Mrs. Lund:


The enclosed Application for Permit was not complete when received in this office.

I have taken the liberty of completing Item Nos. 8.a.1., 8.a.4. and 8.c.

I am returning your Check No. 92-310 in the amount of \$30.00 and your application to allow you to check the above additions for accuracy.

If you have any questions, please contact me at this office.

Sincerely,


TOM D. KING
Senior Water Resource Agent

TDK/pms

Enc. - Application
Check

RECEIVED

APR 5 1982

Department of Water Resources
Northern District Office

Thank you
R. Lund

RECEIVED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor
A. Kenneth Dunn
~~Stephen Allen~~
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

March 30, 1982

Mr. and Mrs. Donald Lund
Star Route
Naples, Id. 83847

Dear Mr. and Mrs. Lund:

The enclosed Application for Permit was not complete when received in this office.

I have taken the liberty of completing Item Nos. 8.a.1., 8.a.4. and 8.c.

I am returning your Check No. 92-310 in the amount of \$30.00 and your application to allow you to check the above additions for accuracy.

If you have any questions, please contact me at this office.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

Enc. - Application
Check

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Don W. Cor Ruby E. Lind Phone 267-5369
Post office address Star Route Appleton, Idaho 83847
2. Source of water supply Well which is a tributary of _____
3. Location of point of diversion is SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 7 Township 60N
Range 1E B.M. Banning County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.10 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.08 for Irrigation purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.18 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well, pump & pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. ~~Proposed~~ well diameter is 4 ft. inches; ~~proposed~~ depth of well is 16 ft. feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 7 Township 60N
Range 1E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 2.

(5) If water is to be used for other purposes describe: domestic & irrigation

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 4

c. Describe any other water rights used for the same purposes as described above. NONE

9. a. Who owns the property at the point of diversion Donald C. & Ruby E. Lund

b. Who owns the land to be irrigated or place of use Donald E & Ruby E Lenz


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks _____

MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Sec 7 Twp 60 N Rg 1 E B M



Scale: 2 inches equal 1 mile.

BE IT SHOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

RECORDED

x Donald C. Lund
(Applicant)
Ruby E. Lund

Received by TK Date 3/26 Time 1:00 PM
Preliminary check by _____ Fee \$ 30.00
Receipted by _____ Date _____
Publication prepared by _____ Date _____
Published in _____
Publication dates _____
Publication approved _____ Date _____
Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: _____

Witness my hand this _____ day of _____, 19____.

Director

MICROFILMED