









Township No 62 North, Range No 2 East of the BC

f F f





558 12'30" 559 (MOYIE SPRINGS) 2781 II NW 561 10' 562 2 MI. TO

SCALE 1:24 000



CONTOUR INTERVAL 40 FEET
 DOTTED LINES REPRESENT 20 FOOT CONTOURS
 DATUM IS MEAN SEA LEVEL

★
 MN
 21
 174 MILS
 3
 MAGNETIC NORTH
 CENTER OF SHEET

IDAHO
 QUADRANGLE LOCATION

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
 FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR WASHINGTON, D.C. 20242
 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

MicroFILMED

APR 20 1990

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
 BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR WASHINGTON, D.C. 20242
 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

QUADRANGLE LOCATION

CURLEY CRE
 N4837

AMS 2781

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 98-07406

Priority: February 22, 1982

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.08 CFS
3.0 AF

This is to certify, that HARRY BEHRMAN
MOYIE SPRINGS, ID 83845

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated February 22, 1982; and
has submitted Proof of Beneficial Use on April 21, 1983. An examination indicates
that the works have a diversion capacity of .080 cfs of water from:

DRY CREEK

tributary to MOYIE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.08 CFS	3.0 AF

LOCATION OF POINT(S) OF DIVERSION: LOT 1(SESE), Sec. 34, Township 63N, Range 02E
BOUNDARY County

PLACE OF USE: DOMESTIC

TWN RGE SEC

62N 02E 3 LOT 1(NENE)

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 3 homes.

MICROFILMED

APR 20 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 98-07406

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 19th
day of APRIL, 1990.

Acting for R. Keith Higginson, Director

MICROFILMED

APR 20 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Harry Behrman Phone 267-3435
Post office address Mayle Springs, Id
2. Source of water supply Dry Creek which is a tributary of Mayle River
3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 34 Township 63N
Range 2E B.M. Boundary County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.12 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.12 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Gravity flow pipeline
with water to 3 households

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 3 Township 62N
Range 2E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 3.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There is no handwriting or other markings on the paper.

Special use permit 70 01 04


U.S. Forest Service

~~supplementary water for 1 house-hold~~

TWP	RANGE	SEC.	NE¼				NW¼				SE¼				SW¼			
			NE%	NW%	SWM%	SE%	NE%	NW%	SWM%	SE%	NE%	NW%	SWM%	SE%	NE%	NW%	SWM%	SE%
TOTALS			NE%				NW%				SE%				SW%			

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

"Bud" Harry Behrman
(Applicant)

MICROFILMED

Proposed Priority 2/22/1982

Received by AB Date 2/22/82 Time 11:45
Preliminary check by CSH Fee \$ 30.00
Received by AB Date 2/22/82 (21136)
Publication prepared by Benjamin Starks Date 2/22/82
Published in Benjamin Starks
Publication dates 3/11/82
Publication approved ms Date 3/23/82
Protests filed by: none
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by AB

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State

of Idaho No. 98-7406, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or be-

fore May 1, 19 83.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: The issuance of this permit in no way grants any right-of-way or

easement across the land of another.

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 13th day of April, 1982.

Chief, Operations Bureau

A. Alan Saylor

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

98-7406

BEHRMAN, HARRY

MOYIE SPRINGS, ID 83845

Source: DRY CREEK tributary to MOYIE RIVER

Date Filed: 02/22/1982

Amount: 0.12 CFS

Diversion Point: SESE Sec 34 T 63N R 02E, BOUNDARY Co.

Use: DOMESTIC (0.12 CFS) from 01/01 to 12/31

Place of Use: NENE Sec 03 T 62N R 02E

Diversion Means: GRAVITY-FLOW PIPELINE.

98-7407

BRITTSAN, BRAD

STAR RT., MOYIE SPRINGS, ID 83845

Source: CURLEY CREEK tributary to KOOTENAI RIVER

Date Filed: 02/24/1982

Amount: 0.12 CFS

Diversion Point: LOT 07 (SESE) Sec 03 T 61N R 03E, BOUNDARY Co.

Use: IRRIGATION (0.06 CFS) from 03/15 to 11/15

STOCKWATER (0.02 CFS) from 01/01 to 12/31

DOMESTIC (0.04 CFS) from 01/01 to 12/31

Place of Use: SESE Sec 03 T 61N R 03E FOR 3 ACRES

Diversion Means: PUMP AND PIPELINE.

98-7408

BRITTSAN, BRUCE

STAR RT., MOYIE SPRINGS, ID 83845

Source: CURLEY CREEK tributary to KOOTENAI RIVER

Date Filed: 02/19/1982

Amount: 0.14 CFS

Diversion Point: LOT 07 (SESE) Sec 03 T 61N R 03E, BOUNDARY Co.

Use: IRRIGATION (0.08 CFS) from 03/15 to 11/15

STOCKWATER (0.02 CFS) from 01/01 to 12/31

DOMESTIC (0.04 CFS) from 01/01 to 12/31

Place of Use: SESE Sec 03 T 61N R 03E FOR 4 ACRES

Diversion Means: PUMP AND PIPELINE.

98-7409

WILL, EDWARD D.

1333 JACKSON ST., MISSOULA, MT 59802

Source: CURLEY CREEK tributary to KOOTENAI RIVER

Date Filed: 02/19/1982

Amount: 0.14 CFS

Diversion Point: NESW Sec 10 T 61N R 03E, BOUNDARY Co.

Use: IRRIGATION (0.08 CFS) from 03/15 to 11/15

STOCKWATER (0.02 CFS) from 01/01 to 12/31

DOMESTIC (0.04 CFS) from 01/01 to 12/31

Place of Use: NESE Sec 10 T 61N R 03E FOR 4 ACRES

Diversion Means: GRAVITY SYSTEM.

98-7410

BRITTSAN, BRIAN

STAR RT., MOYIE SPRINGS, ID 83845

Source: CURLEY CREEK tributary to KOOTENAI RIVER

Date Filed: 02/19/1982

Amount: 0.18 CFS

Diversion Point: LOT 07 (SESE) Sec 03 T 61N R 03E, BOUNDARY Co.

Use: IRRIGATION (0.12 CFS) from 03/15 to 11/15

STOCKWATER (0.02 CFS) from 01/01 to 12/31

DOMESTIC (0.04 CFS) from 01/01 to 12/31

Place of Use: LOT 07 (SESE) Sec 03 T 61N R 03E FOR 6 ACRES

Diversion Means: PUMP AND PIPELINE.

98-7411

MICHAUD, RONALD C.

7015 W. FREMONT PL., LITTLETON, CO 80123

Source: GROUNDWATER

Date Filed: 02/23/1982

Amount: 0.04 CFS

Diversion Point: NWSE Sec 35 T 65N R 02E, BOUNDARY Co.

Use: DOMESTIC (0.04 CFS) from 01/01 to 12/31

Place of Use: NWSE NESE Sec 35 T 65N R 02E

Diversion Means: PUMP AND PIPELINE.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id, 83814 on or before MARCH 22, 1982.

A. KENNETH DUNN, Director

First publication March 4, 1982
Final publication March 11, 1982-idwr

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO

County of Boundary

Luana Van Hook, bkpr for Pete Thompson

first duly sworn upon his oath, deposes and says that he is the publisher (o
Publisher

of The Bonners Ferry Herald, a newspaper of general circulation, publisher
Bonners Ferry, Boundary County, State of Idaho; that the said Bonners Ferry
been continuously and uninterruptedly published in said Boundary County dur
of 18 months or 78 weeks prior to the first publication of the hereto attached

the advertisement of Notice of Applications
98-7406, 7407, 7408, 7409, 7410, 7411, 7412,
7414, 7415


Notice for Publication, a printed copy of which is attached hereto was publi
newspaper and not in a supplement thereof for 2 consecutive
mencing with the issue dated March 4, 1982, and end
issue dated March 11, 1982

Subscribed and sworn to before me this 12th day of March

Department of Water Resources
Notary Public in and for the County of Boundary, St
residing at Bonners Ferry, Idaho.

MICROFILMED

30



April 19, 1990

HARRY BEHRMAN
MOYIE SPRINGS, ID 83845

RE: PERMIT NO. 98-07406

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

APR 20 1990

March 7, 1990

HARRY BEHRMAN
MOYIE SPRINGS, ID 83845

RE: PERMIT NO. 98-07406

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure


MICROFILMED

APR 20 1990

[illegible]

10. Other water rights on these lands _____
11. Other water right diverted from same p.d. 98-7250

12. Diversion and Delivery System Diagram: Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.




13. ☒ Photo of Diversion & System Attached
☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks SEE 98-7250 FOR PICTURE OF P.D.


15. Recommended Amendments
☐ Change P.D. as reflected above
☐ Add P.D. as reflected above
☐ Change P.U. as reflected above
☐ Add P.U. as reflected above
☐ Other
☒ None

16. Examiner's/Consultant's Signature _____ Date 8/20/85
Consultant's License Number _____
IDWR Director's Authorization to Conduct _____
Beneficial Use Examination _____
Date _____









STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED
SEP 13 1985

7406

98-7403
Permit No.

Department of Water Resources

1. Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

3 HOMES = 0.12 cfs PER MEMO 5-13-1981

CAPACITY 4 HOMES = 0.16 PER MEMO 5-13-1981

b) Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

c) Volume Calculations for Other Uses:

3 HOMES 1.2
 1.2
 .6
 3.0

2. Overlap Review

a) Other water rights with same place of use: None

b) Other water rights with same point of diversion: _____

98-7250

c) Analysis: 98-7250 FOR ONE DIFFERENT HOME

MICROFILMED

APR 26 1987

RECOMMENDED AMOUNTS

Permit No.	98-746C
Priority	
Amount	0.12
App. Date	
Date Proof Submitted	
System Capacity	0.16

4. Permit Holder: HARRY BEHRMAN

Address: MOYIE SPRINGS, ID 83845

5. Source: Dry Creek tributary to Moyie River

6. Beneficial Use

Period of Use From 1-1 To 12-31

Rate of Diversion Q (cfs) 0.12

Annual Volume V (afa) 3.0

Allowable Maximums:

0.12 3.0

7. Point(s) of Diversion:

No.	Govt. Lot	%	%	%	Sec.	Twp.	Rge.	County
	1		SE SE	SE SE	34	63N	2E	BOUNDARY

8. Place(s) of Use

Twp.	Rge.	Sec.	NE 1/4	NW 1/4	SE 1/4	NW 1/4	SE 1/4	NW 1/4	SE 1/4	NW 1/4	SE 1/4	NW 1/4	SE 1/4	NW 1/4	SE 1/4	NW 1/4	SE 1/4	Totals
42N	2E	3	X															
Total Acres																		

9. Recommended Conditions/Remarks:

10. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
- ☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

11. Examiner's Signature

Checked in Regional Office by [Signature]

Approved in State Office by

Date


Date

Date


8/30/85
9/1/85

MICROFILMED

APR 20 1990




0 0 P P Q Q R R



(MOYLE SPRINGS)
2781 ft NW

SCALE 1:24000



CONTOUR INTERVAL 40 FEET
BOLDED LINES REPRESENT 20 FOOT CONTOURS
DATUM IS MEAN SEA LEVEL



THIS MAP COMPLEIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR WASHINGTON, D.C. 20502
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

MicroFILMED

APR 20 1990

THIS MAP COMPLEIES WITH NATIONAL MAP ACCURACY STANDARDS
BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR WASHINGTON, D.C. 20242
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

QUADRANGLE LOCATION

CURLEY CREEK
N4837

AMS 2781

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 98-7406

Name(s) of Permit Holder: HARRY BEHRMAN

Post Office Address: MOYIE SPRINGS Idaho

Tel. No. 267-3435

Source of Water: DRY CREEK

Extent of Use: ☒ Domestic (2 Cond.) (number of households)
☐ Stockwater (number and type of stock)
☐ Irrigation (acres)
☐ Other

MICROFILMED

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No
 Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Feb 21 1984
 Date

Harry Behrman
 Signature of Permit Holder

Bill Harry Behner

714912 Springs Idaho

83545

PLACE
STAMP
HERE

MICROFILMED

RECEIVED



APR 20 1990

MAR 7 1984

IDAHO DEPARTMENT OF WATER RESOURCES

STATEHOUSE

Department of Water Resources IDAHO 83720

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 98-7406

Name(s) of Permit Holder: HARRY BEHRMAN

Post Office Address: Mojave Springs Idaho
Star Road Tel. No. 267-3435

Source of Water: SE 1/4 - SE 1/4 Sec 34 - TWS 63N R2E

Extent of Use: ☐ Domestic 3 (number of households)
☐ Stockwater _____ (number and type of stock)
☐ Irrigation _____ (acres)
☐ Other _____



Measuring Device Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No
Access Port Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

April 15 - 1983
Date

Harry Behrman
Signature of Permit Holder

Harry Behrman
Mojie Springs
Idaho



APR 21 1983

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

MAY 18, 1983

HARRY BEHRMAN
STAR ROUTE
MOYIE SPRINGS ID

RE: Permit No. 98-7406

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 667-6484 or in person at our office.

Sincerely,

/S/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

RECORDED
INDEXED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138347

BEHRMAN, HARRY
MOYIE SPRINGS, ID 83845

PROOF DUE NOTICE

FEBRUARY 28, 1983

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 98-7406 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MAY 01, 1983. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

RECEIVED
FEB 29 1983

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

**STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440**

**BEHRMAN, HARRY
MOYIE SPRINGS, ID 83845**

APRIL 28, 1982

RE: PERMIT NO. 98-7406

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

**DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION**

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: RLH

APPLICATION NUMBER: 98-7406

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☒ U.S. Forest Service.
☐ Other _____

Copies sent by: _____

Date: _____

PROCESSING:

- ☐ Yes ☐ No
☐ Yes ☐ No

Platted by: _____ Map No. _____

Other rights on same place of use. _____

- ☒ Yes ☐ No*

In form for advertising.

Final date for protests: 3/22/82 ✓

- ☐ Yes ☒ No

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 3/17/82 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.

- ☐ Yes ☒ No

Measuring device required.

- ☐ Yes ☒ No

Access port required.

- ☐ Yes ☒ No

Will water be delivered by watermaster? If yes, what district? _____

2/22/82 Date of priority recommended.

✓ Special conditions of approval or cover letter. _____

By: RLH

Date: 4/1/82

STATE OFFICE REVIEW:

SW/ocord 04

☐ See attached sheet for more information.

By: RLH

Date: 4-9-82

RECEIVED
APR 9 1982

RECORDED

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't lot rediv. (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't lot rediv. (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't lot rediv. (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't lot rediv. (R) REACH

5000.142.0.0008

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't lot rediv. (R) REACH
5000.142.0.0008

A-58
13-7

98-2406-

BEHRMAN, HARRY

MOYIE SPRINGS, ID 83845

Source: DRY CREEK tributary to MOYIE RIVER

Date Filed: 02/22/1982

Amount: 0.12 CFS

Diversion Point: SESE Sec 34 T 63N R 02E, BOUNDARY Co.

Use: DOMESTIC (0.12 CFS) from 01/01 to 12/31

Place of Use: NENE Sec 03 T 62N R 02E

Diversion Means: GRAVITY-FLOW PIPELINE.

MICROFILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor

A. Kenneth Dunn
~~C. Stephen Black~~
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

February 25, 1982

U. S. Forest Service
Panhandle National Forests
1201 Ironwood Drive
Coeur d'Alene, Id. 83814

Re: 98-7406

Gentlemen:

Enclosed is a copy of a recent filing with this Department that may
be of interest to you.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Supervisor

RGH/pms

Enc. - Application