

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

*L. A. Cope*  
(Applicant)

MICROFILMED

NOTICE OF CORRECTION

Notice is hereby given that Application for Permit No. 98-7377  
in the Name of Earnest & Virginia Copp  
was advertised incorrectly on 7/2 and 7/9  
19 81.

The Point of diversion and place of use were incorrectly described  
as the SWSE Section 19, T62N, R1E; whereas, correctly they should  
be the NWSE Section 19, T62N, R1E.

Any protest/~~xxxxxxxx~~ to the above-referenced correction must be filed  
with the State of Idaho Department of Water Resources, 4055 Government  
Way, Coeur d'Alene, Idaho 83314, on or before September 8, 19 81.

C. STEPHEN ALLRED

Director

Published in the Bonnors Ferry Herald on  
August 20 and August 27, 19 81.

MICROFILMED

RECEIVED  
JUN 27 1990

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
BENEFICIAL USE FIELD REPORT SUPPLEMENT

Department of Water Resources


Yes No

- (☒) ( ) B/U Acknowledgement Letter Sent 10-3-86 PERMIT 98-7377  
( ) (☒) Aerial Photo Date Requested \_\_\_\_\_ (INITIAL & DATE)  
(☒) ( ) Quad Sheet \_\_\_\_\_ by \_\_\_\_\_  
( ) (☒) GL Plat \_\_\_\_\_  
(☒) ( ) Copies of overlapping .... License .... Field Report  
(☒) ( ) Photo PD/PU  
( ) ( ) Correspondence (Date) 4/21/89 - 4/1/89  
( ) ( ) Other (List) DEED, WELL LOG, WD RECDT

EXAM COMPLETED BY \_\_\_\_\_ DATE \_\_\_\_\_  
SR AGENT REVIEW \_\_\_\_\_ DATE \_\_\_\_\_  
REGIONAL MANAGER REVIEW RNA DATE \_\_\_\_\_  
ENTERED ON COMPUTER BY \_\_\_\_\_ DATE 6/13/90  
PRELIMINARY OVERLAP REVIEW BY J. King DATE \_\_\_\_\_  
(☒) NO OVERLAP FOUND DATE 2-88

98-7140

98-7098



JAN 02 1992

98-7377



TWP. 62 N., RGE. 2E SEC. 19 MAP # B-849 PERMIT # 98-7377  
 DATE OF EXAM \_\_\_\_\_

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES  
Northern Region

JOHN V. EVANS  
Governor  
A. KENNETH DUNN  
Director

4055 Government Way  
Coeur d'Alene, ID 83814  
(208) 765-4639

OCTOBER 3, 1986

ERNEST COPP  
HCR 85 BOX 336  
BONNERS FERRY, ID 83805

RE: Permit No. 98-7377

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone or in person.

Sincerely,

/S/  
TOM D. KING  
Senior Water Resource Agent

cc: IDWR - State Office

**MICROFILMED**

**JAN 02 1992**

October 20, 1981

Mr. and Mrs. Earnest Copp  
Star Rt. 3 Box 236  
Bonners Ferry, Id. 83805

Re: 98-7377

Dear Mr. and Mrs. Copp:

I have recently received correspondence both from the Enfields and their attorney regarding your application for permit and their protest.

It is my understanding that you will be using the existing well as a source of water for the proposal in your application. From the correspondence I have had with the Enfields and their attorney, they have no objection at all to that. However, they would like some assurance that it is your intention to use the existing well. A simple statement in writing from you that no new well will be drilled will clear that matter, I believe.

If you have any questions, please contact me.

Sincerely,

ROBERT G. HAYNES, P.E.  
Regional Supervisor

RGH/pms

MICROFILMED

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
Northern Region

JOHN V. EVANS  
Governor  
A. KENNETH DUNN  
Director

4055 Government Way  
Coeur d'Alene, ID 83814  
(208) 667-6484

September 9, 1981

Mr. and Mrs. F. Don Enfield  
Star Route 3 Box 327  
Bonners Ferry, Id. 83805

RE: 99-7377

Dear Mr. and Mrs. Enfield:

Your protest against the approval of the above-referenced application has been received and a copy has been sent to the applicant. The Department suggests that you contact the applicant directly in an effort to determine what is proposed by the application and to attempt to resolve the protest.

If you do not advise us within twenty (20) days that the protest has been resolved, the matter will be scheduled for conference and/or hearing. At such a conference and/or hearing, the following are the principle items the Department can consider in either approving or denying the application for permit (Section 42-203, IDAHO CODE):

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purpose intended?
3. Is the application made in good faith or for delay or speculation?
4. Has the applicant sufficient financial resources with which to complete the project?
5. Will the proposed use conflict with the local public interest?

You will be notified at a later date of the time and place of the conference and/or hearing. If we can be of any assistance, please contact us.

Sincerely,

ROBERT G. HAYNES, P.E.  
Regional Supervisor

RGH:ems

cc: Mr. Neil Walter, Attorney at Law

MICROFILMED

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
Northern Region

JOHN V. EVANS  
Governor  
A. KENNETH DUNN  
Director

4055 Government Way  
Coeur d'Alene, ID 83814  
(208) 667-6484

September 9, 1981

Mr. and Mrs. Earnest Coor  
Star Route 3 Box 336  
Bonners Ferry, Id. 83805

RE: 98-7377

Dear Mr. and Mrs. Coor:

Enclosed is a copy of a protest filed against the approval of a permit pursuant to the above-referenced application. The Department suggests you contact the protestants directly in an effort to determine the nature of the protest and attempt to resolve the protest.

If you do not advise us within twenty (20) days that the protest has been resolved, the matter will be scheduled for conference and/or hearing. At such a conference and/or hearing, the following are the principle items the Department can consider in either approving or denying the application for permit (Section 42-203, IDAHO CODE).

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purposes intended?
3. Is the application made in good faith or for delay or speculative purposes?
4. Has the applicant sufficient financial resources with which to complete the project?
5. Will the proposed use conflict with the local public interest?

You will be notified at a later date of the time and place of the conference and/or hearing. If we can be of any assistance, please contact us.

Sincerely,

ROBERT G. HAYNES, P.E.  
Regional Supervisor

RGH:ems

Enclosure

MICROFILMED

State of Idaho  
Department of Water Resources

# WATER RIGHT LICENSE

WATER RIGHT NO. 98-07377

Priority: June 22, 1981

Maximum Diversion Rate: 0.15 CFS  
Maximum Diversion Volume: 24.0 AF

This is to certify, that ERNEST COPP  
PO BOX 1662

POLSON MT 59860 has complied with the terms and conditions  
of the permit, issued pursuant to Application for Permit dated June 22, 1981; and  
has submitted Proof of Beneficial Use on September 8, 1986. An examination indicates  
that the works have a diversion capacity of .200 cfs of water from a GROUNDWATER  
source, and a water right has been established as follows:

| <u>BENEFICIAL USE</u> | <u>PERIOD OF USE</u> | <u>RATE OF DIVERSION</u> | <u>ANNUAL VOLUME</u> |
|-----------------------|----------------------|--------------------------|----------------------|
| IRRIGATION            | 03/15 to 11/15       | 0.15 CFS                 | 24.0 AF              |

LOCATION OF POINT(S) OF DIVERSION: NWSE , Sec. 19, Township 62N, Range 02E  
BOUNDARY County

PLACE OF USE: IRRIGATION

| <u>TWN</u> | <u>RGE</u> | <u>SEC</u> | <u>ACRES</u> | <u>ACRES</u> | <u>ACRES</u> | <u>TOTAL</u> |
|------------|------------|------------|--------------|--------------|--------------|--------------|
| 62N        | 02E        | 19         | NWSE         | 8            |              | 8            |

Total number of acres irrigated: 8

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.

**MICROFILMED**

JAN 02 1992


State of Idaho  
Department of Water Resources

**WATER RIGHT LICENSE**

WATER RIGHT NO. 98-07377

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.  
Witness the seal and signature of the Director, affixed at Boise, this 13<sup>TH</sup>  
day of DECEMBER, 1991.

Acting for

  
R. Keith Higginson, Director

RECEIVED  
JAN 02 1992

## WATER RIGHT SUMMARY

| ACTION               | RIGHT NO. | NAME                         | AMOUNT CFS                        |
|----------------------|-----------|------------------------------|-----------------------------------|
| Original Application | 98-07377  | Ernest Copp<br>Virginia Copp | 0.16                              |
| Full Assignment      | 98-07377  | Ernest Copp                  | 0.15<br>[At time of<br>licensing] |

**MICROFILMED**

JAN 02 1992

**RECEIVED**  
OCT 28 1991

State of Idaho

Department of Water Resources

## ASSIGNMENT OF PERMIT

Department of Water Resources

I, VIRGINIA COPP, hereby assign to ERNEST COPP  
of P.O. Box 1662 Polson, Montana, 59860  
Address

All my right, title, and interest in and to Permit No. 98 1377  
to appropriate the public waters of the State of Idaho.

The following described portion of my right, title, and interest in and to Permit No. 98 1377 to appropriate the public waters of the State of Idaho. (Describe that portion of the permit being assigned by listing the acreage within each 40 acre subdivision, the point of diversion and the amount of water in cubic feet per second for direct diversion, or acre feet for storage)

Made this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_.

X Virginia Snapp (formerly Virginia Copp)  
Permit Holder

\_\_\_\_\_  
Spouse of Permit Holder

State of Idaho

County of Boundary ) ss

On this 24th day of October, 1991, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Crystal Law

Notary Public residing at

s s a l

MICROFILMED

815 S. Main

My commission expires: JAN 02 1992

Bonners Ferry, ID 83805

4/15/97

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
APPLICATION FOR PERMIT **APPROVED**

To appropriate the public waters of the State of Idaho

1. Name of applicant Earnest & Virginia Copp Phone 167-3020  
Post office address Star Rt 3 Box 336 BUNNERS FERRY, ID. 83805  
2. Source of water supply Groundwater which is a tributary of \_\_\_\_\_  
3. Location of point of diversion is NW 1/4 of SE 1/4 1/4 of Section 19 Township 62N  
2E R5W  
Range 2E B.M. Boundary County, additional points of diversion if any: \_\_\_\_\_

4. Water will be used for the following purposes:

Amount 0.16 for Irrigation purposes from 3-15 to 11-15 (both dates inclusive)  
(cfs or acre-feet per annum)  
Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
(cfs or acre-feet per annum)  
Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
(cfs or acre-feet per annum)  
Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.16 cubic feet per second and/or b. \_\_\_\_\_ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 42" x 33' well with  
pump & pipeline

b. Height of storage dam \_\_\_\_\_ feet, active reservoir capacity \_\_\_\_\_ acre-feet; total reservoir  
capacity \_\_\_\_\_ acre-feet, materials used in storage dam: \_\_\_\_\_

Period of year when water will be diverted to storage \_\_\_\_\_ to \_\_\_\_\_ inclusive.  
(Month/Day) (Month/Day)

c. Proposed well diameter is 42" inches; proposed depth of well is 33' feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial  
use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: \_\_\_\_\_ 1/4 of \_\_\_\_\_ 1/4 of Section \_\_\_\_\_ Township \_\_\_\_\_

Range \_\_\_\_\_ B.M.

(2) Amount of power to be generated: \_\_\_\_\_ horsepower under \_\_\_\_\_ feet of head.

(3) List number of each kind of livestock to be watered \_\_\_\_\_

(4) Name of municipality to be served \_\_\_\_\_, or number of families to be  
supplied with domestic water \_\_\_\_\_.

(5) If water is to be used for other purposes describe: \_\_\_\_\_

RECORDED

10. Remarks

applicant to make this filing

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

b. Who owns the land to be irrigated or place of use

9. a. Who owns the property at the point of diversion


c. Describe any other water rights used for the same purposes as described above.

Total number of acres to be irrigated

[illegible]

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

*L. A. Copp*  
(Applicant)

RECEIVED

Chief, Operations Bureau

*D. Allen Sawyer*

Witness my hand this 20 day of November, 19 81.

d. Other:

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

fore November 1, 19 86.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or be-

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

of Idaho No. 98-7377, and said application is hereby APPROVED.

This is to certify that I have examined Application for Permit to appropriate the public waters of the State

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Recommended for approval denial by *[Signature]* Date 9/9/81

Copies of protests forwarded by me 9/9/81

Protests filed by: *Robert W. Anderson 10/19/81*  
*Edna M. Enfield 9/4/81*

Publication approved me Date 7/17/81

Publication dates 7/2-9/81 8/25-27/81 10/1-8/81

Published in *Boise Times-Idaho*

Publication prepared by me Date 6/25/81

Received by *JK* Date 6-22-81 (18200)

Preliminary check by *JK* Fee \$ 30.00

Received by *JK* Date 6-22-81 Time 3:00 PM

Processed Priority 6/22/1981

## **NOTICE OF CORRECTION**

Notice is hereby given that Application for Permit No. 98-7377 in the Name of Earnest and Virginia Copp was advertised incorrectly on August 20 and 27, 1981.

The Point of Diversion and Place of Use were incorrectly described as the NWSE Section 19, T62N, R1E; whereas, correctly, they should be the NWSE Section 19, T62N, R2E.

Any protest to the above-referenced correction must be filed with the State of Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho, 83814, on or before October 19, 1981.

A. KENNETH DUNN, Director

First publication October 1, 1981

Final publication October 8, 1981-idwr

**WATER**

## **NOTICE OF CORRECTION**

Notice is hereby given that Application for Permit No. 98-7377 in the Name of Earnest and Virginia Opp was advertised incorrectly on August 20 and 27, 1981.

The Point of Diversion and Place of Use were incorrectly described as the NWSE Section 19, T62N, R1E; whereas, correctly, they should be the NWSE Section 19, T62N, R2E.

Any protest to the above-referenced correction must be filed with the State of Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho, 83814, on or before October 19, 1981.

**A. KENNETH DUNN, Director**

First publication October 1, 1981

Final publication October 8, 1981-idwr

# AFFIDAVIT OF PUBLICATION

STATE OF IDAHO }  
County of Boundary } ss.

Luana Van Hook, bkpr for Pete Thompson being  
first duly sworn upon his oath, deposes and says that he is the publisher (or foreman)

Publisher

of The Bonners Ferry Herald, a newspaper of general circulation, published weekly at Bonners Ferry, Boundary County, State of Idaho; that the said Bonners Ferry Herald has been continuously and uninterruptedly published in said Boundary County during a period of 18 months or 78 weeks prior to the first publication of the hereto attached notice; that

Notice of Correction

the advertisement of

a

OCT

Notice for Publication, a printed copy of which is attached hereto, was published in said newspaper and not in a supplement thereof for consecutive issues, commencing with the issue dated October 1, 1981, and ending with the issue dated October 8, 1981.

Subscribed and sworn to before me this 23rd day of October, 1981.

Jody Lane  
Notary Public in and for the County of Boundary, State of Idaho,  
residing at Bonners Ferry, Idaho.

# AFFIDAVIT OF PUBLICATION

STATE OF IDAHO }  
County of Boundary } ss.

~~Luana Van Hook, clerk for Edna Thompson~~ being first duly sworn upon his oath, deposes and says that he is the publisher (or foreman)

of The Bonners Ferry Herald, a newspaper of general circulation, published weekly at Bonners Ferry, Boundary County, State of Idaho; that the said Bonners Ferry Herald has been continuously and uninterruptedly published in said Boundary County during a period of 18 months or 78 weeks prior to the first publication of the hereto attached notice; that

the advertisement of ~~Notice of Correction~~

a

Notice for Publication, a printed copy of which is attached hereto was published in said newspaper and not in a supplement thereof for 2 consecutive issues, commencing with the issue dated October 1, 1981, and ending with the issue dated October 8, 1981

Subscribed and sworn to before me this 23rd day of October, 1981

Jody Lane  
Notary Public in and for the County of Boundary, State of Idaho,  
residing at Bonners Ferry, Idaho.

MICROFILMED

NOTICE OF CORRECTION

Notice is hereby given that Application for Permit No. 98-7377  
in the Name of Earnest and Virginia Copp  
was advertised incorrectly on August 20 and 27  
19 81.

The Point of Diversion and Place of Use were incorrectly described  
as the NWSE Section 19, T62N, R1E; whereas, correctly, they should  
be the NWSE Section 19, T62N, R2E.

Any protest/~~exception~~ to the above-referenced correction must be filed  
with the State of Idaho Department of Water Resources, 4055 Government  
Way, Coeur d'Alene, Idaho 83814, on or before October 19, 19 81.

A. KENNETH DUNN

Director

Published in the Bonniers Ferry Herald on  
October 1 and 8, 19 81.

*set with  
adv. on 9/24/81*

# AFFIDAVIT OF PUBLICATION

STATE OF IDAHO

County of Boundary

ss.

Luana Van Hook, bkpr for Peter Thompson

being first duly sworn upon his oath, deposes and says that he is the publisher (or foreman)

Publisher

of Bonnors Ferry Herald, a newspaper of general circulation, published weekly at Bonnors Ferry, Boundary County, State of Idaho; that the said Bonners Ferry Herald has been continuously and uninterruptedly published in said Boundary County during a period of 18 months or 78 weeks prior to the first publication of the hereto attached notice; that

the advertisement of Notice of Correction

a

Notice for Publication, a printed copy of which is attached hereto was published in said newspaper and not in a supplement thereof for 1 consecutive issues, commencing with the issue dated Aug. 27, 1981, and ending with the issue dated 19

Subscribed and sworn to before me this 3rd day of September, 1981

Jody Lane  
Notary Public in and for the County of Boundary, State of Idaho,  
residing at Bonners Ferry, Idaho.

## NOTICE OF CORRECTION

Notice is hereby given that Application for Permit No. 98-7377 in the Name of Earnest & Virginia Copp was advertised incorrectly on July 2 and July 9, 1981.

The Point of diversion and place of use were incorrectly as described as the SWSE Section 19, T62N, R1E; whereas, E. correctly they should be the NWSE Section 19, T62N, R1E.

Any protest to the above-referenced correction must be filed with the State of Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before September 8, 1981.

C. STEPHEN ALKRED, Director

Published in the Bonners Ferry Herald on August 20 and August 27, 1981-idvr

MICROFILMED

*Second  
Affidavit  
received*

# AFFIDAVIT OF PUBLICATION

STATE OF IDAHO }  
County of Boundary } ss.

Luana Van Hook, bkpr for Peter Thompson being  
first duly sworn upon his oath, deposes and says that he is the publisher (or foreman)

Publisher  
of The Bonners Ferry Herald, a newspaper of general circulation, published weekly at  
Bonners Ferry, Boundary County, State of Idaho; that the said Bonners Ferry Herald has  
been continuously and uninterruptedly published in said Boundary County during a period  
of 18 months or 78 weeks prior to the first publication of the hereto attached notice; that

the advertisement of Notice of Correction

a \_\_\_\_\_

Notice for Publication, a printed copy of which is attached hereto was published in said  
newspaper and not in a supplement thereof for 1 consecutive issues, com-  
mencing with the issue dated Aug. 27, 1981, and ending with the  
issue dated \_\_\_\_\_, 19\_\_\_\_.

Subscribed and sworn to before me this 3rd day of September, 1981

Jody Lane  
Notary Public in and for the County of Boundary, State of Idaho,  
residing at Bonners Ferry, Idaho.

MICROFILMED

# AFFIDAVIT OF PUBLICATION

STATE OF IDAHO

County of Boundary

ss.

Luana Van Hook, bkpr for Pete Thompson

being first duly sworn upon his oath, deposes and says that he is the publisher (or foreman) Publisher

of The Bonners Ferry Herald, a newspaper of general circulation, published weekly at Bonners Ferry, Boundary County, State of Idaho; that the said Bonners Ferry Herald has been continuously and uninterruptedly published in said Boundary County during a period of 18 months or 78 weeks prior to the first publication of the hereto attached notice; that

the advertisement of Notice of Correction

a

Notice for Publication, a printed copy of which is attached hereto was published in said newspaper and not in a supplement thereof for 1 consecutive issues, commencing with the issue dated August 27, 1981, and ending with the issue dated , 19.

Subscribed and sworn to before me this 20th day of August, 1981.

Jody Lane  
Notary Public in and for the County of Boundary, State of Idaho,  
residing at Bonners Ferry, Idaho.

## NOTICE OF CORRECTION

Notice is hereby given that Application for Permit No. 98-7377 in the Name of Earnest & Virginia Copp was advertised incorrectly on July 2 and July 9, 1981.

The Point of diversion and place of use were incorrectly described as the SWSE Section 19, T62N, R1E; whereas, correctly they should be the NWSE Section 19, T62N, R1E.

Any protest to the above-referenced correction must be filed with the State of Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before September 8, 1981.

C. STEPHEN ALLRED, Director

Published in the Bonners Ferry Herald on August 20 and August 27, 1981-idwr

RECEIVED  
AUG 27 1981  
Department of Water Resources  
Bonners Ferry District Office

For  
8/27/81  
just submitted  
received.

# AFFIDAVIT OF PUBLICATION

STATE OF IDAHO }  
County of Boundary } ss.

Luana Van Hook, bkpr for Pete Thompson being  
first duly sworn upon his oath, deposes and says that he is the publisher (or foreman)

Publisher  
of The Bonners Ferry Herald, a newspaper of general circulation, published weekly at  
Bonners Ferry, Boundary County, State of Idaho; that the said Bonners Ferry Herald has  
been continuously and uninterruptedly published in said Boundary County during a period  
of 18 months or 78 weeks prior to the first publication of the hereto attached notice; that

the advertisement of Notice of Correction

a \_\_\_\_\_

Notice for Publication, a printed copy of which is attached hereto was published in said  
newspaper and not in a supplement thereof for 1 consecutive issues, com-  
mencing with the issue dated August 27, 1981, and ending with the  
issue dated \_\_\_\_\_, 19\_\_\_\_.

Subscribed and sworn to before me this 28th day of August, 1981.

John Lane  
Notary Public in and for the County of Boundary, State of Idaho,  
residing at Bonners Ferry, Idaho.

**MICROFILMED**

NOTICE OF CORRECTION

Notice is hereby given that Application for Permit No. 98-7377  
in the name of Earnest & Virginia Copp  
was advertised incorrectly on 7/2 and 7/9  
19 81.

The Point of diversion and place of use were incorrectly described  
as the SWSE Section 19, T62N, R1E; whereas, correctly they should  
be the NWSE Section 19, T62N, R1E.

Any protest/~~exception~~ to the above-referenced correction must be filed  
with the State of Idaho Department of Water Resources, 4055 Government  
Way, Coeur d'Alene, Idaho 83814, on or before September 8, 19 81.

C. STEPHEN ALLRED

Director

Published in the Bonnors Ferry Herald on  
August 20 and August 27, 19 81.

MICROFILMED

# ICES

## NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

98-7377

COPP, EARNEST &/or VIRGINIA

STAR RT. 3, BOX 336, BONNERS FERRY, ID 83805

Source: GROUNDWATER

Date Filed: 06/22/1981

Amount: 0.16 CFS

Diversion Point: SWSE Sec 19 T 62N R 01E, BOUNDARY Co.

Use: IRRIGATION (0.16 CFS) from 03/15 to 11/15

Place of Use: SWSE Sec 19 T 62N R 02E FOR 8 ACRES

Diversion Means: WELL, PUMP AND PIPELINE.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id., 83814 on or before JULY 20, 1981.

A. KENNETH DUNN, Director

First publication July 2, 1981

Final publication July 9, 1981-idwr

# TICES

## NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

98-7377

COPP, EARNEST &/or VIRGINIA  
STAR RT. 3, BOX 336, BONNERS FERRY, ID 83805

Source: GROUNDWATER

Date Filed: 06/22/1981

Amount: 0.16 CFS

Diversion Point: SWSE Sec 19 T 62N R 01E, BOUNDARY Co.

Use: IRRIGATION (0.16 CFS) from 03/15 to 11/15

Place of Use: SWSE Sec 19 T 62N R 02E FOR 8 ACRES

Diversion Means: WELL, PUMP AND PIPELINE.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id., 83814 on or before JULY 20, 1981.

A. KENNETH DUNN, Director

First publication July 2, 1981

Final publication July 9, 1981-idwr

RECEIVED  
JUL 18 1981

# AFFIDAVIT OF PUBLICATION

STATE OF IDAHO }  
County of Boundary } ss.

Luana Van Hook, bkpr for Pete Thompson being  
first duly sworn upon his oath, deposes and says that he is the Publisher (or foreman)  
Publisher

of The Bonners Ferry Herald, a newspaper of general circulation, published weekly at  
Bonners Ferry, Boundary County, State of Idaho; that the said Bonners Ferry Herald has  
been continuously and uninterruptedly published in said Boundary County during a period  
of 18 months or 78 weeks prior to the first publication of the hereto attached notice; that

the advertisement of Notice of Application for Water Right  
Copp

a .....

Notice for Publication, a printed copy of which is attached hereto was published in said  
newspaper and not in a supplement thereof for 2 consecutive issues, com-  
mencing with the issue dated July 2, 1981, and ending with the  
issue dated July 9, 1981.

Subscribed and sworn to before me this 10th day of July, 1981.

Jody Warner  
Notary Public in and for the County of Boundary, State of Idaho,  
residing at Bonners Ferry, Idaho.

# AFFIDAVIT OF PUBLICATION

STATE OF IDAHO }  
County of Boundary } ss.

Luana Van Hook, Clerk for Pete Thompson being  
first duly sworn upon his oath, deposes and says that he is the publisher (or foreman)

Publisher  
of The Bonners Ferry Herald, a newspaper of general circulation, published weekly at  
Bonners Ferry, Boundary County, State of Idaho; that the said Bonners Ferry Herald has  
been continuously and uninterruptedly published in said Boundary County during a period  
of 18 months or 78 weeks prior to the first publication of the hereto attached notice; that

the advertisement of Notice of Application for Water Right

Copp  
a

Notice for Publication, a printed copy of which is attached hereto was published in said  
newspaper and not in a supplement thereof for 2 consecutive issues, com-  
mencing with the issue dated July 2, 1981, and ending with the  
issue dated July 9, 1981

Subscribed and sworn to before me this 10th day of July, 1981

Jody Wanner  
Notary Public in and for the County of Boundary, State of Idaho,  
residing at Bonners Ferry, Idaho.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS  
GOVERNOR

R. KEITH HIGGINSON  
DIRECTOR

January 15, 1992

RE: Water Right No. 98-7377

Pauline Copp  
HCR 85 Box 336  
Bonners Ferry, ID 83805

Dear Mrs. Copp:

I've received your note which contained an updated address for Ernest Copp.

Amended licenses are only issued in cases where errors have been made in legal descriptions, amounts of water, etc. Therefore, while you won't be receiving an amended license showing the new address, I want to assure you that I have made the address change in our computer records. Thank you for keeping us updated.

If you have any questions, give me a call.

Sincerely,

A handwritten signature in cursive script that reads "Sharla Curtis".

SHARLA CURTIS  
Water Resource Agent



State of Idaho  
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000  
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS  
GOVERNOR

R. KEITH HIGGINSON  
DIRECTOR

December 17, 1991

ERNEST COPP  
PO BOX 1662  
POLSON MT 59860

*wrong*

RE: WATER RIGHT NO. 98-07377

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

*Sharla Curtis*

SHARLA CURTIS  
Water Resource Agent

SC:blm

Enclosure

RECEIVED  
JAN 08 1992

Department of Water Resources

*Dear Sharla:*

*We got the name right but the address is incorrect. Please issue a corrected water right license to our address:*

*HCR 85 BOX 336  
Bonners Ferry, ID  
83805*

*I tried to FAX, couldn't get through.*

*Thanking you in advance, Pauline Copp*

December 17, 1991

ERNEST COPP  
PO BOX 1662  
POLSON MT 59860

RE: WATER RIGHT NO. 98-07377

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS  
Water Resource Agent

SC:blm

Enclosure

## MEMORANDUM

TO: File(s) No: 98-7377

FROM: Brenda L. Miller *BLM*

DATE: October 17, 1991

RE: Assignment

=====

The correspondence to Virginia Copp was returned with the forwarding order expired. I contacted Ernest to see if he had an address for her. He had me fax an assignment form to him and he will have her complete it.

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

17 North Orchard Street

Boise, Idaho 83706-2237

Ernest  
Copp

267-3020

VIRGINIA COPP

1408 25 BOX 776

RETURN TO SENDER

FORWARDING ORDER EXPIRED

200  
98-1377

Virginia Copp  
1408 25 Box 776  
Boise, Idaho 83706-2237



State of Idaho  
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000  
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS  
GOVERNOR

R. KEITH HIGGINSON  
DIRECTOR

October 9, 1991

RE: Permit No. 98-7377

Virginia Copp  
HCR 85, Box 336  
Bonners Ferry, ID 83805

Dear Ms. Copp:

A while back we spoke on the phone concerning your desire to have the license for the above referenced permit issued only in the name of Ernest Copp, since you no longer have any interest in the right.

In order for us to issue the license accordingly, I ask that you sign the enclosed assignment form, have it notarized and return it to my attention. We will then issue the license in his name only. Also, I will make sure his name is spelled correctly on the license (Ernest rather than Earnest).

I apologize for my delay in getting this sent to you and any inconvenience this may have caused. If you have any questions, please give me a call.

Sincerely,

A handwritten signature in cursive script that reads "Sharla Curtis".

SHARLA CURTIS  
Technical Records Specialist

Enclosure

P.S.

Virginia needs to complete her address  
on the assignment form.

Fax No. 267-3020

Thanks,  
Brenda Miller

State of Idaho  
Department of Water Resources

ASSIGNMENT OF PERMIT

I, \_\_\_\_\_, hereby assign to \_\_\_\_\_  
of \_\_\_\_\_  
Address \_\_\_\_\_

All my right, title, and interest in and to Permit No. \_\_\_\_\_  
to appropriate the public waters of the State of Idaho.

The following described portion of my right, title, and interest in and  
to Permit No. \_\_\_\_\_ to appropriate the public waters of  
the State of Idaho. (Describe that portion of the permit being  
assigned by listing the acreage within each 40 acre subdivision, the  
point of diversion and the amount of water in cubic feet per second for  
direct diversion, or acre feet for storage)

\_\_\_\_\_  
\_\_\_\_\_

Made this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_.

\_\_\_\_\_  
Permit Holder

\_\_\_\_\_  
Spouse of Permit Holder

State of Idaho )  
County of \_\_\_\_\_ ) ss

On this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_, personally appeared before  
me the signer(s) of the above instrument, who duly acknowledged to me that  
he (she) (they) executed the same.

\_\_\_\_\_  
Notary Public residing at  
\_\_\_\_\_

s e a l

My commission expires:  
\_\_\_\_\_



**1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000**  
**Phone: (208) 327-7900 FAX: (208) 327-7866**

CECIL D. ANDRUS  
GOVERNOR

**R. KEITH HIGGINSON**  
DIRECTOR

October 9, 1991

RE: Permit No. 98-7377

Virginia Copp  
HCR 85, Box 336  
Bonners Ferry, ID 83805

Dear Ms. Copp:

A while back we spoke on the phone concerning your desire to have the license for the above referenced permit issued only in the name of Ernest Copp, since you no longer have any interest in the right.

In order for us to issue the license accordingly, I ask that you sign the enclosed assignment form, have it notarized and return it to my attention. We will then issue the license in his name only. Also, I will make sure his name is spelled correctly on the license (Ernest rather than Earnest).

I apologize for my delay in getting this sent to you and any inconvenience this may have caused. If you have any questions, please give me a call.

Sincerely,

Sincerely,  
Sharla Curtis

SHARLA CURTIS  
Technical Records Specialist

Enclosure

April 16, 1991

VIRGINIA COPP  
EARNEST COPP  
HCR 85 BOX 336  
BONNERS FERRY, ID 838050000

RE: WATER RIGHT NO. 98-07377

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS  
Technical Records Specialist

SC:blm

Enclosure

RECEIVED  
JAN 22 1992

# LICENSE REVIEW CHECKLIST

Permit No. 98-7377

Name/Address change?        ok ☒

Priority date Advance? yes        no ☒

Memo to advance       

Order to reinstate needed? yes        no ☒

Total cfs Limited by fee ok

Limited by capacity       

Total volume Limited by flow       

Chart checked for AF rate/ac ☒ 3.0

Capacity Actual measurement checked ☒

Theoretical checked ☒

If greater than permit, check for other rts       

Source Changed? yes        no ☒

If so, is memo needed to clarify?       

P/D Verify with map ☒ permit ☒

More than one per 44? Remember remark       

Check p/d overlap       

Uses Check irrigation period of use w/ chart ☒

P/U Verify with map ☒ permit ☒

> 5 acres irrigated, run overlap       

Remarks More than one p/d in 44

Description of non-irrig uses       

Special overlap condition       

## Conditions -

Measuring device       

W.Master control       

Overlap 229

Water quality       

Other       

## Dates/Misc. -

Water Dist       

App Rec'd       

Proof Rec'd       

CHECK FOR ADJ. CLAIM Needed according to proof filed       

Filed - needs amended       

Add'l fee required       

Not filed -       

Not needed       

Comments/Changes to Examiner's Recommendations:

License        10-day ☒ 30-day       

Back of field report signed? ☒

Reviewer Q. Curtis Date 4/8/91 Review time 7 min.

| WATER<br>RIGHT NO. | LAST NAME                  | STG | PRIORITY<br>DATE | P | WATER<br>SOURCE | WATER<br>USE | RATE<br>cfs | CAPACITY | TWP | RNG | SECT | TRACT | LOT  |
|--------------------|----------------------------|-----|------------------|---|-----------------|--------------|-------------|----------|-----|-----|------|-------|------|
| 98-07377           | COPP                       | L   | 06/22/1981       |   | GROUNDWATER     | IRR          | 0.15        | 0.20     | 62N | 02E | 19   |       | NWSE |
| 98-07140           | MENKE<br>ENFIELD<br>MURRAY | L   | 06/13/1975       |   | GROUNDWATER     | IRR          | 0.06        |          | 62N | 02E | 19   |       | NWSE |
| 98-07251           | HARTBARGER                 | L   | 03/23/1978       |   | GROUNDWATER     | DOMEST       | 0.04        | 0.04     | 62N | 02E | 19   |       | NWSE |
| 98-07253           | DANIEL<br>DANIEL           | L   | 03/29/1978       |   | GROUNDWATER     | IRR          | 0.06        | 0.06     | 62N | 02E | 19   |       | NWSE |
| 98-07377           | COPP                       | P   | 06/22/1981       |   | GROUNDWATER     | IRR          | 0.16        |          | 62N | 02E | 19   |       | NWSE |

WR5810NP  
(OD-138)

IDAHO DEPARTMENT OF WATER RESOURCES  
PLACE OF USE 1/4 1/4 COMPARISON REPORT

DATE: 04/12/91  
PAGE: 2

| WR-NUMBER          | NAME                                   | STG          | SOURCE                 | T              | R              | S             | NE           | NW           | SW           | SE           | SUM          |
|--------------------|----------------------------------------|--------------|------------------------|----------------|----------------|---------------|--------------|--------------|--------------|--------------|--------------|
| L9807377           | NO MATCHES FOR THIS POU IN AJ-POU      |              |                        |                |                |               |              |              |              |              |              |
|                    | NO MATCHES FOR THIS POU IN AJ-POU-TEMP |              |                        |                |                |               |              |              |              |              |              |
| 9804271            | PLATO                                  | S            | FRY CREEK              | 62N            | 02E            | 19            | :            | :            | :            | :            | 1            |
| 9807097            | MAC DONALD                             | L            | KOOTENAI RIVER         | 62N            | 02E            | 19            | :            | :            | :            | :            | 60           |
| 9807140            | ENFIELD                                | L            | GROUNDWATER            | 62N            | 02E            | 19            | :            | :            | :            | :            | 4            |
| 9807253            | DANIEL                                 | L            | GROUNDWATER            | 62N            | 02E            | 19            | :            | :            | :            | :            | 8            |
| <del>9807377</del> | <del>COPP</del>                        | <del>P</del> | <del>GROUNDWATER</del> | <del>62N</del> | <del>02E</del> | <del>19</del> | <del>:</del> | <del>:</del> | <del>:</del> | <del>:</del> | <del>8</del> |
| L9807377           | COPP                                   | L            | GROUNDWATER            | 62N            | 02E            | 19            | :            | :            | :            | :            | 8            |
| 9807653            | COPP                                   | P            | GROUNDWATER            | 62N            | 02E            | 19            | :            | :            | :            | :            | 50           |
| 9807672            | THREE MILE WATER DISTR                 | P            | GROUNDWATER            | 62N            | 02E            | 19            | :            | :            | :            | :            |              |
|                    | NO MAPPING INFO AVAILABLE              |              |                        |                |                |               |              |              |              |              |              |

*all areas  
according to  
examination*

RECEIVED

JUN 27 1990

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
BENEFICIAL USE FIELD REPORT SUPPLEMENT

Department of Water Resources

Yes No

PERMIT 98-7377

- (☒) ( ) B/U Acknowledgement Letter Sent 10-3-86 (INITIAL & DATE)  
( ) (☒) Aerial Photo Date Requested \_\_\_\_\_ by \_\_\_\_\_  
(☒) ( ) Quad Sheet  
( ) (☒) GL Plat  
(☒) ( ) Copies of overlapping .... License .... Field Report  
(☒) ( ) Photo PD/PU  
( ) ( ) Correspondence (Date) 4/21/89 - 4/1/89  
( ) ( ) Other (List) DEED, WELL LOG, WD RECD

EXAM COMPLETED BY \_\_\_\_\_ DATE \_\_\_\_\_  
SR AGENT REVIEW \_\_\_\_\_ DATE \_\_\_\_\_  
REGIONAL MANAGER REVIEW RMA DATE 6/13/90  
ENTERED ON COMPUTER BY \_\_\_\_\_ DATE \_\_\_\_\_  
PRELIMINARY OVERLAP REVIEW BY [Signature] DATE \_\_\_\_\_  
(☒) NO OVERLAP FOUND

98-7140

98-7098

JAN 02 1992

98

73

SENIOR AGENT REVIEW

Check List  
for  
Beneficial Use Field Report

Permit 98-

**A. GENERAL INFORMATION**

- ✓ 1. Name and address are most current available. (Check BU statement)  
✓ 2. Exam Date  
✓ 3. Source (Check Permit)

**B. OVERLAP REVIEW**

- ✓ 1. & 2. (Rule 5,1,4)

**C. SYSTEM DESCRIPTION**

- ✓ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)  
✓ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)  
✓ 3. Word Picture (Rule 5,1,3 / 5,1,4)  
✓ 4. Diversion (Rule 5,1,3)  
✓ 5. Compare with USGS Map, Land Survey Maps, Aerial Photos and Permit.  
✓ 6. Irrigation (Rule 5,1,8)

**D. FLOW MEASUREMENTS** Check math (Rule 5,1,13 / 5,1,14)

**E. FLOW CALCULATIONS** Check math (Rule 5,1,13 / 5,1,14)

**F. OPTIONAL**

**G. VOLUME CALCULATIONS**

- ✓ Three significant figures and no more than 1/10's (Rule 6,1,2)  
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

**H. REMARKS AND OVERLAP ANALYSES**

- ✓ All actual uses listed; all permitted uses not used, also listed; (Rule 5,1,2):  
✓ Overlaps (Rule 5,1,4):  
✓ Return flows (Rule 5,1,5):  
✓ Conditions (Rule 5,1,6).

**I. RECOMMENDATIONS**

- ✓ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity  
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).  
Period of year (Rule 5,1,13)  
✓ 2. Compare permit to exam for amendments (Rule 5,1,16)

**J. AUTHENTICATION**

- ✓ Name, Signature, Certification Date, Exam Date.

**WELL INSPECTION REPORT**

- ✓ Check with permit and well log for discrepancies

Signature [Signature] Date 6/12/89



State of Idaho

# DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS  
Governor

R. KEITH HIGGINSON  
Director

April 21, 1989

Earnest Copp  
HCR 85, Box 336  
Bonners Ferry, ID 83805

RE: Drilling Permit 98-87-N-10

Dear Mr. Copp:

In October, 1987 the drilling permit referenced above was issued to you for work on a domestic well on your property near Bonners Ferry, at that time you submitted a fee of \$10. The recent field examination of your facilities revealed that the well was not only for domestic purposes, but is also used for irrigation. The drilling permit fee for all wells except those used for domestic purposes is \$100, and Idaho Code allows for the Department to collect the difference between the two fees if and when the nature of use of the well changes.

Before the Department can proceed with the licensing of your water right associated with the well in question you must submit to the Department the \$90 difference between the two drilling permit fees.

If you have any questions please contact me in the Northern regional office in Coeur d'Alene (phone 765-4639).


Sincerely

*David D. LePard*  
David D. LePard  
Engineering Geologist


Receipt # N002815

5/1/89

CC: Water rights file 98-7377



E.A.Copp  
HCR 85, Box 336  
Bonners Ferry, Id 83805



April 1, 1989

State of Idaho  
Department of Water Resources  
Northern Region Office  
1910 Northwest Blvd., Suite 210  
Coeur d'Alene, ID 83814

Att'n: Mr. Tom D. King  
Sr. Water Resource Agent

Re: 98-07097, 98-07377, 98-07653

Dear Mr. King:

Obviously you are right that there cannot be but 40 acres in the SW SE Sec. 19. Let me give you some background here and then maybe you will be able to help me unravel it.

The entire property consists of 64 acres, plus or minus. About 50 of these acres are river bottom land and about 14 are hillside pasture, house and barnyards. Apparently Boyd Wallace, under license 98-07097 had water rights for all 40 acres of SW SE Sec. 19, plus 20 acres of NW SE Sec. 19. But, the river irrigation system did not cover the hillside pastures. The permit was actually used on only 50 acres, plus or minus.

I purchased the property in 1980 and shortly after, I applied for a well and pump permit #98-07377 to irrigate 8 acres of the hillside that actually was covered under the river permit. That explains part of the overlap. Technically, we should have reduced permit #98-07097 to 50 acres plus or minus at that time.

That brings us up to the present application #98-07653. As I explained to you on the telephone, I planned to convert the river diversion permit completely to ground water, but due to the unavailability of 3 phase power, I cannot do that.

I can and do need to convert about 170 gallons per minute of permit #98-07097 to a ground water well to service the drip irrigation for the nursery stock. The cover crop between the trees will continue to be irrigated from the river as well as the balance of the 50 a.e. of bottom land.

You advised me not to revise the application #98-07653 at this time since it might delay the approval which I need as soon as possible.

To further clarify. 40 acres are within the SW SE Sec. 19. Ten acres plus or minus are within NW SE Sec. 19. The 8 acres covered by 98-07377 does overlap 98-07097 in NW SE Sec. 19. If this permit is redundant, it might be canceled since the permit has never had its final inspection, but it is ground water and covers the hills in NW SE Sec 19.

The application 98-07653 will be applying the same water to the same ground as covered by 98-07097 but using a ground water in part and river water in part.

Please advise me as to whether it is necessary to revise the original permit from 60 acres to 50 acrds, or if we should leave it at 60 acres and not finalize permit #98-07653. I do not have a conversion table for gallons to second feet but the equivalent of 170 gallons per minute is the amount that I need to take from the ground water as part of the river diversion permit.

I am sorry this is so complicated. I do appreciate your help.

Sincerely,

*E.A. Copp*

E.A.Copp

EAC/ps

ENClosed is Legal Description of the Property.  
S

98-07653  
JAN 9 1999  
THE UNIVERSITY OF TEXAS AT AUSTIN

WARRANTY DEED

For Value Received, KENNETH MacDONALD and KAREN MacDONALD, husband and wife, of Bonners Ferry, Boundary County, Idaho, the GRANTORS, do hereby grant, bargain, sell and convey unto EARNEST A. COPP, an unmarried person, and VIRGINIA COPP, an unmarried person, as Tenants-in-Common, the GRANTEES, the following described premises, in Boundary County, Idaho, to-wit:

The West half of the Northwest Quarter of the Southeast Quarter (W $\frac{1}{2}$  NW $\frac{1}{4}$  SE $\frac{1}{4}$ ), and the Southwest Quarter of the Southeast Quarter (SW $\frac{1}{4}$  SE $\frac{1}{4}$ ) of Section Nineteen (19), Township Sixty-two (62) North, Range Two (2) East, B.M.

And that portion of Section 19, Township 62 North, Range 2 East, B.M., described as follows:

Beginning at the Northeast corner of the Northwest Quarter of the Southeast Quarter of said Section 19; thence West 270.0 feet; thence South 880.0 feet to the TRUE POINT OF BEGINNING; thence West 390.0 feet; thence South 440.0 feet; thence East 390.0 feet; thence North 440.0 feet to the point of beginning;

And that portion of Section 19, Township 62 North, Range 2 East, B.M., described as follows:

Beginning at the Northeast corner of the Northwest Quarter of the Southeast Quarter of said Section 19; thence West along the section line, 660.0 feet; thence South 150.0 feet to the TRUE POINT OF BEGINNING; thence East 80 feet; thence South 160 feet; thence West 80 feet; thence North 160 feet to the point of beginning.

Situate in Boundary County, Idaho.


SUBJECT to a true and accurate survey of the same.

SUBJECT to all easements, rights-of-way, reservations and restrictions of record.

SUBJECT to line extension contract and terms and conditions thereof which Grantees assume with Northern Lights, Inc., and as recorded on August 6, 1976, as Instrument #121906, Book 24 of Instruments at Page 57, records of Boundary County, Idaho.

SUBJECT to fence encroachment as shown in Book I of Surveys, page 96, Instrument No. 133895, records of Boundary County, Idaho, recorded Sept. 17, 1980.

SUBJECT to rights of the public as to that portion lying below the mean high water line of the Kootenai River.



STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
**BENEFICIAL USE FIELD REPORT**

**RECEIVED**  
JUN 27 1990  
Department of Water Resources

**A. GENERAL INFORMATION**


1. Owner: E.A. COPP Permit No. 9807377  
Phone No. 267-3020  
Current Address: HCR 85, Box 336, BONNERS FERRY, ID. 83305  
2. Accompanied by: SAME EXAM. DATE: 4-18-89  
Address: \_\_\_\_\_ Phone No. \_\_\_\_\_  
Relationship to Permit Holder: \_\_\_\_\_  
3. Source: GROUNDWATER tributary to \_\_\_\_\_

**B. OVERLAP REVIEW**

1. Other water rights with same place of use: 9807097, 9807653  
\_\_\_\_\_ ☐ Copies Attached  
2. Other water rights with same point of diversion: SAME  
\_\_\_\_\_ ☒ Copies Attached ☐ Copies of Field Exam's Attached

**C. SYSTEM DESCRIPTION**

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 200'

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached  
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).  
place(s) of use (required).  
☒ Photo of Diversion and System Attached  
(required for all but single household domestic groundwater, and stockwater).

② 50', 13 RB 30 W 5-5 PHO W 3/4 No. 2. ③ 45-60 PSI

100


\*Code to correspond with No. on map and aerial photo

[illegible]

Indicate Method of Determination *MAP 1/55/3501*

[illegible]

JAN 02 1982



TWP. 62 N., RGE. 2 E SEC. 19 MAP # B-889 PERMIT # 98-7377  
 DATE OF EXAM \_\_\_\_\_

Do not use this space

## D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

| Measurement Equipment | Type | Make | Model No. | Serial No. | Size | Calib. Date |
|-----------------------|------|------|-----------|------------|------|-------------|
|                       |      |      |           |            |      |             |
|                       |      |      |           |            |      |             |
|                       |      |      |           |            |      |             |
|                       |      |      |           |            |      |             |

2. Measurements:

$$60 \text{ PSI} + 45 \text{ PSI} + 45 \text{ PSI} + 50 \text{ PSI} = 50 \text{ PSI}$$

4

## E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$1 \frac{1}{2} \text{ KB } 3/4 @ 50 \text{ PSI} = \frac{(5.5)(12)}{448.8} = 0.15 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

$$\frac{8.8(7.5) 75\%}{2.23(60) + 100} = .20 \text{ cfs}$$

## F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: \_\_\_\_\_ psi x 2.31 = \_\_\_\_\_ ft (1); Dynamic pumping level: \_\_\_\_\_ ft (2)

Total Head: (1) + (2) = \_\_\_\_\_ (3) ; Flow rate: \_\_\_\_\_ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = \_\_\_\_\_ (5)

Meter Input KW: 3.6 x \_\_\_\_\_ KH x \_\_\_\_\_ CTR or \_\_\_\_\_ MULT x \_\_\_\_\_ PTR x \_\_\_\_\_ N/ \_\_\_\_\_ T = \_\_\_\_\_ (6)

Meter Input HP: (6) x 1.34 = \_\_\_\_\_ (7)

Panel Input KW: \_\_\_\_\_ Ave PF x \_\_\_\_\_ Ave Volts x \_\_\_\_\_ Ave Amps x .001732 = \_\_\_\_\_ (6)

Panel Input HP: (6) x 1.34 = \_\_\_\_\_ (7) Efficiency: (5)/(7) x 100 = \_\_\_\_\_ %

## G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (8) 3 = 24$$

$$V_{D.R.} = [\text{Diversión Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 72.9$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 24$$

2. Volume Calculations for Other Uses:

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Not to exceed 0.08 cfs / acre when combined with 9867097  
9807653 is for different acres  
INFORMED DATE LEAD OF ICE WELL STATUS (ATTACHED MEMO 1-6-88)  
FM GARY SPRECKMAN

I. RECOMMENDATIONS

1. Recommended Amounts

| Beneficial Use | Period of Use | Rate of Diversion | Annual Volume |
|----------------|---------------|-------------------|---------------|
|                | From To       | Q (cfs)           | V (afa)       |
| IRRIGATION     | 3-15          | 0.15              | 340           |
|                | 11-15         |                   |               |
|                |               |                   |               |
|                |               |                   |               |
|                |               |                   |               |
|                |               |                   |               |
|                |               |                   |               |
|                |               |                   |               |
|                |               |                   |               |
|                |               |                   |               |

2. Recommended Amendments

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above

J. AUTHENTICATION

Field Examiner's Name Tom King  
Signature [Signature]  
Certification Date 2/17/89  
Field Report Preparation Date 4/18/89

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

4/8/91



RECEIVED

JAN 28 1992

State of Idaho  
Department of Water Resources  
WELL INSPECTION FORM


This form should be completed by the examiner when conducting a field examination to determine the extent of beneficial use of water from a well or whenever a well is inspected for other reasons. The form should be forwarded to Groundwater Protection Section in the State Office upon completion.

1. Legal Description of well location. Twp. 62N, Rge. 2E,  
Sec. 19, Qtr./Qtr. NWSE or Lot \_\_\_\_\_
2. Owner E.A. Cobb  
Address HR 85 Box 336, City BONNERS FERRY, State ID
3. Approx. date of well construction 1987  
Well Driller BOB PITT
4. Casing: Diameter 8 Condition Good
5. Casing length above land surface 2'
6. Well depth (ft) 40 Flowing \_\_\_\_\_ Temp. \_\_\_\_\_  
Access port /
7. Condition of piping and valving Good
8. Evidence of well seal \_\_\_\_\_
9. Shut in pressure or static water level 20
10. Evidence of leakage around the casing NO
11. Does well need repair NO
12. Comments \_\_\_\_\_

(OVER)

# SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.



Inspected

**MICROFILMED**

JAN 02 1992

Date

4/19/89

MEMORANDUM

TO: Northern Region  
FROM: Gary Spackman *Gary*  
THRU: Bob Fleenor *BF*  
DATE: January 6, 1988  
RE: Drilling Permit No. 98-87-N10; Permit No. 98-7377

Permit No. 98-7377 was issued to Earnest and Virginia Copp on June 22, 1981. Proof of beneficial use was filed on September 8, 1986.

In October, 1987, a drilling permit was approved by Northern Region. It authorized the deepening of an irrigation well supposedly already drilled under Permit No. 98-7377. The fee charged was \$10.

As stated in a previous memorandum, the drilling permit fee for any use other than single family domestic is \$100. The Department will not attempt to correct the error at this time, but the narrow definition of single family domestic and the accompanying \$10 fee should not be expanded.

On December 30, 1987, the Department received a well drillers report on the Copp well. The well driller's report indicates that a new well was drilled for irrigation purposes. When the examiner conducts the field examination, the discrepancies in our files should be reconciled.

**MICROFILMED**

JAN 02 1992

## WELL DRILLER'S REPORT

DEC 30 1967

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

93

1. WELL OWNER

Department of Water Resources

NamePaline Copp

AddressHcr 88 Box 336 Pennersburg

IA 5

Owner's Permit No.47787 98-7377

98-87-N-10

2. NATURE OF WORK

☒ New well

☐ Deepened

☐ Replacement

☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

☐ Domestic

☒ Irrigation

☐ Test

☐ Municipal

☐ Industrial

☐ Stock

☐ Waste Disposal or Injection

☐ Other (specify type)

4. METHOD DRILLED

☐ Rotary

☐ Air

☐ Hydraulic

☐ Reverse rotary

☒ Cable

☐ Dug

☐ Other

5. WELL CONSTRUCTION

Casing schedule:

☐ Steel

☐ Concrete

☐ Other

Thickness

Diameter

From

To

1250

inches

9

inches

+

1

feet

40

feet

inches

inches

feet

feet

inches

inches

feet

feet

inches

inches

feet

feet

Was casing drive shoe used?

☒ Yes

☐ No

Was a packer or seal used?

☐ Yes

☒ No

Perforated?

☒ Yes

☐ No

How perforated?

☐ Factory

☐ Knife

☒ Torch

Size of perforation

1/4

inches by

4

inches

Number

From

To

40

perforations

30

feet

40

feet

perforations

feet

feet

perforations

feet

feet

Well screen installed?

☐ Yes

☒ No

Manufacturer's name

Type

Model No.

Diameter

Slot size

Set from

feet to

feet

Diameter

Slot size

Set from

feet to

feet

Gravel packed?

☐ Yes

☐ No

☐ Size of gravel

Placed from

feet to

feet

Surface seal depth

18

Material used in seal:

☐ Cement grout

☒ Bentonite

☐ Pudding clay

☐

Sealing procedure used:

☐ Slurry pit

☒ Temp. surface casing

☐ Overbore to seal depth

Method of joining casing:

☐ Threaded

☒ Welded

☐ Solvent

Weld

☐ Cemented between strata

Describe access port

Top of well

7. WATER LEVEL

Static water level

20

feet below land surface.

Flowing?

☐ Yes

☒ No

G.P.M. flow

Artesian closed-in pressure

p.s.i.

Controlled by:

☐ Valve

☒ Cap

☐ Plug

Temperature

45

OF.

Quality

Good

Describe artesian or temperature zones below.

8. WELL TEST DATA

☐ Pump

☒ Bailer

☐ Air

☐ Other

Discharge G.P.M.

55

Pumping Level

25

Hours Pumped

1

9. LITHOLOGIC LOG

Bore Diam.

Depth

Material

Water

From

To

Yes

No

5

1

2

Top soil

8

2

19

clay

8

19

35

clay

8

35

40

gravel

10.

Work started

10-26-87

finished

10-27-87

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name

Sol Pittsman's

Firm No.

235

Address

4775 Baldy rd

Date

10-27-87

Signed by (Firm Official)

Zule Pitts

and

(Operator)

Hal Pitts

6. LOCATION OF WELL

Sketch map location must agree with written location.

N

W

E

S

Subdivision Name

Lot No.

Block No.

County

Boundary

S4

1/4

SE

1/4

Sec. 19

T. 62

N. 2

E. W.

**USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT**

RECEIVED

OCT 16 1987

Drilling Permit No. 98-87-N-10  
Water Permit No. 98-73 77  
Injection Permit No. \_\_\_\_\_

State of Idaho  
Department of Water Resources  
Department of Water Resources  
DRILLING PERMIT

(Authorizing Construction of a Well)\*

RECEIVED

OCT 16 1987

Department of Water Resources  
Northern District Office

1. Applicant E.A. COPP
2. Address HCR 85 Box 336  
Bonnars Ferry, ID 83805
- (☒) Well Owner    (☐) Well Operator    (☐) Other, specify \_\_\_\_\_
3. Water right permit no. 98-7377; Injection well permit no. \_\_\_\_\_
4. Proposed well location SW 1/4 SE 1/4 Sec 19, or Gov't lot No. Twp. 62N  
Sec. 19, Twp. 62N, Rge. 2E, County Boundary,  
Lot, block and subdivision \_\_\_\_\_
5. Proposed use of well:    (Check all that apply)  
(☐) Domestic    (☐) Stockwater    (☐) Monitoring  
(☒) Irrigation    (☐) Industrial    (☐) Municipal  
(☐) Injection    (☐) Other, Specify \_\_\_\_\_
6. Well construction information:  
(☐) New well    (☒) Deepen    (☐) Replace  
Proposed surface diameter 8"    Proposed depth 40'  
Anticipated bottom hole temperature:  
(☒) 85°F or less (Cold water well)  
(☐) 85°F to 212°F (Low temp. geothermal well)  
(☐) 212°F or more (Geothermal well)
7. Anticipated construction start date OCTOBER 15, 1987
8. Well Driller (if known) Bob Pitts + Sons, Inc.  
Address 4775 BALDY Mtn. Road SANDPOINT, ID 838  
Date 10-1-87 Applicant's signature E.A. Copp  
Title Owner

JAN 02 1992

## ACTION OF IDWR

(X) Approved ( ) Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

## GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. The permit holder or his representative shall notify the Department ten (10) days prior to the start of construction unless good cause for later notification can be shown.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.

## SPECIFIC CONDITIONS:

Dated this 9 day of October, 1987.

Signed

Robert D. Haynes

Title

REGIONAL SUPERVISOR

Received by

KK

Fee

10.00

Date

10/9/87

Receipt No.

41781

Construction start date

10/10/87

Construction start extension to

11/10/87

Extension approved by

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES  
Northern Region

JOHN V. EVANS  
Governor  
A. KENNETH DUNN  
Director

4055 Government Way  
Coeur d'Alene, ID 83814  
(208) 765-4639

OCTOBER 3, 1986

ERNEST COPP  
HCR 85 BOX 336  
BONNERS FERRY, ID 83805

RE: Permit No. 98-7377

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone or in person.

Sincerely,

/s/  
TOM D. KING  
Senior Water Resource Agent

cc: IDWR - State Office

**MICROFILMED**

JAN 02 1992

Form 217  
03/86

RECEIVED

SEP 8 1986

STATE OF IDAHO

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

For Office Use Only

Fee Received 50.00

Date 9-9-86

Receipt # 38994

Receipt by 195

Reviewed by 195

Sent to region 196

## PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 98-7377

Name(s) of Permit Holder: COPP, EARNEST & VIRGINIA

Post Office Address: HCR 85- Box 336

BANNERS FERRY ID. 83805 Telephone No. 267-3020

Source of Water: GROUND WATER (WELL)

Extent of Use:

Domestic 1 (number of households) Stockwater 100 Sheep (number and type of stock)

Irrigation 8 (acres) Other/Remark \_\_\_\_\_

Total rate and/or volume for which proof is submitted 0.16 cfs ORIG USE acre-feet

Show the date water was first diverted and beneficially used under this permit: Late 1940's / PRESENT USE 1981

Measuring Device: Required? Yes 1 No  
Installed? Yes 1 No  
Fee enclosed \$ 50.00  
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes 1 No  
Installed? Yes 1 No

Person to contact to accompany the Department representative during the field examination:

EARNEST COPP 208-267-3020  
(Name) (Telephone Number)


HCR 85- Box 336 B.F. ID. 83805  
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Sept. 4- 1986  
Date

Earne A. Copp  
Signature of Permit Holder (and title, if appropriate)

Copp  
HCR 85, Box 336  
Bonners Ferry, ID  
83805



State of Idaho  
Department of Water Resources  
Statehouse  
Boise, ID 83720

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE  
BOISE, IDAHO 83720  
(208) 334-4440  
CERTIFIED MAIL  
AUGUST 31, 1986

138289

COPP, EARNEST & VIRGINIA  
STAR RT. 3 BOX 336  
BONNERS FERRY, ID 83805

PROOF DUE NOTICE

RE: PERMIT NO. 98-7377

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF THE ABOVE REFERENCED WATER PERMIT WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE NOVEMBER 1, 1986. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST.) ENCLOSED IS A FORM WHICH WHEN ACCOMPANIED BY THE LICENSE EXAMINATION FEE OR A COMPLETED FIELD EXAMINATION REPORT PREPARED BY A CERTIFIED WATER RIGHT EXAMINER MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER AN ACCEPTABLE PROOF OF BENEFICIAL USE SUBMITTAL OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK  
SECRETARY/RECORDS MANAGER

ENCLOSURES

August 16, 1982

Earnest and Virginia Copp  
Star Route 3, Box 336  
Bonners Ferry, ID 83805

Re: Permit No. 98-7377

Dear Mr. and Mrs. Copp:

We are in receipt of your letter dated July 7, 1982 in which you asked that we identify the permit to which the letter pertains.

The letter refers to the above-referenced permit which was approved for .16 cubic feet per second for irrigation purposes on eight acres within the NW $\frac{1}{4}$ SE $\frac{1}{4}$  Sec. 19, T 62N, R 2E, Boundary County. The permit was approved on November 1, 1986. If you cannot find a copy of the permit please notify this office and we will be happy to send ~~you~~ to you.

Enclosed for your convenience we are including another Commencement of Works postcard. Please submit the postcard to our office no later than June 30, 1983.

Sincerely,

DAVID R. TUTHILL, JR.  
Supervisor, Water Allocation Section

Enclosure

DRT:gm

July 7, 1982

42-82

28-7377

David K. Tutthill Jr.  
Dept. of Water Resources  
State Office  
450 W. State St.  
Boise, Idaho.

Dear Mr. Tutthill Jr.

I received a letter and an enclosed "Commencement of Work" card written June 24, 1982 from you, to be filled out by me.

I am puzzled. Which permit no. are we talking about?

Thank you.

Sincerely,

Virginia Cope

V Copp  
Star Ste # 3  
Box 336  
Bonners Ferry,  
Idaho, 83805

Delaware  
USA 20c



Blue Hen Chicken &

David R. Luthill Jr.  
Dept. of Water Resources  
State Office  
450 W. State St.  
Boise, Idaho

December 15, 1981

RE: Permit No. 98-7377

Earnest & Virginia Copp  
Star Route #3, Box 336  
Bonners Ferry, ID 83805

Dear Permit Holders:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

We have enclosed a form entitled "Making Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

DAVID R. TUTHILL, JR., P.E.  
Supervisor, Water Allocation Section

DRT:kw  
Enclosure

MICROFILMED

State of Idaho  
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JK APPLICATION NUMBER: 98-7377

CHECK:

- ☒ Source.  
☒ Point of diversion.  
☒ County.  
☒ Quantity of water and period of use.  
☒ Description of diverting works.  
☒ Time required for beneficial use of water.  
☒ Place of use or acres irrigated.  
☒ Map.  
☒ Signature.  
☒ Fee.  
☒ Yes ☒ No Field check required.  
☒ Yes ☒ No Critical groundwater area.  
☒ Yes ☒ No Request dam safety information. Sent by: \_\_\_\_\_ Date: \_\_\_\_\_  
☒ Yes ☒ No\* In form to receipt.

Field check by: \_\_\_\_\_

Date: \_\_\_\_\_

Comments: \_\_\_\_\_

\*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: \_\_\_\_\_

SEND COPIES TO:

- ☐ Idaho State Health Department.  
☐ Idaho Fish and Game Department.  
☐ Idaho Department of Lands.  
☐ U.S. Bureau of Land Management.  
☐ U.S. Forest Service.  
☐ Other \_\_\_\_\_

Copies sent by: \_\_\_\_\_ Date: \_\_\_\_\_

PROCESSING:

- ☐ Yes ☐ No Platted by: \_\_\_\_\_ Map No. \_\_\_\_\_  
☐ Yes ☐ No Other rights on same place of use. \_\_\_\_\_

- ☒ Yes ☐ No\* In form for advertising.  
☐ Yes ☒ No Final date for protests: 7/20/81  
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 7/16/81  
☒ Application published correctly. If not, record action taken: \_\_\_\_\_  
☒ Fee amount, receipt date & number, recorded on application.  
☒ Publication dates and paper, recorded on application.  
☒ Protests, dates, withdrawal, etc., recorded on application.  
☒ Recommendation & initial, recorded on application.  
☒ Yes ☒ No Measuring device required.  
☐ Yes ☒ No Access port required.  
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? \_\_\_\_\_  
☒ 6/22/81 Date of priority recommended.  
☒ Special conditions of approval or cover letter. \_\_\_\_\_

By: JK Date: 7/21/81

STATE OFFICE REVIEW:

SLW/o cond

☐ See attached sheet for more information.  
By: Robyn Date: \_\_\_\_\_

MICROFILMED

7/30  
return to  
region 8/24/81?

PROTEST

DATA

RECEIVED  
OCT 20 1981

Department of Water Resources  
Northern District Office

October 24, 1981  
Star Route #3  
Box 336  
Bonanza Ferry  
Idaho, 83805

State of Idaho  
Dept of Water Resources  
4055 Government Way  
Coeur d'Alene, Idaho 83814

Dear Mr. Haynes,  
Your understanding is  
correct that we plan to  
use the existing well.  
According to the former  
owners it produces more  
water than we need to  
fill our permitted allocation.

Hopefully, the present well  
will always do so, and as  
long as it does, we will not  
drill another well.

Sincerely  
Ernest & Virginia  
Copp

MICROFILMED

XERO COPY

October 20, 1931

Mr. and Mrs. Earnest Coop  
Star Rt. 3 Box 136  
Bonners Ferry, Id. 83805

Re: 98-7377

Dear Mr. and Mrs. Copp:

I have recently received correspondence both from the Landells and their attorney regarding your application for permit and their protest.

It is my understanding that you will be using the existing well as a source of water for the proposed in your application. From the correspondence I have had with the Landells and their attorney, they have no objection at all to that. However, they would like some assurance that it is your intention to use the existing well. I ample statement in writing from you that no new well will be drilled will clear that matter, I believe.

If you have any questions, please contact me.

Sincerely,

ROBERT C. HAYNES, P.F.  
Regional Supervisor

RGH/pms

MICROFILMED

WILSON & WALTER  
ATTORNEYS AT LAW

PETER B. WILSON  
NEIL O. WALTER  
WILLIAM K. BAYERT  
ASSOCIATE

205 W. KOOTENAI  
PHONE 267-3127  
267-3128  
P. O. BOX 749  
BONNERS FERRY, IDAHO — 83805

October 16, 1981

Robert G. Haynes, P.E.  
Regional Supervisor  
State of Idaho  
Department of Water Resources  
4055 Government Way  
Coeur d' Alene, Idaho 83814

Dear Bob:


The Enfields brought in your letter of October 13th and asked me to reply.

They're not trying to be difficult with the Copps; in fact, this whole thing concerns them that it might strain their neighborly relationship. But, they are nonetheless concerned because of the fact that there isn't all that much water in that area. I think it would relieve their minds, somewhat, if they did know that the Copps did, in fact, intend to use the existing well. The Enfields told me they don't care what they do with that well; it's their concern that they would attempt to construct an additional well. Also, I might add that the Enfields don't really understand Idaho water law.

But, at any rate, if you could get the Copps to put a statement in the file to the effect that they will be using the existing well, I think it would relieve their minds.

Very truly yours,

WILSON & WALTER

  
Neil Walter

NW/rs

RECEIVED  
OCT 19 1981  
Department of Water Resources  
Northern District Office

STAR RT. #3 BOX 327  
BONNERS FERRY, IDAHO 83805  
OCTOBER 6, 1981

MR. ROBERT G. HAYNES  
REGIONAL SUPERVISOR  
STATE OF IDAHO 83814

RE: CORRESPONDENCE RE: PERMIT #98-7377,  
DATED: 9/3/81; 9/9/81 and 9/15/81.  
ALSO NOTICE OF CORRECTION, PUBLISHED OCT. 1, 1981

PLEASE USE THE ABOVE CORRESPONDENCE IN REPOSE TO THE SECOND CORRECTION  
PUBLISHED ON THE APPLICATION FOR ABOVE PERMIT.

AS STATED IN REPLY TO YOUR LETTER OF 9/9/81, WE DID CONTACT AND  
INSPECT EXISTING DOMESTIC GROUND WATER WELL, AS WELL AS THE PUMP AND  
MOTOR DRAWING WATER FROM THE KOOTENAI RIVER.

OUR ORIGINAL PROTEST STILL APPLIES TO THE CORRECTION PUBLISHED 10/1/81.  
IF THE EXISTING WELL IS USED AS DOMESTIC GROUND WATER FOR HOME USE AND  
IRRIGATION OF LAWN, GARDEN, FRUIT TREES AND SMALL ENCLOSED PASTURES NEAR  
HOUSE, USING "RAINBIRD TYPE SPRINKLERS", CONSIDER THIS LETTER AS A  
WITHDRAWAL OF PROTEST, THIS DOES NOT INCLUDED FURTHER OR MORE DRILLING  
FOR ADDITIONAL WELLS. A LARGER PUMP ON EXISTING DOMESTIC WELL WOULD BE  
ACCEPTABLE.

PLEASE NOTIFY US IF THE NEW CORRECTION NEEDS ANY FURTHER ACTION ON THE  
ABOVE EXPLANATION.

THANKING YOU. IN ADVANCE, FOR YOUR IMMEDIATE ATTENTION, I REMAIN,

SINCERELY,

*F. Don Enfield* 10-6-81  
F. DON ENFIELD DATE

*Virginia M. Enfield*  
VIRGINIA M. ENFIELD DATE 10/6/81

FDE/vme  
cc: P/FILES  
NEIL WALTER, ATTY.

RECEIVED

OCT 8 1981

Department of Water Resources  
Northern District Office

RECEIVED



STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
NORTHERN REGION

John V. Evans  
Governor

A. Kenneth Dunn  
~~Executive Director~~  
Director

Suite No. 1  
4055 Government Way  
Coeur d'Alene, Idaho 83814  
(208) 667-6484

October 13, 1981

Mr. and Mrs. F. Don Enfield  
Star Route 3 Box 327  
Bonners Ferry, Id. 83805

Re: 98-7377

Dear Mr. and Mrs. Enfield:

This is in response to your correspondence of October 6 regarding Application for Permit No. 98-7377. My purpose in writing this letter is to inform you as to the particulars of the Copps's application as it now stands:

Name: Earnest & Virginia Copp  
Address: Star Rt. 3 Box 336, Bonners Ferry, Id. 83805  
Source: Groundwater  
Point of Diversion: NWSE Section 19, T62N, R2E, Boise Meridian,  
Boundary County.  
Use: Irrigation (0.16 cfs) from 3/15 to 11/15  
Total Amount: 0.16 cfs  
Diversion Means: 42" diameter x 33' deep well, pump & pipeline  
Place of Use: NWSE Section 19, T62N, R2E, Boise Meridian for 8 acres.  
Priority Date: 6/22/1981

It is my understanding that the Copps intend to use the existing well, however, under the terms of the application, they would not be restricted to using the existing well. Perhaps if this is a matter of concern to you, it would be possible to obtain a statement from them to include in the file that the existing well will be used.

Based on the information that I have provided you, please let me know if you are satisfied and are withdrawing your protest. If you have any questions, please don't hesitate to contact me.

Sincerely,

ROBERT G. HAYNES, P.E.  
Regional Supervisor

RGH/pms

MICROFILMED

# ACTION REQUIRED

7/30  
81

FROM:

Polym

TO:

Tom King - Northern

P/U & P/D do not match map -  
Might have to re-advertise?

Yes!  
JK

done

RECEIVED

AUG 2 1981

Department of Water Resources  
Northern District Office

MINISTRE

9-15-81

RECEIVED

SEP 16 1981

Department of Water Resources  
Northern District Office

MR. ROBERT G. HAYNES  
REGIONAL SUPERVISOR  
STATE OF IDAHO  
DEPT OF WATER RESOURCES  
COEUR D'ALENE  
IDAHO, 83814

REF: YOUR LETTER OF 9-9-81

DEAR BOB:

In regard to the protest filed 9-3-81 by attorney Walters on my behalf, Mrs Capp has allowed us to inspect the hook-up of their large PRINGLE CASCADE REEL IRRIGATOR.

It is indeed drawing its water directly from the Kootenai River through a six inch line powered by a 230 volt 20 hp pump & motor.

Therefore, consider the protest withdrawn <sup>ONLY</sup> provided the application relates solely to use of the existing domestic ground water well for irrigation of lawn, garden, fruit trees and small enclosed pasture areas, using "rain" "bird" type sprinklers.

Sincerely  
F Don Enfield

RECEIVED

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
Northern Region

JOHN W. EVANS  
Governor  
A. KENNETH DUNN  
Director

4055 Government Way  
Coeur d'Alene, ID 83814  
(208) 667-6484

September 9, 1981

Mr. and Mrs. F. Don Enfield  
Star Route 3 Box 327  
Bonners Ferry, Id. 83805

RE: 98-7377

Dear Mr. and Mrs. Enfield:

Your protest against the approval of the above-referenced application has been received and a copy has been sent to the applicant. The Department suggests that you contact the applicant directly in an effort to determine what is proposed by the application and to attempt to resolve the protest.

If you do not advise us within twenty (20) days that the protest has been resolved, the matter will be scheduled for conference and/or hearings. At such a conference and/or hearings, the following are the principle items the Department can consider in either approving or denying the application for permit (Section 42-203, IDAHO CODE)

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purpose intended?
3. Is the application made in good faith or for delay or speculation?
4. Has the applicant sufficient financial resources with which to complete the project?
5. Will the proposed use conflict with the local public interest?

You will be notified at a later date of the time and place of the conference and/or hearings. If we can be of any assistance, please contact us.

Sincerely,

ROBERT G. HAYNES, P.E.  
Regional Supervisor

RGH:ems

cc: Mr. Neil Walter, Attorney at Law

MICROFILMED

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
Northern Region

JOHN W. EVANS  
Governor  
A. KENNETH DUNN  
Director

4055 Government Way  
Coeur d'Alene, ID 83814  
(208) 667-6484

September 9, 1981

Mr. and Mrs. Earnest Coff  
Star Route 3 Box 336  
Bonners Ferry, Id. 83805

RE: 98-7377

Dear Mr. and Mrs. Coff:

Enclosed is a copy of a protest filed against the approval of a permit pursuant to the above-referenced application. The Department suggests you contact the protestants directly in an effort to determine the nature of the protest and attempt to resolve the protest.

If you do not advise us within twenty (20) days that the protest has been resolved, the matter will be scheduled for conference and/or hearing. At such a conference and/or hearing, the following are the principle items the Department can consider in either approving or denying the application for permit (Section 42-203, IDAHO CODE):

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purposes intended?
3. Is the application made in good faith or for delay or speculative purposes?
4. Has the applicant sufficient financial resources with which to complete the project?
5. Will the proposed use conflict with the local public interest?

You will be notified at a later date of the time and place of the conference and/or hearing. If we can be of any assistance, please contact us.

Sincerely,

ROBERT G. HAYNES, P.E.  
Regional Supervisor

RGH: fms

Enclosure

MICROFILMED

WILSON & WALTER  
ATTORNEYS AT LAW

PETER B. WILSON  
NEIL O. WALTER  
WILLIAM K. BAYERT  
ASSOCIATE

205 W. KOOTENAI  
PHONE 267-3127  
267-3128  
P. O. BOX 749  
BONNERS FERRY, IDAHO — 83805

September 3, 1981

RECEIVED  
SEP 6 1981  
Department of Water Resources  
Northern District Office

Director  
Idaho Department of Water Resources  
4055 Government Way  
Coeur d' Alene, Idaho 83814

Re: Application for Water Right

Gentlemen:


Enclosed, please find the Notice of Protest in regards to the above stated application.

In looking at the Notice of Protection, I believe the Point of Diversion in place of use is still incorrectly described. That I believe R1E should have been R2E.

This Notice of Protest is being made on that assumption.

Very truly yours,

WILSON & WALTER

  
Neil Walter

NW:se

cc: Enfields

MICROFILMED

WILSON & WALTER  
ATTORNEYS AT LAW  
P. O. BOX 749  
BONNERS FERRY, IDAHO  
83805  
TELEPHONE: 267-3127

RECEIVED  
SEP 4 1981

Department of Water Resources  
Northern District Office

BEFORE THE IDAHO DEPARTMENT OF WATER RESOURCES

IN THE MATTER OF THE )  
Application for Water Right )  
98-7377 filed by COPP, )  
EARNEST and VIRGINIA )


NOTICE OF PROTEST

COMES NOW, F. Don Enfield and Virginia Murray Enfield, husband and wife, Star Route 3, Box 327, Bonners Ferry, Idaho 83805, holders of permit #98-7140; protest the Application for Water Right filed by Earnest and/or Virginia Copp, Application #98-7377 for the reason and upon the grounds that such proposed use is such that it will reduce the quantity of water under protestant's pre-existing water rights under their permit and that the water supply itself is insufficient for the purpose for which it is sought to be appropriated.

Protestant requests hearing pursuant to I.C. 42-203.

WILSON & WALTER

By

  
Neil Walter  
Attorney for F. Don Enfield  
and Virginia Murray Enfield

MICROFILMED

98-2322

COPP, EARNEST &/or VIRGINIA

STAR RT. 3 BOX 336,

BONNERS FERRY, ID. 83805

Source: GROUNDWATER

Date Filed: 06/22/1981

Amount: 0.16 CFS

Diversion Point: <sup>NWSE</sup> ~~SWSE~~ Sec 19 T 62N R 01E BOUNDARY Co.

Use: IRRIGATION (0.16 CFS) from 03/15 to 11/15

Place of Use: <sup>NWSE</sup> ~~SWSE~~ Sec 19 T 62N R 02E FOR 8 ACRES

Diversion Means: WELL, PUMP AND PIPELINE.

*corrected  
on computer  
8/11/81  
[signature]*

*corrected  
on computer  
7/2/81  
[signature]*

MICROFILMED