





TWENTYMILE CREEK
2781 III SE

SCALE 1:24000



OUR INTERVAL 20 FEET
S REPRESENT 10-FOOT CONTOURS
UM IS MEAN SEA LEVEL

WITH NATIONAL MAP ACCURACY STANDARDS
DENVER, COLORADO 80225, OR WASHINGTON, D.C. 20242



553000m E. INTERIOR—GEOLOGICAL SURVEY, WASHINGTON, D.C.—1967
R. 1E. R. 2E. 116

ROAD CLASSIFICATION

Heavy-duty ——— Light-duty ———
Medium-duty ——— Unimproved dirt ———
U.S. Route

BONNERS FERRY, IDAHO
N4837.5—W11615.75

TWP, 61N RGE, 1E SEC, 13 MAP # 6-8 MAP SCALE _____
DATE OF EXAM _____ PERMIT # 98-7363
MAR 23 1981



MICROFILMED

MAR 23 1987

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 98-7363

Priority: February 3, 1981 Amount: .02 CFS 1.2 AF

This is to certify, that HARRY A. SORENSEN
PAULINE SORENSEN

RT. 1 BOX 485B

BONNERS FERRY, ID 83805

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated February 3, 1981, and has submitted proof to the Department of Water Resources on January 6, 1986, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .04 cfs of water from a GROUNDWATER source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Domestic	01/01 to 12/31	.02 cfs	1.2 af

LOCATION OF POINT OF DIVERSION(S): SWSW , Sec. 13, Township 61N, Range 1E
Boundary County

PLACE OF USE: Domestic

TWN RGE SEC

61N 1E 13 SWSW

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 27th day of JANUARY, 1987.

MICROFILMED

MAR 23 1987

Acting for the

Director

Norman C. Young

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Harry A. or Pauline Sorensen Phone 208 267-5361

Post office address Rt. 1 Box 485B Bonners Ferry, Idaho 83805

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 13 Township 61N

Range 1E B.M. Boundary County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.02 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.02 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____

pump from well to house.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 24 inches; proposed depth of well is 41 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial

use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 13 Township 61N

Range 1E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 1.

(5) If water is to be used for other purposes describe: _____

SECRET

[illegible]

Total number of acres to be irrigated

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion Harry A. or Pauline Sorensen

b. Who owns the land to be irrigated or place of use Harry A. or Pauline Sorensen

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.


61N 1E

[illegible]

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Harry P. Sorensen
(Applicant)



RECEIVED

Proposed Priority 2/2/81
Received by pms Date 2/3/81 Time 1:00pm
Date 1/27/81 Time 11:15 am (no fee)

Preliminary check by JK Fee \$ 80.00
Received by pms Date 2/4/81 (155249)
Publication prepared by pms Date 2/4/81
Published in Boise Star Tribune
Publication dates 2/12-19/81
Publication approved pms Date 3/5/81
Protests filed by: MSX

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by JK

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 98-7363, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 1986.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other:

Witness my hand this 24th day of March, 1981.

J. Allen Gayton
Chief, Operations Bureau

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

98-7363

SORENSEN, HARRY A. &/or PAULINE
RT. 1 BOX 485B, BONNERS FERRY, ID 83805

Source: GROUNDWATER

Date Filed: 02/03/1981

Amount: 0.02 CFS

Diversion Point: SWSW Sec 13 T 61N R 01E, BOUNDARY Co.

Use: DOMESTIC (0.02 CFS) from 01/01 to 12/31

Place of Use: SWSW Sec 13 T 61N R 01E

Diversion Means: WELL AND PUMP.

98-7364

REGFHR, GARY L.

STAR RT., NAPLES, ID 83843

Source: SPRING tributary to TWENTY MILE CREEK

Date Filed: 01/29/1981

Amount: 0.50 CFS 1.7 AC-FT

Diversion Point: SWSE Sec 32 T 61N R 01E, BOUNDARY Co.
Use: STOCKWATER STORAGE (0.7 AC-FT) from 01/01 to 12/31

RECREATION STORAGE (1.0 AC-FT) from 01/01 to 12/31

DIVERSION TO STORAGE (0.50 CFS) from 01/01 to 12/31

Place of Use: SWSE Sec 32 T 61N R 01E

Diversion Means: DITCH AND POND.

98-7365

MERRIFIELD, LONNIE E. &/or CAROL L.

RT. 1 BOX 509, BONNERS FERRY, ID 83805

Source: UNNAMED STREAM tributary to CABIN CREEK

Date Filed: 02/04/1981

Amount: 0.20 CFS 3.0 AC-FT

Diversion Point: NWSE Sec 08 T 61N R 02E, BOUNDARY Co.
Use: IRRIGATION (0.20 CFS) from 05/15 to 10/15

IRRIGATION STORAGE (3.0 AC-FT) from 03/15 to 11/15
IRRIGATION FROM STORAGE (3.0 AC-FT) from 05/15 to 10/15

DIVERSION TO STORAGE (0.20 CFS) from 05/15 to 10/15
Place of Use: NENE NWNE SWNE Sec 08 T 61N R 02E FOR 50 ACRES

Diversion Means: GRAVITY FLOW TO POND.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id, 83814 on or before MARCH 2, 1981.

C. STEPHEN ALLRED

Director

First publication February 12, 1981

Final publication February 19, 1981-idwr

AFFIDAVIT OF PUBLICATION

OF IDAHO } ss.
of Boundary

to Van Hook, bkpr for Pete Thompson

ly sworn upon his oath, deposes and says that he is the publisher (or foreman) being Publisher

Bonnors Ferry Herald, a newspaper of general circulation, published weekly at Bonners Ferry, Boundary County, State of Idaho; that the said Bonners Ferry Herald has continuously and uninterruptedly published in said Boundary County during a period of 78 weeks prior to the first publication of the hereto attached notice; that

ertisement of Notice of Application for Water Right
98-7363

or Publication, a printed copy of which is attached hereto was published in said paper and not in a supplement thereof for 2 consecutive issues, commencing with the issue dated February 12, 1981, and ending with the issue dated February 19, 1981

ed and sworn to before me this 27 day of February, 1981

Notary Public in and for the County of Boundary, State of Idaho
residing at Bonners Ferry, Idaho.

RECEIVED

MAR 1 1981

Dept. of Water Resources
Northern District Office



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS

~~JOHN V. EVANS~~

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

January 29, 1987

RE: Permit No. 98-7363

Harry A. & Pauline Sorensen
Rt. 1, Box 485B
Bonners Ferry, ID 83805

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED
MAR 23 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
AUG 1 1986

Department of Water Resources

GENERAL INFORMATION


1. Owner: Harry A. & Pauline Sorenson Permit No. 98-7363
Current Address: Rt. 1 Box 485B, Bonners Ferry, Idaho 838805 Phone No. 267-5361
2. Accompanied by: SAME EXAM. DATE: 7/3/86
Address: SAME Phone No. _____
Relationship to Permit Holder: SAME
3. Source: G.W. tributary to _____

OVERLAP REVIEW

1. Other water rights with same place of use: # 98-7157 and 98-7559 ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



INDEXED

MAR 23 1987

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

2" From pump to 1" PVC to house & garden

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.	Submersible				
Motor Make	Sears				
Hp	$\frac{1}{2}$				
Motor Serial No.					
Pump Make	Sears				
Pump Serial No. or Discharge Size	$\frac{1}{2}$ "				

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination

[illegible]
$$= 12401$$

MICROFILMED
MAR 23 1981

Do not use this space

Do not use this space

FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

NONE

FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$Q = \frac{8.8(.8)(.5)}{2.23(25) + 24} = .04 \text{ cfs} \quad h_{\text{static}} = 24'$$

2. Alternate Method for Checking Purposes:

$$Q = .02 \text{ cfs via permit}$$

PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

 $V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$ $V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$ $V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = \underline{\hspace{2cm}}$

2. Volume Calculations for Other Uses:

$$V_{\text{Dom}} + \text{Eac lawn \& garden} = 1.2 \text{ AF}$$

MICROFILMED

MAR 23 1981

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Overlap due to same year track - not same
 Name (#98-7157 and 98-7559)

FIGURE A, cont.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
	From To	Q (cfs)	V (af)
Domestic	1/1 12/31	0.02 cfs	1.2 AF
Totals:			
		0.02 cfs	1.2 AF

2. Recommended Amendments

- ☐ Change P.D. as reflected above
- ☐ Change P.U. as reflected above
- ☒ Add P.D. as reflected above
- ☐ Add P.U. as reflected above
- ☒ None
- ☐ Other

J. AUTHENTICATION

Field Examiner's Name: Jennifer Higgins
 Signature: *Jennifer Higgins*
 Certification Date: _____
 Field Report Preparation Date: _____


CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

MAR 23 1987

copy
 12-19-86



(TWENTYMILE CREEK)
2781 III SE


552 17'30"

553000m E

INTERIOR—GEOLOGICAL SURVEY, WASHINGTON, D. C.—1967
R. 1 E. R. 2 E.

116

SCALE 1:24000



OUR INTERVAL 20 FEET
S REPRESENT 10-FOOT CONTOURS
UM IS MEAN SEA LEVEL

ROAD CLASSIFICATION

Heavy-duty ————— Light-duty —————
Medium-duty ————— Unimproved dirt —————

U. S. Route



QUADRANGLE LOCATION

BONNERS FERRY, IDAHO

N4837.5—W11635.7 E


WITH NATIONAL MAP ACCURACY STANDARDS
DENVER, COLORADO 80225, OR WASHINGTON, D. C. 20242

TWP. 61N RGE. 1E SEC. 13 **MICROFILMED**

MAP SCALE

PERMIT # 98-7363

DATE OF EXAM MAR 23 1981



MICROFILMED

MAR 23 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

98-7363
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

RECEIVED

AUG 1 1986

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
☒ Copy of Permit
☐ Copies of any Amendments/Orders with conditions of approval Department of Water Resources
☐ Computer Data Proof Report
☒ Copy of U.S.G.S. Quad
☒ Check for Government Lots. If so, make a copy of Government Plat
Check of P/D index J.A. 7/14/86 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other:

Check of P/U index J.A. 7/14/86 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: Home in same 40 ac. tract

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
☐ Photographs of Point of Diversion and Place of Use
☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

MICROFILMED

MAR 23 1987

C. Review and Processing:

Exam Completed Jennifer Argraves 7/14/86 (Signature of examiner and date)
Exam Reviewed by Senior Water Resource Agent J 7/16/86 (Initial and date)
Exam Reviewed by Manager of Regional Office RAH 7/28/86 (Initial and date)
Exam Date Entered in Computer 7/29/86 (Initial and date)
Exam sent to State Office 7/30/86 (Initial and date)
Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN W. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

JANUARY 29, 1986

HARRY A. SORENSON
RT. 1 BOX 485B
BONNERS FERRY ID 83805

RE: Permit No. 98-7363

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 765-4639 or in person at our office.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MICROFILMED
MAR 23 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

RECEIVED
JAN 6 1986

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 98-7363

Name(s) of Permit Holder: Harry A. & Pauline Sorenson

Post Office Address: Rt 1 Box 485B Bonners Ferry, Idaho 838805

Telephone No. 267-5361

Source of Water: Well

Extent of Use:

Domestic Two (number of households)

Stockwater _____ (number and type of stock)

Irrigation _____ (acres)

Other/Remarks _____

Indicate the date water was first diverted and beneficially used under this permit: July 2, 1979

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Dale Sorenson (son)
(Name)

Rt 1 Box 485C Bonners Ferry, Idaho 267-7703

(Address) (Telephone Number)

The above information is a true statement of the extent to which the above numbered permit has been developed.

January 3, 1986
Date

Harry A. Sorenson
Signature of Permit Holder (and Title, if appropriate)

MICROFILMED

Place
Stamp
Here

Idaho Department of Water Resources
Statehouse Mail
Boise, ID 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
DECEMBER 31, 1985

138678

SORENSEN, HARRY A. & PAULINE
RT. 1 BOX 485B
BONNERS FERRY, ID 83805

PROOF DUE NOTICE

RE: PERMIT NO. 98-7363

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF THE ABOVE REFERENCED WATER PERMIT WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MARCH 1, 1986. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST.) ENCLOSED IS A FORM WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER A COMPLETED PROOF OF BENEFICIAL USE FORM OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

SORENSEN, HARRY A. & PAULINE
RT. 1 BOX 485B
BONNERS FERRY, ID 83805

APRIL 01, 1981

RE: PERMIT NO. 98-7363

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JK

APPLICATION NUMBER: 98-7363

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising. _____
Final date for protests: 3/2/81 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 3/4/81 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
✓ 2/3/81 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: [Signature] Date: 3/9/81

STATE OFFICE REVIEW:

return receipt w/ cover letter

- ☐ See attached sheet for more information.

By: [Signature] Date: 3/23/81

98-2363-

SORENSEN, HARRY A. &/or PAULINE

RT. 1 BOX 485B, BONNERS FERRY, ID 83805

Source: GROUNDWATER

Date Filed: 02/03/1981

Amount: 0.02 CFS

Diversion Point: SWSW Sec 13 T 61N R 01E. BOUNDARY Co.

Use: DOMESTIC (0.02 CFS) from 01/01 to 12/31

Place of Use: SWSW Sec 13 T 61N R 01E

Diversion Means: WELL AND PUMP.

MICROFILMED

98-7363

January 29, 1981

Mr. Harry Sorensen
Rt. 1 Box 485B
Bonners Ferry, Idaho 83805

Dear Mr. Sorensen:

We are returning your Application for Permit. The application must be in ink and must be accompanied by a \$30.00 filing fee. We have, therefore, taken the liberty of typing the application for your signature.

If you have any questions, please contact me at this office.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

Enc. - Applications (2)

RECEIVED

RECEIVED 1/25/81

JAN 27 1981

To whom it may concern

Department of Water Resources
Northern District Office

We have filled out the form to the best of our ability. Basically what it boils down to is the fact they are selling several 5 acre plots behind us & of course they will be digging wells. Water in this area is scarce & therefore would like insurance of our obtaining water. We were burned out yr. before last & will eventually hope to put in a cistern in case of another fire. Please advise us as to the filing fee & any other questions you might have.

Thank You -
Sincerely
Mrs. Harry A. Sorenson
Rt. 1 Box 485B
Bonners Ferry, Idaho
83805

MICROFILMED