

10. Other water rights on these lands None
11. Other water right diverted from same p.d. None
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☐ Photo of Diversion & System Attached

☐ Aerial Photo of Place of Use Attached
or Map of Irrigated Acreage Attached

14. Remarks

15. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

16. Examiner's/Consultant's Signature [Signature]

Date 8/7/85

Consultant's License Number

IDWR Director's Authorization to Conduct


Beneficial Use Examination

Date

MICROFILMED

APR 20 1990

CONSULTANT SEAL



TWP. 62N RGE. 3E SEC. 22 MAP # B-10 MAP SCALE 7 1/2'
DATE OF FIELD EXAM 8/2/85 FIELD REPORT MAP PERMIT # 98-7308

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 98-07303

Priority: May 1, 1979

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume:¹ 1.4 AF

This is to certify, that CHARLES E. DENTON
LINDA K. DENTON

HCR 62 BOX 323

MOYIE SPRINGS, ID 83845

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 1, 1979; and has submitted Proof of Beneficial Use on May 24, 1984. An examination indicates that the works have a diversion capacity of .040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.02 CFS	0.2 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
	Totals	0.04 CFS	1.4 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSW , Sec. 22, Township 62N, Range 03E
BOUNDARY County

PLACE OF USE: STOCKWATER

TWN RGE SEC

62N 03E 22 NWSW

PLACE OF USE: DOMESTIC, same as STOCKWATER use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Stockwater use is for 10 head; domestic use is for 1 home.

MICROFILMED

APR 20 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 98-07303

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 19th
day of April, 1990.

Acting for *R. Keith Higginson*, Director

MICROFILMED

APR 20 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Charles E. &/or Linda K. Denton Phone 267-2990

Post office address Star Route Moyie Springs, Idaho 83845

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is TWO POINTS
NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 22 Township 62N

Range 3E B.M. Boundary County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .04 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .02 for Stockwater purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .06 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____

1 shallow well and 1 deep well

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6 inches; proposed depth of well is 70-100 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 22 Township 62N

Range 3E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 15 Head of Cattle

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 2.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated

c. Describe any other water rights used for the same purposes as described above.

NONE

9. a. Who owns the property at the point of diversion Applicants

b. Who owns the land to be irrigated or place of use Applicants

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There is no handwriting or other markings on the paper.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

T62N R.3E

* PD: ²²Place
of Use

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Linda K. Denton
(Applicant)

Proposed Priority 5-1-79

Received by RAT Date 5-1-79 Time 9:30 AM

Preliminary check by AK Fee \$ 20.00

Receipted by RAT Date 5-1-79 # 13549

Publication prepared by pms Date 5/2/79

Published in Southern Perry Herald

Publication dates 5/10 & 17/79

Publication approved pms Date 6/8/79

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by PSA J.S.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 98-7303, and said application is hereby Approved.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 84.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: _____

Witness my hand this 20th day of June, 19 79.

J. Glen Sayton
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

98-7301

PARISH, TROY H.

P.O. BOX 12, EASTPORT, ID 83826

Source: GROUNDWATER

Date Filed: 04/09/1979

Amount: 0.20 CFS

Diversion Point: SESE Sec 10 T 65N R 02E, BOUNDARY Co.

Use: DOMESTIC

Use: Domestic (0.20 CFS) from 01/01 to 12/31

Place of Use: SESE Sec 10 T 65N R 02E

Diversion Means: WELL, PUMP & PIPELINE

98-7302

CULLEN, PAMELA

ROUTE 1, BOX 491-2A, BONNERS FERRY, ID 83805

Source: UNNAMED SPRING

Date Filed: 04/27/1979

Amount: 0.06 CFS

Diversion Point: SENE Sec 11 T 61N R 01E, BOUNDARY Co.

Use: DOMESTIC (0.04 CFS) from 01/01 to 12/31

STOCKWATER (0.02 CFS) from 01/01 to 12/31

Place of Use: SENE Sec 11 T 61N R 01E

Diversion Means: COLLECTION BOX & PIPELINE.

98-7303

DENTON, CHARLES E. &/or LINDA K.

STAR ROUTE, MOYIE SPRINGS, ID 83845

Source: GROUNDWATER

Date Filed: 05/01/1979

Amount: 0.06 CFS

Diversion Point: NWSW NWSW Sec 22 T 62N R 03E, BOUNDARY Co.

Use: DOMESTIC (0.04 CFS) from 01/01 to 12/31

STOCKWATER (0.02 CFS) from 01/01 to 12/31

Place of Use: NWSW Sec 22 T 62N R 03E

Diversion Means: 2 WELLS

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, ID 83814 on or before MAY 29, 1979.

C. STEPHEN ALLRED

Director

First pub. May 10, 1979

Final pub. May 17, 1979-idwr

STATE OF IDAHO }
County of Boundary } ss.

Echo Turnbull, bkpr. for Pete Thompson being first duly sworn upon his oath, deposes and says that he is the publisher (or foreman)

Publisher

of The Bonners Ferry Herald, a newspaper of general circulation, published weekly at Bonners Ferry, Boundary County, State of Idaho; that the said Bonners Ferry Herald has been continuously and uninterruptedly published in said Boundary County during a period of 18 months or 78 weeks prior to the first publication of the hereto attached notice; that

the advertisement of ~~XXXX~~ Idaho Dept. of Water Resources

a Notice of Application #98-7301/7302/7303

Notice for Publication, a printed copy of which is attached hereto was published in said newspaper and not in a supplement thereof for 2 consecutive issues, commencing with the issue dated May 10, 1979, and ending with the issue dated May 17, 1979.

RECEIVED

Subscribed and sworn to before me this 29 day of May, 1979

JUN 7 1979

Notary Public in and for the County of Boundary, State of Idaho, residing at Bonners Ferry, Idaho.

Department of Water Resources
Northern District Office

OK
6/8/79

MICROFILMED

April 19, 1990

CHARLES E. DENTON
LINDA K. DENTON
HCR 62 BOX 323
MOYIE SPRINGS, ID 83845

RE: PERMIT NO. 98-07303

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED
APR 20 1990

March 7, 1990

CHARLES E. DENTON
LINDA K. DENTON
HCR 62 BOX 323
MOYIE SPRINGS, ID 83845

RE: PERMIT NO. 98-07303

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

APR 20 1990

9. **Irrigation - give acres served by system at time of exam.**
Place(s) of Use: _____ **Indicate Method of Determination** Map


Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
624	35	22											X						
Total Acres _____																			

10. Other water rights on these lands

None
11. Other water right diverted from same p.d.

None
12. Diversion and Delivery System Diagram:

Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13.

☒ Photo of Diversion & System Attached
- ☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks

15. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

16. Examiner's/Consultant's Signature

Signature

Date

8/7/85

Consultant's License Number

IDWR Director's Authorization to Conduct

Beneficial Use Examination

Date

APR 20 1985

CONSULTANT SEAL

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED
SEP 3 1985

98-7303
Permit No.

Department of Water Resources

1. **Measurement Calculations**

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

one home 0.04
15 HD 0.02

- b) Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

- c) Volume Calculations for Other Uses:

one home 1.2
15 HD 0.4

2. **Overlap Review**

- a) Other water rights with same place of use: none

- b) Other water rights with same point of diversion: none

- c) Analysis:

MICROFILMED

APR 20 1990

RECOMMENDED AMOUNTS

- | | | | | | | |
|----|------------|----------|--------|-----------|----------------------|-----------------|
| 3. | Permit No. | Priority | Amount | App. Date | Date Proof Submitted | System Capacity |
| | 98-7303 | | 0.06 | | | |

4. Permit Holder: Charles or LINDA Denton

Address: HCR 62, Box 323 Mayis Springs, La 83845

5. Source: Cu tributary to _____

[illegible]

STOCK	1-1	12-31	0.02	0.4
-------	-----	-------	------	-----

Don (1) 1-1 12-31 0.04 1.2

Allowable Maximums: 0.04 1.6

7. Point(s) of Diversion:

[illegible]

8. Place(s) of Use

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
62N	3E	22										X							
Total Acres _____																			

9. Recommended Conditions/Remarks: _____

Microfilm
APR 20 1990

10. Recommended Amendments


☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

11. Examiner's Signature ML King Date 9/3/85

Checked in Regional Office by Bob Haynes Date

Approved in State Office by _____ Date _____



MicroFILMED
APR 20 1990

TWP. 62N RGE. 3E SEC. 22 MAP # B-18 MAP SCALE 7 1/2'
DATE OF FIELD EXAM 8/7/85 FIELD REPORT MAP PERMIT # 98-7308

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

JULY 31, 1984

CHARLES DENTON
HCR 62 BOX 323
MOYIE SPRINGS ID 83845

RE: Permit No. 98-7303

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 667-6484 or in person at our office.

Sincerely,

/S/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MICROFILMED

APR 20 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 98-7303

Name(s) of Permit Holder(s): CHARLES E & KANDA K DENTON

Post Office Address: STAR CT, MOVIE SPRINGS,
IDAHO 83875

Tel. No. 267-2990

☒ I hereby certify that construction of diversion works for the above referenced permit WAS COMPLETED MAY 1983 and I understand that I must

(date) **MICROFILMED**
continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diversion works on the above referenced project has not yet begun due to the following reason beyond my control*:
APR 20 1984

*Note: A financing difficulty is not an acceptable reason.


June 7 1983
Date

Charles E Denton
Signature of Permit Holder

Charles  Denton

Star 86

Mayie Springs, Idaho 83845



MICROFILMED

APR 20 1990



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this a statement that the permit holder(s) has completed development to the extent shown below. Permit No. 98-7303.

Name(s) of Permit Holder: Charles E. & Linda K. Denton

Post Office Address: 262 Box 323 Maye Springs Idaho

Tel. No. 267-2990

Source of Water: Underground

Extension Use: ☒ Domestic 1 (number of households)

☒ Stockwater 8 to 10 head (number and type of stock)

☒ Irrigation 5 maximum (acres)

☐ Other

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

May 19, 1984
Date

Charles E. Denton
Signature of Permit Holder

Charles E. Owen

NCB 62 Box 323

Moyle Springs, Idaho 83845



MICROFILMED

RECEIVED



MAY 24 1984

IDAHO DEPARTMENT OF WATER RESOURCES

STATEHOUSE

Department of Water Resources

BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138664

DENTON, CHARLES E. & LINDA K.
STAR ROUTE
MOYIE SPRINGS, ID 83845

PROOF DUE NOTICE

MARCH 31, 1984

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 98-7303 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JUNE 01, 1984. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

RECEIVED
MAY 1 1984



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

June 22, 1979

Re: Permit No. 98-7303

Charles E. &/or Linda K. Denton
Star Route
Moyie Springs, Idaho 83845

Dear Mr. or Mrs. Denton:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosure

MICROFILMED

98-7303

STAFF REVIEW - STATE OFFICE

1. ✓ Name vs. Signature
2. ✓ Source
3. ✓ Point of Diversion
4. ✓ Amnt. & Period of Use
5. ✓ Descrip. of Diverting Wrks.
6. 5 Time req. for Proof of B/U
7. ✓ Place of Use for other than irrig.
8. N/A Place of Use for irrigation (add acres)
9. A Property Owner at Pt. of Div. & Pl. of Use
10. ✓ Map
11. 70 Fee & Rec't. No.

Copies Sent To:

<u>U/A</u> Idaho Health Department	<u>U/A</u> U.S.F.S.
<u>U/A</u> Idaho Fish & Game Dept.	<u>U/A</u> Dept. of Lands
<u>U/A</u> Bureau of Land Management	<u>U/A</u> Other

Dam Safety Information N/A (Goes to Permit Section)

Check:

Critical G.W. Area yes ✓ no

Other rights on same land N/A

Withdrawals of all protests received N/A yes no

Conditions:

ID Power Co. Letter - Snake R. NO
ID Power Co. Letter - G.W. & Tribs. NO
Snake River Condition NO
Payette River Letter NO
Priority Date 5/1/79
Water Quality #16 NO
Water Quality #10 NO
intrastate NO interstate NO

Meas. Dev. or Sc. Meas. NO
Totalizing meter NO
Supplemental NO
Right-of-Way Cond. NO
Watermaster Cond. NO
Wtr. Dist No. NO
Meas. Dev. Cond. for apps within a Water Dist. NO

John
Reviewer
6/19/79
Date

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 98-7303

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) KK 5/2/79

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant
_____ Request Dam Safety Information

(4) AK 5/2/79

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) pmc 6/8/79

Affidavit of Publication received (date) 6/5/79

(12) pmc 6/5/79

Final date for protests May 29, 1979

Protests received: yes _____ no ☒

(13) pmc 6/8/79

All requested information received from agencies or applicant: yes ☒ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

5-1-79 Proposed Priority

Reason for Reduction _____

Measuring device required _____

See attached sheet for other conditions of approval

☒ No special conditions for approval

(15) District Northern

By Bob Haynes

Date JUN 13/1979

RECEIVED
MICROFILMED

98-2303-

DENTON, CHARLES E. &/or LINDA K.

STAR ROUTE, MOYIE SPRINGS, ID 83845

Source: GROUNDWATER

Date Filed: 05/01/1979

Amount: 0.06 CFS

Diversion Point: NWSW NWSW Sec 22 T 62N R 03E, BOUNDARY Co.

Use: DOMESTIC	(0.04 CFS)	from 01/01 to 12/31
STOCKWATER	(0.02 CFS)	from 01/01 to 12/31

Place of Use: NWSW Sec 22 T 62N R 03E

Diversion Means: 2 WELLS

MICROFILMED