




BERGSTRAND MAP: 35 QUAD: B9
PD: T62N, R2E, SEC.26, NENE
PU:
SOURCE: GROUNDWATER

PERMIT #98-07282
GL:
ACRES:
TRIBUTARY:

MICROFILMED

MAR 06 1992



MICROFILMED
MAR 06 1992



MICROFILMED

MAR 06 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
house
Boise, Idaho 83720

PRESORTED
FIRST-CLASS



RECEIVED

JUL 19 1982
Department of Water Resources

CHARLES
BERGSTRAND
RT. 2 BOX 101

SANDPOINT
1

BER 01 R20610N1 07/06/82

RETURN TO SENDER
NOT DELIVERABLE AS ADDRESSED
UNABLE TO FORWARD

ID

83864

POSTNET

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 98-07282A

Priority: October 10, 1978

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that CYNTHIA BERGSTRAND
CHARLES BERGSTRAND

RT 1 BOX 529 K1A

BONNERS FERRY ID 83805

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 27, 1978; and has submitted Proof of Beneficial Use on October 28, 1988. An examination indicates that the works have a diversion capacity of .040 cfs of water from:

UNNAMED STREAM

tributary to KOOTENAI RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NENE , Sec. 26, Township 62N, Range 02E
BOUNDARY County

PLACE OF USE: DOMESTIC

TWN RGE SEC

62N 02E 26

NENE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MAR 06 1992


A

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 98-07282A

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 30TH
day of JANUARY, 1992

Acting for


R. Keith Higginson, Director

RECEIVED
MAR 06 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 98-07282B

Priority: October 10, 1978

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that DONALD BERGSTRAND
TAMA CAHILL

RT 1 BOX 529 K1B

BONNERS FERRY ID 83805

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 27, 1978; and has submitted Proof of Beneficial Use on October 28, 1988. An examination indicates that the works have a diversion capacity of .040 cfs of water from:

SPRING

tributary to KOOTENAI RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NENE , Sec. 26, Township 62N, Range 02E
BOUNDARY County

PLACE OF USE: DOMESTIC
TWN RGE SEC

62N 02E 26

NENE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

RECORDED

MAR 06 1992

B


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 98-07282B

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 30TH
day of JANUARY, 1972.

Acting for


R. Keith Higginson, Director

RECEIVED
MAR 06 1992

For Office Use Only	
Fee Received	15.00
Date	11-15-83
Receipt #	32782

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

REQUEST FOR EXTENSION OF TIME

**To provide additional time in which to submit
proof of beneficial use on a water right permit**

RECEIVED

NOV 14 1983

Department of Water Resources

Charles D. Bergstrand of R.R. 1 Box 529 K-1-A Bonners Ferry
(Name) (Address)

State of Idaho, deposes and says:

That he is the holder, or the duly authorized agent of the holder*, of Permit to Appropriate the Public Water of the State of Idaho No. 98-7282.

That under the terms and conditions of said permit, work thereunder was required to be completed on or before November 01, 19 83.

That he has heretofore performed the following work described under said permit: A pond was
(This must be filled out! If no work has been completed put none.)

excavated on the north end of the part year stream. ~~But~~ The
cost was \$200.00. On the full year spring on south end of property,
a 8'x3' GALV culvert was set in a dughole and pump house erected
over it. pump+pipe purchased; total \$ ~~850~~ 850 Costings total \$ ~~850~~
\$ 1050.

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit:

Wanted for completion a concrete cystem. by house to
pump domestic water, and necessary plumbing to house. Due
to my work schedule, completion of my house to accomodate
completion of proged has been delayed. Though permit applied in 78
I have lived here only one year. Am doing most work myself and have

Wherefore, he asks that the Department of Water Resources extend the time for the completion of obligations

under said permit to NOV 1, 19 88.
(1 yr. minimum, 5 yrs. maximum)

NOTE
AS OF JULY 1, 1980,
THERE IS A \$15.00
CHARGE FOR REQUESTS
FOR EXTENSION OF
TIME.

Charles D. Bergstrand
(Signature)*

*IF OTHER THAN HOLDER, Power of Attorney must be supplied.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED and the time within which to submit the statement of beneficial use is extended to November 1, 1988. IT IS FURTHER ORDERED that the permit be reinstated and the priority advanced to October 10, 1978, pursuant to Sec. 42-218a, Idaho Code.

Signed this 18 day of November, 19 83.

David R. Tuttle
ACTING Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT **APPROVED**

To appropriate the public waters of the State of Idaho

1. Name of applicant CHARLES BERGSTRAND OR CYNTHIA BERGSTRAND OR
DONALD BERGSTRAND OR TARA KAHILL Phone _____
Post office address RT 2 BOX 101 SANDPOINT, ID
2. Source of water supply SPRING & STREAM which is a tributary of _____
3. Location of point of diversion is 2 POINTS
NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 26 Township 62N
Range 2E B.M. BOUNDARY County, ~~additional points of diversion if any:~~
KNOWN AS TR

4. Water will be used for the following purposes:

Amount 0.08 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.08 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. COLLECTION BOX WITH
PIPELINE TO PLACE OF USE

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year – maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 26 Township 62N
Range 2E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.


(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water 2.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Cynthia Bergstrand
(Applicant)

Received by RAH Date 9-27-78 Time 10:15 AM
Preliminary check by TR Fee \$ 20.00
Receipted by RAH Date 9-27-78 # 12108
Publication prepared by B Date 9-29-78
Published in Idaho Falls Herald
Publication dates 10-5-11-78
Publication approved B Date 10-24-78
Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by RAH J.S.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 98-7282, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 19 83.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: _____

Witness my hand this 2nd day of November, 19 78.

A. Glen Saxton
Chief, Operations Bureau

RECEIVED AFFIDAVIT OF PUBLICATION

STATE OF IDAHO }
County of Boundary } ss.

1978

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

98-7282

Charles Cynthia or Donald Bergstrand or Tama Cahill

Rt 2 Box 101, Sandpoint, Id

Date Filed: Sept 27, 1978

Amount: 0.08 cubic ft/sec

Source: Spring & stream

Means: pipeline

Diversion Pt: 2 pts within NE¼

NE¼ Sec 26 T62N R2E BM

Boundary Co

Place of Use: NE¼NE¼ Sec 26

T62N R2E BM

Use: domestic for 2 homes from

Jan 1 to Dec 31

If issued, any of the above referenced permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho, 83814, on or before October 23, 1978.

C STEPHEN ALLRED

Director

Published in the Bonners Ferry Herald, Bonners Ferry, Id. on Oct. 5 and Oct. 12, 1978.

Echo Turnbull, bkpr. for Pete Thompson, Dep. of Water Resources, being first duly sworn upon his oath, deposes and says that he is the publisher (or foreman) of the following newspaper:

Publisher

of The Bonners Ferry Herald, a newspaper of general circulation, published weekly at Bonners Ferry, Boundary County, State of Idaho; that the said Bonners Ferry Herald has been continuously and uninterruptedly published in said Boundary County during a period of 18 months or 78 weeks prior to the first publication of the hereto attached notice; that

the advertisement of Idaho Dept. of Water Resources

a Notice of Application #98-7282

Notice for Publication, a printed copy of which is attached hereto was published in said newspaper and not in a supplement thereof for 2 consecutive issues, commencing with the issue dated Oct. 5, 1978, and ending with the issue dated Oct. 12, 1978.

Subscribed and sworn to before me this 16 day of Nov, 1978.

James Bellmer
Notary Public in and for the County of Boundary, State of Idaho,
residing at Bonners Ferry, Idaho.

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

98-7282

Charles Cynthia or Donald Bergstrand or Tama Cahill

Rt 2 Box 101, Sandpoint, Id

Date Filed: Sept 27, 1978

Amount: 0.08 cubic ft/sec

Source: Spring & stream

Means: pipeline

Diversion Pt: 2 pts within NE 1/4

NE 1/4 Sec 26 T62N R2E BM

Boundary Co

Place of Use: NE 1/4 NE 1/4 Sec 26

T62N R2E BM

Use: domestic for 2 homes from

Jan 1 to Dec 31

If issued, any of the above referenced permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho, 83814, on or before October 23, 1978.

C STEPHEN ALLRED

Director

Published in the Bonners Ferry Herald, Bonners Ferry, Id. on Oct. 5 and Oct. 12, 1978.

STATE OF IDAHO }
County of Boundary } ss.

Echo Turnbull, bkpr. for Pete Thompson being
first duly sworn upon his oath, deposes and says that he is the publisher (or foreman)
Publisher

of The Bonners Ferry Herald, a newspaper of general circulation, published weekly at Bonners Ferry, Boundary County, State of Idaho; that the said Bonners Ferry Herald has been continuously and uninterruptedly published in said Boundary County during a period of 18 months or 78 weeks prior to the first publication of the hereto attached notice; that

the advertisement of Idaho Dept. of Water Resources

a Notice of Application #98-7282

Notice for Publication, a printed copy of which is attached hereto was published in said newspaper and not in a supplement thereof for 2 consecutive issues, commencing with the issue dated Oct. 5, 1978, and ending with the issue dated Oct. 12, 1978.

Subscribed and sworn to before me this 23 day of October, 1978.

Notary Public in and for the County of Boundary, State of Idaho,
residing at Bonners Ferry, Idaho.

February 13, 1992

CYNTHIA BERGSTRAND
CHARLES BERGSTRAND
RT 1 BOX 529 K1A
BONNERS FERRY, ID 83805

RE: WATER RIGHT NO. 98-07282A

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:clh

Enclosure

RECEIVED
FEB 16 1992

MAR 06 1992

PART A

PART B

January 31, 1992

DONALD BERGSTRAND
TAMA CAHILL
RT 1 BOX 529 K1B
BONNERS FERRY ID 83805

RE: WATER RIGHT NO. 98-07282B

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:blm

Enclosure

RECEIVED
MAR 06 1992

MEMORANDUM

TO: File 98-7282

FROM: Sharla

DATE: January 15, 1992

RE: Split of Water Right

There were two separate water delivery systems found at the time of the field inspection. The examiner has indicated which system is owned by each of the permit holders. Since this split is straight-forward, licenses will be issued for each separate portion. No assignment of permit will be requested to split the right into its two parts.

SEARCHED
SERIALIZED
JAN 16 1992

LICENSE REVIEW CHECKLIST
 Permit No. 98-7282A

Date 1/2/92

Name Address change? OK

Priority date Advance? NO
 Memo to advance ---
 Order to reinstate needed? ---

Total cfs Fee sufficient for rate recommended? N/A
 Limited by capacity? ---

Total volume Limited by flow? ---
 Rate/ac N/A afa (irrigation)
 Calculations from examiner appropriate? ---

Capacity Actual measurement checked ---
 Theoretical checked ---

Source Clarification of originally intended source is
 the only change allowed - if any other change in
 source has occurred, a notice of intent to void
 is needed OK

P/D Verify with map ✓ Amendment req'd? NO
 Remark needed for more than one per $\frac{1}{4}$ ---
 Is overlap analysis a consideration in final
 recommendations? NO

Uses Period of use for each use compatible with
 appropriate maps, data entry standards, etc. ✓
 Change(s) in nature of use - amendment req'd ---

P/U Verify with map ✓ Amendment req'd? NO
 Is overlap analysis a consideration in final
 recommendations? NO

Remarks More than one p/d in $\frac{1}{4}$ ---
 Non-irrig uses ✓
 Special overlap condition ---
 Other ---

Conditions -

Measuring device ---
 W.Master control ---
 Overlap ---
 Water quality ---
 Other ---

Dates/Misc. -

Water Dist ---
 App Rec'd ---
 Proof Rec'd ---
 Exam Made ---

Comments/Memos needed:

License ✓ Paragraphs P49
 10-day --- Paragraphs ---
 30-day --- Paragraphs ---

Special correspondence req'd? NO

LICENSE REVIEW CHECKLIST
 Permit No. 98-7282B

Date 1/2/92

Name Address change? ok

Priority date Advance? NO
 Memo to advance —
 Order to reinstate needed? —

Total cfs Fee sufficient for rate recommended? N/A
 Limited by capacity? —

Total volume Limited by flow? —
 Rate/ac N/A afa (irrigation)
 Calculations from examiner appropriate? —

Capacity Actual measurement checked —
 Theoretical checked —

Source Clarification of originally intended source is
 the only change allowed - if any other change in
 source has occurred, a notice of intent to void
 is needed

P/D Verify with map ✓ Amendment req'd? NO
 Remark needed for more than one per $\frac{1}{4}$ —
 Is overlap analysis a consideration in final
 recommendations? NO

Uses Period of use for each use compatible with
 appropriate maps, data entry standards, etc. ✓
 Change(s) in nature of use - amendment req'd —

P/U Verify with map ✓ Amendment req'd? NO
 Is overlap analysis a consideration in final
 recommendations? NO

Remarks More than one p/d in $\frac{1}{4}$ —
 Non-irrig uses ✓
 Special overlap condition —
 Other —

Conditions -

Measuring device —
 W.Master control —
 Overlap —
 Water quality —
 Other —

Dates/Misc. -

Water Dist —
 App Rec'd ✓
 Proof Rec'd ✓
 Exam Made —

Comments/Memos needed:

License <u>✓</u>	Paragraphs <u>—</u>
10-day <u>—</u>	Paragraphs <u>—</u>
30-day <u>—</u>	Paragraphs <u>—</u>

Special correspondence req'd? NO

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT Department of Water Resources

RECEIVED
JUN 23 1991

A. GENERAL INFORMATION


1. Owner: Charles, Cynthia, Donald, or Tama Bergstrand Permit No. 9807282
Current Address: Rt 1 Box 529 KIA & KIB Bonners Ferry ID 83805 Phone No. 267-7322
2. Accompanied by: Don Bergstrand EXAM. DATE: 8-17-90
Address: same Phone No. same
Relationship to Permit Holder:
3. Source: Spring & stream tributary to Kootenai River

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached N/A (required for irrigation of 10 acres or more).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

See Alternative diagram sheets

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	NE	NE	26	62N	2E	Boundary	Map (Donald Bergstrand)
		SE	NE	NE	26	62N	2E	Boundary	Map (Charles Bergstrand)

6. **Place(s) of Use:**

Indicate Method of Determination *Map*

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
62N	2E	26	D																

MICROFILMED

MAR 06 1992

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS *None*

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2 homes

2 x 0.02 = 0.04

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

2 homes ~~1.2~~ 1.2 x 2 = 2.4

MICROFILMED
MAR 06 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

When the Application was filed, All 40 acres were held in joint ownership. Now North $\frac{1}{2}$ of NENE is owned by Donald Bergstrand, South $\frac{1}{2}$ NE of NE is owned by Charles Bergstrand. There are 2 homes and 2 water systems and they are in no way connected. I have sent them assignment forms and they will probably request that each right be separate.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1-1	12-31	0.04	2.4 AFA
Totals:			0.04	2.4 AFA

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ Other

J. AUTHENTICATION

Field Examiner's Name

Theresa J. Bright

Signature


Theresa J. Bright

Certification Date

4/16/90


Field Report Preparation Date

8/20/90



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED
MAR 06 1992



BERGSTRAND MAP: 35 QUAD: B9
PD: T62N, R2E, SEC. 26, NENE
PU:
SOURCE: GROUNDWATER

PERMIT #98-07282
GL:
ACRES:
TRIBUTARY:


MICROFILMED

MAR 06 1992

Permit # 98-07282 For Donald Bergstrand System
N $\frac{1}{2}$ NE ~~NE~~ Sec 26 T62N. R.2E.

1. Alternative diagram

Not to Scale



MICROFILMED

MAR 06 1992


3. Narrative : Solar Pannel charges 12volt battery which operates pump located inside spring box on a floating raft. Horsepower is unknown. Water is pumped to a 12,000gallon Cistern and then to home. 2 valves allow cistern to be bypassed and water can be pumped directly from spring to home. There is one stand pipe on the line before it enters the cistern. Two pressure gages are located on the line between the cistern and the Home, One on either side of the filtration mechanism. They both read 20psi.

Permit # ~~98-072~~ 82 for Charles Bestrand System
#98-07282

S 1/2 NE NE Sec 26 T.62N. R.2E.

1. Alternative diagram

Not to Scale




4' culvert inserted in Stream vertically
~~to~~ to pump from.

3. Narrative:
Four foot culvert inserted ^{vertically} into Stream provides place to pump from. Inside this culvert is a 3 hp pump which sends water through barried pipe to a holding tank which is attached high on the side of the house. Water is then gravity fed to home.

FILMED

MAR 06 1992



MAR 06 1992



APR 06 1992

MAR 06 1992



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

December 9, 1988

Mr. Charles Bergstrand
Rt. 1 Box 529 K-1-A
Bonners Ferry, Id. 83805

Re: 98-7282

Dear Mr. Bergstrand:

Dear Permitholder:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you prior to the time the examination is made so that you may demonstrate the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

TDK/pms

MICROFILMED

DEC 27 1988



1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 98-7282

Date: 10/2/88

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

Y Surface water
_____ Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

_____ Is a measuring device or access port required?
N/A Has one been installed?
_____ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A Priority Calculation:
Date proof received _____

Date proof due _____

No. of days late _____

Priority date _____

NEW PRIORITY DATE _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

OCT 28 1988

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

No Fee
Department of Water Resources

For Office Use Only
 Fee Received _____
 Date _____
 Receipt # _____
 Receipt by _____
 Reviewed by JS
 Sent to region _____

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 98-07282Name(s) of Permit Holder: CHARLES BERGSTRAND CYNTHIA BERGSTRAND DONALD BERGSTRAND TAMA CAHILL (BERGSTRAND)Post Office Address: Rt 1 Box 529 K-1-A + K-1-B BONNERS FERRY ID. 83805Telephone No. 267-15141 + 267-7322Source of Water: CANNED SEASONAL SPRING AT SOUTH END OF NE 1/4 NE 1/4 SEC 26 T4N 62N R 2E

Extent of Use:

Domestic 2 (number of households) Stockwater _____ (number and type of stock)
 Irrigation 2 (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted LESS THAN .04 cfs _____ acre-feetShow the date water was first diverted and beneficially used under this permit: 10-83 (ONE HOUSEHOLD) 11-87 (2ND HOUSEHOLD)

Measuring Device: Required? Yes No
 Installed? Yes No

Fee enclosed \$ NONE, LESS THAN .04 CFS USED
 (See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes No
 Installed? Yes No

Person to contact to accompany the Department representative during the field examination:

DON BERGSTRAND
 (Name)

267-7322
 (Telephone Number)

Rt 1 Box 529 K-1-B BONNERS FERRY ID 83805
 (Address)

The above information is my true statement of the extent to which the above number has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

DEC 27 1988

25 OCT 88

Date

Charles D Bergstrand Cynthia L Bergstrand
 Signature of Permit Holder (and title, if appropriate)
Donald R Bergstrand Tama Bergstrand

138435
August 31, 1988

CHARLES BERGSTRAND
CYNTHIA BERGSTRAND
DONALD BERGSTRAND
TAMA CAHILL
RT. 1 BOX 529 K-1-A
BONNERS FERRY, ID 83805

PROOF DUE NOTICE

RE: PERMIT NO. 98-07282

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

DEC 27 1988

November 21, 1983

Charles D. Bergstrand
RR 1, Box 529 K-1-A
Bonners Ferry, ID 83805

Dear Mr. Bergstrand:

Re: Permit No. 98-7282

Enclosed is a copy of the approved request for extension of time. The time within which to submit the statement of beneficial use postcard is extended to November 1, 1988. Please note that the permit has been reinstated with an advance in priority since the extension of time request was submitted after the proof due date.


Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure: Ext. of Time

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Boise, Idaho 83720



REASON CHECKED
On return to sender
Attention not given
Insufficient postage
No subscription number
No such office in state
Do not return in this envelope

SEP 16 1983

RETURN TO SENDER
NO SUCH BOX NUMBER
DATE 9-2-83 CARRIER SB

CERTIFIED MAIL

NO. 138990

CERTIFIED MAIL
NO. 086595

☐ HOLD

DATE

9-2

1ST NOTICE

2ND NOTICE

RETURN

Detached from
PS Form 3849-A
Oct 1980



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

June 24, 1982

Dear Permit Holder:

Your water right permit(s) may be affected by a change made in Section 42-204, Idaho Code, by the 1982 Idaho Legislature.

Because of the change, you must commence the excavation and construction of the diverting works for your permit(s) no later than July 1, 1983. The statute further requires that you then proceed with due diligence in completing the diverting works and applying the water to beneficial use.

Permits in the following three categories are not subject to this requirement:

1. Rate of flow is greater than 25 cubic feet per second.
2. Proof of Beneficial Use has already been submitted.
3. Proof of Beneficial Use is required on or before July 1, 1983.

To maintain the validity of your permit(s) you must return one Commencement of Works postcard for each permit subject to the requirement. Note that on the card you can indicate that either (1) you have commenced construction or (2) you have been prevented from initiating development due to a factor beyond your control, such as the Idaho Power Moratorium, a required approval of the federal government, or litigation which prevents development of the project.

Enclosed you will find the number of cards that our records indicate you will need. Note that the card(s) should be returned to this office by July 1, 1983. If you have further questions, please contact the regional office shown below that is nearest you.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL, JR., P. E.
Supervisor, Water Allocation Section

DRT:jg Enclosure

NORTHERN REGION, IDWR
Rt. #5, Box 203
4055 Government Way
Coeur d'Alene, ID. 83814
Tel. 667-6484

SOUTHERN REGION, IDWR
1041 Blue Lakes Blvd. N.
Twin Falls, ID. 83301
Tel. 734-3578

EASTERN REGION, IDWR
150 Shoup Ave.
Idaho Falls, ID. 83401
Tel. 525-7161

WESTERN REGION, IDWR
92 South Cole Road
Boise, ID. 83709
Tel. 334-2190

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. _____

Name(s) of Permit Holder(s): _____

Post Office Address: _____

Tel. No. _____

☒ I hereby certify that construction of diversion works for the above referenced permit began on _____, I understand that I must
(date)
continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is
not an acceptable reason.

Date

Signature of Permit Holder

PLACE
STAMP
HERE



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
house
Boise, Idaho 83720

98-7282

RECEIVED

JUL 19 1982

Department of Water Resources

CHARLES
BERGSTRAND
RT. 2 BOX 101

SANDPOINT
1

BER 01 R20610N1 07/06/82

10

83864

RETURN TO SENDER
NOT DELIVERABLE AS ADDRESSED
UNABLE TO FORWARD



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

EXTENSION OF TIME

November 15, 1983

Charles Daniel Bergstrand
Rural Rt. 1, Box 529 K1-A
Bonners Ferry, ID 83805

PERMIT NO. 98-7282

We are in receipt of the \$15 extension fee for Extension(s) of Time to provide additional time in which to submit proof of beneficial use on a water right permit.

Your request for extension(s) of time is being reviewed by staff. You will be informed of our decision when review has been completed.

Enclosed is our receipt No. 32782.

Roberta Garrett
Records Supervisor

Enclosure

STAFF REVIEW OF REQUESTS FOR EXTENSION OF TIME

Permit Number 98-7282

Y Date Received stamp

New address

Y Fee receipted

Y Name on request same as on permit

RR 1 Box 529 K-1-A

N Address same as on permit

Bonnere FERRY, IDAHO

Y Proof due date correct

Y Period of request correct

11-1-88 ← New Proof due date

N Signature same as on permit

- acceptable name is one of the permit holders

Y First extension request

N Permit holder named as defendant in 1983 Idaho Power lawsuit

N Is extension filed before proof due date?

Date extension received 11 14 83

Proof due date - 11 1 83

Days late 14 13

Priority date 9 27 78

$270 + 13 = 283$

Adjusted priority date 10 11 78

← New priority date

N Is delay caused by litigation?

Date litigation began N/A

Date litigation completed N/A

Period of delay N/A

New proof due date

Y Is there commencement of works?

21 Cover letter number

 Rolodex card updated

Remarks:

Reviewed by: Juni

Date: 11-15-83

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

BERGSTRAND, CHARLES & CYNTHIA
RT. 2 BOX 101
SANDPOINT, ID 83864

138991

PROOF DUE NOTICE

AUGUST 31, 1983

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 98-7282 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE NOVEMBER 01, 1983. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

November 2, 1978

Re: Permit No. 98-7282

Charles Bergstrand, Cynthia Bergstrand,
Donald Bergstrand, or Tama Cahill
Route 2, Box 101
Sandpoint, Idaho 83864

Gentlemen, Ms. Bergstrand, and Ms. Cahill:

Enclosed is a copy of your approved Application for Permit No. 98-7282. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

LGS:kw
Enclosure

MAILED 11/2/78

STAFF REVIEW - STATE OFFICE

1. ✓ Name vs. Signature
2. ✓ Source 2 points
2 sources?
3. ✓ Point of Diversion
4. ✓ Amnt. & Period of Use
5. ✓ Descrip. of Diverting Wrks.
6. 5 Time req. for Proof of B/U
7. ✓ Place of Use for other than irrig.
8. N/A Place of Use for irrigation (add acres)
9. App Property Owner at Pt. ✓ of Div. & Pl. of Use
10. ✓ Map
11. 20 Fee & Rec't. No.

Copies Sent To:

<u>NO</u> Idaho Health Department	<u>NO</u> U.S.F.S.
<u>/</u> Idaho Fish & Game Dept.	<u>/</u> Dept. of Lands
<u>/</u> Bureau of Land Management	<u>/</u> Other

Dam Safety Information N/A (Goes to Permit Section)

Check:

Critical G.W. Area yes ✓ no

Other rights on same land N/A

N/A Withdrawals of all protests received yes no

Conditions:

ID Power Co. Letter - Snake R. No

ID Power Co. Letter - G.W. & Tribs. No

Snake River Condition No

Payette River Letter No

Priority Date 10-24-78

Water Quality #16 No

Water Quality #10 No
intrastate interstate

Meas. Dev. or Sc. Meas. No

Totalizing meter No

Supplemental No

Right-of-Way Cond. No

Watermaster Cond. No
Wtr. Dist No.

Meas. Dev. Cond. for apps within
a Water Dist. No

Juni
Reviewer

11/1/78
Date

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. Bergstrand

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) SK 9-28-78

In form to receipt

(2) _____

Send Copies to:

Idaho State Health Department

Idaho Fish and Game Department

Bureau of Land Management

(3) _____

Request Special Use Permit from U.S.F.S.

Request Easement from B.L.M.

Request Information from Applicant

Request Dam Safety Information

(4) SK 9/20/78

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) _____

Affidavit of Publication received(date) 10-24-78

(12) _____

Final date for protests 10-23-78

Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes ☒ no _____

(14) _____

Action recommended:

☒ Approve 9/27/78 _____ Deny

10-24-78 Proposed Priority DET 11-10-83

Reason for Reduction

Measuring device required

See attached sheet for other **MICROFILMED** conditions of approval

☒ No special conditions for approval

(15) District Northern

By Bob Haynes Date 10-24-78

RECEIVED
OCT 27 1978

Department of Water Resources



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

September 29, 1978

RE: Application No. 98-7282

Bonnors Ferry, Herald
PO Box 539
Bonnors Ferry, Id 83805

Gentlemen:

Enclosed is a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to our office along with the publication bill. Your cooperation in this matter is appreciated.

Very truly yours,

ROBERT G. HAYNES, P.E.
District Supervisor

RGH:ab

Enc: Legal Notice(s)

*Bill reviewed
10-24-78
B*

MAILED 10-2-78

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, any of the above referenced permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho, 83814, on or before October 23, 1978.

C STEPHEN ALLRED
Director

Published in the Bonnors Ferry Herald, Bonners Ferry, Id
on October 5 and October 11, 1978.

RECEIVED
OCT 11 1978
IDAHO DEPARTMENT OF WATER RESOURCES

98-7282

Charles, Cynthia or Donald Bergstrand or Tama Cahill

Rt 2 Box 101, Sandpoint, Id

Date Filed: Sept 27, 1978

Amount: 0.08 cubic ft/sec

Source: Spring & stream

Means: pipeline

Diversion Pt: 2 pts within NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec 26 T62N R2E BM Boundary Co

Place of Use: NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec 26 T62N R2E BM

Use: domestic for 2 homes from Jan 1 to Dec 31

Bonnors Ferry Herald

MICROFILMED